

Huawei.H13-611_V4.5.v2022-04-21.q191

Exam Code:	H13-611_V4.5
Exam Name:	HCIA-Storage V4.5
Certification Provider:	Huawei
Free Question Number:	191
Version:	v2022-04-21
# of views:	6132
# of Questions views:	1910
https://www.exam-tests.com/H13-611_V4.5-exam/Huawei.H13-611_V4.5.v2022-04-21.q191.html	

NEW QUESTION: 1

What are the common protocols in SAN networking? (Multiple Choice)

- A. NFS
- B. iSCSI
- C. FC
- D. CIFS

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 2

What are the current challenges in disaster recovery? (Multiple choices)

- A. Diverse applications and inconvenient management
- B. Disaster recovery construction requires expensive investment
- C. The cloudification trend of IT systems is becoming more and more obvious. Many virtual machines also need to be protected. The current disaster recovery construction lacks a unified management system.
- D. Data sharing and other capabilities are limited by the physical location of the data, applications and data cannot be separated, and it is impossible to build agile applications and better disaster tolerance features

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

During routine maintenance of the storage device, Engineer A entered a command such as "change user user_name=new user level=admin" through the CLI.

Which of the following statements is correct about this command? (Multiple Choice)

- A. The object to perform the operation is: user_name
- B. The attribute of the object that performs the operation is: user

- C. The modified user level is: admin
- D. The operation performed is: change

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Hybrid cloud is a solution that uses both private cloud and public cloud at the same time.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Statement 1: Hyper Mirror one LUN failure, the host business is not interrupted, Hyper Clone primary LUN failure, the host business is interrupted.

Statement 2: Hyper Mirror supports dual copy, and Hyper Clone supports a maximum of 1 primary LUN: 16 secondary LUNs.

- A. Statement 1 is correct, Statement 2 is wrong
- B. Statement 1 is wrong, Statement 2 is wrong
- C. Statement 1 is correct, Statement 2 is correct
- D. Statement 1 is wrong, Statement 2 is correct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Take Huawei Ocean Stor flash storage products as an example. Which of the following descriptions of indicator lights are correct? (Multiple Choice)

- A. The battery button and battery indicator must be separated
- B. In the control box, the positioning indicator is off, indicating that the control board is not positioned
- C. The warning light in the control phase is amber, indicating that the control has an alarm
- D. The locating indicator in the control box is steady blue, indicating that the control board is locating

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following operations should be done by employee A of a bank in the first maintenance project of data center storage?

1. Check Toolkit installation
2. Check eService installation and configuration
3. Check the alarm policy configuration

- A. 12
- B. 123
- C. 3

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following statements is correct about dual-controller storage? (Multiple Choice)

- A. There is only one controller at the same time in Active-Standby mode
- B. In the Active-Standby mode, a controller is not enough for business at all
- C. There are two working programs: Active-Standby mode and Active-Active mode
- D. Compared with the Active-Standby mode, when a controller fails, the active-active mode switches higher

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Regarding the characteristics of the LAN-FREE backup method, which of the following is incorrect?

- A. Backup performance is usually higher than that of LAN-BASED
- B. Does not affect user network performance
- C. The backup data stream does not occupy LAN resources
- D. The backup proxy does not affect the performance of the application server

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

What are the correct compression features of Huawei? (Multiple Choice)

- A. Online compression before writing to disk
- B. Write to disk first, read first and then compress in idle time
- C. Online compression after writing to disk
- D. When the system time is idle, read and write first and then compress

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Two CKs in a CKG of RAID 2.0+ can come from the same hard disk.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

SmartThin is a storage space management technology provided by Huawei OceanStor V3 storage system that allocates storage resources on demand. Based on virtualization technology, SmartThin reduces the deployment of physical storage resources and maximizes the utilization of storage space.

- A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following RAID levels requires at least 4 hard drives?

A. 1

B. 5

C. 3

D. 6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Description 1: Enterprises should know how much downtime costs, so as to determine the appropriate backup strategy

Description 2: RTO is not always important for business continuity, but RPO is important

A. Both description 1 and description 2 are wrong

B. Description 1 is correct, description 2 is wrong

C. Both description 1 and description 2 are correct

D. Description 1 is wrong, description 2 is correct

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Among the following backup media, the order of unit capacity price from low to high is:

A. Tape, CD/DVD, SSD, virtual tape library

B. CD/DVD, tape, virtual tape library, SSD

C. Magnetic tape, CD/DVD, virtual tape library, SSD

D. CD/DVD, SSD, tape, virtual tape library

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

In which of the following scenarios InfiniBand can be applied? (Multiple Choice)

A. Interconnection between distributed storage nodes

B. Interconnection between storage controllers

C. Interconnection between Fusion Cube devices

D. Storage interconnection between ordinary disk enclosures

Answer: ([SHOW ANSWER](#))

dumps, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which of the following data can be exported through Device Manager? (Multiple Choice)

- A. System log
- B. Configuration information
- C. Diagnostic files
- D. Hard Disk Log

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 18

Regarding the disaster recovery drills, which of the following statement is incorrect?

- A. Through disaster tolerance drills, business integrity cannot be checked
- B. Familiarize with the disaster recovery process through disaster recovery, and exercise business recovery capabilities when a disaster strikes
- C. Perform the drills in accordance with the real disaster recovery steps.
- D. Disaster recovery drills are verification and the most effective means to prove the availability of the system

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

A company purchased a set of Huawei storage (such as Huawei OceanStor hybrid flash memory) equipment, using SAS interface hard drives.

In addition to SAS hard drives, what types of hard drives can the storage support?

(Multiple Choice)

- A. NLS AS hard disk
- B. SSD hard disk
- C. FC hard disk
- D. SCSI hard disk

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 20

Engineer C maps the storage to the file server for storing various files of the enterprise.

One day, the file system was attacked by a virus and the file could not be opened normally.

In order to allow the files to be accessed normally, storage engineer C performs a snapshot rollback operation. Which of the following descriptions is wrong?

- A. When there is no host to read or write, the data in the snapshot is rolled back to the source volume in turn
- B. During the snapshot rollback process, if data is written to the source LUN, perform the write source LUN operation first, and then perform the rollback operation
- C. Snapshot rollback can quickly restore data
- D. Snapshot rollback may cause some data loss

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 21

The CoE protocol means to encapsulate the FC protocol into TCP/IP protocol package and transmit it on the Ethernet.

- A. True
- B. False

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 22

Which of the following can be achieved by storage snapshots? (Multiple Choice)

- A. Take a regular snapshot of the storage at 12 o'clock every evening, and the snapshot data is used for backup
- B. Use snapshot LUNs for development and testing of new business versions
- C. Snapshot the business LUN at the end of the month, and analyze the business data of the next month through the snapshot
- D. Obtain real-time data analysis business status through snapshot data

Answer: A,B,C,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 23

Regarding IOPS, which of the following statement is incorrect?

- A. How many IOs can be performed per second, each IO is fixed according to the size of the written data.
- B. If the smallest data block, such as 512 bytes, is written each time under the condition of not changing lanes frequently, then the IOPS at this time will be the highest value.
- C. If you each IO write a large piece of continuous data without changing lanes frequently, the number of IOs per second at this time is relatively low.
- D. If the head changes lanes frequently and the data written each time is relatively large, the IOPS should be the lowest value of this disk at this time.

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 24

In order to access the bearer server, the data center establishes the infrastructure, which can be divided according to the business? (Multiple Choice)

- A. Cloud Data Center

- B. Operating the data center
- C. Enterprise Data Center
- D. Internet Data Center

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 25

The following are two statements about cloud computing:

Statement 1: A deployment model of cloud computing is to divide a large physical server into multiple small virtual machines.

Statement 2: A deployment model of cloud computing is to aggregate multiple small physical servers into one large host.

- A. Statement 1 is correct, Statement 2 is wrong
- B. Both Statement 1 and Statement 2 are wrong
- C. Statement 1 is wrong, Statement 2 is correct
- D. Both Statement 1 and Statement 2 are correct

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 26

Which of the following descriptions of the file access protocol is correct? (Multiple choice)

- A. The working methods of CIFS protocol, NFS protocol and FTP protocol are all C/S architecture
- B. The CIFS protocol is used in Linux and UNIX environments
- C. The NFS protocol is used in the Windows environment
- D. The working method of HTTP protocol is B/S architecture

Answer: A,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 27

Huawei OceanStor hybrid flash memory can only be expanded through PCIe Scale-out.

- A. True
- B. False

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 28

Double write means that two storages are written at the same time, and the completion of the writing is signaled to the host separately. One storage terminal fails and cannot be restored to the host, and the business is interrupted.

- A. TRUE
- B. FALSE

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 29

For a system with high business continuity, the RPO and RTO values should have which of the following characteristics?

- A. RPO is lower, RTO is higher
- B. RPO and RTO are both higher
- C. RPO and RTO are both lower
- D. RPO is higher, RTO is lower

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Xiao Wang, an employee of a small company, uses the CIFS protocol to access shared files on the Linux application server supported by his company's storage system.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Use the CIFS protocol to access the share. When the share name is the same as the user name, the order of access to the share is:

- A. First check the Homedir share, if no matching share information is found, then check the CIFS share
- B. Query CIFS shares, if not found, it will return failure
- C. Query Homedir share, if not found, it will return failure
- D. Query the CIFS share first, if no matching share information is found, then query the Homedir share

Answer: A ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

Which of the following statements of RAID 1 is incorrect?

- A. Normally, RAID 1 reads data from the data disk and the mirror disk
- B. RAID 1 uses X OR algorithm to check

C. RAID 1 writes data to each member disk, and the data on each member disk is the same

D. When the data of some member disks is damaged, RAID 1 allows it to quickly recover data from other member disks

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

Create a Thin LUN on Huawei Oceanstor storage with 100G and an initial allocated capacity of 10G. After mapping this LUN to a Windows ID host, the corresponding disks scanned on the host should be displayed as 10G.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

Incremental backups must rely on the last full backup and the last incremental backup to fully restore the data during data restoration. Data reconstruction during restoration is slower than a full backup, and the restoration window is larger.

A. False

B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 35

The enterprise storage device has 30T space, divided into three 10TThinLUNs, and imported 20T old data, so an error is reported.

A. True

B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

A device can only have one WWPN, but there can be multiple WWNNs.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which of the following statements about storage are correct? (Multiple Choice)

A. File storage is generally used to save data in data applications such as databases

B. Storage types include block storage, file storage, and object storage

C. Storage system includes storage hardware, storage software, and storage solutions

D. Storage refers to the hard disk

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 38

IP scale-out is the scale-out that constructs the pcie protocol and is generally used in high-end industrial storage business scenarios.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which CLI shortcuts are correct? (Multiple Choice)

A. R is the view command

B. A is to view command parameters

C. page up and page down two keys are the previous page and the next page

D. Q is the exit instruction manual

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

Database data belongs to structured data, and audio and video data belong to unstructured data. At present, the growth of storage space mainly comes from the rapid growth of unstructured data.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

After a design company purchases a NAS file storage system and configures CIFS sharing services, which of the following is implemented by this device? (Multiple Choice)

A. Assign different access rights to employees in different positions

B. Help the designer to back up data materials

C. Unified management of business storage of various departments

D. Support file sharing with project staff

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which of the following descriptions about Huawei RAID 2.0+ technology is correct? (Multiple choice)

A. The hard disk space is divided into fixed-size blocks

B. The hard disk types of each storage layer in the hard disk domain are the same

C. The user can set the "RAID strategy" for each storage tier in the storage pool.

D. Grain is the smallest granularity of data migration and the basic unit that constitutes Thin LUN

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 43

What are the functions that can be achieved by storage snapshots? (Multiple Choice)

A. Take a snapshot of the business LUN at the end of the month and analyze the business data of the previous month through the snapshot.

B. Take regular snapshots of the storage at 12 o'clock every evening, and use the snapshot data for backup

C. Obtain real-time data analysis business status through snapshot data

D. Use the snapshot LUN data for the development and testing of the new version

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following descriptions of the relationship between the FC protocol and the SCSI protocol is wrong?

A. FC or iSCSI protocol is used to carry SCSI protocol, which is an extension of SCSI protocol

B. SCSI is the upper layer protocol of FC 4, SCSI is a subset of FC protocol

C. FC is an alternative to SCSI

D. FC can transmit SCSI commands, data and status information units by constructing frames

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

Among the components of the mechanical disk, the components responsible for reading and writing data are:

A. Disk

B. Read/write head

C. Head arm

D. Spindle

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Which of the following belong to the operation and maintenance standard system? (Multiple Choice)

A. ISO 2000 (International Organization for Standardization 2000)

B. SNIA (Storage Networking Industry Association)

C. ITIL (Information Technology Infrastructure Library)

D. IEEE (Institute of Electrical and Electronics Engineers)

Answer: A,C ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Description 1: SATA hard disk can be used in SAS environment

Description 2: In terms of interface standards, SATA is a sub-standard of SAS, so the SAS controller can directly control SATA hard disks, but SAS cannot be used directly in the SATA environment.

- A. Description 1 is correct, description 2 is wrong
- B. Description 1 is wrong, description 2 is correct
- C. Description 1 is correct, description 2 is correct

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

Which description is correct about FC protocol port? (Multiple Choice)

- A. N-port: the port of the FC switch access end node
- B. E-port: Expansion port (switch-switch)
- C. G-port: ordinary port, can be converted to E or F port
- D. F-port Fabric port is the connection point of Fabric facing user N-port

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Which of the following descriptions of NAS is correct?

Description 1: NAS is always based on file sharing.

Description 2: The distance of the network connection affects the performance of the NAS.

- A. Both description 1 and description 2 are correct.
- B. Description 1 is wrong, description 2 is correct
- C. Description 1 is correct, description 2 is wrong
- D. Both description 1 and description 2 are wrong

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Taking OceanStor Huawei all-flash storage products as an example, which of the following descriptions of the indicators are correct? (Multiple Choice)

- A. The frame is positioned in the controller frame. The indicator light is steady blue, indicating that the controller frame is being positioned.
- B. The power button and power indicator must be separate.
- C. The alarm indicator in the control box turns amber to indicate that there is a warning in the control box.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 51

What is the networking method of FC SAN? (Multiple choice)

- A. Arbitration ring
- B. Single exchange
- C. Double exchange
- D. Direct connection

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 52

There are two statements about backups below, which is correct?

Statement 1: The retention period refers to the time it takes to backup.

Statement 2: Incremental backup takes the longest time among the three backup types.

- A. Statement 1 is correct, Statement 2 is wrong
- B. Statements 1 and 2 are both wrong
- C. Statement 1 and 2 are both correct
- D. Statement 1 is wrong, Statement 2 is correct

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

The deduplication feature reduces space through compression.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

When the Meteorological Center needs to store a large amount of satellite pictures and image data, and the amount of data will grow rapidly in a short period of time, due to the elastic expansion of cloud storage, the engineer recommends using the cloud storage platform.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55

There are two statements about backups as follows:

Statement 1: The data backed up on the tape can be used for data recovery at any time, but only the historical data at the time of the backup can be recovered, not the data at the time of the failure.

Statement 2: Using tape as the backup medium is the highest RTO backup method.

- A. Statement 1 is correct, Statement 2 is wrong
- B. Statement 1 is wrong, Statement 2 is correct
- C. Statement 1 is correct, Statement 2 is correct
- D. Statement 1 is wrong, Statement 2 is wrong

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

What are the correct analysis of the dual-control architecture storage subsystem? (Multiple Choice)

- A. Only for high-end storage
- B. In Active-Active, only one controller receives data requests in the same time period
- C. In Standby, the controller does not receive data requests and does not 0 hard disks
- D. There are two working formats: Active-Active, Standby

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

The disadvantage of a full backup is that it must rely on the last full backup and the current differential backup to restore the data completely.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which of the following descriptions of the iSCSI protocol are correct? (Multiple Choice)

- A. Use ATA protocol as the transmission protocol
- B. Transmission based on TCP/IP protocol
- C. iSCSI general is responsible for generating iSCSI protocol data unit
- D. The SCSI layer is responsible for generating the command descriptor block

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

The iSCSI protocol can be transmitted through the optical fiber network, and the transmission distance is almost unlimited. The iSCSI protocol is limited by the SCSI protocol and can run on the Ethernet.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 60

Regarding the characteristics of DAS, which of the following descriptions is correct?
(Multiple choice)

- A. If the DAS with tight storage space can share the remaining space of the DAS with excess storage resources
- B. The number of ports that can be connected to the host is limited
- C. When multiple hosts connect to DAS, they can provide services of different service levels
- D. When maintaining the internal DAS, the system needs to be powered off

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 61

The data compression feature refers to the reduction of the transmission processing and storage efficiency of the system by reorganizing the data and deleting duplicate data blocks without losing information.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPASS.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

In the Huawei OceanStor V3 storage system, which of the following descriptions about file-level HyperSnap feature data recovery is correct? (Multiple choice)

- A. Can restore the files on the file system that has a physical failure
- B. Single file can be restored
- C. Can recover original files deleted by mistake
- D. The original file with logic error can be restored

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 63

When configuring the hyper metro feature in Huawei storage, the arbitration server can only be deployed on the physical server, not on the virtual machine.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

A bank newly purchased a full-flash storage device (such as Huawei Ocean Stor full-flash memory), and the engineer initialized the device. Which of the following operations is correct?

- A. When creating hosts in batches, create 600 hosts at once
- B. It is required to tolerate 2 data CHUNK failures, and configure the RAID strategy to RAID 5
- C. When logging in to Device Manager, use port number 8088
- D. When creating a LUN, configure the LUN as a Thick LUN

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which of the following statements about RAID write penalties are correct? (Multiple Choice)

- A. RAID 6 has two parity bits. Compared with RAID 5, it will suffer a greater write penalty
- B. For RAID 5, compared with RAID 1, the write penalty is worse than RAID 5's read performance

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 66

When the Windows copy program copies local files to the file system, the file system block size of the Huawei OceanStor V3 storage system is the default, which ensures the full use of storage space.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

The composition of the backup system does not include?

- A. Backup software
- B. Backup media
- C. Backup server
- D. Backup strategy

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

An e-commerce company has configured the highest priority of I/O for the main online transaction business in the storage system, and the instant messaging and archive services are respectively low and medium priority. At this time, the I/O needs to be written in the same time period 123456 , Among which 3,5 comes from online transaction business, 2,6 comes from instant messaging, 1,4 comes from archiving business, which of the following I/O writing sequence is wrong? (Multiple Choice)

- A. 345612
- B. 123456
- C. 352614
- D. 351462

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Create a Thin LUN on Huawei OceanStor V3 with a capacity of 100G and an initial allocated capacity of 10G. After the LUN is mapped to the Windows 2012 host, the corresponding disk is scanned on the host. The displayed capacity of the disk should be 10G.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which of the following two descriptions is correct?

Description 1: Synchronous remote replication. When the primary storage fails, the amount of data loss can be zero.

Description 2: When the host is a Linux-based file system, asynchronous remote replication must be used.

- A. Description 1 is wrong, description 2 is correct
- B. Both description 1 and description 2 are correct
- C. Description 1 is right, description 2 is wrong
- D. Both description 1 and description 2 are wrong

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 71

What are not common backup types? (Multiple Choice)

- A. Full backup
- B. Incremental backup
- C. Extended backup

D. Flexible backup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which of the following statements about Smart Tier technology is correct?

A. Put the SSD hard disk in the performance layer

B. Put NL-SAS hard disks in the performance layer

C. NL-SAS hard disk speed is low, task response time is long, and the processing cost per unit storage request is low, so it is placed in the capacity layer.

D. Because the SSD hard disk has a short read and write time and high performance, it is placed in the high-performance layer.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

The NAS engine and the storage unit are interconnected by an Ethernet switch.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

NFS has high asynchronous write performance, but if the client and storage system fail at the same time, there may be a risk of data loss.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

Compared with NAS storage system and file server, what are the advantages of NAS storage system? (Multiple Choice)

A. High stability

B. Large storage space

C. Diversified services and powerful functions

D. High data security

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Among flash memory media chips, QLC is lower in cost than TLC, supports frequent rewriting, can provide high-speed read and write rates, and is suitable for server memory.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:
https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html
(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

Which of the following about FC SAN network switching technology is wrong?

- A.** A node failure in one zone will not affect node services in other zones.
- B.** The switch can provide simultaneous communication between multiple nodes connected to it.
- C.** A widely used technology that supports up to 127 devices.
- D.** Switches use zone to manage network partitions and provide the best interconnection method.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

Distributed storage can provide: block services, big data services, object services and file services.

- A.** True
- B.** False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which technology's the basic unit is Extent of RAID 2.0+ technology in the storage pool?
(Multiple choice)

- A.** Statistics
- B.** Apply for space
- C.** Data migration
- D.** Free up space

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 80

Statement 1: When Windows mounts a CIFS share with the same IP address (domain name or machine name), the same user can mount one or more shares at the same time, but different users cannot mount the same or different shares.

Statement 2: When Windows mounts the Homedir share with the same IP address (domain name or machine name), multiple users cannot mount multiple shares.

- A. Statement 1 is wrong, Statement 2 is wrong
- B. Statement 1 is correct, Statement 2 is correct
- C. Statement 1 is correct, Statement 2 is wrong
- D. Statement 1 is wrong, Statement 2 is correct

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

Huawei OceanStor V3 SmartTier feature can be used to place data on the specified disk type.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

Images and music belongs to unstructured data.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

When there are bad sectors or bad blocks on the hard disk, which reconstruction method is used?

- A. Restoration reconfiguration
- B. Whole disk reconstruction
- C. Local Remeshing
- D. Local remodeling

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 84

When the RPO time requirement is at the minute level, the traditional tape backup method can be used.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

Synchronization in cloning, double write 0 and single choice for master and slave LUN

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

The Hyper Clone of the Huawei Ocean Stor hybrid flash storage system is a data protection value-added feature. After the Hyper Clone is created, the data of the target LUN needs to be synchronized in the background before the target LUN can be read and written.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

Smart Tier cannot be enabled for a storage pool composed of a single hard disk type.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

Regarding data-level, application-level, and business-level disaster recovery, which of the following statements is correct?

- A. Regarding TCO, data-level <application-level <business-level
- B. Regarding RTO, data-level <business-level <application-level
- C. Regarding RTO, data-level <application-level <business-level
- D. Regarding TCO, business-level <data-level <application-level

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

Regarding the new era of ICT and technology, which of the following statements is correct? (Multiple choice)

- A. In the new ICT era, ICT systems migrate from support systems to production systems
- B. social media is a virtual community and network platform that people use to create, share, and exchange opinions, opinions and experiences
- C. Cloud computing is an increase, use and delivery model of Internet-based related services, usually involving the provision of dynamic, easy-scalable and often virtualized resources through the Internet
- D. CPS (Cyber Physical System) includes system engineering such as ubiquitous environment perception, embedded computing, network communication and network control in the future. It is a physical system with functions of computing, communication, precise control, remote collaboration and autonomy.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 90

The earliest form of external storage is to connect some independent disks in series, only increasing the capacity and cannot provide security. Which of the following descriptions meets the description?

- A. JBOD
- B. NAS
- C. SAN
- D. FAS

Answer: (SHOW ANSWER)

NEW QUESTION: 91

Regarding the definition of information, which of the following descriptions are correct? (Multiple Choice)

- A. Information is processed data
- B. Information is not the same as data
- C. Information used to eliminate random uncertainty
- D. Information is the data representation of all things

Answer: A,B,C (LEAVE A REPLY)

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 92

Data management is the process of using computer hardware and software technology to effectively collect, store, process and apply data. In chronological order, what phases can data management be divided into? (Multiple Choice)

- A. Manual management
- B. Big data management
- C. File system management
- D. Traditional database system management

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 93

The Smart Cache feature in Huawei OceanStor V3 series products can only improve read performance, not write performance.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 94

The x86 architecture is a type of data center infrastructure.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

A bank needs to ensure data security and use it to transfer large databases.

Which storage network architecture is suitable for this bank?

A. NAS

B. FC SAN

C. DAS

D. IP SAN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

Which of the following statements about the evolution of storage network architecture is correct?

A. SAN provides file storage, and its emergence solves the inconvenience of file sharing in the DAS architecture

B. Users first generated storage requirements due to the increase in data volume, which resulted in the earliest and simplest storage architecture SAN

C. Compared with DAS architecture, NAS architecture can better provide file sharing services

D. Distributed storage appeared at the same time as DAS, providing better scalability for DAS architecture

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 97

What are the storage product forms? (Multiple Choice)

A. Disk control separation

B. Integrated disk control

C. Entire cabinet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

Which one of the following methods can achieve the RTO optimization?

- A. Disk-disk-tape
- B. Virtual tape library
- C. Disk-disk
- D. Remote replication

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

Which of the following descriptions of RAID 10 is correct? (Multiple choice)

- A. RAID 10 is used in scenarios with high requirements for speed and fault tolerance
- B. Data is mirrored and then striped in RAID 10
- C. In RAID 10, if two member disks in a subgroup fail, the data is read normally
- D. RAID 10 requires at least 4 member disks

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 100

Which of the following statements are correct about flash memory particles? (Multiple Choice)

- A. In TLC, one cell can store 4 bits of data
- B. In QLC, one cell can store 3 bits of data
- C. In SLC, one cell can store 1 bit of data
- D. In MLC, one cell can store 2 bits of data

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 101

Regarding the description of pre-copy, which of the following statement is incorrect?

- A. The data to be pre-copy must be calculated and reconstructed
- B. Pre-copy is the process of copying data from the member disk that is about to expire to the hot spare disk
- C. Pre-copy requires a hot spare disk
- D. Pre-copy greatly reduces the risk of data loss

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 102

For random accessing to mechanical disks, the biggest impact on the time taken to complete an IO is:

- A. Data transfer time
- B. Seek time
- C. Rotation delay

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which of the following storage system architectures has its own file system?

- A. DAS
- B. FC SAN
- C. NAS
- D. IPS AN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

Which of the following are included in the host-level disaster recovery? (Multiple choice)

- A. Array level
- B. Database level
- C. Application level
- D. Logical volume level

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 105

In the Huawei OceanStor V3 storage system, a customer plans to deploy 3 systems, a business system, running an Oracle database, which requires high random read and write performance; a mail system for daily mail processing; a video system, save long-term archived videos.

When creating LUNs for each system separately, which of the following Smart Tier policy settings are correct? (Multiple choice)

- A. Video system: 1. Initial capacity allocation: priority allocation from the capacity tier 2. Data migration strategy: migration to the low-performance tier
- B. Video system: 1. Initial capacity allocation: priority allocation from the capacity layer 2. Data migration strategy: automatic migration
- C. Business system: 1. Initial capacity allocation: priority allocation from the performance layer 2. Data migration strategy: migration to the low performance layer
- D. Mail system: 1. Initial capacity allocation: automatic allocation 2. Data migration strategy: automatic migration

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 106

After a bank moved, the data on the mechanical hard disk could not be read. The engineer judged that the hard disk was faulty. What could be the cause of the fault? (Multiple Choice)

- A. Damaged flash memory particles
- B. The head of the hard disk is shifted and the platters are scratched
- C. Short circuit of control wires

D. The hard disk head is damaged

Answer: B,D ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 107

Which of the following are not required components in the FC SAN environment? (Multiple choice)

- A. Storage equipment
- B. FC switch
- C. Windows operating system
- D. FC HBA

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 108

RAID 2.0+, which of the following is correct?

- A. It is the largest unit that applies for and releases space in the storage pool.
- B. The size of the chunk and SAS/SSD is a fixed size of 256MB
- C. The extent size of different storage pools can be different, but the extent size in the same storage pool is the same.
- D. The size of the chunk and SATA/NL-SAS is a fixed size of 64MB

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 109

Which of the following statement is wrong? (Multiple choice)

- A. Backup cannot solve the recovery of historical data
- B. Backup cannot solve the recovery of data damage
- C. Backup to solve the recovery of data loss
- D. Backup can directly take over the business

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

Regarding the steps of SAN synchronous replication, which of the following is in the correct order?

- (1) The production storage receives the host write request. Hyper Replication logs the request. Only the address information is recorded in the log, and the data content is not recorded.
- (2) Hyper Replication waits for the write processing results of the primary LUN and the secondary LUN to return. If all writes are successful, clear the log; otherwise, keep the log and enter the abnormal disconnection state, and then re-copy the data block corresponding to the log address when synchronization is started.
- (3) Write the request to the primary LUN and secondary LUN. Normally, the LUN is in the write-back state, and data is written to the Cache.
- (4) Return the processing result of the host write request, subject to the processing result of the write master LUN.

A. (1)(2)(3)(4)

B. (4)(2)(3)(1)

C. (2)(1)(3)(4)

D. (1)(3)(2)(4)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 111

The full name of RPO used in disaster recovery backup is:

A. Recover Plan Objective

B. Return Purchase Order

C. Restore Point Objective

D. Recovery Point Objective

Answer: D (LEAVE A REPLY)

NEW QUESTION: 112

A certain bank will launch a set of business systems, which have very high performance and security requirements. The database uses an Oracle database and plans to deploy the Oracle database to a storage system. Then, when creating a RAID group for the Oracle database, the optimal RAID strategy should be:

A. RAID 10

B. RAID 5

C. RAID 1

D. RAID 6

Answer: A (LEAVE A REPLY)

NEW QUESTION: 113

Smart Tier technology discovers large-scale IO active data after running. In order to improve performance, the initial capacity is set to the capacity layer.

A. False

B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 114

In the following description of the Hyper clone feature, which options are correct? (Multiple Choice)

A. Active-active as a negative LUN can be used as a source LUN of a Hyper clone as a target LUN

B. Heterogeneous LUNs can be used as Hyper clone source LUNs and target LUNs

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 115

In the Huawei OceanStor V3 storage system, which of the following statement of Smart Thin LUN is correct?

A. When creating a thin LUN, it cannot be allocated a capacity larger than the free space available in the storage pool.

B. The types of LUNs in a storage pool must be the same, either all thin LUNs or thick LUNs

C. You can create a Thin LUN without specifying the initial capacity allocation

D. Thin LUN cannot be converted to Thick LUN

Answer: C ([LEAVE A REPLY](#)**)**

NEW QUESTION: 116

The SCSI protocol is the basic protocol for communication between the host and the disk. It is operated by the SCSI controller. The controller is equivalent to a small CPU with its own command set and cache.

A. False

B. True

Answer: B ([LEAVE A REPLY](#)**)**

NEW QUESTION: 117

All-flash memory (such as Huawei Oceanstor) uses the smartMation architecture to realize the front-end and back-end interconnection. The failure of any controller does not affect the normal business.

A. False

B. True

Answer: B ([LEAVE A REPLY](#)**)**

NEW QUESTION: 118

Which of the following options belong to the subsystem of the storage device? (Multiple Choice)

- A. Control subsystem
- B. Connect the subsystem
- C. Hardware subsystem
- D. Storage management software subsystem

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 119

When using the NFS protocol, adding a client and setting read and write permissions will have an impact on performance.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 120

Storage disaster recovery technology is mature, with a wide range of options.

- A. False
- B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 121

The IT storage equipment of a bank was relocated, and the mechanical hard disk could not be read. The engineer judged that the hard disk was broken. What are the possible reasons? (Multiple Choice)

- A. Broken head
- B. The flash memory particles are bad
- C. The control circuit is short-circuited and burned out
- D. Head displacement scratches the disc

Answer: A,D (LEAVE A REPLY)

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 122

Most of the data generated by the Internet industry is structured data, and this part of the data accounts for about 80% of the total amount of data.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 123

Multipath software can only be used in IP-SAN.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 124

①Scale-out, horizontal expansion, can improve capacity and performance at the same time
②Scale-up, horizontal expansion, cannot improve capacity and performance at the same time (Multiple Choice)

A. Description 2 is correct

B. Description 2 is wrong

C. Description 1 is wrong

D. Description 1 is correct

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 125

If a company's data is mainly static data (such as video or JPG format files), it will not benefit from the smart tier feature of Huawei OceanStor storage.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 126

Engineer A wants a RAID that does not affect the CPU, and engineering B wants a RAID that the CPU runs. Which of the following is correct? (Multiple Choice)

A. Engineer B hardware RAID

B. Engineer A software RAID

C. Engineer B software RAID

D. Engineer A hardware RAID

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 127

A company belongs to the fields of banking and finance, with a large amount of business data and high security requirements. Which RAID level is suitable for this company?

A. RAID 10

B. RAID 5

C. RAID0

D. RAID 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 128

In the NAS architecture environment, three hosts simultaneously read and write to a disk partition will bring about the problem of written data consistency.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 129

Xiao Wang, an employee of a company, serves as the administrator of the company's storage system. When he uses two sets of OceanStor5500 V3 as a disaster recovery solution, he only needs one of the OceanStor5500 V3 configuration data to remote replication software.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 130

Huawei all-flash storage, four controllers are in one frame, and the nodes are fully interconnected through PCIe backplanes

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 131

Huawei's all-flash storage system uses the SmartMatrix architecture to achieve full interconnection between the front and back ends, and the failure of any one controller does not affect the normal operation of the business.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 132

Software RAID realizes unified management of disks through RAID card.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 133

Statement 1: ICT infrastructure should be built with high-end equipment with high reliability, so there is no need to establish a backup.

Statement 2: Servers are usually used to refer to computers with higher specifications in some enterprises. These computers usually install some important software in the enterprise, run important business.

A. Statement 1 is wrong, Statement 2 is correct

B. Statement 1 is correct Statement 2 is wrong

C. Both Statement 1 and Statement 2 are wrong

D. Both Statement 1 and Statement 2 are correct

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 134

Which of the following are the characteristics of clustered NAS storage architecture?

(Multiple choice)

A. Unified namespace, global sharing

B. High performance, concurrent I/O of multiple arrays

C. Online expansion

D. Can provide block-level storage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 135

From the perspective of the cloud computing business model, Huawei's network disk belongs to PaaS.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 136

If a company has only a few servers, small and medium-sized enterprises want less investment to deploy a simple architecture. Which one is recommended?

A. IP SAN

B. NAS

C. DAS

D. FC SAN

Answer: C ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:
https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html
(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 137

Which of the following descriptions of distributed storage are correct? (Multiple Choice)

- A. Does not support elastic EC data redundancy protection
- B. Expansion in units of nodes, increasing computing power and storage space simultaneously
- C. Can support large-scale horizontal expansion
- D. Realize storage resource pooling and virtualization

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 138

Which interfaces are used for mechanical hard drives in the storage system? (Multiple Choice)

- A. SAS
- B. SATA
- C. PCIe
- D. NV ME

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 139

DAS is divided into internal DAS and external DAS

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 140

A company has a variety of services such as mail and online storage, and has limited storage space. It plans to use Smart Thin technology to optimize storage space.

Regarding Smart Thin, which of the following statements are correct? (Multiple Choice)

- A. Smart Thin virtualizes storage resources
- B. Smart Thin does not support the creation of LUNs larger than the maximum physical free space of the storage pool

- C. The implementation of Smart Thin is to allocate on demand
- D. Smart Thin does not allocate all the space in advance, but presents the capacity form larger than the physical storage space to the customer

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 141

A company purchasing a set of Huawei storage services needs to provide file services while providing block services. Which of the following is correct?

- A. CIFS/NFS are both C/S mode
- B. Support non-domain environment
- C. Support AD domain environment
- D. Support CIFS and NFS deployment on the same network

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 142

Which of the following storage services does Huawei distributed storage (such as Huawei OceanStor100D) support? (Multiple Choice)

- A. HDFS storage
- B. Chain storage
- C. Object storage
- D. File storage
- E. Block storage

Answer: A,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 143

Which of the following about the Thin LUN reading data process is correct?

- A. Direct-on-time
- B. Direct-on-read
- C. Capacity-on-read
- D. Capacity-on-write

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 144

Which of the following descriptions is correct?

Description 1: LUN is composed of multiple Extents in the storage pool.

Description 2: LUN can contain one or more types of Extent.

- A. Description 1 is wrong, description 2 is correct
- B. Description 1 is correct, description 2 is correct
- C. Description 1 is correct, description 2 is wrong
- D. Description 1 is wrong, description 2 is wrong

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 145

In the bank's bill imaging system, structured data is often stored on the SAN array, and unstructured data is stored on the NAS array.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 146

Realizes unified hard disk management based on software RAID and RAID card

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 147

The company has received a new batch of storage devices, which does not require much access speed, and can use IP-SAN networking.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 148

Which of the following VLANs are correct? (Multiple Choice)

A. VLAN is a communication technology that logically divides a physical LAN into multiple broadcast domains

B. In the storage system, different VLANs can be assigned the same ID

C. In Huawei OceanStor hybrid flash memory, multiple Ethernet ports can be added to multiple independent VLANs

D. Different services can be configured in different VLANs in the storage system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

According to the changes in the amount of backup data, the types of backups can be divided into _____. (Multiple choice)

A. Differential backup

B. Full backup

C. Incremental backup

D. Real-time backup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 150

In Huawei OceanStor V3, which of the following statements about cloning are correct?
(Multiple Choice)

- A. After splitting and resynchronizing, incremental synchronization will be performed.
- B. After synchronization is completed, if host I/O is written, it will be written to both the master LUN and the slave LUN at the same time.
- C. There can be only one master LUN in a clone, and multiple slave LUNs can be added, but the master LUN and all slave LUNs are a pair.
- D. To ensure data consistency during the initial synchronization of the cloned master-slave LUN, the host business will be suspended.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 151

Regarding the advantages of Huawei RAID 2.0+, which of the following is correct?
(Multiple choice)

- A. The data on a single LUN is distributed to many different hard disks, avoiding hard disk hot spots and greatly improving the performance and capacity of a single LUN.
- B. Overcoming the performance bottleneck of the target disk (hot spare disk) of traditional RAID reconstruction, so that the write bandwidth of the reconstructed data stream no longer becomes the bottleneck of the reconstruction speed, which greatly improves the reconstruction speed and reduces the failure of double disks. Probability, which improves the reliability of the storage system.
- C. The data is automatically and evenly distributed on the hard disks in the storage pool, avoiding unevenness of the hard disks, thereby reducing the overall failure rate of the storage system
- D. There is no write penalty in RAID 2.0+, which overcomes the impact of write penalty in RAID 5 and RAID 6 levels in traditional RAID technology on LUN write performance, and greatly improves LUN performance

Answer: A,B,C,D (LEAVE A REPLY)

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPASS.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 152

Which of the following statements corresponding to RAID 5 and RAID 10 are correct?

IO Type	Performance Comparison
Random Read	Random read performance of each RAID level is equivalent.
Random Write	Because the RAID algorithm calculates the checksum and mirroring process, random write will bring additional IO overhead, which is called Write Penalty. Therefore, the greater the write penalty of the RAID algorithm, the worse the random write performance. RAID10> RAID5> RAID6
Random Read	Under the RAID2.0+ architecture, there is no separate parity disk, and all disks in the hard disk domain can provide read performance. The sequential read performance of each RAID level is equivalent.
Random Write	Under the RAID2.0+ architecture, there is no separate parity disk, and all disks in the hard disk domain can provide read performance. The sequential read performance of each RAID level is equivalent.

- A. With sufficient front-end pressure, the sequential write performance of RAID 5 is higher than that of RAID 10.
- B. The random write performance of RAID 5 is higher than that of RAID 10.
- C. The random read performance of RAID 5 is lower than that of RAID 10.
- D. The sequential read performance of RAID 5 is lower than that of RAID 10.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 153

FTP is a very secure protocol, there is no security risk.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 154

The cloud data center virtualizes storage, computing and network resources, and provides a virtualization platform for users to use.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 155

During the host's read operation of Thin LUN, what technology is used to read data from the corresponding actual storage space in the storage pool?

- A. Direct-on-time
- B. Direct-on-read
- C. Capacity-on-write
- D. Capacity-on-read

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 156

Which is correct about HyperMeteor? (Multiple Choice)

- A. The local site and the remote site can run services at the same time
- B. Support automatic storage failover
- C. It can only be configured between storage devices of the same model and version
- D. Arbitration server must be configured

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 157

Which of the following descriptions about DAS is wrong?

- A. DAS is a designated storage device directly connected to the server that uses them.
- B. DAS is divided into internal DAS and external DAS
- C. The hard disk inside the server is not DAS
- D. External DAS can be connected to the server that accesses them through FC protocol or SCSI protocol.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 158

A company has sufficient client server resources, but the network resources are tight. Which deduplication strategy is suitable?

- A. File-level deduplication
- B. Source-end deduplication
- C. Target-end deduplication
- D. Byte-level deduplication

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 159

What state must the LUN migration be before the consistency split is performed?

- A. Pause
- B. Normal
- C. Migration complete
- D. Migrating

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 160

Taking Huawei Oceanstor hybrid flash memory device as an example, when any Ethernet port in the binding port fails, IP drift technology will be applied.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 161

The business needs to provide block services and file services. Which of the following is correct? (Multiple Choice)

- A. Both CIFS and NFS are C/S
- B. Support non-domain environment
- C. Support CIFS/NFS server in the same network
- D. Support AD domain environment

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 162

The size of the primary LUN and the secondary LUN in remote replication must be the same

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 163

A company makes a complete data backup relative to the current business for salesperson inquiry and data mining. Which of the following can be used to end?

- A. Volume mirroring
- B. Process replication
- C. Clone
- D. Snapshot

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 164

What is the synchronization cycle time limit for asynchronous remote replication?

- A. 3s~144min
- B. 1s~144min
- C. 3s~300min
- D. 1s~300min

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 165

LUNs can be allocated to different ports to complete different services and form physical isolation.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 166

Which of the following descriptions about SCSI is wrong?

- A. Support communication between different devices.
- B. Experienced the changes of SCSI-1, SCSI-2, SCSI-3 and other versions.
- C. The latest is that the protocol transmission speed can reach 1GB/S
- D. SCSI, the interface of a small computer, is a protocol system.

Answer: C ([LEAVE A REPLY](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 167

Which of the following steps does the CIFS protocol need to go through? (Multiple Choice)

- A. Disconnection
- B. Safety certification
- C. File operations
- D. Protocol handshake
- E. Shared connection

Answer: A,B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 168

With the advent of the era of big data, the corresponding storage technology is also undergoing changes. Regarding the changes in storage technology, which of the following statements is correct? (Multiple choice)

- A. Mass storage system is characterized by more complex file system and more complex management
- B. Traditional NAS, for PB-level data, complex volume management and unbalanced system capacity allocation, which will lead to waste of resources
- C. Large-scale scalability is the characteristic of mass storage systems
- D. The file system has evolved from a local file system to a cluster file system and a distributed file system

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 169

After a certain company power on a certain data center system, in the initial configuration process, which of the following options are necessary? (Multiple choice)

- A. Configure an accessible IP address
- B. Change password
- C. Log in to Device Manager
- D. Configure the IP address of the management network port

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 170

The steps of asynchronous remote replication technology at multiple points in time. Which of the following statements is correct?

- (1) A new time slice (T2, P2) is generated in the cache of the primary LUN and the secondary LUN when each replication cycle starts
- (2) The data newly written by the host is cached in the time slice T2 of the main LUN Cache, and the response host is completed
- (3) The data received by the master and slave LUN will be downloaded to disk respectively
- (4) Copy the data of time slice T1 directly to the slave LUN, and write it into the time slice P2 of the slave LUN

- A. (1) (2) (3) (4)
- B. (1) (3) (2) (4)
- C. (2) (1) (4) (3)
- D. (1) (2) (4) (3)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 171

The built-in storage system is directly connected to the host bus, which mainly includes the high-speed cache and memory required for CPU operations, and the hard disk and optical drive directly connected to the computer motherboard.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 172

Which description is wrong about NFS? (Multiple Choice)

- A. NFS does not support access control
- B. NFS can be transmitted based on FC network
- C. NFS protocol transmission distance is not more than 100 meters
- D. NFS supports Windows and Linux systems

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 173

Regarding the characteristics of the LAN-BASED backup method, which of the following is incorrect?

- A. The instruction flow passes through the LAN network, and the data flow does not pass through the LAN network
- B. The backup business needs to be maintained separately, which increases the difficulty of management and maintenance
- C. The backup data is based on LAN, which affects network performance
- D. The backup agent will affect the performance of the application server

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 174

Which of the following are the maintenance items of the data center storage administrator? (Multiple choice)

- A. Daily regular maintenance project
- B. First maintenance project
- C. Weekly maintenance project
- D. Real-time maintenance project

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 175

Which NVMe is correct? (Multiple Choice)

- A. Supports the installation of drivers under NVMe devices and can also be used normally
- B. NVMe can realize direct communication between the device and the CPU
- C. NVMe can transmit SCSI
- D. NVMe supports mechanical hard drives

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 176

What scenarios can RDMA technology be applied to? (Multiple Choice)

- A. Data center servers are interconnected through ROCE
- B. The storage disk enclosure is connected to the hard disk through ROCE
- C. Data center servers are interconnected through Infiniband
- D. Server and storage are interconnected through Infiniband

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 177

Which of the following mid-range storage architectures sorted by time is correct?

1. Storage system curing configuration
2. Dual-control active-active redundant configuration
3. Flexible configuration of hardware components

4. Flexible configuration of software functions

A. 1234

B. 1342

C. 4321

D. 2143

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 178

Which of the following about the data and information is correct? (Multiple choice)

A. Data is a record that reflects the attributes of objective things, and is the specific manifestation of information

B. Information is data processed to meet the needs of users for decision-making

C. Data refers to information that can be stored and transmitted

D. Data is the sum of information and data redundancy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 179

The advantages and disadvantages of disaster recovery technology at the host layer, network layer and array layer. Which of the following statements is correct? (Multiple choice)

A. For host-level disaster recovery, host-level replication will occupy a certain amount of host resources, which will affect the application system

B. Disaster recovery at the host layer is implemented on the host side without considering the compatibility between the underlying devices

C. Disaster recovery at the array layer, the arrays at both ends must be products of the same manufacturer, which cannot solve the heterogeneous problem

D. The initial construction cost of network layer disaster recovery is relatively low, and there are more vendors that can provide solutions

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 180

For remote replication, the primary LUN and secondary LUN must be consistent.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 181

In the storage system, which of the following statements about cables are correct? (Multiple Choice)

A. mini SAS HD cables are divided into mini SAS HD cables and mini SAS HD optical cables

- B.** One end of the fiber can be connected to the FC HBA card, and the other end to the fiber switch or storage
- C.** The serial port cable is used to connect the expansion port and connect the controller subrack to the hard disk subrack
- D.** The mini SAS HD cable is used to connect the PCIe interface of the controller in the control box to the data switch

Answer: ([SHOW ANSWER](#))

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 182

Which of the following description about Huawei Ocean Stor full-flash storage is wrong?

- A.** Support HDD hard disk
- B.** Support SSD hard disk and NV ME hard disk
- C.** Support Palm SSD hard drive
- D.** Support SSD hard disk and NV ME hard disk

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 183

Regarding PCIe Scale-Out and IP Scale-Out, which descriptions are correct? (Multiple Choice)

- A.** PCIe Scale-Out is a Scale-Out technology built on the PCIe protocol, and IP Scale-Out is built on the IP protocol
- B.** PCIe Scale-Out can support iWARP technology
- C.** PCIe Scale-Out can support Ethernet protocol
- D.** PCIe Scale-Out realizes business exchange between controllers by integrating PCIe channel and RDMA technology

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 184

Which of the following statements about Huawei RAID 2.0+ is correct? (Multiple choice)

- A.** Chunk size and Extent size are not adjustable
- B.** RAID 2.0+ uses an independent hot spare disk

C. Hot spare space cannot cross engines

D. Automatically reserve a certain amount of hot spare space in the disk domain according to the hot spare policy

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 185

Storage architecture is developing from distributed to centralized.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 186

Data processing includes the following basic steps: input, processing, and output. Which of the following options belong to the processing steps? (Multiple Choice)

A. Calculate salary based on employee attendance records

B. Print employee's salary receipt

C. Calculate the current month's sales summary based on the sales order

D. Enter calculation data into the database

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 187

What are the infrastructure of the data center? (Multiple choice)

A. Cabinet system

B. Firefighting system

C. Integrated wiring

D. Power supply system

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 188

What is the default multi-path load balancing strategy used by Huawei OceanStor V3 storage products?

A. Minimal task

B. Minimum IO number

C. Polling

D. Minimum queue depth

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 189

The same source LUN can form multiple different Hyper Clone Pairs with different target LUNs. Only one target LUN can be added to the Hyper Clone Pair.

A. True

B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 190

Regarding the description of the coffer disk of the Huawei OceanStor storage system, which of the following is correct? (Multiple choice)

- A.** When an unexpected power failure occurs, the BBU provides power for the cache and the coffer disk
- B.** Coffers disks cannot be used to store user data
- C.** Only the first two disks in the controller cabinet are used for coffer disks
- D.** When the device is powered off, the coffer disk stores the data in the cache to prevent data loss

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 191

Take Huawei OceanStor hybrid flash memory as an example. In the following description of hybrid flash memory, which options are correct? (Multiple Choice)

- A.** Device Manager only supports command line management operations
- B.** Support 0 hard disk types including SATA and ATA
- C.** Smart Matrix comprehensive interconnection architecture and component full redundancy design, supporting Active working mode
- D.** Provide advanced data protection technologies including Smart Tier and Smart Thin

Answer: C,D (LEAVE A REPLY)

Valid H13-611_V4.5 Dumps shared by BraindumpsPass.com for Helping Passing H13-611_V4.5 Exam! BraindumpsPass.com now offer the **newest H13-611_V4.5 exam dumps**, the BraindumpsPass.com H13-611_V4.5 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-611_V4.5 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-611_V4.5-practice-exam-dumps.html

(538 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)