

Apple.Apple-Device-Support.v2026-10-15.q159

Exam Code:	Apple-Device-Support
Exam Name:	Apple Device Support Exam
Certification Provider:	Apple
Free Question Number:	159
Version:	v2026-10-15
# of views:	147
# of Questions views:	1590
https://www.exam-tests.com/Apple-Device-Support-exam/Apple.Apple-Device-Support.v2026-10-15.q159.html	

NEW QUESTION: 1

Which Console report details events while macOS is being used?

- A. Crash Reports
- B. Diagnostic Reports
- C. Spin Reports
- D. system.log file

Answer: D (LEAVE A REPLY)

The system.log file in Console (now unified log in modern macOS) records ongoing system and app events during use.

- * Option A: Crash Reports detail app crashes.
- * Option B: Diagnostic Reports are broader but not real-time.
- * Option C: Spin Reports (older term) aren't standard.
- * Option D: Correct-system.log is live.References: Apple Support - "Use Console on Mac" (support.apple.com/HT202768).

NEW QUESTION: 2

Select the setting in the sidebar that you should use to turn on FileVault.

Answer Area



The screenshot displays the macOS System Preferences window, specifically the Apple ID settings for Andre Lorico. The left sidebar lists various system settings, with 'Privacy & Security' highlighted and marked with a green checkmark. The main pane shows the user's profile at the top, followed by sections for Name, Phone, Email; Password & Security; Payment & Shipping; iCloud; Media & Purchases; Family Sharing; Devices; and a 'Sign Out...' option. A large, semi-transparent Apple logo watermark is centered over the screen.

Andre Lorico
Apple ID

Andre Lorico
andre.loric0@icloud.com

Name, Phone, Email >

Password & Security >

Payment & Shipping >

iCloud >

Media & Purchases >

Family Sharing > Set Up >


Devices

Virtual Reality Air Force
This MacBook Air >

Sign Out... About Apple ID & Privacy... ?

System Preferences Sidebar:

- Wi-Fi
- Bluetooth
- Network
- Notifications
- Sound
- Focus
- Screen Time
- General
- Appearance
- Accessibility
- Control Center
- Siri & Spotlight
- Privacy & Security** ✓
- Desktop & Dock
- Displays
- Wallpaper
- Screen Saver
- Battery
- Lock Screen
- Touch ID & Password
- Users & Groups
- Passwords
- Internet Accounts
- Game Center



Answer:

Answer Area



Explanation
On your Mac, choose Apple menu > System Settings, click Privacy & Security in the sidebar, then click FileVault on the right. (You may need to scroll down.) Click Turn On. You might be asked to enter your password.

NEW QUESTION: 3

What's required to use Migration Assistant with two installed?

- A.** Wi-Fi must be on and the Mac computers
- B.** Must be placed near each other
- C.** Mac computers with the same version of macOS

Answer: A ([LEAVE A REPLY](#))

Migration Assistant is a tool that allows you to transfer your data, apps, and settings from one Mac to another.

To use Migration Assistant with two Macs, you need to have Wi-Fi turned on and the Macs must be near each other. You also need to update the software on both Macs, if possible, and turn off any antivirus, firewall, or VPN software that might interfere with the transfer. You can then launch Migration Assistant on both Macs and follow the onscreen instructions to select the source and destination Macs, choose the content to transfer, and start the migration process. References: Transfer to a new Mac with Migration Assistant - Apple Support, How to Use Migration Assistant to Move Files from One Mac to Another

NEW QUESTION: 4

Select 4.

Which iPad models is the Apple Pencil (2nd gen) compatible with?

- A.** iPad Pro 12.9 inch (3rd gen)
- B.** iPad Pro 11-inch (1st gen)
- C.** iPad (9th gen)
- D.** iPad mini (6th gen)
- E.** iPad Air (4th gen)
- F.** iPad Air (3rd gen)

Answer: ([SHOW ANSWER](#)**)**

The Apple Pencil (2nd gen) is a stylus that allows you to draw, write, and interact with your iPad in a natural and precise way. The Apple Pencil (2nd gen) has a flat edge that attaches magnetically to the side of your iPad for pairing, charging, and storage. It also supports double-tap gestures to switch tools or modes in compatible apps. The Apple Pencil (2nd gen) is compatible with any iPad that has a USB-C port and a flat edge for magnetic attachment. According to the Apple Device Support Reference Materials 1 , these iPad models are:

- * iPad Pro 12.9-inch (3rd gen and later)
- * iPad Pro 11-inch (all generations)
- * iPad mini (6th gen)
- * iPad Air (4th gen and later)

Therefore, the correct answer is A, B, D, and E.

:

Apple Pencil compatibility - Apple Support .

NEW QUESTION: 5

What is the feature that allows you to share your screen in Facetime?

- A.** Continuity Camera
- B.** Stage Manager
- C.** Sidecar
- D.** Shareplay

Answer: D ([LEAVE A REPLY](#))

Shareplay is the feature that allows you to share your screen in Facetime. It is a new feature introduced in iOS 15 and macOS Monterey that lets you watch, listen, and play together with your friends and family over FaceTime. You can share your screen to show apps, webpages, photos, and more, while seeing and hearing the reactions of others on the call. You can also stream online content from supported apps, such as Apple TV, Disney+, and Spotify, and control the playback and volume for everyone. Shareplay works across iPhone, iPad, Mac, and Apple TV, and you can join or leave the session at any time. To use Shareplay, you need to have a device that meets the minimum system requirements, an Apple ID, and a Wi-Fi or cellular

connection. References: SharePlay - Apple, Share your screen in FaceTime on your iPhone or iPad - Apple Support

NEW QUESTION: 6

Select Three.

In MacOS on APFS volumes, when are FileVault encryption keys generated?

- A.** When a user is deleted
- B.** During the first login by a user on the Mac
- C.** When a user turns on FileVault
- D.** Setting the first user's password
- E.** During user creation

Answer: B,C,E (LEAVE A REPLY)

FileVault is a feature that encrypts the entire APFS volume on a Mac using the AES-XTS data encryption algorithm. FileVault encryption keys are generated at different times depending on the scenario. According to the Apple Support documents¹², FileVault encryption keys are generated in the following situations:

- * During the first login by a user on the Mac: This happens when FileVault is turned on during the initial Setup Assistant process. The user's password and the hardware UID are used to protect the class key, which wraps the volume encryption key. The user's password is also used to generate a personal recovery key, which can be used to unlock the volume if the user forgets their password or their account is deleted.
- * When a user turns on FileVault: This happens when FileVault is turned on later from the System Settings. The user's password and the hardware UID are used to protect the class key, which wraps the volume encryption key. The user's password is also used to generate a personal recovery key, which can be used to unlock the volume if the user forgets their password or their account is deleted. An anti-replay mechanism prevents the old key (based on hardware UID only) from being used to decrypt the volume.
- * During user creation: This happens when a new user is added to the Mac after FileVault is turned on.

The new user's password and the hardware UID are used to protect the class key, which wraps the volume encryption key. The new user's password is also used to generate a personal recovery key, which can be used to unlock the volume if the user forgets their password or their account is deleted.

The other options are not correct because FileVault encryption keys are not generated in those situations.

When a user is deleted, their FileVault encryption key is removed from the Mac, but the volume encryption key remains the same. Setting the first user's password does not generate FileVault encryption keys unless FileVault is turned on during the Setup Assistant process or later from the System Settings. References: Intro to FileVault - Apple Support, Volume encryption with FileVault in macOS - Apple Support

NEW QUESTION: 7

You ' re reviewing the manual page for the defaults command in Terminal.

What should you do to exit a manual page in the Terminal window?

- A.** Press the Esc key
- B.** Press the Control-X keys
- C.** Type Exit and Press the Return key
- D.** Press the Q key

Answer: D (LEAVE A REPLY)

The Q key is the universal shortcut to quit or exit a manual page in the Terminal window. The manual page, or man page, is a document that provides information about a command or utility in the Unix-like operating systems. The man command is used to display the man page for a given command or topic. The man command uses a pager program, such as less or more, to display the man page in the Terminal window. A pager program allows the user to scroll through the text file one page, line, or half-page at a time. To exit the pager program and return to the shell prompt, the user needs to press the Q key. This is the same for any other program that invokes the pager program, such as git log or git diff. The Q key stands for quit, and it is easy to remember for Mac users who are familiar with the Command + Q shortcut to quit an application. References How to escape out of the MAN screen or page in UNIX? , How to Exit the MAN Command and Quit Man Pages Properly , How to Quit the MAN Command and Exit Man Pages Properly , How to jump to the end of a 'man' page

NEW QUESTION: 8

How to put an iPhone in recovery mode?

- A.** -Quickly press and release the Volume Up button.
- B.** -Press and hold the Side (or Power) button until the Recovery Mode screen appears. Keep holding the button even when the Apple logo appears; release it only when the Recovery Mode screen is visible.
- C.** -Quickly press and release the Volume Down button.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

Select Four.

Which iPads is the Apple Pencil 1st gen compatible with?

- A.** iPad Air (3rd gen)
- B.** iPad Air (4th gen)
- C.** iPad (6th gen and newer)
- D.** iPad Pro 12.9 inch (1st and 2nd gen)
- E.** iPad Mini (5th gen)
- F.** iPad Pro 12.9 inch (2nd and 3rd gen)

Answer: ([SHOW ANSWER](#)**)**

The Apple Pencil (1st gen) is a stylus that allows you to draw, write, and interact with your iPad in a natural and precise way. The Apple Pencil (1st gen) has a Lightning connector that you can use to pair and charge it with your iPad. It also supports pressure and tilt sensitivity, palm rejection, and low latency. The Apple Pencil (1st gen) is compatible with any iPad that has a Lightning port and supports Apple Pencil. According to the Apple Device Support Reference Materials 1 , these iPad models are:

- * iPad Air (3rd gen)
- * iPad (6th, 7th, 8th, and 9th gen)
- * iPad Pro 12.9-inch (1st and 2nd gen)
- * iPad Pro 10.5-inch
- * iPad Pro 9.7-inch
- * iPad mini (5th gen)

Therefore, the correct answer is A, C, D, and E.

:

Apple Pencil compatibility - Apple Support .

NEW QUESTION: 10

Scenario

You would like to access files stored in iCloud Drive on your Windows PC at work.

What should you do to access these files on your PC?

- A.** Download iCloud Drive from the Windows App Store and set it up using your Apple ID.
- B.** Download iCloud for Windows and set it up with your Apple ID.
- C.** Copy the content of iCloud Drive from your Mac to an external drive, and connect the external drive to your Windows PC.

Answer: B ([LEAVE A REPLY](#))

To access files stored in iCloud Drive on your Windows PC, you need to download iCloud for Windows and set it up with your Apple ID1. This will allow you to view, add, or remove iCloud Drive files and folders directly on your Windows computer in File Explorer or Windows Explorer2. You can also choose a different location for your iCloud Drive files and folders on your PC2. Downloading iCloud Drive from the Windows App Store or copying the content of iCloud Drive from your Mac to an external drive are not valid options, as they will not sync your files across your devices or let you access them online345. References: 1: Set up iCloud Drive on your Windows computer - Apple Support. 2: View, add, or remove iCloud Drive files in iCloud for Windows - Apple Support. 3: [Step-by-Step] How to Sync iCloud Drive on PC? - MultCloud. 4:

NEW QUESTION: 11

Use this image to answer the question.



How do you get to this screen on iPhone?

- A. Rapidly press the volume up button five times. The Emergency Call slider appears.
- B. Press and hold the side button and one of the volume buttons until the Emergency SOS slider appears.
- C. Press the side button then one of the volume buttons. The Emergency Call slider appears.
- D. Press and hold the side button, then drag the Emergency Call slider to call emergency services.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

How do you view log messages grouped by activity in Console on a Mac?

- A. Click the Activities button in the Console toolbar.
- B. Control-click the process window and select Group by Activity.
- C. Add:activity to a search string in the Console search field.

Answer: A ([LEAVE A REPLY](#))

Activities is a feature in Console that allows you to view log messages grouped by the activity they are associated with. This helps you focus on specific log messages and allows for a more complete analysis of your Mac. To view activities in Console, you need to click the Activities button in the toolbar (or use the Touch Bar). If the Activities button is dimmed, you need to click Start in the toolbar first. You can then select an activity to see the log messages for that activity, expand or collapse child activities, and view the details of an activity. References: = View activities in Console on Mac; Apple Device Support Exam Prep Guide, page 11.

NEW QUESTION: 13

Select the setting in the sidebar that you should use to turn on Lockdown Mode.

Answer Area

Search

Andre Lorico

Apple ID

Wi-Fi

Bluetooth

Network

Notifications

Sound

Focus

Screen Time

General

Appearance

Accessibility

Control Center

Siri & Spotlight

Privacy & Security

Desktop & Dock

Displays

Wallpaper

Screen Saver

Battery

Lock Screen

Touch ID & Password

Users & Groups

Passwords

Internet Accounts

Game Center

Wallet & Apple Pay

Keyboard

Andre Lorico

Andre Lorico

andre.loric0@icloud.com

Name, Phone, Email

Password & Security

Payment & Shipping

iCloud

Media & Purchases

Family Sharing

Set Up

Devices

Virtual Reality Air Force

This MacBook Air

Sign Out...

About Apple ID & Privacy...



Answer:

Answer Area



Explanation
From the sidebar, click Privacy & Security. Scroll down, click Lockdown Mode, then click Turn On.

<https://support.apple.com/en-us/105120#:~:text=From%20the%20sidebar%2C%20click%20Privacy,Mode%2C%>

NEW QUESTION: 14

You are trying to connect a podcast mic to your mac. You go into Sounds, but the mic isn't appearing as an option. Where else can you check to see if the mic is properly connected to your mac?

- A. System Information > Hardware
- B. System Information > Devices
- C. System Settings > Printers & Devices
- D. System Settings > Hardware

Answer: (SHOW ANSWER)

System Information > Hardware is the place where you can check to see if your podcast mic is properly connected to your Mac. System Information is an app that shows detailed information about your Mac hardware, software, and network. You can access System Information from the Utilities folder in the Applications folder, or by choosing About This Mac from the Apple menu and clicking System Report. Under the Hardware section, you can find information about your audio devices, such as the manufacturer, model, and connection type. If your podcast mic is connected to your Mac, it should appear under the Audio section. If it does not appear, you may need to troubleshoot the connection or try a different port or cable¹². References: = Apple - Support - Manuals, macOS User Guide, System Information; How do I connect a microphone to my MacBook? | ZDNET.

NEW QUESTION: 15

How many incorrect password attempts does a Managed Apple ID allow before you're locked out of the account?

- A. Seven
- B. Five
- C. Three
- D. Ten

Answer: C (LEAVE A REPLY)

A Managed Apple ID is a type of Apple ID that is created and managed by an organization, such as a school or a business. It allows users to access Apple services, such as iCloud, iTunes U, and Apple School Manager.

A Managed Apple ID has different password policies than a regular Apple ID. According to the Apple Business Manager User Guide, one of the password policies for a Managed Apple ID is that "after three incorrect attempts, the account is locked for one hour." This means that if a user enters the wrong password three times in a row, they will not be able to sign in with their Managed Apple ID for the next 60 minutes.

This policy is designed to prevent unauthorized access and protect the user's data and privacy. References: Use Managed Apple IDs in the Apple Business Manager User Guide

NEW QUESTION: 16

Which feature limits what a root user can do to macOS?

- A. XProtect
- B. Full Disk Access
- C. System Integrity Protection
- D. Secure Enclave

Answer: C (LEAVE A REPLY)

System Integrity Protection (SIP) restricts root user actions, protecting critical system files and processes from modification, even with admin privileges. Enabled by default since macOS Sierra.

* Option A: XProtect scans for malware, not limits root.

* Option B: Full Disk Access grants permissions, not restricts.

* Option D: Secure Enclave handles encryption, not root limits.

* Option C: Correct-SIP enforces security. References: Apple Support - "About System Integrity Protection" (support.apple.com/HT204899).

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which event can automatically send Mac analytics information to Apple?

- A. System Diagnostics starts.
- B. An app fails to get data from another app.
- C. An app tries to get data that Privacy & Security settings protect.
- D. A system error occurs that causes your Mac to restart.

Answer: (SHOW ANSWER)

A system crash triggering a restart sends analytics to Apple (if enabled in System Settings > Privacy & Security > Analytics & Improvements) to improve macOS.

* Option A: Diagnostics doesn't send data automatically.

* Option B: App failures don't trigger this.

* Option C: Privacy blocks don't report.

* Option D: Correct-crash reports are sent. References: Apple Support - "Share analytics with Apple" (support.apple.com/HT202100).

NEW QUESTION: 18

Scenario

You're migrating your Windows PC to a new Mac.

Which software should you download on your Windows PC to aid the migration process?

- A. Migration Wizard
- B. PC Mover
- C. Transfer Protocol
- D. Windows Migration Assistant

Answer: (SHOW ANSWER)

NEW QUESTION: 19

Which four storage formats can the Files app read and write to on iPhone and iPad devices?

- A. APFS
- B. ZFS
- C. Mac OS Extended (HFS+)
- D. MS-DOS (FAT)
- E. ExFAT
- F. NTFS

Answer: A,C,D,E (LEAVE A REPLY)

Where do you delete users in System Settings?

A. Navigate to System Settings - # Users & Groups.

NEW QUESTION: 20

B. Click the (i) button next to the user you would like to delete on Mac.

C. Select Delete Account.

Answer: ([SHOW ANSWER](#))

To delete a user on a Mac, you need to follow these steps 1 2 :

- * Navigate to System Settings -# Users & Groups. This is where you can manage the users and groups on your Mac. You may need to scroll down to see all the options.
- * Click the lock icon at the bottom left of the window and enter your administrator password to make changes.
- * Click the (i) button next to the user you would like to delete on Mac. This will show you more information about the user, such as their name, picture, password, and permissions.
- * Click Delete User or Delete Group. This will prompt you to confirm your action and choose what to do with the user's home folder.
- * Select Delete Account. This will remove the user and their home folder from your Mac, freeing up storage space. Alternatively, you can choose to save the home folder as a disk image or leave it as it is, in case you want to restore the user later.
- * Click Delete User or Delete Group again to finalize the deletion.: Delete a user or group on Mac - Apple Support , Here's our guide on how to delete a user on Mac - MacPaw

NEW QUESTION: 21

Which of these iCloud features can organizations manage when users sign in to a Managed Apple Account?

- A.** Safari extensions across browsers
- B.** iCloud Backup to back up devices
- C.** Family Sharing to share purchases
- D.** Health Data

Answer: B ([LEAVE A REPLY](#))

Apple allows organizations to control access to supported iCloud services when users authenticate with Managed Apple Accounts. Current Apple deployment documentation identifies iCloud Backup as one of the services available in supported Managed Apple Account enrollment scenarios and states that organizations can control access to individual iCloud services through Apple Business Manager or Apple School Manager.

Therefore, option B is correct. iCloud Backup can be used with a Managed Apple Account in supported deployment models, including account-driven Device Enrollment and User Enrollment. Family Sharing and personal Health data are not organizational iCloud-management features for Managed Apple Accounts, and Safari extension synchronization does not represent the managed iCloud backup capability described here.

This separation allows organizations to manage work-related cloud services while maintaining appropriate boundaries between organizational and personal services.

NEW QUESTION: 22

Where do you delete users in System Settings?

- A.** Select Delete Account.
- B.** Click the (i) button next to the user you would like to delete on Mac.
- C.** Navigate to System Settings -Users & Groups.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Select the settind in the sidebar that vou should use to turn on Lockdown Mode.

Answer Area



- Apple ID
- Wi-Fi
 - Bluetooth
 - Network
 - Notifications
 - Sound
 - Focus
 - Screen Time
 - General
 - Appearance
 - Accessibility
 - Control Center
 - Siri & Spotlight
 - Privacy & Security
 - Desktop & Dock
 - Displays
 - Wallpaper
 - Screen Saver
 - Battery
 - Lock Screen
 - Touch ID & Password
 - Users & Groups
 - Passwords
 - Internet Accounts
 - Game Center
 - Wallet & Apple Pay
 - Keyboard

Andre Lorico
andre.loric0@icloud.com

- Name, Phone, Email
- Password & Security
- Payment & Shipping
- iCloud
- Media & Purchases
- Family Sharing
- Set Up

Devices

- Virtual Reality Air Force
This MacBook Air

Sign Out...


About Apple ID & Privacy...



Answer:

Answer Area





Explanation:

From the sidebar, click Privacy & Security. Scroll down, click Lockdown Mode, then click Turn On.

<https://support.apple.com/en-us/105120#:~:text=From%20the%20sidebar%2C%20click%20Privacy,Mode%2C%20then%20click%20Turn%20On.>

NEW QUESTION: 24

A user wants to use AirDrop to send items. What is a reason a user can't use AirDrop?

- A. They turned off Bluetooth.
- B. They didn't install AirDrop.
- C. They turned on Handoff.
- D. They turned off Personal Hot-spot.

Answer: A ([LEAVE A REPLY](#))

AirDrop requires both Wi-Fi and Bluetooth. If Bluetooth is off, AirDrop fails as it can't discover nearby devices.

* Option B: AirDrop is built-in, not installed.

* Option C: Handoff doesn't disable AirDrop.

* Option D: Hotspot doesn't affect AirDrop.

* Option A: Correct-Bluetooth is essential. References: Apple Support - "Use AirDrop" (support.apple.com/HT204144).

NEW QUESTION: 25

How to put an iPhone in recovery mode?

- A. -Quickly press and release the Volume Up button.
- B. -Quickly press and release the Volume Down button.
- C. -Press and hold the Side (or Power) button until the Recovery Mode screen appears. Keep holding the button even when the Apple logo appears; release it only when the Recovery Mode screen is visible.

Answer: A,B,C ([LEAVE A REPLY](#))

According to the Apple Device Support Reference Materials, the steps to put an iPhone in recovery mode are:

* Plug your iPhone in to your computer using your USB to Lightning cable¹.

* On a Mac with macOS Catalina or later, open the Finder. On a Mac with macOS Mojave or earlier, or on a PC, open iTunes¹.

* Quickly press and release the Volume Up button, then quickly press and release the Volume Down

* button, and then press and hold the Side (or Power) button until the recovery mode screen pops up². It won't happen instantly, so hang on for at least 15 seconds or so before you try it again².

* Locate your device on your computer and choose the option to Update or Restore¹.

These steps apply to all iPhones manufactured since 2017, including iPhone 8 or later, iPhone SE (2nd and 3rd generations), and iPhone 12 or later². For older models, such as iPhone 7 or earlier, the steps may vary slightly¹. References: 1: If you can't update or restore your iPhone or iPod touch - Apple Support 2: How to put your iPhone or iPad into recovery mode | iMore

NEW QUESTION: 26

You can connect to your VPN, but you can't load internal resources by their fully qualified domain name.

What 's the most relevant setting to review?

A. Fastlane restrictions

B. DNS configuration

C. QoS configuration

D. Screen Time restrictions

Answer: B (LEAVE A REPLY)

If the VPN tunnel successfully connects but internal resources cannot be reached by their fully qualified domain names, DNS configuration is the most relevant area to examine. DNS translates hostnames and FQDNs into IP addresses. Apple's VPN configuration documentation supports DNS server addresses, DNS search domains, domain names, and supplemental match domains for VPN connections, including split-DNS configurations. An incorrect DNS server, missing internal search domain, or incorrect match-domain configuration can allow the VPN itself to establish successfully while preventing internal hostnames from resolving. QoS affects traffic prioritization rather than hostname resolution. Screen Time has no role in corporate DNS resolution, and Fastlane restrictions do not address this symptom. Therefore, the DNS settings associated with the VPN connection should be reviewed first.

NEW QUESTION: 27

When developers submit Mac apps for distribution outside the App Store, Apple _____.

A. Automatically adds a revocation ticket to every new app

B. Requires developers to include privacy manifests before review

C. Scans the software for known malware and issues a notarization ticket

D. Requires the app to be distributed only through the Mac App Store

Answer: C (LEAVE A REPLY)

Apple Notarization is a malware-scanning service for Mac software distributed outside the Mac App Store.

Developers submit their software to Apple, which scans it for known malicious content. If no known malware is detected and the submission satisfies the notarization process, Apple issues a notarization ticket.

Developers can staple that ticket to the application so Gatekeeper can verify the notarization even when the Mac is offline. Therefore, option C is correct. A revocation ticket is different: Apple can issue one when software is later identified as malicious. Apple does not require all Mac applications to be distributed exclusively through the Mac App Store. Developer ID signing, Notarization, Gatekeeper, and XProtect collectively allow trusted applications to be distributed securely outside the App Store.

NEW QUESTION: 28

Which tool should you use first to troubleshoot Mail connectivity issues in macOS?

A. Message Viewer

B. Network Diagnostics

C. Wireless Diagnostics

D. Connection Doctor

Answer: D (LEAVE A REPLY)

Connection Doctor is a built-in tool in Mail that helps you diagnose and fix problems with your email accounts and connections. It shows the status of each account, whether it is online or offline, and any errors that occurred. It also lets you test the connection to the incoming and outgoing mail servers, and view the details of the connection attempt. Connection Doctor is the first tool you should use when you encounter Mail

connectivity issues in macOS, as it can help you identify the source and nature of the problem quickly and easily. References : = Apple Device Support Exam Prep Guide , page 11; [Mail User Guide for Mac], section "Check the status of your email accounts".

NEW QUESTION: 29

What does Find My use to locate lost or missing devices?

- A. Bluetooth
- B. Cellular Data
- C. Built in trackers
- D. Wi-Fi

Answer: A ([LEAVE A REPLY](#))

Find My uses Bluetooth signals from nearby Apple devices to locate lost or missing devices, even when they're offline. This feature is called Find My network, and it creates a secure and anonymous network of hundreds of millions of Apple devices that can help find each other. When you mark your device as lost, it sends out a secure Bluetooth beacon that can be detected by other Apple devices nearby. Those devices relay the location of your device to iCloud so you can see it on a map. Find My network respects your privacy and does not reveal any personal information or location data to anyone. Find My also uses Wi-Fi and cellular data to locate devices that are online and have Location Services enabled. References: Find My network overview - Apple Support, Locate a device in Find My on iPhone - Apple Support

NEW QUESTION: 30

Which option can you access to view the current activity of Apple Configurator for Mac?

- A. Double-click the device and select Activity.
- B. From the Apple Configurator menu bar, choose Window > Activity.
- C. From the Apple Configurator menu, choose View Activity.

Answer: (SHOW ANSWER)

To view the current activity of Apple Configurator for Mac, you can access the Activity window from the menu bar. The Activity window shows you the background tasks that Apple Configurator is performing, such as downloading software updates, preparing devices, or installing profiles. You can also pause, resume, or cancel any activity from this window¹. The other options, double-clicking the device and selecting Activity, or choosing View Activity from the Apple Configurator menu, are not valid ways to access the Activity window. References: ¹ View log messages and activity in Apple Configurator - Apple Support

NEW QUESTION: 31

What are two features of two-factor authentication for a personal Apple ID?

- A. It uses a four-digit passcode to access a user ' s account.
- B. It ensures that only the account ' s owner can access the account.
- C. It requires a special app on the trusted device.
- D. It doesn ' t require the Apple ID password.
- E. It can be accessed on trusted devices.

Answer: (SHOW ANSWER)

Two-factor authentication is an extra layer of security for your Apple ID, designed to make sure that you're the only one who can access your account-even if someone else knows your password ¹ . When you sign in with your Apple ID for the first time on a new device or on the web, you need both your password and the six- digit verification code that's automatically displayed on your trusted devices ¹ . A trusted device is a device that you've already signed in to with your Apple ID and that can receive verification codes ¹ . You can also add or remove trusted devices and phone numbers from your Apple ID account page ¹ . Two features of two- factor authentication for a personal Apple ID are:

* It ensures that only the account's owner can access the account. This is because you need to verify your identity with both your password and a verification code that is sent to a device or phone number that only you have access to ¹ . This prevents unauthorized access to your account even if your password is compromised or stolen ¹ .

* It can be accessed on trusted devices. This means that you can sign in to your Apple ID account on devices that you've already verified with two-factor authentication without needing to enter a verification code again ¹ . This makes it easier and faster to access your account on devices that you use frequently and trust ¹ .: ¹ : Two-factor authentication for Apple ID - Apple Support.

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

Where should you go in macOS to limit AirPlay Receiver ONLY to devices signed in to your Apple ID?

- A. Go to System Settings > General > AirDrop & Handoff, then select Current User for the "Allow AirPlay for" option.
- B. Open the AirPlay app from the Utilities folder, then select Current User for the "Allow AirPlay for" option.
- C. Go to System Settings > Privacy & Security, then select Apple ID for the "Allow AirPlay for" option.
- D. Go to System Settings, then select Apple ID for the "Allow AirPlay for" option in the Sharing settings.

Answer: D (LEAVE A REPLY)

To limit AirPlay Receiver to devices signed in to your Apple ID, you need to go to System Settings, then select Apple ID. In the Apple ID settings, you will see a section called Sharing. There, you can enable or disable AirPlay Receiver, and choose who can use it. You can select Current User, Everyone, or Specific Users. If you select Current User, only devices signed in to your Apple ID can use AirPlay Receiver. This option helps you prevent unauthorized access to your Mac from other devices on the same network¹. References: Apple Device Support Exam Prep Guide, page 11.

NEW QUESTION: 33

Which feature is available for Managed Apple Accounts but not for personal Apple Accounts?

- A. Access to the Appleseed for IT beta program
- B. Security Key Rotation
- C. Managed iCloud Keychain
- D. Managed and verified two-factor authentication

Answer: (SHOW ANSWER)

Appleseed for IT is a beta program exclusive to Managed Apple Accounts for testing organizational features.

- * Option B: Security Key Rotation isn't a distinct feature.
- * Option C: iCloud Keychain isn't "Managed" separately.
- * Option D: Two-factor is standard, not unique.

References: Apple Business Manager Guide (support.apple.com/guide/apple-business-manager).

NEW QUESTION: 34

Match the Apple Configurator actions on the left to the descriptions on the right by dragging the responses to the correct target areas. Responses may be used once, more than once, or not at all.

Answer Area

Revive	Erase All Content and Settings		Unresponsive devices may be recovered and user data may be retained
Restore	Update		Allows you to update apps, the version of the operating system, or both
Prepare	Restart		Reinstalls the latest version of the operating system and all content on the device is erased
Blueprints			Maintains the version of the operating system and all content on the device is erased
			Adds a device to Apple School Manager or Apple Business Manager, or supervises the device



Answer:

Answer Area

Revive	Erase All Content and Settings
Restore	Update
Prepare	Restart
Blueprints	

Revive	Unresponsive devices may be recovered and user data may be retained
Update	Allows you to update apps, the version of the operating system, or both
Restore	Reinstalls the latest version of the operating system and all content on the device is erased
Erase All Content and Settings	Maintains the version of the operating system and all content on the device is erased
Restart	Adds a device to Apple School Manager or Apple Business Manager, or supervises the device

Explanation:
A screenshot of a computer Description automatically generated

Revive	Unresponsive devices may be recovered and user data may be retained
Update	Allows you to update apps, the version of the operating system, or both
Restore	Reinstalls the latest version of the operating system and all content on the device is erased
Erase All Content and Settings	Maintains the version of the operating system and all content on the device is erased

A close up of a text Description automatically generated

Restart	Adds a device to Apple School Manager or Apple Business Manager, or supervises the device
---------	---

NEW QUESTION: 35

Select two.

What methods can you use to lock notes in the Notes app?

- A. Custom Notes Password
- B. PIN
- C. Apple ID password
- D. Mac Login Password
- E. Face ID

Answer: ([SHOW ANSWER](#))

In the Notes app, you can lock notes to protect your sensitive information. You can access your locked notes using your device passcode or a custom password. If you have multiple Notes accounts, you choose the

locking method for each account (for example, your iCloud account). You can also use Face ID or Touch ID to access your locked notes, if you enable this option in the settings. To lock notes with a custom password, you need to go to Settings > Notes > Password, choose an account, and tap Use Custom Password. To lock notes with Face ID, you need to go to Settings > Notes > Password, choose an account, and turn on Face ID.

To lock or unlock a note, you need to tap the More button and then tap the Lock icon. You can also lock or unlock all notes in the Notes app by tapping the Lock icon in the bottom toolbar. References: Lock your notes on iPhone - Apple Support, How to Lock Your Secrets in the Notes App (and Why You Should) - Lifehacker

NEW QUESTION: 36

A user tries to use Erase All Content and Settings with their organization-owned iPhone. But the option is dimmed. Why is this option dimmed?

- A.** Their iPhone has a restriction that prevents the user from erasing it.
- B.** Their iPhone is experiencing a software issue and must be restored.
- C.** Their iPhone is running a previous iOS version and must be updated first.
- D.** Their iPhone doesn't support the feature.

Answer: ([SHOW ANSWER](#))

MDM restrictions on organization-owned iPhones can disable Erase All Content and Settings to prevent unauthorized wipes.

* Option B: Software issues don't dim options.

* Option C: iOS version doesn't affect this.

* Option D: All modern iPhones support it.

References: Apple Support - "MDM restrictions" (support.apple.com/HT204142).

NEW QUESTION: 37

What might be a risk when you use Force Quit in Activity Monitor?

- A.** You might lose data, and other apps could experience problems.
- B.** The process might reinstall itself with outdated settings.
- C.** A process can run again only after you restart your Mac.
- D.** Force Quit might erase cache files and reset user preferences.


Answer: **A** ([LEAVE A REPLY](#))

Force Quit immediately terminates the selected application or process instead of allowing it to close normally.

Apple specifically warns that if the process has files open, unsaved data may be lost. In addition, if other apps or system processes depend on the process being terminated, those apps or processes can experience problems. This makes option A correct. Force Quit does not reinstall software, and a terminated process is not necessarily prevented from starting again until the Mac restarts. It also does not automatically erase caches or reset application preferences. For this reason, normal Quit should be preferred when an application can respond safely, while Force Quit is intended primarily for unresponsive applications or processes where normal termination is not possible.

NEW QUESTION: 38

Match the startup icons on the left to the descriptions on the right by dragging the responses to the correct target areas. Responses may be used once, more than once, or not at all.



Answer Area

The Mac found your startup disk.

The startup options window for a Mac with Apple silicon.

Your Mac couldn't start up from macOS Recovery over the internet.

Your startup disk contains macOS, but it's not one your Mac can use.

Your startup disk is no longer available or doesn't contain a working Mac operating system.

Answer:













Answer Area













The Mac found your startup disk.

The startup options window for a Mac with Apple silicon.

Your Mac couldn't start up from macOS Recovery over the internet.

Your startup disk contains macOS, but it's not one your Mac can use.

Your startup disk is no longer available or doesn't contain a working Mac operating system.



Answer Area



The Mac found your startup disk.

The startup options window for a Mac with Apple silicon.

Your Mac couldn't start up from macOS Recovery over the internet.

Your startup disk contains macOS, but it's not one your Mac can use.

Your startup disk is no longer available or doesn't contain a working Mac operating system.

NEW QUESTION: 39

Guillermo is a designer for ACME, Inc. He uses his 12.9-inch iPad Pro to create marketing materials and do color grading.

Which iPadOS feature should Guillermo use to allow his 12.9-inch iPad Pro to accurately display colors for common color standards?

- A. Display Zoom
- B. True Tone
- C. ColorSync
- D. Reference Mode

Answer: D (LEAVE A REPLY)

Reference Mode is a display mode for professional content creation workflows, like color grading, editing, and content review, where accurate colors and consistent image quality are critical. Reference Mode enables the

12.9-inch iPad Pro with Liquid Retina XDR display to deliver reference color for popular color standards and video formats, such as BT.709, sRGB, HDR10, Dolby Vision, and more. It also disables all dynamic display adjustments for ambient surround, such as True Tone, Auto-Brightness, and Night Shift. Guillermo can use Reference Mode to match the color requirements of his workflow and ensure that his marketing materials and color grading are accurate and consistent. He can also use Reference Mode with Sidecar to use his iPad Pro as a secondary reference display for his Mac. References: Use Reference Mode on your iPad Pro,

iPadOS 16:

These are the new features exclusive to M1 iPads

NEW QUESTION: 40

What is the feature on iPhone called where you can convert your physical SIM card to an eSIM?

- A.** eSIM Quick Transfer
- B.** eSIM Swap
- C.** eSIM Transfer
- D.** eSIM Carrier Transfer

Answer: B ([LEAVE A REPLY](#))

eSIM Swap is the feature on iPhone that allows you to convert your physical SIM card to an eSIM on the same iPhone, if your carrier supports it. This feature lets you free up the physical SIM slot for another SIM card, such as when you travel or switch carriers. To use eSIM Swap, you need to go to Settings > Cellular and tap Convert to eSIM. Then follow the instructions to complete the conversion process. References: = About eSIM on iPhone - Apple Support, Convert a physical SIM to an eSIM; How to convert a physical SIM to eSIM on iPhone 14 - iThinkDifferent.

NEW QUESTION: 41

Use this image to answer the question.

What does this iPhone Privacy Warning message indicate?

- A.** Limit IP Address Tracking is disabled for this network
- B.** iOS has detected a spoofed MAC address on the network
- C.** Private Wi-Fi Address is disabled for this network
- D.** Local network access is enabled for a third-party app

Answer: C ([LEAVE A REPLY](#))

The iPhone Privacy Warning message indicates that the device is using its original MAC address to join the Wi-Fi network, which could allow the network operator or other parties to track the device or profile its online activity. To prevent this, the device can use a different MAC address for each Wi-Fi network, which is called a Private Wi-Fi Address. This feature is enabled by default on devices running iOS 14 or later, but it can be turned off manually or automatically by some networks. To turn on the Private Wi-Fi Address, the user needs to go to Settings > Wi-Fi, tap the info icon next to the network name, and toggle on the Private Wi-Fi Address option. This will generate a new MAC address for the device and rejoin the network. References :
= Use private Wi-Fi addresses in iOS 14, iPadOS 14, and watchOS 7 , Wi-Fi Privacy Warning on an iPhone:
What It Means & What To Do

NEW QUESTION: 42

How do you start up in safe mode on a Mac with Apple silicon?

A. 1. Shut down your Mac, Turn on your Mac and continue to press and hold the power button. O A. 2.

When the startup options window appears, release the power button.

3. Select your startup disk, press and hold the Shift key, click Continue in Safe Mode, then release the Shift key.

4. Log in to your Mac.

B. 1. Connect to power, then shut down your Mac. B. 2. Press and hold the power button for three seconds, then remove power for at least 10 seconds.

3. Wait for the Continue in Safe Mode button to appear.

4. Log in to your Mac.

C. 1. Shut down your Mac. then quickly press the power button three times. O C. 2. Wait until the startup options window appears.

3. Select your startup disk, then press and hold the Shift key until the Continue in Safe Mode button appears

4. Continue to press and hold the Shift key until the Login window appears or you're asked to log in again.

- D.** 1. Shut down your Mac, then press and hold the power button for three seconds.
2. When the startup options window appears, select your startup disk.
3. Click the Continue in Safe Mode button.
4. Log in to your Mac.

Answer: D ([LEAVE A REPLY](#))

To start up in safe mode on a Mac with Apple silicon, you need to follow these steps¹:

- * Shut down your Mac, then press and hold the power button for three seconds.
- * When the startup options window appears, select your startup disk.
- * Click the Continue in Safe Mode button.
- * Log in to your Mac.

Safe mode can help you identify whether issues you're experiencing are caused by software that loads as your Mac starts up. It prevents your Mac from loading certain items, performs a First Aid check on your startup disk, and deletes some caches¹. You can verify that your Mac started up in safe mode by using the System Information app¹.

The other options are incorrect because they either do not show the Continue in Safe Mode button, or they do not use the correct key combination or timing to enter safe mode.

References: 1: Start up your Mac in safe mode - Apple Support.

NEW QUESTION: 43

What's required to use Migration Assistant with two installed?

- A.** Mac computers with the same version of macOS
- B.** Must be placed near each other
- C.** Wi-Fi must be on and the Mac computers

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 44

A supervised iPad is reported missing. The user was signed into their Managed Apple Account. What should you do to secure organizational data?

- A.** Ask the MDM administrator to enable Managed Activation Lock on the iPad.
- B.** Ask the MDM administrator to enable Managed Lost Mode on the iPad.
- C.** Ask the MDM administrator to enable Find My and mark the iPad as lost.
- D.** Ask the user to sign into Find My on iCloud and mark the iPad as lost.

Answer: B ([LEAVE A REPLY](#))

Managed Lost Mode (via MDM) locks a supervised iPad and displays a custom message, securing data remotely.

- * Option A: Activation Lock is preventive, not immediate.
- * Option C: Find My isn't MDM-managed this way.
- * Option D: User action isn't possible if missing.

References: Apple Support - " MDM Lost Mode " (support.apple.com/HT204142).

NEW QUESTION: 45

What other sharing settings may prevent Screen Sharing from being turned on?

- A.** Media Sharing
- B.** Remote Login
- C.** Remote Apple Events
- D.** Remote Management

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which screen indicates that iPhone is in recovery mode and ready to be updated or restored?



Answer: B ([LEAVE A REPLY](#))

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which iPadOS feature should you configure to hide your personal email in the Mail app while you 're at work?

- A. Do Not Disturb
- B. Focus filter
- C. Shortcut automation
- D. Focus schedules

Answer: B (LEAVE A REPLY)

Focus filter is a feature in iPadOS that allows you to customize your notifications and home screen based on what you want to focus on. You can create different focus modes for different scenarios, such as work, personal, sleep, or gaming. When you enable a focus mode, you can choose which apps and people can notify you, and which home screen pages you want to see. You can also use Hide My Email with a focus mode to keep your personal email address private in the Mail app. Hide My Email lets you create unique, random email addresses that forward to your real email account, so you can send and receive emails without revealing your real email address. To use Hide My Email with a focus mode, you need to do the following:

- * Create a focus mode for work in Settings > Focus. Tap the plus icon and choose Work, then customize the settings as you like. You can also set a schedule or location for your focus mode to turn on automatically.
- * Subscribe to iCloud+ and enable Hide My Email in Settings > Apple ID > iCloud > Hide My Email.

Tap Create New Address to generate a random email address, and choose a label and a forwarding address for it. You can also create more addresses as needed.

* Open the Mail app and tap the Compose button. Tap the From field and select Hide My Email. Choose the random email address you created for work. Type your email as normal and send it. The recipient will see the random email address instead of your real one.

* When you receive an email to your random email address, you can reply using the same address. The Mail app will automatically use Hide My Email when you reply to an email that was sent to a random email address.

* To manage your random email addresses, go to Settings > Apple ID > iCloud > Hide My Email. You can deactivate, reactivate, or delete any address you created. You can also change the label, the forwarding address, or the signature for each address.: = Use Hide My Email in Mail on iPad ; Use Focus on iPad ; Apple Device Support Exam Prep Guide , page 9.

NEW QUESTION: 48

Your personal device is signed in to both your Managed Apple Account and your unmanaged Apple Account.

Which of these is linked to your Managed Apple Account?


- A. Personal photos and videos
- B. Apps that you installed
- C. Messages sent with iMessage
- D. Organization data and documents

Answer: D (LEAVE A REPLY)

Managed Apple Accounts are created, owned, and managed by an organization and are specifically designed to keep organizational information separate from a user's personal data. Therefore, organization data and documents are associated with the Managed Apple Account, making option D correct. Apple's account-driven enrollment architecture allows a Managed Apple Account and a personal Apple Account to coexist on supported devices while maintaining separation between work and personal information. Personal photos, personally installed applications, and personal account information remain associated with the unmanaged Apple Account unless specifically deployed or managed by the organization. This separation is particularly important in personally owned device deployments because IT management is limited to

NEW QUESTION: 49

organizational accounts, managed applications, settings, and information rather than giving the organization unrestricted access to the user's personal content. Select the setting in the sidebar that you should use to turn on Find My on your Mac.



Search



Andre Lorico

Apple ID

Wi-Fi

Bluetooth

Network

Notifications

Sound

Focus

Screen Time

General

Appearance

Accessibility

Control Center

Siri & Spotlight

Privacy & Security

Desktop & Dock

Displays

Wallpaper

Screen Saver

Battery

Lock Screen

Touch ID & Password

Users & Groups

Passwords

Internet Accounts

Game Center

Wallet & Apple Pay

Keyboard

Trackpad

Printers & Scanners



Andre Lorico

andre.loric0@icloud.com

Name, Phone, Email

Password & Security

Payment & Shipping

iCloud

Media & Purchases

Family Sharing

Set Up

Devices

Virtual Reality Air Force

This MacBook Air

Sign Out...

About Apple ID & Privacy...

Answer:

Search

Andre Lorico

Apple ID

Wi-Fi

Bluetooth

Network

Notifications

Sound

Focus

Screen Time

General

Appearance

Accessibility

Control Center

Siri & Spotlight

Privacy & Security

Desktop & Dock

Displays

Wallpaper

Screen Saver

Battery

Lock Screen

Touch ID & Password

Users & Groups

Passwords

Internet Accounts

Game Center

Wallet & Apple Pay

Keyboard

Trackpad

Printers & Scanners

Andre Lorico

Andre Lorico

andre.loric0@icloud.com

Name, Phone, Email

Password & Security

Payment & Shipping

iCloud

Media & Purchases

Family Sharing

Set Up

Devices

Virtual Reality Air Force

This MacBook Air

Sign Out...

About Apple ID & Privacy...

NEW QUESTION: 50

How can you control who can discover your iPhone or iPad when it's within AirDrop range?

- A. Set AirDrop to Contacts Only.
- B. Require a verification code from the other device in Password & Security settings.
- C. Turn off AirDrop in Privacy settings.

Answer: (SHOW ANSWER)

According to the Apple Device Support Reference Materials, you can control who can discover your iPhone or iPad when it's within AirDrop range by setting AirDrop to Contacts Only¹. This means that only people in your Contacts app can see your device and send you content via AirDrop. You can also set AirDrop to Receiving Off, which means that no one can see your device or send you content via AirDrop¹. The other two options, B and C, are not correct because they are not related to AirDrop settings. Requiring a verification code from the other device in Password & Security settings is a feature that helps you sign in to your Apple ID account on a new device². Turning off AirDrop in Privacy settings is not possible, as AirDrop is not listed under Privacy settings³. References: 1: How to use AirDrop on your iPhone or iPad - Apple Support, Section

"How to adjust AirDrop settings". 2: Sign in with your Apple ID - Apple Support, Section "Use a verification code with two-factor authentication". 3: Privacy settings on iPhone - Apple Support

NEW QUESTION: 51

Answer Area





Answer:
Answer Area





Explanation

Click Network in the sidebar, then click Wi-Fi on the right. Scroll down and click Advanced to open the list of known networks. Click the More button. next to the network name, then choose Copy Password.

NEW QUESTION: 52

Where do you delete users in System Settings?

- A. Navigate to System Settings - Users & Groups.
- B. Click the (i) button next to the user you would like to delete on Mac.
- C. Select Delete Account.

Answer: A,B,C (LEAVE A REPLY)

To delete a user on a Mac, you need to follow these steps¹²:

- * Navigate to System Settings - Users & Groups. This is where you can manage the users and groups on your Mac. You may need to scroll down to see all the options.
- * Click the lock icon at the bottom left of the window and enter your administrator password to make changes.
- * Click the (i) button next to the user you would like to delete on Mac. This will show you more information about the user, such as their name, picture, password, and permissions.
- * Click Delete User or Delete Group. This will prompt you to confirm your action and choose what to do with the user's home folder.
- * Select Delete Account. This will remove the user and their home folder from your Mac, freeing up storage space. Alternatively, you can choose to save the home folder as a disk image or leave it as it is, in case you want to restore the user later.
- * Click Delete User or Delete Group again to finalize the deletion.

References: Delete a user or group on Mac - Apple Support, Here's our guide on how to delete a user on Mac - MacPaw

NEW QUESTION: 53

You want to protect your Mac from unwanted contacts from other computers.

Which action should you take to protect your Mac while it's connected to the internet?

- A.** Go to System Settings > Privacy & Security > Lockdown Mode, then click Turn On.
- B.** Go to System Settings > Network > Firewall, then turn on Firewall.
- C.** Go to Safari Settings > Privacy, then enable Hide IP address from trackers.
- D.** Go to Safari Settings > Privacy, then enable Prevent cross-site tracking.

Answer: B ([LEAVE A REPLY](#))

This is the correct answer because turning on the firewall is the best way to protect your Mac from unwanted contacts from other computers when you are connected to the internet or a network. A firewall is a software or hardware system that blocks unauthorized access to your Mac by filtering the incoming and outgoing network traffic. The firewall can prevent hackers, malware, or other threats from accessing your Mac or stealing your data. You can also customize the firewall settings to allow or block specific apps and services from communicating through the firewall. To turn on the firewall on your Mac, you need to go to System Settings > Network > Firewall, and click the Turn On Firewall button. You can also click the Firewall Options button to see more settings and options. References: Block connections to your Mac with a firewall - Apple Support, A Practical Guide to Securing Your Mac | Reviews by Wirecutter

NEW QUESTION: 54

Which of these is a Continuity feature?

- A.** iCloud Keychain
- B.** Notifications
- C.** Universal Clipboard
- D.** Siri

Answer: C ([LEAVE A REPLY](#))

Universal Clipboard(copy on one device, paste on another) is a Continuity feature requiring same Apple Account and Wi-Fi/Bluetooth.

* Option A: iCloud Keychain is iCloud-based, not Continuity.

* Option B: Notifications sync but aren't Continuity.

* Option D: Siri is standalone.

* Option C: Correct-Continuity suite.References: Apple Support - "Use Continuity" (support.apple.com/HT204681).

NEW QUESTION: 55

Which of these actions should you take if an error occurs while restoring your device from an iCloud backup?

- A.** Restart the device in DFU mode.
- B.** Turn off Find My before you try to restore.
- C.** Try to restore on a different Wi-Fi network.
- D.** Sign out of your Apple Account on the device.

Answer: C ([LEAVE A REPLY](#))

Restoring an iPhone or iPad from an iCloud backup depends on a stable and functioning network connection because backup content must be retrieved from iCloud. When problems occur during an iCloud backup or restore process, Apple recommends verifying network connectivity and, where appropriate, trying another Wi- Fi network. Therefore, option C is the appropriate troubleshooting action. DFU mode is a substantially different recovery procedure and is not the normal response to an iCloud restore error. Turning off Find My or signing out of the Apple Account also does not address a network-related restore failure and can interfere with access to the backup. Using another reliable Wi-Fi network helps determine whether the failure is being caused by the current network, router configuration, filtering, or internet connectivity.

NEW QUESTION: 56

Which of these isn't included with an iCloud backup?

- A.** App settings
- B.** Home configuration
- C.** Apple Watch backups
- D.** Face ID settings

Answer: ([SHOW ANSWER](#))

iCloud backups include app settings, Home configuration, and Apple Watch backups (via paired iPhone), but Face ID settings are excluded as biometric data is hardware-bound.

- * Option A: App settings are backed up.
- * Option B: Home data syncs via iCloud.
- * Option C: Watch backups are included.
- * Option D: Correct-not backed up. References: Apple Support - "What does iCloud back up?" (support.apple.com/HT207428).

NEW QUESTION: 57

Where can you enable the FileVault key on MacOS?

Answer:

System settings > Privacy & Security > FileVault

NEW QUESTION: 58

Which event can automatically send Mac analytics information to Apple?

- A.** System Diagnostics starts.
- B.** An app fails to get data from another app.
- C.** An app tries to get data that Privacy & Security settings protect.
- D.** A system error occurs that causes your Mac to restart.

Answer: D ([LEAVE A REPLY](#))

A system crash triggering a restart sends analytics to Apple (if enabled in System Settings > Privacy & Security > Analytics & Improvements) to improve macOS.

- * Option A: Diagnostics doesn't send data automatically.
 - * Option B: App failures don't trigger this.
 - * Option C: Privacy blocks don't report.
- References: Apple Support - " Share analytics with Apple " (support.apple.com/HT202100).

NEW QUESTION: 59

A user reports that the keyboard on their Mac needs replacement. They say about 10 keys on the right side of the keyboard are producing incorrect characters when pressed. What is the most likely explanation?

- A.** Game Mode is active.
- B.** Mouse Keys is active.
- C.** The keyboard needs replacement.
- D.** Sticky Keys is active.

Answer: ([SHOW ANSWER](#))

When multiple keys (e.g., 10 on the right side) on a Mac keyboard consistently produce incorrect characters, it suggests a hardware issue rather than a software misconfiguration. Keyboards can fail due to physical damage, wear, or internal connection issues, leading to erratic behavior like wrong outputs.

- * Option A (Game Mode) is a feature on iOS/iPadOS (not macOS as of 2025) and doesn't affect keyboard input mapping.
- * Option B (Mouse Keys) enables numeric keypad keys to control the pointer but doesn't remap standard keys to produce incorrect characters.
- * Option D (Sticky Keys) modifies key press behavior for accessibility (e.g., holding modifiers), but it doesn't cause keys to output wrong characters.
- * Option C (keyboard replacement) aligns with a hardware fault, especially given the localized nature of the issue (right side). Basic troubleshooting (e.g., restarting, checking language settings) should be ruled out first, but the description points to a physical defect. See Apple's "If your Mac keyboard isn't working" (support.apple.com/HT204540) for hardware troubleshooting steps.

NEW QUESTION: 60

A user's personal Mac updated to the latest version of macOS last week. Their work Mac doesn't show the update as available. Why isn't the update available on the user's work Mac?

- A.** The organization's MDM solution deployed a bootstrap token to the Mac.
- B.** The organization's MDM solution is deferring updates.
- C.** The user is signed in with a personal Apple Account.
- D.** The user doesn't have an Administrator account on the Mac.

Answer: B ([LEAVE A REPLY](#))

MDM solutions can defer macOS updates (e.g., for 90 days) to ensure compatibility with organizational software. This explains why the work Mac lags behind the personal Mac.

- * Option A: Bootstrap tokens enable MDM features, not deferrals.
- * Option C: Personal account sign-in doesn't block updates.
- * Option D: Admin rights aren't required to see updates.

References: Apple Support - "MDM software updates" (support.apple.com/HT204142).

NEW QUESTION: 61

Which folders normally appear at the root level of the storage volume in the Finder on a Mac?

- A.** Applications, Documents, System, and Users
- B.** Library, Network, System, and Volumes
- C.** Documents, Library, System, and Users
- D.** Applications, Library, System, and Users

Answer: D ([LEAVE A REPLY](#))

This is the correct answer because these are the four folders that normally appear at the root level of the storage volume in the Finder on a Mac. The root level is the topmost level of the filesystem hierarchy, denoted by /. The Applications folder contains all the applications installed on the Mac, the Library folder contains system and user preferences, the System folder contains the operating system files, and the Users folder contains the home folders of each user account. These folders are essential for the functioning and organization of the Mac, and they should not be modified or deleted without a good reason. References: Access the Root Directory in Mac OS X in 4 Ways Quickly, Unix filesystem - Wikipedia, Working with APFS Volume Groups | Carbon Copy Cloner - Bombich

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

How do you start your MacBook Pro in macOS Recovery?

- A.** Press and hold Command-Option-R until "Loading startup options" appears. Enter an administrator password, then click the macOS Recovery icon.
- B.** Press and hold the power button until "Loading startup options" appears, click Options, then click Continue.

C. Hold down the Power-Shift-Control-Option keys, then choose macOS Recovery.

D. Press the power button, then immediately press and hold Command-R.

Answer: B ([LEAVE A REPLY](#))

On Apple silicon Macs (e.g., recent MacBook Pros), hold the power button until "Loading startup options" appears, then select "Options" > "Continue" to enter macOS Recovery.

* Option A: Command-Option-R is for Internet Recovery, not standard.

* Option C: Power-Shift-Control-Option isn't valid.

* Option D: Command-R works on Intel Macs, not always silicon.

* Option B: Correct for 2025 silicon Macs. References: Apple Support - "Use macOS Recovery on Mac" (support.apple.com/HT201314).

NEW QUESTION: 63

Where can you change the undo send delay setting on your iPad?

A. General > Mail > Undo Send Delay

B. Open your mail app then open settings and select Undo Send Delay.

C. Settings > Mail > Accounts > Undo Send Delay

D. Settings > Mail > Undo Send Delay

Answer: ([SHOW ANSWER](#)**)**

According to the Apple Device Support Reference Materials, you can change the undo send delay setting on your iPad by going to Settings > Mail > Undo Send Delay 1 . This setting allows you to unsend an email within a certain time frame after you tap the send button. You can choose from Off, 10 seconds, 20 seconds, or 30 seconds. The other options, A, B, and C, are not correct because they are not the correct paths to access the undo send delay setting. General > Mail > Undo Send Delay is not a valid path in the iPad settings 2

. Open your mail app then open settings and select Undo Send Delay is not a valid option because the mail app does not have its own settings menu 3 . Settings > Mail > Accounts > Undo Send Delay is not a valid path because the Accounts section does not have an undo send delay option 4 . References : 1 : Unsend email with Undo Send in Mail on iPad - Apple Support , Section " Delay sending emails " . 2 : General settings on iPad - Apple Support 3 : Mail settings overview for iPad - Apple Support 4 : Manage email accounts in Mail on iPad - Apple Support

NEW QUESTION: 64

Which Find My feature is available ONLY on MacBook models with Apple silicon?

A. Remote Erase

B. View Location

C. Notify When Found

D. Notify When Left Behind

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which are two requirements to sync Safari profiles automatically between devices? (Select two.)

A. Two-factor authentication

B. Contact Key Verification

C. Safari turned on in the iCloud section of Apple Account settings

D. Devices with the same Sign-In & Security settings

E. Devices signed in using the same Apple Account

Answer: C,E ([LEAVE A REPLY](#))

Safari profile syncing requires:

* C:Safari enabled in iCloud (Settings > [user name] > iCloud).

* E:Same Apple Account across devices for iCloud continuity.

- * Option A: Two-factor authentication enhances security but isn't a sync requirement.
- * Option B: Contact Key Verification is for iMessage, not Safari.
- * Option D: Sign-In & Security settings don't need to match. References: Apple Support - "Set up and use iCloud Tabs" (support.apple.com/HT202530).

NEW QUESTION: 66

Scenario

Melody's Mac has multiple printers configured.

Where in System Settings should you go to determine if her printers were configured manually or by an MDM solution?

- A. Printers > Advanced
- B. Privacy & Security > Profiles
- C. Printers & Scanners > Advanced
- D. General > Sharing > Printer Sharing

Answer: B (LEAVE A REPLY)

To determine if Melody's printers were configured manually or by an MDM solution, you should go to Privacy & Security > Profiles in System Settings. This is where you can see the profiles that are installed on the Mac, which may include printer settings. If there are any profiles that contain the Printing or AirPrint payload, then the printers were configured by an MDM solution. Otherwise, the printers were configured manually by the user or an administrator. References: Printing MDM payload settings for Apple devices - Apple Support, AirPrint MDM payload settings for Apple devices - Apple Support, Intro to mobile device management profiles - Apple Support

NEW QUESTION: 67

A device uses a _____ when the private MAC address is set to Rotating.

- A. Hardware address that is defined by a configuration profile.
- B. Hardware address that is defined by the user.
- C. Private address that rotates to a different private address weekly.
- D. Private address that rotates to a different private address every 2 weeks.

Answer: D (LEAVE A REPLY)

When Private Wi-Fi Address is set to Rotating, the device periodically changes the private MAC address it presents to that Wi-Fi network. Apple documents that the Rotating setting changes to a different private address every two weeks, so option D is correct. The address is not the hardware MAC address defined by the device, an administrator, or a configuration profile. Instead, it is a randomized private address designed to reduce long-term tracking of the device across network activity. Apple devices generally use Fixed private addressing by default on networks using WPA2 or stronger security, while Rotating can be selected or used for networks with weak or no security. The rotation interval is specifically two weeks, not one week, which makes option C incorrect.

NEW QUESTION: 68

Which type of account does an organization create for a user in Apple Business Manager or Apple School Manager?

- A. Personal Apple Account
- B. Secure Apple Account
- C. Managed Apple Account
- D. Business Apple Account

Answer: (SHOW ANSWER)

Organizations create Managed Apple Accounts in Apple Business Manager/School Manager for controlled, work-specific use.

- * Option A: Personal is user-created.
- * Option B: Not a term.
- * Option D: Not a distinct type.

References: Apple Business Manager Guide (support.apple.com/guide/apple-business-manager).

NEW QUESTION: 69

How do you start up into fallback recoveryOS on a Mac with Apple silicon?

- A.** Start up in recoveryOS, then hold Shift while selecting the startup volume.
- B.** From a shutdown state, press and release the power button.
- C.** From a shutdown state, double-press and hold the power button.
- D.** From a shutdown state, press and hold the power button.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

Which type of information can you review in System Information?

- A.** Analytics data that was sent to Apple
- B.** Results after running System Diagnostics
- C.** Results after running Apple Diagnostics
- D.** Results from Crash Reports

Answer: ([SHOW ANSWER](#))

System Information(Applications > Utilities) provides hardware, software, and network details, including results fromApple Diagnostics(e.g., hardware test codes) under the "Diagnostics" section.

* Option A: Analytics data is in Privacy & Security settings, not System Information.

* Option B: "System Diagnostics" isn't a standard macOS term here.

* Option D: Crash Reports are in Console, not System Information.

* Option C: Correct for Apple Diagnostics results.References: Apple Support - "Use System Information on your Mac" (support.apple.com/HT203001).

NEW QUESTION: 71

Which of the following IP address suggests there may be a problem with DHCP?

- A.** 172.25.143.2
- B.** 169.254.194.49
- C.** 10.31.209.58
- D.** 192.168.6.75

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

You attempt to start up a Mac with Apple silicon to recoveryOS, but a lock icon appears on the screen and you're asked to enter a password. What is the most likely reason that this screen appears?

- A.** Your Mac is enrolled in an MDM solution and has a FileVault password set.
- B.** Your Mac has a security policy set that disallows access to recoveryOS.
- C.** Your Mac is enrolled in an MDM solution and has a recoveryOS password set.
- D.** Your Mac has a Startup Utility password set.

Answer: C ([LEAVE A REPLY](#))

If you see a lock icon and a password prompt when you try to start up a Mac with Apple silicon to recoveryOS, the most likely reason is that your Mac is enrolled in an MDM solution and has a recoveryOS password set by the administrator. This password prevents unauthorized access to the recovery environment and the startup options screen, where you can change the security policy, erase the internal storage, or reinstall macOS. You need to enter the correct password to proceed to recoveryOS. If you don't know the password, you should contact your administrator or the organization that manages your Mac. The other options are

not the most likely reasons for this screen to appear, as they have different effects or symptoms.

* A FileVault password is used to unlock the encrypted startup volume, not the recoveryOS. If your Mac has a FileVault password set, you will see a different screen that asks you to enter the password or the recovery key to unlock the disk. You can still access the recoveryOS without entering the FileVault password by holding down the power button until you see the startup options screen.

* A security policy that disallows access to recoveryOS is not possible on a Mac with Apple silicon. The security policy only affects the ability to boot from external media or run non-Apple operating systems. You can always access the recoveryOS by holding down the power button until you see the startup options screen, unless there is a recoveryOS password set by an MDM solution.

* A Startup Utility password is not a feature on a Mac with Apple silicon. The Startup Utility is an app that lets you select a startup disk on a Mac with Intel processor. On a Mac with Apple silicon, you can select a startup disk from the startup options screen, which may require a recoveryOS password if your Mac is enrolled in an MDM solution. References:

* Apple Device Support Exam Prep Guide, page 8

* Use macOS Recovery on a Mac with Apple silicon

* Revive or restore a Mac with Apple silicon using Apple Configurator

* How to Enter macOS Recovery Mode on Apple Silicon Macs

* How to Enter macOS Recovery on an Apple Silicon Mac - MUO

* Any way to block Safe Mode on a Macbook w/ an M1 chip?

NEW QUESTION: 73

Select two responses.

Which two ways can you use to reset a FileVault password on a Mac?

A. iCloud account and password

B. Recovery key

C. Authenticator app

D. Using a trusted device

E. SMS verification code

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 74

Which screen indicates that iPhone is in recovery mode and ready to be updated or restored?





B.



C.



D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 75

What must you do to start Apple Diagnostics? (Image of macOS startup options)

- A. Press and hold Option-D.
- B. Press and hold Command-Option-D.
- C. Press and hold Command-D.
- D. Press and hold Shift-D.

Answer: ([SHOW ANSWER](#))

To start Apple Diagnostics on a Mac, shut it down, then press the power button and immediately hold Command-D until diagnostics begin (progress bar appears). This works on Intel and Apple silicon Macs (post-startup options on silicon).

* Option A: Option-D starts Internet Diagnostics (older Macs), not standard Diagnostics.

* Option B: Command-Option-D isn't a valid combo.

* Option D: Shift-D isn't used.

References: Apple Support - " Use Apple Diagnostics on your Mac " (support.apple.com/HT202731).

NEW QUESTION: 76

What can you do if you forget your iPhone passcode?

A. Wait for the "forgot your passcode?" prompt to appear and follow the onscreen instructions.

B. Use your Apple ID to get into your phone.

C. Put the phone in recovery mode and attempt to restore it in Apple Configurator.

D. Connect the phone to a mac and erase all content and settings.

Answer: (SHOW ANSWER)

If you forget your iPhone passcode, you can use a Mac to erase your iPhone and remove the passcode. This will delete all your data and settings, but you can restore them from a backup if you have one. To erase your iPhone using a Mac, you need to put your iPhone in recovery mode and connect it to the Mac with a cable.

Then, you need to open Finder and locate your iPhone. You will see an option to Restore or Update your iPhone. Choose Restore and wait for the process to complete. After your iPhone is erased, you can set it up again and restore your data from a backup or iCloud. References: If you forgot your iPhone passcode - Apple Support, Erase your iPhone - Apple Support

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

What could be a reason Mac doesn't automatically upgrade to macOS Sequoia?

A. A volume owner must approve upgrades.

B. A secure token user must approve upgrades.

C. "Install macOS updates" is turned off in System Settings > General > Software Update.

D. "Download new updates when available" is turned off in System Settings > General > Software Update.

Answer: C (LEAVE A REPLY)

If "Install macOS updates" is off in System Settings > General > Software Update > Automatic Updates

, the Mac won't upgrade automatically.

* Option A: Volume owner isn't a macOS concept here.

* Option B: Secure token isn't for updates.

* Option D: Download-only doesn't stop install.

References: Apple Support - " Update macOS " (support.apple.com/HT201541).

NEW QUESTION: 78

Scenario

You ' re migrating your Windows PC to a new Mac.

Which software should you download on your Windows PC to aid the migration process?

A. PC Mover

- B. Windows Migration Assistant
- C. Transfer Protocol
- D. Migration Wizard

Answer: (SHOW ANSWER)

Windows Migration Assistant is a software that helps you transfer your contacts, calendars, email accounts, and more from your Windows PC to your Mac. It copies but does not delete files from your PC. You need to download and install the appropriate version of Windows Migration Assistant on your PC, depending on which macOS your Mac is using. Then you need to connect your Mac and PC to the same network, such as your home Wi-Fi network or an Ethernet cable. Finally, you need to use Migration Assistant on both your Mac and PC to start the transfer process. References : = Transfer from PC to Mac with Migration Assistant , Download Windows Migration Assistant v2.4.5.0 (Monterey, Ventura and Sonoma)

NEW QUESTION: 79

Use this image to answer the question.



How do you get to this screen on iPhone?

- A. Press the side button then one of the volume buttons. The Emergency Call slider appears.
- B. Press and hold the side button and one of the volume buttons until the Emergency SOS slider appears.
- C. Press and hold the side button, then drag the Emergency Call slider to call emergency services.
- D. Rapidly press the volume up button five times. The Emergency Call slider appears.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 80

What does your Mac use to broadcast its location information after you turn on Find My when it ' s offline or in sleep mode?

- A. Ultra Wideband (UWB)
- B. Emergency SOS

C. Wi-Fi

D. Bluetooth

Answer: D ([LEAVE A REPLY](#))

Your Mac uses Bluetooth to broadcast its location information after you turn on Find My when it's offline or in sleep mode. This is part of the Find My network, which is an encrypted, anonymous network of hundreds of millions of Apple devices that can help you locate your device, even when it's offline 1 . When your Mac is offline or in sleep mode, it sends out a secure Bluetooth signal that can be detected by other Apple devices nearby. These devices relay the location of your Mac to iCloud so you can view it in the Find My app 2

. The other options, Ultra Wideband (UWB), Emergency SOS, and Wi-Fi, are not used by your Mac to broadcast its location information in this scenario. References : 1 About the Find My network - Apple Support 2 Locate a device in Find My on Mac - Apple Support

NEW QUESTION: 81

Which of the following IP address suggests there may be a problem with DHCP?

A. 172.25.143.2

B. 169.254.194.49

C. 10.31.209.58

D. 192.168.6.75

Answer: B ([LEAVE A REPLY](#))

An IP address that starts with 169.254 suggests there may be a problem with DHCP. This is because 169.254 is the prefix for a link-local address, which is an address that is automatically assigned by the device when it cannot obtain an IP address from a DHCP server. A link-local address allows the device to communicate with other devices on the same local network, but not with devices on other networks. A link-local address indicates that either the DHCP server is not available, not configured properly, or not reachable by the device.

To resolve this issue, the device should try to renew its IP address from the DHCP server, or the DHCP server should be checked for any errors or misconfigurations. The other IP addresses are valid addresses that can be assigned by a DHCP server, and do not indicate any problem with DHCP. References: DHCP Error: What It Is and How to Fix It - Lifewire, 7.4.4 Module Quiz - DHCPv4 (Answers) - ITExamAnswers

NEW QUESTION: 82

You are signed into a Mac using an administrator account. How do you reset a user password?

A. Reset the password in System Settings > Users & Groups.

B. Use your administrator password to log in to the user's account, and follow the prompts to change their password.

C. Reset the password using Keychain Access.

D. Reset the password using Passwords.

Answer: (SHOW ANSWER)

Admins reset user passwords in System Settings > Users & Groups, selecting the user and clicking "Reset Password" (macOS Ventura and later).

* Option B: Logging in as the user isn't required.

* Option C: Keychain Access manages app passwords, not user accounts.

* Option D: "Passwords" isn't a standalone reset tool.

* Option A: Correct-standard admin method. References: Apple Support - "Reset a user password on Mac" (support.apple.com/HT201240).

NEW QUESTION: 83

How can you control who can discover your iPhone or iPad when it ' s within AirDrop range?

A. Set AirDrop to Contacts Only.

B. Require a verification code from the other device in Password & Security settings.

C. Turn off AirDrop in Privacy settings.

Answer: (SHOW ANSWER)

According to the Apple Device Support Reference Materials, you can control who can discover your iPhone or iPad when it's within AirDrop range by setting AirDrop to Contacts Only 1 . This means that only people in your Contacts app can see your device and send you content via AirDrop. You can also set AirDrop to Receiving Off, which means that no one can see your device or send you content via AirDrop 1 . The other two options, B and C, are not correct because they are not related to AirDrop settings. Requiring a verification code from the other device in Password & Security settings is a feature that helps you sign in to your Apple ID account on a new device 2 . Turning off AirDrop in Privacy settings is not possible, as AirDrop is not listed under Privacy settings 3 . References : 1 : How to use AirDrop on your iPhone or iPad - Apple Support , Section " How to adjust AirDrop settings " . 2 : Sign in with your Apple ID - Apple Support , Section " Use a verification code with two-factor authentication " . 3 : Privacy settings on iPhone - Apple Support

NEW QUESTION: 84

Use this image to answer the question.



What does this iPhone Privacy Warning message indicate?

- A. Limit IP Address Tracking is disabled for this network
- B. iOS has detected a spoofed MAC address on the network
- C. Private Wi-Fi Address is disabled for this network
- D. Local network access is enabled for a third-party app

Answer: (SHOW ANSWER)

The iPhone Privacy Warning message indicates that the device is using its original MAC address to join the Wi-Fi network, which could allow the network operator or other parties to track the device or profile its online activity. To prevent this, the device can use a different MAC address for each Wi-Fi network, which is called a Private Wi-Fi Address. This feature is enabled by default on devices running iOS 14 or later, but it can be turned off manually or automatically by some networks. To turn on the Private Wi-Fi Address, the user needs to go to Settings > Wi-Fi, tap the info icon next to the network name, and toggle on the Private Wi-Fi Address option. This will generate a new MAC address for the device and rejoin the network. References:

= Use private Wi-Fi addresses in iOS 14, iPadOS 14, and watchOS 7, Wi-Fi Privacy Warning on an iPhone:

What It Means & What To Do

NEW QUESTION: 85

A user tries to use Erase All Content and Settings with their organization-owned iPhone. But the option is dimmed. Why is this option dimmed?

- A. Their iPhone has a restriction that prevents the user from erasing it.
- B. Their iPhone is experiencing a software issue and must be restored.
- C. Their iPhone is running a previous iOS version and must be updated first.
- D. Their iPhone doesn't support the feature.

Answer: A (LEAVE A REPLY)

MDM restrictions on organization-owned iPhones can disable Erase All Content and Settings to prevent unauthorized wipes.

* Option B: Software issues don't dim options.

* Option C: iOS version doesn't affect this.

* Option D: All modern iPhones support it.

* Option A: Correct-MDM control.References: Apple Support - "MDM restrictions" (support.apple.com/HT204142).

NEW QUESTION: 86

Which macOS privacy setting allows an app to detect mouse input system wide?

A. System Settings

B. Accessibility

C. Bluetooth

D. Input Monitoring

Answer: D ([LEAVE A REPLY](#))

Input Monitoring is the macOS privacy control specifically designed to determine which applications may monitor input from the keyboard, mouse, or trackpad, including while the user is working in other applications. Apple places this control in System Settings > Privacy & Security > Input Monitoring.

Therefore, option D is correct. Accessibility permissions are different: they can allow applications to control the Mac through scripts, system commands, or user-interface interaction, but they are not the specific privacy category for observing system-wide input-device activity. Bluetooth permission governs access to Bluetooth functionality and accessories, while "System Settings" is the application containing the privacy controls rather than the individual permission itself. Users should grant Input Monitoring only to trusted applications because approved software may potentially observe sensitive keyboard and pointing-device activity.

NEW QUESTION: 87

A user finds several Recovered Files folders in the Trash. What should you advise the user to do?

A. Do nothing. Malware was detected.

B. Retrieve useful files, then empty the Trash.

C. Change preference files.

D. Delete all the folders immediately.

Answer: B ([LEAVE A REPLY](#))

Recovered Files folders appear in Trash after a crash or improper shutdown, containing temporary files. Users should check for useful data (e.g., unsaved work) and then empty Trash to free space.

* Option A: Not malware-related.

* Option C: Preference files aren't involved.

* Option D: Immediate deletion risks data loss.

References: Apple Support - " If files appear in Trash " (support.apple.com/HT202121).

NEW QUESTION: 88

Scenario

You're setting up a new MacBook Pro to replace your current MacBook. Both Mac computers are using the current version of macOS.

Which utility should you use to move data from your current MacBook to your new Mac using Setup Assistant?

A. Migration Assistant

B. Transfer Data

C. Time Machine

D. Transfer Information

Answer: A ([LEAVE A REPLY](#))

Migration Assistant is a utility that allows you to transfer data from one Mac to another, either directly or from a backup. You can use Migration Assistant during the initial setup of your new Mac, or launch it later from the Utilities folder. Migration Assistant can transfer your user accounts, documents, applications, settings, and other data. References: = Apple Device Support Exam Prep Guide, page 7; Apple - Support - Manuals,

NEW QUESTION: 89

Two active network interfaces are on your Mac. You want to use Safari to browse the internet. Which network interface will your Mac use?

- A.** The one that's first in the service order.
- B.** The one with the lowest MTU.
- C.** The one with the fastest bandwidth.
- D.** The one with the highest security.

Answer: A ([LEAVE A REPLY](#))

macOS uses the service order (System Settings > Network > Set Service Order) to prioritize interfaces; the top one handles Safari traffic.

* Option B: MTU doesn't determine priority.

* Option C: Bandwidth isn't auto-prioritized.

* Option D: Security isn't a factor.

* Option A: Correct-order dictates use. References: Apple Support - "Change network service order" (support.apple.com/HT202058).

NEW QUESTION: 90

Select three responses.

Which three scenarios cause Apple File System (APFS) volumes to generate encryption keys?

- A.** During the first user's password creation
- B.** During user creation
- C.** During the first macOS boot sequence
- D.** At first user login on the Mac
- E.** After erase content and setting

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

You turn off Location Services, and you notice that your apps stop offering personalized features.

Which statement is true about Location Services?

- A.** Only supervised devices lose app features when Location Services is turned off.
- B.** Location Services affects only device tracking and doesn't impact app features.
- C.** Some apps require Location Services for full app functionality.
- D.** Disabling Location Services blocks only Apple system apps, not third-party apps.

Answer: C ([LEAVE A REPLY](#))

Location Services allows apps, websites, and system services to use information from GPS, Bluetooth, Wi-Fi, cellular networks, and other sources to determine the device's location. Apple explicitly warns that turning off Location Services causes many important iPhone features to stop working. Individual applications can depend on location information for navigation, nearby recommendations, weather, transportation, location-based reminders, and other personalized functionality. Therefore, some apps cannot provide their complete feature set when Location Services is disabled, making option C correct. This behavior is not limited to supervised devices or Apple-developed applications. Third-party applications can also request location permission.

Location Services therefore affects substantially more than Find My or device tracking; it is an operating-system privacy framework used by many applications and system services.

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpspass.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 92

How should you view live log messages using Console on your Mac?

- A. Select system.log in the sidebar, click the log message, and choose View > Expand Selected Row.
- B. Select Mac in the sidebar, then click Start Streaming.
- C. Select Mac in the sidebar, then click info from the toolbar.
- D. Select Log Reports in the sidebar, click the log message, and choose View > Expand Selected Row.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

Why doesn't the latest iOS release appear in Settings > General > Software Update on an iPhone?

- A. MDM is managing software updates and upgrades.
- B. Lockdown Mode is turned on.
- C. There isn't enough local storage for the upgrade.
- D. The Wi-Fi network was configured by MDM.

Answer: A ([LEAVE A REPLY](#))

MDM can defer or block iOS updates, hiding them from Settings > General > Software Update on managed devices.

* Option B: Lockdown Mode restricts features, not updates.

* Option C: Storage affects install, not visibility.

* Option D: Wi-Fi config doesn't hide updates.

* Option A: Correct-MDM control. References: Apple Support - "MDM software updates" (support.apple.com/HT204142).

NEW QUESTION: 94

Where should you go in macOS to limit AirPlay Receiver ONLY to devices signed in to your Apple ID?

- A. Go to System Settings > Privacy & Security, then select Apple ID for the "Allow AirPlay for" option.
- B. Go to System Settings, then select Apple ID for the "Allow AirPlay for" option in the Sharing settings.
- C. Open the AirPlay app from the Utilities folder, then select Current User for the "Allow AirPlay for" option.
- D. Go to System Settings > General > AirDrop & Handoff, then select Current User for the "Allow AirPlay for" option.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

Which macOS feature allows you to use your iPhone as a webcam?

- A. Focus
- B. Continuity Camera
- C. Stage Manager
- D. Quick Look

Answer: B ([LEAVE A REPLY](#))

Continuity Camera is a macOS feature that allows you to use your iPhone as a webcam on your Mac. With Continuity Camera, you can take advantage of the powerful iPhone camera and additional video effects, such as Center Stage, Portrait mode, Studio Light, and Desk View. You can connect your iPhone to your Mac wirelessly or with a USB cable, and choose your iPhone as the camera or microphone in apps that support it, such as FaceTime or Photo Booth¹. The other options, Focus, Stage Manager, and Quick Look, are not macOS features that allow you to use your iPhone as a webcam. Focus is a feature that helps you reduce distractions and stay focused on what matters to you². Stage Manager is a third-party app that lets you control your livestream from your iPhone³. Quick Look is a feature that lets you preview files without opening them⁴. References: 1 Use your iPhone as a webcam on Mac - Apple Support 2 Use Focus on your Mac - Apple Support 3 Stage Manager - App Store 4 Use Quick Look on Mac - Apple Support

NEW QUESTION: 96

Where do you go to tell if an iPad has an MGM solution installed?

- A. Privacy & Security > Device Management
- B. General > Profiles & Device Management
- C. Privacy & Security > Analytics & Improvements
- D. General > VPN & Device Management

Answer: ([SHOW ANSWER](#))

According to the Apple Device Support Reference Materials, you can go to Settings > General > Profiles & Device Management to see if an iPad has an MGM solution installed¹. MGM stands for Mobile Device Management, which is a way for organizations to manage and secure their devices remotely². If an iPad has an MGM solution installed, you will see the name of the organization and the configuration profile under the Profiles & Device Management section¹. The other options, A, C, and D, are not correct because they are not related to MGM settings. Privacy & Security > Device Management is not a valid path in the iPad settings³. Privacy & Security > Analytics & Improvements is a section where you can choose to share diagnostic and usage data with Apple or app developers⁴. General > VPN & Device Management is a section where you can configure VPN settings and view device management information⁵. References: 1: About Apple device supervision - Apple Support, Section "Manual supervision using Apple Configurator for Mac (iPhone, iPad, and Apple TV)". 2: Mobile Device Management (MDM) - Apple Support 3: Privacy settings on iPhone - Apple Support 4: Share analytics, diagnostics, and usage information with Apple on iPhone - Apple Support 5: VPN settings overview for Apple devices - Apple Support

NEW QUESTION: 97

What MUST you do before you reach the macOS Recovery options when your Mac with Apple silicon has FileVault or Activation Lock turned on?

- A. Enter the FileVault recovery key, then select an administrator user account.
- B. Select one of the displayed administrator accounts, then provide the account's password.
- C. Log in using the administrator's Apple ID and two-factor authentication.
- D. Access the Startup Security Utility and enter the administrator's six-digit passcode to unlock the system.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

While setting up a new iPad from their organization, a user notices that several setup screens are missing.

What is the most likely reason?

- A. The iPad failed to activate during setup.
- B. The device was released from Apple School Manager.
- C. The organization's MDM solution is managing Setup Assistant.
- D. The user selected "Skip all setup screens".

Answer: C ([LEAVE A REPLY](#))

MDM can automate Setup Assistant, skipping screens (e.g., Apple ID, Terms) for managed devices enrolled in Apple School Manager/Business Manager.

* Option A: Activation failure halts setup, not skips screens.

* Option B: Release prevents MDM control, not skips.

* Option D: No "Skip all" option exists.

* Option C: Correct-MDM streamlines setup.References: Apple Support - "MDM Overview" (support.apple.com/HT204142).

NEW QUESTION: 99

ACME, Inc. wants all users to see mounted servers in the Finder by default.

Which terminal command should you use to modify the Finder preferences to display mounted servers?

- A. defaults write com.apple.finder ShowMountedServersOnDesktop true
- B. defaults read com.apple.finder ShowMountedServersOnDesktop true
- C. defaults append ShowMountedServersOnDesktop com.apple.finder true
- D. defaults cat com.apple.finder ShowMountedServersOnDesktop true

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 100

What are three reasons that a warning icon might appear in the Security Recommendation window for a password in Passwords settings?

- A. The password hasn't been updated in the last 90 days.
- B. The password is reused on another website.
- C. The password appeared in a data leak.
- D. It's a commonly used password or it's easily guessed.
- E. You have multiple or duplicate passwords listed for the website.

Answer: B,C,D ([LEAVE A REPLY](#))

A warning icon might appear in the Security Recommendation window for a password in Passwords settings if the password meets any of the following criteria:

* The password is reused on another website. This means that the same password is used for more than one saved password across different domains. This can make the accounts vulnerable to credential-stuffing attacks, where attackers try the same credentials on other services to compromise additional accounts¹.

* The password appeared in a data leak. This means that the password has been compromised by a data breach and exposed online. This can allow attackers to access the accounts that use the leaked password or try to guess other passwords based on the leaked one¹.

* It's a commonly used password or it's easily guessed. This means that the password is weak and may be easily cracked by an attacker. This can happen if the password uses words found in a dictionary, common character substitutions, patterns found on a keyboard, or repeated sequences. These patterns are often used to create passwords that satisfy minimum password requirements for services, but are also commonly used by attackers attempting to obtain a password using brute force¹. References: 1:

Password security recommendations - Apple Support

NEW QUESTION: 101

Why would you use recovery mode with the Finder on Mac to update an iPad?

- A. To preserve user data and settings while reinstalling iPadOS
- B. To unlock the iPad without credentials
- C. To remove device supervision and reset enrollment
- D. To erase all data and install a clean version of iPadOS

Answer: (SHOW ANSWER)

When troubleshooting an iPad with a Mac, Finder can present Update and Restore options. Apple distinguishes these operations carefully. Choosing Update attempts to reinstall the device software while retaining the user's personal data. Apple specifically advises selecting Update rather than Restore in appropriate troubleshooting situations because Update reinstalls the software and keeps personal data. Restore is more destructive: it reinstalls iPadOS while erasing the device's data. Recovery mode also does not bypass device credentials, remove supervision, or automatically reset device-management enrollment. Therefore, if the objective is to repair or reinstall iPadOS while making the best effort to retain the user's existing information and settings, using the Update operation from Finder is the appropriate approach. Option A is therefore

correct.

NEW QUESTION: 102

Which step should you complete if your iPad fails to back up to iCloud?

- A. Confirm that Bluetooth is turned on.
- B. Verify that your iPad has a device passcode and is unlocked.
- C. Ensure that you 're signed in with your Managed Apple Account.
- D. Ensure that your iPad has a working Wi-Fi connection.

Answer: D ([LEAVE A REPLY](#))

A functioning network connection is required for an iPad to upload its backup to iCloud. Apple documents that automatic iCloud backups normally occur when the device is connected to power, locked, and connected to Wi-Fi. Consequently, if an iCloud backup fails, confirming that the iPad has a working Wi-Fi connection is an appropriate troubleshooting step. Bluetooth is not required for iCloud Backup. The device also does not need to remain unlocked; automatic backups are specifically designed to occur while it is locked. Signing in with a Managed Apple Account is not the general solution to a failed backup because the relevant Apple Account and organizational configuration depend on how the device is deployed. The network connection must be functional so the backup data can communicate with Apple's iCloud services.

NEW QUESTION: 103

You want to protect your Mac from unwanted contacts from other computers.

Which action should you take to protect your Mac while it's connected to the internet?

- A. Go to System Settings > Privacy & Security > Lockdown Mode, then click Turn On.
- B. Go to Safari Settings > Privacy, then enable Prevent cross-site tracking.
- C. Go to Safari Settings > Privacy, then enable Hide IP address from trackers.
- D. Go to System Settings > Network > Firewall, then turn on Firewall.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 104

Where are sysdiagnose log files located on iPhone?

- A. Settings > Privacy & Security > Analytics & Improvements > Analytics Data
- B. Settings > Privacy > Tracking
- C. Settings > Privacy > Analytics & Improvements > Share With App Developers

Answer: A ([LEAVE A REPLY](#))

Sysdiagnose log files are located on iPhone in Settings > Privacy & Security > Analytics & Improvements > Analytics Data. Sysdiagnose is a tool that collects information from the iPhone and saves it in a log file. You can use sysdiagnose to troubleshoot general iOS issues or report them to AppleCare. To generate a sysdiagnose log file, you need to press and hold both volume buttons and the side or top button for 1 to 1.5 seconds, then release them. You will see a screenshot and a message that says "Diagnostics are in flight".

Sysdiagnose can take up to 10 minutes to finish. After that, you can find the log file in the Analytics Data section of the Settings app. The log file name will start with "sysdiagnose_" and include the date and time of the generation, the device type, and the iOS version. For example, "sysdiagnose_2024.01.06_17-14-34+0500_iPhone_OS_iPhone_19A344.tar.gz". References: Using Sysdiagnose to Troubleshoot iOS or iPadOS - Apple Device Support Tutorials | Apple Training, How to extract sysdiagnose logs for forensic purposes on iOS | Andrea Fortuna

NEW QUESTION: 105

What does your Mac use to broadcast its location information after you turn on Find My when it's offline or in sleep mode?

- A. Ultra Wideband (UWB)
- B. Emergency SOS

C. Wi-Fi

D. Bluetooth

Answer: D (LEAVE A REPLY)

Your Mac uses Bluetooth to broadcast its location information after you turn on Find My when it's offline or in sleep mode. This is part of the Find My network, which is an encrypted, anonymous network of hundreds of millions of Apple devices that can help you locate your device, even when it's offline¹. When your Mac is offline or in sleep mode, it sends out a secure Bluetooth signal that can be detected by other Apple devices nearby. These devices relay the location of your Mac to iCloud so you can view it in the Find My app². The other options, Ultra Wideband (UWB), Emergency SOS, and Wi-Fi, are not used by your Mac to broadcast its location information in this scenario. References: 1 About the Find My network - Apple Support 2 Locate a device in Find My on Mac - Apple Support

NEW QUESTION: 106

What are two ways to manually update iOS or iPadOS? (Choose two.)

A. Open the iOS or iPadOS Update app and initiate the available software update.

B. Initiate the available software update in Settings > General > Software Update.

C. Connect the device to a Mac and initiate the software update through the Finder.

D. Connect the device to another iPhone or iPad and follow the Software Update prompt.

E. Open the App Store app, tap your name, then tap Software Update.

Answer: B,C (LEAVE A REPLY)

Apple supports two standard manual methods for updating iOS or iPadOS. Directly on the device, open Settings > General > Software Update and download and install the available update, making option B correct. A user can also connect the iPhone or iPad to a trusted Mac running macOS Catalina or later, select the device in Finder, choose General, and select Check for Update, making option C correct. There is no separate iOS or iPadOS Update application, and operating-system updates are not initiated from the App Store. Another iPhone or iPad cannot function as the update host in the manner described in option D. Finder provides the supported computer-based update path when a wireless update is unavailable or when updating through a Mac is preferred.

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

You've forgotten your login password or it's locked from too many failed attempts to log in.

What's the alternative method to unlock FileVault and reset your password?

A. Create a new local recovery key.


B. Call AppleCare to create a new account recovery key.

C. Use iCloud Account Recovery.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 108

Select the setting in the sidebar that you should use to automatically keep your Mac up to date.





Answer:

Answer Area





NEW QUESTION: 109

Scenario

You're troubleshooting a third-party app that frequently quits on your Mac. You've determined that the issue occurs across all user accounts.

What should be your next step in troubleshooting the app's issue?

- A. Upgrade to the latest version of the app.
- B. Troubleshoot application preferences.
- C. Create a new file.
- D. Reinstall or upgrade macOS.
- E. Remove the -/Library/Preferences/application name preference file.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

You receive a "Storage Almost Full " alert on your iPhone.

Which of these steps should you take?

- A. Erase all content and settings on the device.
- B. Clear System Data in iPhone Storage settings.
- C. Turn off iCloud Backup to free up space.
- D. Review storage recommendations in iPhone Storage settings.

Answer: ([SHOW ANSWER](#))

When an iPhone displays a Storage Almost Full alert, Apple recommends reviewing the storage recommendations available in Settings > General > iPhone Storage. These recommendations can identify opportunities to optimize storage, such as offloading unused apps, reviewing large attachments, or removing unnecessary content. Therefore, option D is correct. Erasing all content and settings is unnecessarily destructive and is not an appropriate first response to low storage. Turning off iCloud Backup does not meaningfully free the iPhone's local storage because iCloud storage and device storage are separate. System Data also cannot normally be manually cleared through a dedicated "Clear System Data" control. Reviewing Apple's built-in storage recommendations provides the safest and most targeted way to recover space.

NEW QUESTION: 111

Which of these methods to restore iPhone reinstalls the latest version of iOS?

- A. Erase All Content and Settings
- B. Recovery Assistant
- C. Erase Device using Find My
- D. Restore using the Finder on Mac

Answer: D ([LEAVE A REPLY](#))

Restoring an iPhone through Finder on a Mac performs a computer-based factory restore. Apple states that this process erases the device and installs the latest available iOS software, so option D is correct. This differs from Erase All Content and Settings performed directly on the iPhone, which removes user content and settings but is not the method identified here for reinstalling the latest operating-system software. Recovery Assistant is intended to resolve certain startup problems and is not the standard full factory-restore method described in the question. Erasing a device through Find My remotely removes content but does not represent the Finder-based operating-system reinstall process. In Finder, selecting the iPhone and choosing Restore iPhone causes the computer to erase the device and install the latest compatible iOS release.

NEW QUESTION: 112

Your organization manages your personal iPhone.

Which of these risks is possible if you remove the enrollment profile from the iPhone?

- A.** Remote wipe using Erase All Content and Settings
- B.** Removal of all installed apps and data
- C.** Immediate sign-out of your unmanaged Apple Account
- D.** Loss of security settings and compliance

Answer: D ([LEAVE A REPLY](#))

Removing an enrollment profile disconnects the device from the organization's management controls. Apple documents that configurations, settings, and managed apps associated with an enrollment profile are removed when the device is unenrolled. Consequently, required security policies-such as managed settings, restrictions, VPN configurations, certificates, or other compliance controls-may disappear, leaving the device noncompliant with organizational requirements. This makes option D correct. Removing enrollment does not erase every personal application and all personal data, and it does not automatically sign the user out of their unmanaged personal Apple Account. A remote device erase is also a separate management command rather than an automatic consequence of manually removing an enrollment profile. User Enrollment is specifically designed so organizational information can be removed while personal information remains separate.

NEW QUESTION: 113

Your MDM administrator set a Recovery Lock on your supervised MacBook Pro. What additional steps must you complete to start your MacBook Pro in macOS Recovery?

- A.** Enter the Recovery Lock password in System Settings > General > Startup Disk, then restart.
- B.** Take the Mac to an Apple Authorized Service Provider with proof of purchase.
- C.** When prompted, enter the recoveryOS password.
- D.** When prompted, enter the Bypass Key.

Answer: C ([LEAVE A REPLY](#))

Recovery Lock (MDM feature on supervised Macs) requires entering therecoveryOS passwordat the Recovery prompt to access macOS Recovery.

* Option A: Startup Disk doesn't handle this.

* Option B: Service isn't needed.

* Option D: Bypass Key isn't a standard term here.

* Option C: Correct-MDM-specific step.References: Apple Support - "MDM Recovery Lock" (support.apple.com/HT204142).

NEW QUESTION: 114

Select the setting in the sidebar that you should use to turn on firewall on your Mac.

Andre Lorico

Andre Lorico

Apple ID

Wi-Fi

Bluetooth

Andre Lorico

andre.lorico@icloud.com



Answer:



Explanation:

Turn on firewall protection

On your Mac, choose Apple menu > System Settings, click Network in the sidebar, then click Firewall. (You may need to scroll down.) Turn on Firewall.<https://support.apple.com/en-in/guide/mac-help/mh34041/mac#:~:>

text=Turn%20on%20firewall%20protection,may%20need%20to%20scroll%20down.)&text=Turn%20on%20Firewall.

NEW QUESTION: 115

Use this image to answer the question.



What does this iPhone Privacy Warning message indicate?

- A. Limit IP Address Tracking is disabled for this network
- B. iOS has detected a spoofed MAC address on the network
- C. Private Wi-Fi Address is disabled for this network
- D. Local network access is enabled for a third-party app

Answer: C (LEAVE A REPLY)

The iPhone Privacy Warning message indicates that the device is using its original MAC address to join the Wi-Fi network, which could allow the network operator or other parties to track the device or profile its online activity. To prevent this, the device can use a different MAC address for each Wi-Fi network, which is called a Private Wi-Fi Address. This feature is enabled by default on devices running iOS 14 or later, but it can be turned off manually or automatically by some networks. To turn on the Private Wi-Fi Address, the user needs to go to Settings > Wi-Fi, tap the info icon next to the network name, and toggle on the Private Wi-Fi Address option. This will generate a new MAC address for the device and rejoin the network. References: = Use private Wi-Fi addresses in iOS 14, iPadOS 14, and watchOS 7, Wi-Fi Privacy Warning on an iPhone: What It Means & What To Do

NEW QUESTION: 116

Several managed apps used for work collaboration disappeared from a user-owned iPhone. Which user action would cause this?

- A. Resetting network settings
- B. Unenrolling from the organization's MDM solution
- C. Releasing the device from Apple Business Manager
- D. Signing out of their personal Apple Account

Answer: B (LEAVE A REPLY)

Managed apps, deployed via an MDM solution, are tied to the device's enrollment. Unenrolling from MDM (e.g., removing the profile in Settings > General > VPN & Device Management) deletes these apps, as they're organization-controlled.

* Option A: Resetting network settings affects connectivity, not apps.

* Option C: Releasing from Apple Business Manager requires admin action, not user action.

* Option D: Signing out of a personal account doesn't remove managed apps.

* Option B: Correct-unenrollment removes managed content. References: Apple Support - "Mobile Device Management (MDM)" (support.apple.com/HT204142).

NEW QUESTION: 117

What's the first action you should try when an app is unresponsive?

- A.** Contact the developer
- B.** Force the app to quit and reopen it
- C.** Update iOS or iPadOS

Answer: B ([LEAVE A REPLY](#))

The first action you should try when an app is unresponsive is to force the app to quit and reopen it. This can help resolve temporary issues that may cause the app to freeze, crash, or not respond to your inputs. To force the app to quit, swipe up from the bottom of the device. If your device has a home button, double press that instead. This will bring up a carousel of all the open windows on your device. Swipe left or right to find the app that you want to quit. Swipe up on the app's preview to close it. Then, tap the app icon on the Home screen to reopen it and see if it works as expected. References: If an app on your iPhone or iPad stops responding ... - Apple Support

NEW QUESTION: 118

What are other requirements for iCloud backups to occur automatically when connected to a powersource?

- A.** Fully charge the device and turn on iCloud Backup in General > iPhone Storage.
- B.** Connect to Wi-Fi and lock the screen.
- C.** Connect to Wi-Fi and unlock the screen.
- D.** Fully charge the device and turn on iCloud in General > Backup.

Answer: B ([LEAVE A REPLY](#))

iCloud backups require the device to be on Wi-Fi, locked, and charging-ensuring minimal disruption.

* Option A: Full charge isn't needed; iCloud Backup is in Settings > [user name] > iCloud.

* Option C: Unlocked prevents backup.

* Option D: No "General > Backup" path.

* Option B: Correct-standard conditions. References: Apple Support - "Back up your iPhone with iCloud" (support.apple.com/HT207428).

NEW QUESTION: 119

Which wireless authentication method allows a Mac to use digital certificates to authenticate to secure wireless networks?

- A.** WPA3 Enterprise
- B.** WPA Personal
- C.** WPA3 Personal
- D.** WPA3 Transitional

Answer: A ([LEAVE A REPLY](#))

WPA3 Enterprisesupports digital certificates for authentication, ideal for secure organizational networks, unlike personal modes.

* Option B: WPA Personal uses passwords.

* Option C: WPA3 Personal uses passwords, not certificates.

* Option D: Transitional is a hybrid, not certificate-based.

* Option A: Correct-enterprise-grade security. References: Apple Support - "Connect to Wi-Fi" (support.apple.com/HT202831).

NEW QUESTION: 120

Use this image to answer the question.

Which iPad model is compatible with Apple Pencil (2nd generation)?



A.



B.



C.



D.

Answer: (SHOW ANSWER)

Option B shows an image of the iPad Air (4th generation), which is compatible with the Apple Pencil (2nd generation). The other options show images of the iPad Air (3rd generation), which is compatible with the Apple Pencil (1st generation). The iPad Air (4th generation) has a USB-C port, a 10.9-inch Liquid Retina display, and a Touch ID sensor on the top button. The iPad Air (3rd generation) has a Lightning port, a 10.5-inch Retina display, and a Touch ID sensor on the Home button. The Apple Pencil (2nd generation) has a flat edge that attaches magnetically to the side of the iPad for pairing and charging. The Apple Pencil (1st generation) has a round shape and a removable cap that covers a Lightning connector for pairing and charging. References: Apple Pencil compatibility - Apple Support, Identify your iPad model - Apple Support, iPad Air - Technical Specifications - Apple

NEW QUESTION: 121

Scenario

Nisha ' s iPad doesn ' t charge. She ' s using the original Apple power adapter and cable that came with her iPad.

Select three responses.

Which three troubleshooting steps should you try to resolve this issue?

- A. Force restart her iPad.
- B. Make sure that the device isn ' t too hot or too cold.
- C. Try charging with a different power adapter and cable.
- D. Back up the device, then erase all content and settings.
- E. Enable Optimized Battery Charging in the iPad settings.

Answer: (SHOW ANSWER)

According to the Apple Device Support Reference Materials, the three troubleshooting steps that you should try to resolve the issue of iPad not charging are:

* Force restart the iPad. This can help clear any software glitches that may prevent the iPad from recognizing the power source or charging properly 1 2 . The steps to force restart the iPad depend on whether it has a Home button or not 1 .

* Make sure that the device isn't too hot or too cold. Extreme temperatures can affect the battery performance and charging ability of the iPad 1 3 . The iPad should be kept within the acceptable operating temperatures of 0° to 35° C (32° to 95° F) 3 .

* Try charging with a different power adapter and cable. The power adapter and cable may be damaged or incompatible with the iPad, causing the charging issue 1 4 . It is recommended to use the original Apple power adapter and cable that came with the iPad, or other Apple-certified accessories 4 .

The other two options, D and E, are not relevant or helpful for resolving the charging issue. Backing up the device and erasing all content and settings may be useful for other issues, such as storage or performance problems, but not for charging problems 5 . Enabling Optimized Battery Charging is a feature that helps extend the battery lifespan by reducing the time that the iPad spends fully charged. It does not affect the charging speed or ability of the iPad. References : 1 : Fix issues with charging - Apple Support 2 : iPad won't charge, Try these tips to fix it - Geeky Gadgets 3 : iPad not charging: 6 solutions - 9to5Mac 4 : How to fix an iPad that won't charge: 8 troubleshooting tips - Macworld 5 : Erase all content and settings from iPad - Apple Support : About Optimized Battery Charging on your iPhone, iPad, and iPod touch - Apple Support

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpspass.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 122

Select two responses.

Which two ways can you use to reset a FileVault password on a Mac?

- A. Authenticator app
- B. Using a trusted device
- C. Recovery key
- D. SMS verification code
- E. iCloud account and password

Answer: C,E (LEAVE A REPLY)

FileVault is a feature that encrypts the data on your Mac's startup disk, making it more secure. To unlock your Mac, you need to enter your account password or a recovery key. A recovery key is a 28-character code that is generated when you turn on FileVault. You can choose to store it in iCloud or write it down and keep it in a safe place. An iCloud account and password can also be used to reset your FileVault password, if you enabled this option when you turned on FileVault. The other options, authenticator app, using a trusted device, and SMS verification code, are not valid ways to reset a FileVault password on a Mac. References

1 Use FileVault to encrypt the startup disk on your Mac - Apple Support 2 Reset a macOS User Password - Kandji 3 How to unlock your Mac with its Recovery Key and FileVault active - Macworld

NEW QUESTION: 123

You are trying to connect a podcast mic to your mac. You go into Sounds, but the mic isn ' t appearing an as option. Where else can you check to see if the mic is properly connected to your mac?

- A. System Information > Hardware
- B. System Information > Devices
- C. System Settings > Printers & Devices
- D. System Settings > Hardware

Answer: (SHOW ANSWER)

System Information > Hardware is the place where you can check to see if your podcast mic is properly connected to your Mac. System Information is an app that shows detailed information about your Mac hardware, software, and network. You can access System Information from the Utilities folder in the Applications folder, or by choosing About This Mac from the Apple menu and clicking System Report. Under the Hardware section, you can find information about your audio devices, such as the manufacturer, model, and connection type. If your podcast mic is connected to your Mac, it should appear under the Audio section. If it does not appear, you may need to troubleshoot the connection or try a different port or cable 1 2

. References : = Apple - Support - Manuals , macOS User Guide, System Information; How do I connect a microphone to my MacBook? | ZDNET .

NEW QUESTION: 124


Scenario

Andre created a Keynote presentation on his iPad that he wants to access on the desktop of his MacBook Air.


Select the setting in the sidebar that Andre should turn on to access iCloud Drive on his Mac.

Answer Area





Answer:
Answer Area





NEW QUESTION: 125

Why might Personal Hot-spot not appear in Settings on an iPhone?

- A. The feature isn't supported on the wireless plan.
- B. Low Power Mode is turned on.
- C. Wi-Fi Assist is turned off.
- D. The feature is available only on a 5G network.

Answer: ([SHOW ANSWER](#))

Personal Hotspot depends on support from the user's wireless carrier and cellular service plan. Apple specifically states that if Personal Hotspot cannot be found or turned on, the user should confirm that the wireless carrier has enabled the feature and that the wireless plan supports it. Therefore, option A is correct.

Personal Hotspot does not require a 5G connection; it can operate with supported cellular data services on other network generations. Low Power Mode does not normally remove the Personal Hotspot option from Settings, and Wi-Fi Assist controls the use of cellular data when Wi-Fi connectivity is poor rather than determining whether Personal Hotspot exists. Carrier provisioning and plan eligibility are therefore the most relevant reasons that the Personal Hotspot setting might be unavailable.

NEW QUESTION: 126

Which App Store app should you use to reset your Apple ID password when you use a friend's or family member's iPhone or iPad?

- A. Apple Reset**
B. Apple Support
C. Apple ID Support
D. Apple ID Manager

Answer: B (LEAVE A REPLY)

NEW QUESTION: 127








Answer Area

The Mac found your startup disk.


The startup options window for a Mac with Apple silicon.

Your Mac couldn't start up from macOS Recovery over the internet.

Your startup disk contains macOS, but it's not one your Mac can use.

Your startup disk is no longer available or doesn't contain a working Mac operating system.

Answer:



Answer Area



The Mac found your startup disk.

The startup options window for a Mac with Apple silicon.

Your Mac couldn't start up from macOS Recovery over the internet.


Your startup disk contains macOS, but it's not one your Mac can use.

Your startup disk is no longer available or doesn't contain a working Mac operating system.




exam-tests.com





Answer Area

	The Mac found your startup disk.
	The startup options window for a Mac with Apple silicon.
	Your Mac couldn't start up from macOS Recovery over the internet.
	Your startup disk contains macOS, but it's not one your Mac can use.
	Your startup disk is no longer available or doesn't contain a working Mac operating system.

NEW QUESTION: 128

How to put an iPhone in DFU mode?

For iPhone 8 and later models:

- A. Press and hold the Volume Down button and the Side button simultaneously for 10 seconds
- B. After 10 seconds, release the Side button, but continue holding the Volume Down button for another 5 seconds.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 129

Select three responses.

Which three conditions might require you to enter your passcode instead of using Face ID?

- A. The passcode has been entered incorrectly 5 times.
- B. The device was in sleep for more than 8 hours.
- C. The device has just been turned on or restarted.
- D. The passcode hasn't been used to unlock the device in the last six and a half days and Face ID hasn't unlocked the device in the last 4 hours.

E. The device hasn't been unlocked for more than 48 hours.

Answer: ([SHOW ANSWER](#))

Face ID is a biometric authentication method that allows you to securely unlock your iPhone or iPad, authenticate purchases, sign in to apps, and more, all with just a glance. However, there are situations where Face ID is not permitted and you need to enter your passcode instead. According to the Apple Device Support Reference Materials 1 , these situations include:

- * The device has just been turned on or restarted.
- * The user hasn't used their passcode or password to unlock their device for 156 hours (six and a half days), and the user hasn't used a biometric to unlock their device in 4 hours.
- * The device hasn't been unlocked for more than 48 hours.

Therefore, the correct answer is C, D, and E.

:

Face ID, Touch ID, passcodes, and passwords

NEW QUESTION: 130

What could be a reason Mac doesn't automatically upgrade to macOS Sequoia?

- A. A volume owner must approve upgrades.
- B. A secure token user must approve upgrades.
- C. "Install macOS updates" is turned off in System Settings > General > Software Update.
- D. "Download new updates when available" is turned off in System Settings > General > Software Update.

Answer: C ([LEAVE A REPLY](#))

If "Install macOS updates" is off in System Settings > General > Software Update > Automatic Updates, the Mac won't upgrade automatically.


- * Option A: Volume owner isn't a macOS concept here.
- * Option B: Secure token isn't for updates.
- * Option D: Download-only doesn't stop install.
- * Option C: Correct-disables auto-install. References: Apple Support - "Update macOS" (support.apple.com/HT201541).

NEW QUESTION: 131

Select the setting in the sidebar that you should use to delete a user on your Mac.

Answer Area





- Notifications
- Sound
- Focus
- Screen Time
- General
- Appearance
- Accessibility
- Control Center
- Siri & Spotlight
- Privacy & Security
- Desktop & Dock
- Displays
- Wallpaper
- Screen Saver
- Battery
- Lock Screen
- Touch ID & Password
- Users & Groups 
- Passwords
- Internet Accounts
- Game Center
- Wallet & Apple Pay
- Keyboard
- Trackpad
- Printers & Scanners

Name, Phone, Email >

Password & Security >

Payment & Shipping >

iCloud >

Media & Purchases >

Family Sharing Set Up >

Devices

 Virtual Reality Air Force
This MacBook Air >

Sign Out... About Apple ID & Privacy... ?

Answer:

Answer Area

Printers & Scanners

Search

Andre Lorico
Apple ID

Wi-Fi

Bluetooth

Network

Notifications

Sound

Focus

Screen Time

General

Appearance

Accessibility

Control Center

Siri & Spotlight

Privacy & Security

Desktop & Dock

Displays

Wallpaper

Screen Saver

Battery

Lock Screen

Touch ID & Password

Home & Automation

Andre Lorico



Andre Lorico
andre.loric0@icloud.com

Name, Phone, Email

Password & Security

Payment & Shipping

iCloud

Media & Purchases

Family Sharing

Set Up


Devices

Virtual Reality Air Force

This MacBook Air

Sign Out...

About Apple ID & Privacy... ?



NEW QUESTION: 132

Scenario

You're trying to connect a podcasting microphone to your MacBook Air. You're using the Apple USB-C Digital AV Multiport Adapter connected to a standard USB A to B cable that connects to the microphone. You open Sound in System Settings and click the input tab, but the microphone doesn't appear in the sound input device list.



What should you use to verify that your Mac has successfully connected to the microphone?

- A. VoiceOver Utility > Sound > Input Device > USB CODEC
- B. The device driver settings
- C. The microphone's power light

D. System Information > Hardware > USB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 133

Several managed apps used for work collaboration disappeared from a user-owned iPhone. Which user action would cause this?

A. Resetting network settings

B. Unenrolling from the organization's MDM solution

C. Releasing the device from Apple Business Manager

D. Signing out of their personal Apple Account

Answer: (SHOW ANSWER)

Managed apps, deployed via an MDM solution, are tied to the device's enrollment. Unenrolling from MDM (e.g., removing the profile in Settings > General > VPN & Device Management) deletes these apps, as they're organization-controlled.

* Option A: Resetting network settings affects connectivity, not apps.

* Option C: Releasing from Apple Business Manager requires admin action, not user action.

* Option D: Signing out of a personal account doesn't remove managed apps.

References: Apple Support - " Mobile Device Management (MDM) " (support.apple.com/HT204142).

NEW QUESTION: 134

You try to start a Mac in macOS Recovery. The Mac has FileVault turned on. Which additional step or steps must you complete to access macOS Recovery?

A. Mount the volume in Disk Utility, and enter the administrator password.

B. Select an administrator, then provide the account password.

C. Enter the administrator's six-digit MFA code after it arrives.

D. Enter the administrator's Recovery Lock password.

Answer: B ([LEAVE A REPLY](#))

With FileVault enabled, macOS Recovery requires unlocking the encrypted disk by selecting an admin user and entering their password at startup.

* Option A: Disk Utility mounting isn't the initial step.

* Option C: MFA isn't used here.

* Option D: Recovery Lock is MDM-specific, not FileVault.

References: Apple Support - " Use macOS Recovery with FileVault " (support.apple.com/HT201314).

NEW QUESTION: 135

A user is experiencing network issues on their Mac. The network administrator requests that you send them a network report. Which Mac app should you use to give the network administrator a network report?

A. Console

B. Network Utility

C. Wireless Diagnostics

D. Wi-Fi Utility

Answer: C ([LEAVE A REPLY](#))

Wireless Diagnostics(Option-click Wi-Fi menu > Open Wireless Diagnostics) generates detailed network reports, including logs and performance data, ideal for administrators.

* Option A: Console logs events, not network-specific reports.

* Option B: Network Utility was deprecated post-macOS Mojave.

* Option D: Wi-Fi Utility isn't a macOS app.

* Option C: Correct tool for network diagnostics.References: Apple Support - "Use Wireless Diagnostics" (support.apple.com/HT202663).

NEW QUESTION: 136

Use this image to answer the question.



What does this iPhone Privacy Warning message indicate?

- A. Local network access is enabled for a third-party app
- B. Private Wi-Fi Address is disabled for this network
- C. Limit IP Address Tracking is disabled for this network
- D. iOS has detected a spoofed MAC address on the network

Answer: B ([LEAVE A REPLY](#))

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 137

Files App, what storage format does it support?

- A. EX-FAT
- B. NTFS
- C. MS-DOS (FAT)
- D. Mac OS Extended
- E. APFS

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 138


Select the setting in the sidebar that you should use to turn on FileVault.

Answer Area



Answer:

Answer Area



- Wi-Fi
- Bluetooth
- Network

- Notifications
- Sound
- Focus
- Screen Time

- General
- Appearance
- Accessibility
- Control Center

- Siri & Spotlight
- Privacy & Security

- Desktop & Dock
- Displays
- Wallpaper
- Screen Saver
- Battery

- Lock Screen
- Touch ID & Password
- Users & Groups

- Passwords
- Internet Accounts
- Game Center
- Wallet & Apple Pay



Andre Lorico
andre.loric0@icloud.com

Name, Phone, Email >

Password & Security >

Payment & Shipping >

iCloud >

Media & Purchases >

Family Sharing Set Up >

Devices

Virtual Reality Air Force
This MacBook Air >

Sign Out...

About Apple ID & Privacy... ?





Explanation:

On your Mac, choose Apple menu > System Settings, click Privacy & Security in the sidebar, then click FileVault on the right. (You may need to scroll down.) Click Turn On. You might be asked to enter your password.

NEW QUESTION: 139

You suspect a hardware problem with your Mac. You want to use Apple Diagnostics to verify your suspicion.

What steps should you complete to use Apple Diagnostics? (Image of macOS startup options, disk and gear on a black background)

- A. Turn on Mac, then press and hold the Shift key. Release the Shift key when a progress bar appears.
- B. Press and hold the power button until Options appears. Release the power button, then press and hold Command-D.
- C. Press and hold the power button until Options appears. Release the power button, then press and hold Option-D.
- D. Turn on Mac, then press and hold the D key. Release the D key when a progress bar appears.

Answer: B ([LEAVE A REPLY](#))

For Apple silicon Macs, hold the power button until startup options appear, then press Command-D to start Apple Diagnostics.

* Option A: Shift is for Safe Mode.

* Option C: Option-D isn't valid here.

* Option D: D alone works on Intel, not always silicon.

* Option B: Correct for 2025 silicon Macs. References: Apple Support - "Use Apple Diagnostics" (support.apple.com/HT202731).

NEW QUESTION: 140

Which capability is available with a Managed Apple Account but not with an unmanaged Apple Account?

- A. Subscribing to Apple Music
- B. Using FaceTime and Messages
- C. Accessing iCloud+ services
- D. Enrolling a device in device management

Answer: D ([LEAVE A REPLY](#))

Managed Apple Accounts are specifically designed for organizational environments and integrate with account-driven device management enrollment. Apple documents that account-driven User Enrollment and account-driven Device Enrollment allow users to enroll devices for work by signing in with a Managed Apple Account. The Managed Apple Account establishes the organizational identity used during service discovery, authentication, and enrollment. A personal or unmanaged Apple Account does not provide this account-driven organizational enrollment capability. Therefore, option D is correct. Consumer services such as Apple Music are associated primarily with personal Apple Accounts, while some communication services available to ordinary Apple Accounts do not define the organizational capability being tested. Managed Apple Accounts are specifically integrated with Apple Business Manager, Apple School Manager, and compatible device management services to support managed work configurations and organizational data separation.

NEW QUESTION: 141

Which tool should you use first to troubleshoot Mail connectivity issues in macOS?

- A. Message Viewer

- B. Network Diagnostics
- C. Connection Doctor
- D. Wireless Diagnostics

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 142

How to access Emergency SOS on your iPhone?

- A. Press and hold the side button until the Emergency SOS slider appears.
- B. Press the home button 5 times quickly.
- C. Press and hold the side button and one of the volume buttons until the appears.
- D. Press and hold the volume button and swipe down on your screen.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 143

Which wireless feature allows you to use your iPhone to provide wireless internet access to your Mac without a password?

- A. Preferred Networks
- B. Auto Locations
- C. Instant Hotspot
- D. Carrier Services

Answer: C ([LEAVE A REPLY](#))

Instant Hotspot is a wireless feature that allows you to use your iPhone to provide wireless internet access to your Mac without a password. It is one of the Continuity features that Apple provides for its devices.

Instant Hotspot uses Wi-Fi, Bluetooth, and iCloud to automatically connect your Mac to your iPhone's cellular internet when Wi-Fi is not available. You just need to click the Wi-Fi icon on your Mac and choose your iPhone from the list of available networks. You don't need to enter a password or set up a Wi-Fi hotspot manually. Instant Hotspot requires a Mac running OS X Yosemite or later and an iPhone with iOS 8.1 or later and a cellular data plan. Both devices must be signed in with the same Apple ID and have Bluetooth and Wi-Fi turned on. References: Share your internet connection from iPhone - Apple Support, How To Tether iPhone Data To A Mac When There's No Wi-Fi Or Internet

NEW QUESTION: 144

Which macOS feature allows you to use your iPhone as a webcam?

- A. Stage Manager
- B. Quick Look
- C. Focus
- D. Continuity Camera

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 145

Match the user types on the left to the descriptions on the right by dragging the responses to the correct target areas. Responses may be used once, more than once, or not at all.

Group
Guest
Standard
Sharing Only
Administrator
System Administrator (root)



Answer Area

- A special account with which anyone with physical access to a Mac can log in
- An account with which you can share files with someone on a different computer, but not log in to a Mac
- A user account that can perform tasks that require greater privileges than an administrator user account
- A user account that can add and manage other users, install apps, and change settings that affect all users on a Mac
- A user account that has full control over its own home folder and can install apps in it and has read access to most items, preferences, and apps

Answer:

Group

Guest

Standard

...

Sharing Only

Administrator

System Administrator (root)

Answer Area

Guest

A special account with which anyone with physical access to a Mac can log in

Sharing Only

An account with which you can share files with someone on a different computer, but not log in to a Mac

System Administrator (root)

A user account that can perform tasks that require greater privileges than an administrator user account

Administrator

A user account that can add and manage other users, install apps, and change settings that affect all users on a Mac

Standard

A user account that has full control over its own home folder and can install apps in it and has read access to most items, preferences, and apps

Explanation:

Group

Guest

Standard

Sharing Only

Administrator

System Administrator (root)

Guest

Sharing Only

System Administrator (root)

Administrator

Standard

A special account with which anyone with physical access to a Mac can log in

An account with which you can share files with someone on a different computer, but not log in to a Mac

A user account that can perform tasks that require greater privileges than an administrator user account

A user account that can add and manage other users, install apps, and change settings that affect all users on a Mac

A user account that has full control over its own home folder and can install apps in it and has read access to most items, preferences, and apps

Answer Area

examtests.com



NEW QUESTION: 146

Which tool should you use to determine if an app is causing your Mac to be sluggish or unresponsive?

- A. Console
- B. Disk Utility
- C. System Information
- D. Activity Monitor

Answer: D (LEAVE A REPLY)

This is the correct answer because Activity Monitor is a built-in macOS utility that allows you to see how much CPU, memory, disk, and network resources are being used by each app and process on your Mac. You can use Activity Monitor to identify and quit apps that are consuming a large percentage of your CPU or memory, or that are not responding. This can help you improve the performance and responsiveness of your Mac. To launch Activity Monitor, you can use Spotlight (Command+Spacebar) and search for it, or find it under Applications > Utilities. You can sort the apps and processes by clicking on the column headers, such as "% CPU" or "Memory". You can also use the search field to filter the list by name. To quit an app or process, select it and click on the "X" button at the top of the window. You can also use the View menu to see more information about the app or process, such as its open files and ports, its memory usage, or its energy impact. References: How to See Which Program Is Using All Your CPU on Mac, If your Mac runs slowly - Apple Support, How to Fix Crashing Apps on a Mac - How-To Geek

NEW QUESTION: 147

Where are sysdiagnose log files located on iPhone?

- A. Settings > Privacy & Security > Analytics & Improvements > Analytics Data
- B. Settings > Privacy > Tracking
- C. Settings > Privacy > Analytics & Improvements > Share With App Developers

Answer: A ([LEAVE A REPLY](#))

Sysdiagnose log files are located on iPhone in Settings > Privacy & Security > Analytics & Improvements > Analytics Data. Sysdiagnose is a tool that collects information from the iPhone and saves it in a log file. You can use sysdiagnose to troubleshoot general iOS issues or report them to AppleCare. To generate a sysdiagnose log file, you need to press and hold both volume buttons and the side or top button for 1 to 1.5 seconds, then release them. You will see a screenshot and a message that says "Diagnostics are in flight".

Sysdiagnose can take up to 10 minutes to finish. After that, you can find the log file in the Analytics Data section of the Settings app. The log file name will start with "sysdiagnose_" and include the date and time of the generation, the device type, and the iOS version. For example,

"sysdiagnose_2024.01.06_17-14-34+0500_iPhone_OS_iPhone_19A344.tar.gz". References: Using Sysdiagnose to Troubleshoot iOS or iPadOS - Apple Device Support Tutorials | Apple Training, How to extract sysdiagnose logs for forensic purposes on iOS | Andrea Fortuna

NEW QUESTION: 148

Use this image to answer the question.



What should you do if you forgot your passcode and your iPhone is disabled?

- A. Put your iPhone in recovery mode, then connect it to your Mac or PC to restore it.
- B. Force shutdown your iPhone and wait 10 seconds, then turn it back on.
- C. Wait until the Forgot Passcode? message appears, then follow the instructions.

Answer: ([SHOW ANSWER](#))

D. Connect your iPhone to your Mac, then use Apple Configurator to revive the device.

If you forgot your passcode and your iPhone is disabled, you need to erase your iPhone and set it up again.

The only way to do this is to put your iPhone in recovery mode and connect it to a computer with iTunes or Finder. This will erase all your data and settings, including the passcode, and install the latest version of iOS or iPadOS on your iPhone. You can then restore your data and settings from a backup, if you have one, or set up your iPhone as a new device. To put your iPhone in recovery mode, you need to follow these steps:

- * Make sure that your iPhone is not connected to your computer, then turn it off completely.

- * Press and hold the correct button for your iPhone model while connecting it to your computer. For iPhone 8 and later, use the side button. For iPhone 7 and 7 Plus, use the volume down button. For

- * iPhone 6s and earlier, use the home button.

- * Keep holding the button until you see the recovery mode screen on your iPhone, then release the button.

The recovery mode screen shows a cable and a computer icon.

- * On your computer, open iTunes or Finder and locate your iPhone. You should see a message that says there is a problem with your iPhone that requires it to be updated or restored.

- * Choose Restore to erase your iPhone and install the latest software. This may take some time, so do not disconnect your iPhone until the process is complete.

- * After your iPhone is restored, you can set it up again using the onscreen instructions. You can choose to restore from a backup or set up as a new device.

References: = If you forgot your iPhone passcode; Apple Device Support Exam Prep Guide, page 8.

NEW QUESTION: 149

Which Find My feature is available ONLY on MacBook models with Apple silicon?

A. Notify When Found

B. View Location

C. Remote Erase

D. Notify When Left Behind

Answer: (SHOW ANSWER)

Notify When Left Behind is a Find My feature that is available only on MacBook models with Apple silicon.

This feature alerts you when you leave your Mac behind in an unfamiliar location, such as a cafe or a hotel.

You can also set exceptions for places where you don't want to receive notifications, such as your home or office. Notify When Left Behind requires a Mac with Apple silicon and an iPhone or iPad with iOS 15 or iPadOS 15 or later. References: = Apple - Support - Manuals, Find My User Guide, Notify When Left Behind; Apple - Support - Manuals, Set up Touch ID on iPad; How to use the new Notify When Left Behind feature in iOS 15.

NEW QUESTION: 150

How can you view which System Services use location data on a Mac?

A. Use the Location Access tab in Apple Diagnostics.

B. Click the Details button in Privacy & Security > Location Services.

C. Review Location Services logs in your device management service.

D. Filter for system location calls in the Console app.

Answer: (SHOW ANSWER)

macOS provides granular controls for apps and system components that use Location Services. To view the specific System Services permitted to access location information, open System Settings, select Privacy & Security, and then select Location Services. At the bottom of the Location Services list, System Services appears with a Details button. Clicking Details displays the individual system services that can use the Mac's location, making option B correct. Apple Diagnostics is designed primarily to identify hardware issues and does not contain a Location Access management tab. A device-management service is not the normal user interface for reviewing these local permissions, and Console is intended for examining logs rather than configuring Location Services permissions. The Privacy & Security interface is therefore the appropriate location for reviewing System Services access.

NEW QUESTION: 151

Which wireless feature allows you to use your iPhone to provide wireless internet access to your Mac without a password?

A. Preferred Networks

- B. Instant Hotspot
- C. Carrier Services
- D. Auto Locations

Answer: B ([LEAVE A REPLY](#))

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpsPASS.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 152

How does a private Wi-Fi address help keep your privacy?

- A. It requires that applications request access before being allowed to send traffic on the network.
- B. It generates a new MAC address for each network you connect to.
- C. It prohibits non-App Store applications from providing location-based suggestions.
- D. It restricts MAC addresses to prevent unauthorized devices from connecting to your network.

Answer: B ([LEAVE A REPLY](#))

Private Wi-Fi Address randomizes the MAC address per network, preventing tracking across Wi-Fi connections.

* Option A: App permissions are separate (TCC).

* Option C: App Store status isn't relevant.

* Option D: MAC restriction is network-side, not device-side.

References: Apple Support - " Use private Wi-Fi addresses " (support.apple.com/HT211227).

NEW QUESTION: 153

How do you quit out of a man page in Terminal Mac?

- A. less
- B. clear
- C. q
- D. esc

Answer: C ([LEAVE A REPLY](#))

To quit out of a man page in Terminal Mac, you need to press the q key on your keyboard. A man page is a manual page that shows the usage and syntax of a command or a program. The man command uses a pager program to display the man page on the screen. A pager program is a program that lets you view a text file one page at a time, or scroll up and down. The default pager program for the man command is less, which is a more advanced version of the more program. The q key is the command to quit the less program and return to the shell prompt. The other options, less, clear, and esc, are not valid ways to quit out of a man page in Terminal Mac. Less is the name of the pager program, not a command. Clear is a command to clear the screen, not to quit the pager program. Esc is a key to escape from certain modes or commands, not to quit the pager program. References: 1 How to Exit the MAN Command and Quit Man Pages Properly - OS X Daily 2 How to escape out of the MAN screen or page in UNIX? - Stack Overflow 3 How to use the command manual in Terminal | Macworld 4 How to Quit the MAN Command and Exit Man Pages Properly - Bollyinside

NEW QUESTION: 154

How many times does Face ID attempt a face match before requiring you to enter a passcode?

- A. Seven

- B. Three
- C. Five
- D. Ten

Answer: C ([LEAVE A REPLY](#))

Face ID is a biometric authentication feature that allows users to unlock their device with a facial scan. Face ID attempts to match the user's face with the stored data every time the device is woken up. However, there are situations where Face ID is not permitted or fails to recognize the user. In those cases, the user must enter their passcode or password to unlock the device. One of those situations is when there are five unsuccessful attempts to match a face. After five failed scans, Face ID is disabled and the user is prompted to enter their passcode or password. This is a security measure to prevent unauthorized access to the device by someone who does not look like the user. References: Face ID, Touch ID, passcodes, and passwords - Apple Support, What Is Face ID? - How-To Geek

NEW QUESTION: 155

Which three things happen to web browsing when Lockdown Mode is turned on for iPhone?

- A. Web fonts might not be displayed.
- B. Only Apple approved websites can be viewed.
- C. Certain complex web technologies are blocked.
- D. Safari is removed from the Home Screen.
- E. Images might be replaced with a missing image icon.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 156

Which three peripherals can you share between iPad and Mac when using Universal Control?

- A. Trackpad
- B. Apple Pencil
- C. Keyboard
- D. Touch ID
- E. Mouse

Answer: A,C,E ([LEAVE A REPLY](#))

Universal Control is a feature that allows you to use a single keyboard, mouse, or trackpad to control up to two other nearby Mac or iPad devices, and work seamlessly between them¹. When using Universal Control, you can share the following peripherals between iPad and Mac:

- * Trackpad: You can use the trackpad of your Mac or iPad to move the pointer across the screens of both devices. You can also use gestures to scroll, zoom, or switch between apps².
- * Keyboard: You can use the keyboard of your Mac or iPad to type on both devices. You can also use keyboard shortcuts to perform actions or access menus³.
- * Mouse: You can use the mouse of your Mac to move the pointer across the screens of both devices. You can also use the mouse buttons to click or right-click⁴.

You cannot share the following peripherals between iPad and Mac when using Universal Control:

- * Apple Pencil: You can only use the Apple Pencil on your iPad, not on your Mac. The Apple Pencil is designed to work with the touch screen of the iPad, not with the display of the Mac⁵.
- * Touch ID: You can only use Touch ID on the device that has the Touch ID sensor, not on the other device. Touch ID is a biometric security feature that requires your fingerprint to unlock your device, make purchases, or use Apple Pay. References: = Universal Control: Use a single keyboard and mouse
- * between Mac and iPad, Use gestures on your Mac trackpad, Mac keyboard shortcuts, Use a Bluetooth mouse or trackpad with your iPad, Use Apple Pencil with your iPad or iPad Pro, [Use Touch ID on your Mac]

NEW QUESTION: 157

Match the macOS library resources listed on the left to the descriptions on the right by dragging responses to the correct target areas. Responses may be used once, more than once, or not at all.

Application Support

Frameworks

Keychains

LaunchAgents

Containers

Services

Answer:

Answer Area

Contains resources for sandboxed apps

Processes that need to start up only when a user is logged in

Includes ancillary data that an app needs, such as help files or templates

Repositories of shared code that different parts of the operating system or apps use

Securely stores sensitive information, including passwords, certificates, keys, Safari AutoFill information, and notes

Application Support

Frameworks

Keychains

LaunchAgents

Containers

Services

Answer Area

Application Support

Contains resources for sandboxed apps

LaunchAgents

Processes that need to start up only when a user is logged in

Containers

Includes ancillary data that an app needs, such as help files or templates

Frameworks

Repositories of shared code that different parts of the operating system or apps use

Keychains

Securely stores sensitive information, including passwords, certificates, keys, Safari AutoFill information, and notes



Application Support

Frameworks

Keychains

LaunchAgents

Containers

Services

...

Application Support

LaunchAgents

Containers

Frameworks

Keychains

Contains resources for sandboxed apps

Processes that need to start up only when a user is logged in

Includes ancillary data that an app needs, such as help files or templates

Repositories of shared code that different parts of the operating system or apps use

Securely stores sensitive information, including passwords, certificates, keys, Safari AutoFill information, and notes

NEW QUESTION: 158

How many days do you have to recover deleted files from iCloud Drive?

- A. 15
- B. 45
- C. 60
- D. 30

Answer: D (LEAVE A REPLY)

You can recover files you deleted from iCloud Drive within the last 30 days, whether you deleted them on iCloud.com or another device that has iCloud Drive turned on. However, you can't recover or restore files you permanently remove. To recover files from iCloud Drive, you can use the Recently Deleted folder in iCloud Drive or the Restore Files option in Account Settings on iCloud.com. For instructions, see the references below. References: Recover deleted files on iCloud.com, Recover recently deleted iCloud Drive files in iCloud for Windows, How to Recover Deleted Files from iCloud Drive

NEW QUESTION: 159

How to access Emergency SOS on your iPhone?

- A. Press and hold the side button and one of the volume buttons until the appears.
- B. Press and hold the volume button and swipe down on your screen.
- C. Press the home button 5 times quickly.
- D. Press and hold the side button until the Emergency SOS slider appears.

Answer: A (LEAVE A REPLY)

Emergency SOS is a feature on your iPhone that lets you quickly and easily call for help and alert your emergency contacts. To access Emergency SOS on your iPhone, you need to press and hold the side button and one of the volume buttons until the Emergency SOS slider appears on the screen. You can then drag the slider to call emergency services, or continue holding the buttons to start a countdown and an alert sound. If you release the buttons after the countdown, your iPhone automatically calls emergency services. Emergency SOS works differently depending on your iPhone model and region. For example, in India, you need to press the side button three times rapidly to call emergency services. You can also customize the settings for Emergency SOS, such as adding emergency contacts, enabling auto call, and turning off the countdown sound. References: Use Emergency SOS on your iPhone - Apple Support, How to trigger Emergency SOS on your iPhone (and shut it off)

Valid Apple-Device-Support Dumps shared by BraindumpsPass.com for Helping Passing Apple-Device-Support Exam! BraindumpsPass.com now offer the **newest Apple-Device-Support exam dumps**, the BraindumpsPass.com Apple-Device-Support exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Apple-Device-Support dumps with Test Engine here: <https://www.braindumpspass.com/Apple/Apple-Device-Support-practice-exam-dumps.html> (274 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)