

# Cisco.350-901.v2022-01-22.q161

<b>Exam Code:</b>	350-901
<b>Exam Name:</b>	Developing Applications using Cisco Core Platforms and APIs (DEVCOR)
<b>Certification Provider:</b>	Cisco
<b>Free Question Number:</b>	161
<b>Version:</b>	v2022-01-22
<b># of views:</b>	4488
<b># of Questions views:</b>	1610
<a href="https://www.exam-tests.com/350-901-exam/Cisco.350-901.v2022-01-22.q161.html">https://www.exam-tests.com/350-901-exam/Cisco.350-901.v2022-01-22.q161.html</a>	

## NEW QUESTION: 1

Drag and Drop Question

Refer to the exhibit. Drag and drop the code snippets from the bottom onto the blanks in the code to provision a new UCS server. Not all options are used.

**Answer:**

## NEW QUESTION: 2

Refer to the exhibit , The command `docker build -tag=friendlyhello .` is run to build a docker image from the given Dockerfile, requirements.txt, and app.py, Then the command `docker run -p 4000:80 friendlyhello` is executed to run the application. Which URL is entered in the web browser to see the content served by the application?

- A. `http:///4000:80`
- B. `http://localhost:4000`
- C. `http ://127.0.0.1:80`
- D. `http ://localhost:80`

**Answer: B (LEAVE A REPLY)**

## NEW QUESTION: 3

FILL BLANK

Fill in the blanks to complete the Python script to enable the SSID with a name of "371767916" in the network resource "11111111" using the Meraki Dashboard API.

**Answer:**

See explanation below

Explanation

1. 371767916

2.'PUT'

3.payload

#### **NEW QUESTION: 4**

A developer is creating a Python script to use the Webex Teams REST API to list joined spaces, and gracefully handle and print the errors it receives. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script.

**Answer:**

#### **NEW QUESTION: 5**

Refer to the exhibit.

The Python script is supposed to make an API call to Cisco DNA Center querying a wireless profile for the

"ChicagoCampus" and then parsing out its enable FlexConnect value. Drag and drop the parts of the Python code from the left onto the item numbers on the right that match the missing sections in the exhibit.

**Answer:**

#### **NEW QUESTION: 6**

Refer to the exhibit.

Which two functions are performed by the load balancer when it handles traffic originating from the Internet destined to an application hosted on the file server farm? (Choose two.)

- A.** Terminate the TLS over the TCP connection from the router and originate an HTTP connection to the selected server.
- B.** Terminate the TLS over the UDP connection from the router and originate an HTTPS connection to the selected server.
- C.** Terminate the TLS over the SCTP connection from the router and originate an HTTPS connection to the selected server.
- D.** Terminate the TLS over the TCP connection from the router and originate an HTTPS connection to the selected server.
- E.** Terminate the TLS over the UDP connection from the router and originate an HTTP connection to the selected server.

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 7**

Refer to the exhibit above and click on the IETF Routing tab in the top left corner to help with this question. A developer is trying to update the routing instance by adding a new route to the routes list using the URL in the exhibit. What action must be taken to fix the error being received?

- A.** Update the authorization credentials.

- B. Change the HTTP Method being used to make the change
- C. Fix the body being sent to update the routes list.
- D. Change the url to "/ietf-routing:routing/routing-instance=default".
- E. Change the URL to "/ietf-routing:routing-instance/default".

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 8**

A heterogeneous network of vendors and device types needs automating for better efficiency and to enable future automated testing. The network consists of switches, routers, firewalls and load balancers from different vendors, however they all support the NETCONF/RESTCONF configuration standards and the YAML models with every feature the business requires. The business is looking for a buy versus build solution because they cannot dedicate engineering resources, and they need configuration diff and rollback functionality from day 1.

Which configuration management for automation tooling is needed for this solution?

- A. Terraform
- B. Ansible and NSO
- C. Ansible
- D. NSO
- E. Ansible and Terraform

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 9**

A developer has created an application based on customer requirements. The customer needs to run the application with the minimum downtime. Which design approach regarding high-availability applications, Recovery Time Objective, and Recovery Point Objective must be taken?

- A. Active/passive results in lower RTO and RPO. For RPO, data synchronization between the two data centers must be timely to allow seamless request flow.
- B. Active/active results in lower RTO and RPO. For RPO, data synchronization between the two data centers does not need to be timely to allow seamless request flow.
- C. Active/passive results in lower RTO and RPO. For RPO, data synchronization between the two data centers does not need to be timely to allow seamless request flow.
- D. Active/active results in lower RTO and RPO. For RPO, data synchronization between the two data centers must be timely to allow seamless request flow.

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 10**

Refer to the exhibit.

A company has extended networking from the data center to the cloud through Transit VPC.

Which two statements describe the benefits of this approach? (Choose two.)

- A. Dedicated VPC simplifies routing by not combining this service with other shared services.
- B. VPC virtual gateways provide highly available connections to virtual networks.

- C. Dynamic routing combined with multi-AZ- deployment creates a robust network infrastructure.
- D. VPC virtual gateways provide more secure connections to virtual networks.
- E. Dedicated VPC simplifies load balancing by combining internal and external web services.

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 11**

Refer to the exhibit. A system administrator has installed a Linux-based alarm system in their home that can execute a Bash shell script when an intruder is detected. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to create a chat-ops script that will notify of alarms via the Webex Teams REST API. Not all code snippets are used.

**Answer:**

#### **NEW QUESTION: 12**

What is the gRPC Network Management Interface protocol?

- A. a unified management protocol for streaming telemetry and database logging
- B. a configuration management protocol for monitoring
- C. a protocol for configuration management and streaming telemetry
- D. a logging protocol used across database servers

**Answer: C ([LEAVE A REPLY](#))**

<https://infohub.delltechnologies.com//enterprise-sonic-distribution-by-dell-technologies-lifecycle-management/grpc-network-management-interface>

#### **NEW QUESTION: 13**

What is a benefit of continuous testing?

- A. increases the number of bugs found in production
- B. enables parallel testing
- C. removes the requirement for test environments
- D. decreases the frequency of code check-ins

**Answer: B ([LEAVE A REPLY](#))**

Section: Mixed Questions

#### **NEW QUESTION: 14**

The Meraki API URL <https://api.meraki.com/api/v0/networks/123456789/ssids/2> has been stored in the environment variable `meraki_url` and the API key has been stored in `meraki_api_key`.

Which snippet presents the API call to configure, secure and enable an SSID using the Meraki API?

- A.
- B.
- C.
- D.

**Answer: B (LEAVE A REPLY)**

It is the only answer that completely Configures, Secures, and Enables the SSID.

**NEW QUESTION: 15**

Refer to the exhibit.

This snippet of a script has recently started exiting abnormally with an exception stating "Unexpected HTTP Response code: 429".

Which solution handles rate limiting by the remote API?

- A. Option C
- B. Option A
- C. Option B
- D. Option D

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 16**

Drag and drop the expressions from below onto the code to implement error handling. Not all options are used.

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here: <https://www.braindumpspass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

**NEW QUESTION: 17**

Refer to the exhibit.

A developer created the code, but it fails to execute. Which code snippet helps to identify the issue?

- A. Option C
- B. Option A
- C. Option D
- D. Option B

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 18**

Refer to the exhibit.

An application uses an API to periodically sync a large data set. Based on the HTTP message sequence provided, which statements are true about the caching behavior seen in the scenario? (Choose two.)

- A. The full dataset was transmitted to the client twice.
- B. A partial dataset was transmitted to the client in message #4.
- C. The dataset did not change during the scenario.
- D. The dataset changed sometime between message #4 and #5.
- E. Messages #3 and #5 are equivalent.

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 19**

Refer to the exhibit.

The cisco\_devnet Docker swarm service runs across five replicas. The development team tags and imports a new image named devnet/test 1 1 and requests that the image be upgraded on each container. There must be no service outages during the upgrade process. Which two design approaches must be used? (Choose two.)

- A. Enable parallel upgrades by using the docker service update command.
- B. Update the restart policy of the containers to restart upon failure.
- C. Implement rolling upgrades by using the docker service update command.
- D. Ensure that the service replicas are set to a minimum of 5.
- E. Ensure that the service is hosted behind a VIP with no session persistence.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 20**

Which OAuth mechanism enables clients to continue to have an active access token without further interaction from the user?

- A. refresh grant
- B. JWT
- C. password grant
- D. preshared key

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 21**

Refer to the exhibit.

Which set of API requests must be executed by a Webex Teams bot after receiving a webhook callback to process messages in a room and reply with a new message back to the same room?

- A. Option C
- B. Option B
- C. Option D
- D. Option A

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 22**

Refer to the exhibit above and click on the tab in the top left corner to view a diagram that describes the typical flow of requests involved when a webhook is created for a booking service. Drag and drop the requests from the left onto the item numbers on the right that match the missing sections in the sequence diagram to design the complete flow of requests involved as a booking is updated from a web application.

**Answer:**

**NEW QUESTION: 23**

Which security approach should be used for developing a REST API?

- A. Use custom security relevant HTTP response codes
- B. Add an API key to each URL string
- C. Utilise TLS for end to end encryption
- D. Utilize CORS headers

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 24**

Refer to the exhibit.

This script uses ciscoyang to configure two VRF instances on a Cisco IOS-XR device using the Yang NETCONF type.

Which two words are required to complete the script? (Choose two.)

- A. none
- B. ensure
- C. false
- D. replace
- E. commit

**Answer:** C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

What is submitted when an SSL certificate is requested?

- A. PEM
- B. CRT
- C. DER
- D. CSR

**Answer:** ([SHOW ANSWER](#))

Section: Application Deployment and Security

**NEW QUESTION: 26**

An application is hosted on Google Kubernetes Engine. A new JavaScript module is created to work with the existing application. Which task is mandatory to make the code ready to deploy?

- A. Build a wrapper for the code to "containerize" it.
- B. Create a Dockerfile for the code base.
- C. Rewrite the code in Python.
- D. Rebase the code from the upstream git repo.

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 27**

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question. Drag and drop the correct code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the cURL script that will use RESTCONF to update an interface on a CISCO IOS XE device.

**Answer:**

#### **NEW QUESTION: 28**

What are two building blocks of the 12-factor app? (Choose two.)

- A. Easy access to underlying systems
- B. Isolated Dependencies
- C. Stateful Processes
- D. One codebase
- E. Dev and Prod must be different

**Answer: B,D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 29**

A Cisco Catalyst 9000 switch has guest shell enabled. Which Linux command installs a third-party application?

- A. zypper install <package-name>
- B. yum Install <package-name>
- C. dnf install <package-name>
- D. apt-get install <package-name>

**Answer: (**[SHOW ANSWER](#)**)**

#### **NEW QUESTION: 30**

Refer to the exhibit.

A kubeconfig file to manage access to clusters is provided. How many clusters are defined and which of them are accessed using username/password authentication versus certificate?

- A. two clusters; development
- B. two clusters; scratch
- C. three clusters; development
- D. three clusters; scratch

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

Refer to the exhibit.

A developer created the code, but it fails to execute. Which code snippet helps to identify the issue?

- A. Option A
- B. Option D
- C. Option B
- D. Option C

**Answer: A ([LEAVE A REPLY](#))**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:  
<https://www.braindumpsPass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

Refer to the exhibit. This snippet of a script has recently started exiting abnormally with an exception stating "Unexpected HTTP Response code: 429".

Which solution handles rate limiting by the remote API?

- A.
- B.
- C.
- D.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 33**

Refer to the exhibit.

Drag and drop the steps from the left into the correct order of operation on the right for a successful OAuth2 three-legged authorization code grant flow.

**Answer:**

**NEW QUESTION: 34**

On a Cisco Catalyst 9300 Series Switch, the guest shell is being used to create a service within a container.

Which change is needed to allow the service to have external access?

- A. Apply ip nat overload on VirtualPortGroup0.

- B. Apply ip nat inside on Interface VirtualPortGroup0.
- C. Apply ip nat outside on Interface VirtualPortGroup0.
- D. Apply ip nat inside on Interface GigabitEthernet1.

**Answer: B (LEAVE A REPLY)**

Section: Cisco Platforms

### NEW QUESTION: 35

While developing an application following the 12-factor app methodology, which approach should be used in the application for logging?

- A. Write a log to a file in the application directory.
- B. Write a log to a file in /var/log.
- C. Write the logs buffered to stdout.
- D. Write the logs unbuffered to stdout.

**Answer: D (LEAVE A REPLY)**

Section: Application Deployment and Security

### NEW QUESTION: 36

Meraki Dashboard API Response

Response Status Code 200

Response Link Header

<https://n6.meraki.com/api/v0/organizations/681155/devices ?perPage-3&startingAfter-0000-0000-0000>; rel-first,

<https://n6.meraki .com/api/v0/organizations/681155/devices?perPage -3 &startingAfter-Q2EK-3UBE-RRUY>; rel-next,

<https://n6.meraki.com/api/v0/organizations/681155/devices?endingBefore -zzzz-zzzz zzzz&perPage-3>; rel-last Response Body

{

' name": \\| | '

"serial": "Q2CV-V49B -RCMZ",

"mac": "0c:8d:db:95:aa:39",

"networkid": "L-566327653141846927",

"model11 : "MV71",

"address": "430 E Cactus Ave .\nLas Vegas, NV 89183",

"lat": 36.00017,

"lng": -115.15302,

"notes": "",

"tagsn": "",,

"lanip: "192.168.0.25",

' configurationUpdatedAt": "2019-08-08T02:15:36Z", ' firmware11 : "ca.rnera-3-3011

},

{

```

"ncune": "Alex's MR84 - 1"1
"serial": "Q2EK-2LYB-PCZP",
"mac": 'eO: 55:3d:10:56:8a', "networkid": "L 566327653141846927",
"model": "MR84",
"address": "11 ,
"lat": 39.9482993357826,
"lng": -82.9895675461739,
"notes": "",
"tags": ' ',
"lanip: null,
"configurationVpdatedAt": "2018-02-03T11:02:37Z",
"firmware11 : "Not running configured version"
},
{
"na.rne11 : "Vegas Living Room MR84 11 ,
"serial": "Q2EK-3UBE-RRUY",
"mac": "e0:55:3d:10:5a:ca", "networkid": "L_566327653141846927" 1
"model": "MR84",
"address": "430 E Cactus Ave.\nLas vegas, NV 89183", "lat": 36.00015,
"lng": -115.15308,
"notes": ' ',
"tags": "11
1
"lanip: "192.168.0 .20",
"configurationVpdatedAt": "2018-09-29T12:23:21Z",
' firmware": "Not running configured version"

```

Refer to the exhibit.

Which line of code must be added to this code snippet to allow an application to pull the next set of paginated items?

- A. requests.get(res.links['next']['url'], headers=headers)
- B. requests.get(url, headers=links['next']['url'])
- C. requests.get(res.headers.get("Link")['next']['url'], headers=headers)
- D. requests.get(url, links=['next']['url'])

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 37

Which Puppet manifest needs to be used to configure an interface GigabitEthernet 0/1 on a Cisco IOS switch?

- A. Option A
- B. Option B
- C. Option D

D. Option C

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 38**

DRAG DROP

Refer to the exhibit. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the curl exhibit to complete the cURL request to FirePower Device Manager API to create objects. Not all code snippets are used.

Select and Place:

**Answer:**

Section: Application Deployment and Security

**NEW QUESTION: 39**

Refer to the exhibit. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the curl exhibit to complete the cURL request to FirePower Device Manager API to create objects. Not all code snippets are used.

**Answer:**

**NEW QUESTION: 40**

Refer to the exhibit.

Which word is missing from this Ansible playbook shown, to allow the Cisco IOS XE commands for router configuration to be pushed after the playbook is executed?

- A. Lines
- B. Commands
- C. Input
- D. config

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

Drag and drop the git commands from the left into the correct order on the right to create a feature branch from the master and then incorporate that feature branch into the master.

**Answer:**

**NEW QUESTION: 42**

AppGigabitEthernet interface is used as data port for a container on a Cisco Catalyst 9000 Series Switch. Which two interface configuration options should be used? (Choose two.)

- A. bridged virtual interface
- B. trunk interface
- C. subinterface
- D. management interface

E. SPAN port

**Answer: B,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 43**

Refer to the exhibit Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script to implement control flow.

**Answer:**

**NEW QUESTION: 44**

Which two actions must be taken when an observable microservice application is developed? (Choose two.)

- A. Know the state of a single instance of a single service.
- B. Place "try/except" statement in code.
- C. Place log statements in the code.
- D. Use distributed tracing techniques.
- E. Deploy microservice to multiple datacenters.

**Answer: B,C ([LEAVE A REPLY](#))**

Section: Application Deployment and Security

**NEW QUESTION: 45**

Drag and Drop Question

Refer to the exhibit above and click on the resource tabs in the top left corner to view an IETF TANG MODEL and a Python file that changes the configuration via RESTCONF. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the JSON file that changes configuration of interface GigabitEthernet1 to have an IPv4 configuration of 10.10.0.1/24. Not all options are used.

**Answer:**

**NEW QUESTION: 46**

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question. Python code that uses the UCS Python SDK is instantiating a service profile named

"devcore-server-01" from service profile template "device-template" , then associating the service profile instance to blade 3 in chassis 7. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the Python exhibit.

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:  
<https://www.braindumpspass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

When end-to-end encryption is implemented, which area is most vulnerable to exploitation?

- A. cryptographic key exchange
- B. security of data in transit
- C. endpoint security
- D. cryptographic key generation

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 48**

Refer to the exhibit.

Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script to implement control flow.

**Answer:**

**NEW QUESTION: 49**

FILL BLANK

Fill in the blanks to complete the Python script to enable the SSID with a name of "371767916" in the network resource "11111111" using the Meraki Dashboard API.

**Answer:**

See explanation below

Explanation

1. 371767916
2. "POST"
3. payload

**NEW QUESTION: 50**

Refer to the exhibit.

This script uses ciscoyang to configure two VRF instances on a Cisco IOS-XR device using the Yang NETCONF type.

Which two words are required to complete the script? (Choose two.)

- A. none
- B. false
- C. replace

D. commit

E. ensure

**Answer:** ([SHOW ANSWER](#))

### **NEW QUESTION: 51**

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question. Python code that uses the UCS Python SDK is instantiating a service profile named

"devcore-server-01" from service profile template "device-template" , then associating the service profile instance to blade 3 in chassis 7. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the Python exhibit.

**Answer:**

### **NEW QUESTION: 52**

Refer to the exhibit above and click on the resource tabs in the top left corner to view an IETF TANG MODEL and a Python file that changes the configuration via RESTCONF. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the JSON file that changes configuration of interface GigabitEthernet1 to have an IPv4 configuration of 10.10.0.1/24. Not all options are used.

**Answer:**

### **NEW QUESTION: 53**

What are two methods for sending bearer access tokens in resource requests to servers?

(Choose two)

A. in plaintext for user access

B. in the HTTP request URI

C. in the HTTP request entity-body

D. in the HTTP API schema

E. in the "Authorization" request header field

**Answer:** C,E ([LEAVE A REPLY](#))

### **NEW QUESTION: 54**

Refer to the exhibit.

Python threading allows a developer to have different parts of a program run concurrently and simplify a design. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to create a thread instance.

**Answer:**

### **NEW QUESTION: 55**

## DRAG DROP

Refer to the exhibit. A system administrator has installed a Linux-based alarm system in their home that can execute a Bash shell script when an intruder is detected. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to create a chat-ops script that will notify of alarms via the Webex Teams REST API. Not all code snippets are used.

**Answer:**

## NEW QUESTION: 56

Refer to the exhibit. The Ansible playbook is using the netconf\_module to configure an interface using a YANG model. As part of this workflow, which YANG models augment the interface?

- A. ietf-interfaces and ietf-ip
- B. iana-if-type and ietf-interfaces
- C. ietf-ip and openconfig-interface
- D. ietf-ip and iana-if-type

**Answer: B (LEAVE A REPLY)**

Section: Infrastructure and Automation

Explanation/Reference:

## NEW QUESTION: 57

A developer is building an application to access a website. When running the application, an HTTP 403 error code has been received. How should the application be modified to handle this code?

- A. Create a loop on cancel the operation and run a new one after the code is received.
- B. Redirect the request to an internal web server and make a new request from the internal resource.
- C. Build a try/except around the urlopen to find errors occurring in the request.
- D. Use exponential backoff when retrying distributed services and other remote endpoints.

**Answer: D (LEAVE A REPLY)**

## NEW QUESTION: 58

Drag and drop the code snippets from the bottom onto the boxes where the code is missing to deploy three Cisco UCS servers each from a different template. Not all options are used.

**Answer:**

## NEW QUESTION: 59

Refer to the exhibit. An engineer needs to change the IP address via RESTCONF on interface GigabitEthernet2. An error message is received when the script is run.

Which amendment to the code will result in a successful RESTCONF action?

- A. Change POST to PATCH

- B. Issue a DELETE before POST
- C. Issue a DELETE before PATCH
- D. Change POST to GET

**Answer: A (LEAVE A REPLY)**

Section: Mixed Questions

### NEW QUESTION: 60

Refer to the exhibit.

Drag and drop the correct parts of the Dockerfile from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the Dockerfile to successfully build and deploy a container running a Python application. Not all parts of the Dockerfile are used.

**Answer:**

### NEW QUESTION: 61

How should a web application be designed to work on a platform where up to 1000 requests per second can be served?

- A. Use algorithms like random early detection to deny excessive requests.
- B. Set a per-user limit (for example, 5 requests/minute/user) and deny the requests from the users who have reached the limit.
- C. Only 1000 user connections are allowed; further connections are denied so that all connected users can be served.
- D. All requests are saved and processed one by one so that all users can be served eventually.

**Answer: (SHOW ANSWER)**

When providing an API service, we need to ensure fair usage for every user so that the system resources are effectively and fairly serving all. We need to apply restrictions to make sure that all majority of users are satisfied. The way to do that is to set a limit per user. For example, we can limit the number of requests per user to be no more than 100 per second.

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here: <https://www.braindumpspass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 62

Refer to the exhibit. The presented application consists of a Nginx container and a load balancer service.

Which GitLab CI/CD configuration implements the Kubernetes deployment?

- A. Option A
- B. Option B
- C. Option D
- D. Option C

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 63**

Click on the resource lab in the top left corner to view resources to help with this question. An engineer is managing a data center with 6000 Cisco UCS servers installed and running. The engineer is asked to identify all resources where the model is in the UCSB family and the available memory is less than or equal to 5 GB. Drag and drop the code from the bottom onto the blanks in the code snippet to construct a REST API call to accomplish this task. Not all options are used.

**Answer:**

#### **NEW QUESTION: 64**

Refer to the exhibit. As part of the Ansible playbook workflow, several new interfaces are being configured using the `netconf_config` module. The task references the interface variables that are unique per device.

In which directory is the YAML file with these variables found?

- A. `host_vars` directory
- B. `home` directory
- C. `group_vars` directory
- D. current working directory

**Answer: A ([LEAVE A REPLY](#))**

Section: Infrastructure and Automation

#### **NEW QUESTION: 65**

Which two statements are considered best practices according to the 12-factor app methodology for application design? (Choose two.)

- A. Application log streams are sent to log indexing and analysis systems.
- B. Application code writes its event stream to specific log files.
- C. Application code writes its event stream to `stdout`.
- D. Application log streams are archived in multiple replicated databases.
- E. Log files are aggregated into a single file on individual nodes.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 66**

A Python application is being written to run inside a Cisco IOS XE device to assist with gathering telemetry data. Drag and drop the elements of the stack from the left onto the functions on the right to collect and display the telemetry streaming data.

**Answer:**

**NEW QUESTION: 67**

FILL BLANK

Fill in the blanks to complete the Python script to enable the SSID with a name of "371767916" in the network resource "11111111" using the Meraki Dashboard API.

**Answer:**

See explanation below

Explanation:

1. 371767916
2. "{{HTTP\_METHOD}}"
3. payload

**NEW QUESTION: 68**

A cloud native project is being worked on in which all source code and dependencies are written in Python, Ruby, and/or JavaScript. A change in code triggers a notification to the CI/CD tool to run the CI/CD pipeline.

Which step should be omitted from the pipeline?

- A. Compile code.
- B. Run automated tests to validate the correctness.
- C. Deploy the code to one or more environments, such as staging and/or production.
- D. Build one of more containers that package up code and all its dependencies.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 69**

Refer to the exhibit.

Which key value pair from the ios\_ntp Ansible module creates an NTP server peer?

- A. state: present
- B. state: True
- C. config: present
- D. config: True

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 70**

DRAG DROP

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question.

A developer is creating a Python Script that will use the Webex Teams REST API to automatically create a new collaboration space with him and his team leads on-demand via a Linux terminal

command. Drag and drop the code snippets from the left onto the numbers on the right that match the missing sections in the exhibit to complete the script. Not all code snippets are used.  
Select and Place:

**Answer:**

Section: Cisco Platforms

**NEW QUESTION: 71**

Drag and drop the code from the bottom onto the box where the code is missing the snippet to complete this Ansible Playbook. Not all options are used.

**Answer:**

Explanation

208.67.222.222

dns\_servers

**NEW QUESTION: 72**

Refer to the exhibit. Which code snippet completes this code to handle API rate-limit?

A. `response.status_code == 429`

B. `response.status_code != 408`

C. `response.status != 408`

D. `response.status_code != 429`

**Answer: A (LEAVE A REPLY)**

Section: Mixed Questions

Explanation/Reference: <https://developer.cisco.com/meraki/api/#!rate-limit>

**NEW QUESTION: 73**

Refer to the exhibit.

What is the output of this IOS-XE configuration program?

A. interface operational status in IPv4 addresses

B. interface administrative status in IPv6 addresses

C. interface operational status in IPv6 addresses

D. interface administrative status in IPv4 addresses

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 74**

Drag and Drop Question

Drag and drop the code onto the snippet to update a SSID in Meraki using the Dashboard API.  
Not all options are used.

**Answer:**

**NEW QUESTION: 75**

### Drag and Drop Question

Refer to the exhibit above and click on the tab in the top left corner to view a diagram that describes the typical flow of requests involved when a webhook is created for a booking service. Drag and drop the requests from the left onto the item numbers on the right that match the missing sections in the sequence diagram to design the complete flow of requests involved as a booking is updated from a web application.

**Answer:**

### NEW QUESTION: 76

Refer to the exhibit. Drag and drop parts of the URL from the left onto the item numbers on the right that match the missing sections in the exhibit to create the appropriate RESTCONF URL to query the VLAN configuration given this YANG model. Not all URL parts are used.

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:  
<https://www.braindumpsPASS.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 77

Drag and drop the steps from the left into the correct sequence on the right to describe how to use Git to maintain the current HEAD and revert back to a previous commit, while undoing all intermediate commits.

**Answer:**

### NEW QUESTION: 78

An application is being built to collect and display telemetry streaming data. Drag and drop the elements of this stack from the left onto the correct element functions on the right.

**Answer:**

### NEW QUESTION: 79

A developer has completed the implementation of a REST API, but when it is executed, it returns a 401 error message. What must be done on the API to resolve the issue?

- A. Access permission to the resource must be granted, before the request.
- B. Configure new valid credentials.
- C. The requested API endpoint does not exist, and the request URL must be changed.

D. Additional permission must be granted before the request can submitted.

**Answer: D** ([LEAVE A REPLY](#))

Section: Using APIs

Explanation

### NEW QUESTION: 80

Refer to the exhibits which show the documentation associated with the create port object API call in Cisco Firepower Threat Defense, and a cURL command.

Which data payload completes the cURL command to run the API call?

A.

B.

C.

D.

**Answer: C** ([LEAVE A REPLY](#))

<https://developer.cisco.com/site/ftd-api-reference/#!editicmpv4portobject/path-parameters>

### NEW QUESTION: 81

Drag and Drop Question

Refer to the above and click on the resource labs in the top left corner to view resources to help with this question.

Python code using the UCS Python SDK is creating a server pool named "devcore\_pool" and populating the pool with all servers from chassis 7, and then the server pool is associated to existing Service Profile template "devcore\_template" Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the Python exhibit.

**Answer:**

### NEW QUESTION: 82

Refer to the exhibit.

Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script to implement control flow.

**Answer:**

### NEW QUESTION: 83

Drag and Drop Question

Drag and drop the steps from the left into the correct sequence on the right to describe how to use Git to maintain the current HEAD and revert back to a previous commit, while undoing all intermediate commits.

**Answer:**

### NEW QUESTION: 84

Refer to the exhibit.

A kubeconfig file to manage access to clusters is provided. How many clusters are defined and which of them are accessed using username/password authentication versus certificate?

- A. two clusters; scratch
- B. three clusters; scratch
- C. two clusters; development
- D. three clusters; development

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 85**

Refer to the exhibit.

A kubeconfig file to manage access to Kubernetes clusters is shown. How many Kubernetes clusters are defined in the file, and which cluster FS accessed using username/password authentication rather than using a certificate?

- A. three dusters; scratch
- B. two clusters: scratch
- C. three clusters: development
- D. two dusters; development

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 86**

A network operations team is using the cloud to automate some of their managed customer and branch locations. They require that all of their tooling be ephemeral by design and that the entire automation environment can be recreated without manual commands. Automation code and configuration state will be stored in git for change control and versioning. The engineering high-level plan is to use VMs in a cloud- provider environment then configure open source tooling onto these VMs to poll, test, and configure the remote devices, as well as deploy the tooling itself. Which configuration management and/or automation tooling is needed for this solution?

- A. NSO
- B. Terraform
- C. Ansible and NSO
- D. Ansible and Terraform
- E. Ansible

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 87**

Which two principles are included in the codebase tenet of the 12-factor app methodology? (Choose two.)

- A. An application is always tracked in a version control system.
- B. There are multiple codebases per application.
- C. The codebase is the same across all deploys.

D. There can be a many-to-one correlation between codebase and application.

E. It is only possible to have one application deployment per codebase.

**Answer: A,E ([LEAVE A REPLY](#))**

Section: Application Deployment and Security

### NEW QUESTION: 88

DRAG DROP

Refer to the exhibit. Drag and drop the steps from the left into the correct order of operation on the right for a successful OAuth2 three-legged authorization code grant flow.

Select and Place:

**Answer:**

Section: Software Development and Design

### NEW QUESTION: 89

A web application is being developed to provide online sales to a retailer. The customers will need to use their username and passwords to login into their profile and complete their order. For this reason, the application must store user passwords. Which approach ensures that an attacker will need to crack the passwords one at a time?

A. Store the passwords by using asymmetric encryption

B. Apply the salting technique

C. Apply the peppering technique

D. Store the passwords by using symmetric encryption

**Answer: ([SHOW ANSWER](#))**

### NEW QUESTION: 90

Refer to the exhibit.

Many faults have occurred in the ACI environment and a sample of them needs to be examined. Which API call retrieves faults 30 through 45?

A. GET `https://apic-ip-address/api/class/faultInfo.json?order-by=faultinst.severity|desc&page=2&page-size=15`

B. GET `https://apic-ip-address/api/class/faultInfo.json?order-by=faultinst.severity|desc&page=1&page-size=15`

C. GET `https://apic-ip-address/api/class/faultInfo.json?order-by=faultinst.severity|desc&page=30`

D. GET `https://apic-ip-address/api/class/faultInfo.json?order-by=faultinst.severity|desc&page=2&page-size=30`

**Answer: A ([LEAVE A REPLY](#))**

### NEW QUESTION: 91

Drag and drop the REST API authentication method from the left to the description on the right

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:  
<https://www.braindumpsPass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 92**

Refer to the exhibit. An Intersight API is being used to query RackUnit resources that have a tag keyword set to

"Site". What is the expected output of this command?

- A. list of all resources that have a tag with the keyword "Site"
- B. error message because the Value field was not specified
- C. error message because the tag filter should be lowercase
- D. list of all sites that contain RackUnit tagged compute resources

**Answer: (SHOW ANSWER)**

Section: Using APIs

#### **NEW QUESTION: 93**

An engineer is developing a web-based application that will be used as a central repository for the HR department. The application needs to authenticate user access and encrypt communication. Drag and drop the steps from the left into the order on the right to install an application-specific SSL certificate.

**Answer:**

#### **NEW QUESTION: 94**

Which RFC5988 (Web Linking) relation type is used in the Link header to control pagination in APIs?

- A. rel="index"
- B. rel="page"
- C. rel="next"
- D. rel="section"

**Answer: C (LEAVE A REPLY)**

Section: Using APIs

#### **NEW QUESTION: 95**

Drag and Drop Question

Drag and drop the code from the bottom onto the box where the code is missing on the Ansible task to enable a VLAN on a Meraki MX Device. Not all options are used.

**Answer:**

**NEW QUESTION: 96**

Application sometimes store configuration as constants in the code, which is a violation of strict separation of configuration from code. Where should application configuration be stored?

- A. environment variables
- B. YAML files
- C. Python libraries
- D. Dockerfiles
- E. INI files

**Answer: ([SHOW ANSWER](#))**

Section: Infrastructure and Automation

Explanation

**NEW QUESTION: 97**

A heterogeneous network of vendors and device types needs automating for better efficiency and to enable future automated testing. The network consists of switches, routers, firewalls and load balancers from different vendors, however they all support the NETCONF/RESTCONF configuration standards and the YAML models with every feature the business requires. The business is looking for a buy versus build solution because they cannot dedicate engineering resources, and they need configuration diff and rollback functionality from day 1.

Which configuration management for automation tooling is needed for this solution?

- A. Ansible
- B. Ansible and Terraform
- C. NSO
- D. Terraform
- E. Ansible and NSO

**Answer: E ([LEAVE A REPLY](#))**

Section: Infrastructure and Automation

Explanation/Reference:

**NEW QUESTION: 98**

Drag and drop the steps from the left into the correct sequence on the right to describe how to use Git to maintain the current HEAD and revert back to a previous commit, while undoing all intermediate commits.

**Answer:**

**NEW QUESTION: 99**

In the three-legged OAuth2 authorization workflow, which entity grants access to a protected resource?

- A. authorization server
- B. client
- C. resource owner
- D. resource server

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 100**

A developer is deploying an application to automate the configuration and management of Cisco network files and routers. The application must use REST API interface to achieve programmability. The security team mandates that the network must be protected against DDoS attacks. What mitigates the attacks without impacting genuine requests?

- A. IP address filtering at the application layer
- B. firewall on the network perimeter
- C. traffic routing on the network perimeter
- D. API rate limiting at the application layer

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 101**

Refer to the exhibit.

The cURL POST request creates an OAuth access token for authentication with FDM API requests. What is the purpose of the file "@token\_data" that cURL is handling?

- A. This file contains raw data that is needed for token authentication.
- B. This file is given as input to store the access token received from FDM.
- C. This file is used to send authentication related headers.
- D. This file is a container to log possible error responses in the request.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 102**

Refer to the exhibit. Which set of API requests must be executed by a Webex Teams bot after receiving a webhook callback to process messages in a room and reply with a new message back to the same room?

- A.
- B.
- C.
- D.

**Answer: B ([LEAVE A REPLY](#))**

Section: Cisco Platforms

#### **NEW QUESTION: 103**

Refer to the exhibit. Two editors are concurrently updating an article's headline from their mobile devices. What results from this scenario based on this REST API sequence?

- A. The article is marked as "Conflicted"
- B. The article headline is "Monday Headlines"
- C. The article headline is "Today Headlines"
- D. The article headline is "Top Headlines"

**Answer:** ([SHOW ANSWER](#))

The HyperText Transfer Protocol (HTTP) 412 Precondition Failed client error response code indicates that access to the target resource has been denied Last request for "Today Headlines" failed. D is therefore the answer since the article headline was changed to "Top Headlines" in #6 request.

#### **NEW QUESTION: 104**

Refer to the exhibit.

Which set of API requests must be executed by a Webex Teams bot after receiving a webhook callback to process messages in a room and reply with a new message back to the same room?

- A. Option A
- B. Option C
- C. Option B
- D. Option D

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 105**

Refer to the exhibit.

Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the cURL exhibit to complete the cURL request to FirePower Device Manager API to create objects. Not all code snippets are used.

**Answer:**

#### **NEW QUESTION: 106**

Drag and Drop Question

Drag and drop the REST API authentication method from the left to the description on the right.

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:

**NEW QUESTION: 107**

Refer to the exhibit.

A kubeconfig file to manage access to clusters is provided. How many clusters are defined and which of them are accessed using username/password authentication versus certificate?

- A. two clusters; development
- B. three clusters; scratch
- C. two clusters; scratch
- D. three clusters; development

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 108**

Refer to the exhibit.

Which URL retrieves the errors in the GigabitEthernet 1 interface?

- A)
  - B)
  - C)
  - D)
- A. Option D
  - B. Option A
  - C. Option B
  - D. Option C

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 109**

Drag and drop the REST API authentication method from the left to the description on the right

**Answer:**

**NEW QUESTION: 110**

Refer to the exhibit. A system administrator has installed a Linux-based alarm system in their home that can execute a Bash shell script when an intruder is detected. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to create a chat-ops script that will notify of alarms via the Webex Teams REST API. Not all code snippets are used.

**Answer:**

**NEW QUESTION: 111**

A web application is susceptible to cross-site scripting. Which two methods allow this issue to be mitigated?

(Choose two.)

- A. Limit user input to acceptable characters.
- B. Encrypt user input on the client side.
- C. Use AES encryption to secure the script.
- D. Use only drop downs.
- E. Remove all HTML/XML tags from user input.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 112**

An architect must optimize traffic that targets a popular API endpoint. Currently, the application downloads a large file hourly, but often the file is unchanged and the download causes unnecessary load and delays. Which cURL command must be used to determine the last modified date of the file and to optimize the API usage?

- A. curl GET request
- B. curl --silent request
- C. curl -H 'Cache-Control: no-cache' request
- D. curl HEAD request

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 113**

Refer to the exhibit.

A developer created the code, but it fails to execute. Which code snippet helps to identify the issue?

- A. Option B
- B. Option C
- C. Option A
- D. Option D

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 114**

Which two techniques protect against injection attacks? (Choose two.)

- A. input validation
- B. trim whitespace
- C. limit text areas to 255 characters
- D. string escaping of user free text and data entry
- E. only use dropdown, checkbox, and radio button fields

**Answer:** A,D ([LEAVE A REPLY](#))

<https://www.hacksplaining.com/prevention/sql-injection>

**NEW QUESTION: 115**

Refer to the exhibit.

Drag and drop the parts of the Python code from the left onto the item numbers on the right that match the missing sections in the exhibit that consumes REST API pagination.

**Answer:**

**NEW QUESTION: 116**

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question. The script uses the Cisco Intersight REST API. Drag and drop the code snippets from the left onto the item numbers on the right to match the missing sections in the Python script to update the firmware on specific Cisco Intersight USC rack server.DMZ\_R-L3-ADJM. Not all code snippets are used.

**Answer:**

**NEW QUESTION: 117**

Refer to the exhibit.

Which configuration of method and parameter retrieves the health of a laptop connected to the network from Cisco DNA Center?

- A. GET; client-health;
- B. POST; network-device;
- C. GET; network-device;
- D. PUT; network-health;

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 118**

Refer to the exhibit.

Drag and drop the correct parts of the Dockerfile from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the Dockerfile to successfully build and deploy a container running a Python application. Not all parts of the Dockerfile are used.

**Answer:**

**NEW QUESTION: 119**

A developer is creating a Python script to use the Webex Teams REST API to list joined spaces, and gracefully handle and print the errors it receives. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script.

**Answer:**

**NEW QUESTION: 120**

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question. Python code that uses the UCS Python SDK is instantiating a service profile named

"devcore-server-01" from service profile template "device-template" , then associating the service profile instance to blade 3 in chassis7. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the Python exhibit.

**Answer:**

#### **NEW QUESTION: 121**

Refer to the exhibit above and click on the resource tabs in the top left corner to view resources to help with this question. Python code that uses the UCS Python SDK is instantiating a service profile named

"devcore-server-01" from service profile template "device-template" , then associating the service profile instance to blade 3 in chassis 7. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the Python exhibit.

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:

<https://www.braindumpspass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 122**

Refer to the exhibit.

This script uses ciscoyang to configure two VRF instances on a Cisco IOS-XR device using the Yang NETCONF type.

Which two words are required to complete the script? (Choose two.)

- A. none
- B. commit
- C. false
- D. replace
- E. ensure

**Answer: C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 123**

Refer to the exhibit. Drag and drop parts of the URL from the left onto the item numbers on the right that match the missing sections in the exhibit to create the appropriate RESTCONF URL to query the VLAN configuration given this YANG model. Not all URL parts are used.

**Answer:**

### **NEW QUESTION: 124**

Refer to the exhibit.

Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script to implement control flow.

**Answer:**

### **NEW QUESTION: 125**

Which two statements describe advantages of static code analysis over unit tests? (Choose two.)

- A. It enforces proper coding standards and style.
- B. It checks for race conditions in threaded applications.
- C. It performs a quick analysis of whether tests will pass or fail when run.
- D. It checks for potential tainted data where input is not checked.
- E. It estimates the performance of the code when run.

Explanation

**Answer:** ([SHOW ANSWER](#))

### **NEW QUESTION: 126**

Refer to the exhibit.

Which configuration of method and parameter retrieves the health of a laptop connected to the network from Cisco DNA Center?

- A. PUT; network-health;
- B. GET; client-health;
- C. GET; network-device;
- D. POST; network-device;

**Answer:** C ([LEAVE A REPLY](#))

### **NEW QUESTION: 127**

Refer to the exhibit above and click on the resource tabs in the top left corner to view an IETF YANG MODEL and a Python file that changes the configuration via RESTCONF. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the JSON file that changes configuration of interface GigabitEthernet1 to have an IPv4 configuration of 10.10.0.1/24. Not all options are used.

**Answer:**

**NEW QUESTION: 128**

Refer to the exhibit.

Which key value pair from the `ios_ntp` Ansible module creates an NTP server peer?

- A. `config: present`
- B. `state: True`
- C. `state: present`
- D. `config: True`

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 129**

What is a capability of the End User Monitoring feature of the AppDynamics platform?

- A. identifies the slowest mobile and IoT network requests, to locate the cause of problems
- B. monitoring local processes, services, and resource use, to explain problematic server performance
- C. provides metrics on the performance of the database to troubleshoot performance-related issues
- D. discovers traffic flows, nodes, and transport connections where network or application/network issues are developing

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 130**

A developer releases a new application for network automation of Cisco devices deployed in a local data center. The application utilizes complex design patterns such as microservices that host multiple third-party libraries and programming languages. The development must be simplified by implementing an observability-driven development lifecycle. Which two considerations must be taken to meet the requirements?

(Choose two.)

- A. description of low-level errors
- B. identifying customer priorities
- C. which KPIs to monitor
- D. relevant metrics to expose
- E. which monitoring tools to use

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 131**

Refer to the exhibit.

Python threading allows a developer to have different parts of a program run concurrently and simplify a design. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to create a thread instance.

**Answer:**

**NEW QUESTION: 132**

Into which two areas are AppDynamics APIs categorized? (Choose two.)

- A. application-centric
- B. analytics-events
- C. database-visibility
- D. platform-side
- E. agent-side

**Answer: D,E (LEAVE A REPLY)**

Section: Cisco Platforms

**NEW QUESTION: 133**

Drag and drop the REST API authentication method from the left to the description on the right

**Answer:**

**NEW QUESTION: 134**

Meraki Dashboard API Response

Response Status Code 200

Response Link Header

<https://n6.meraki.com/api/v0/organizations/681155/devices ?perPage-3&startingAfter-0000-0000-0000>; rel-first,

<https://n6.meraki .com/api/v0/organizations/681155/devices?perPage -3 &startingAfter-Q2EK-3UBE-RRUY>; rel-next,

<https://n6.meraki.com/api/v0/organizations/681155/devices?endingBefore -zzzz-zzzz\* zzzz&perPage-3>; rel-last

Response Body

```
{  
' name': '\\| | '
```

```
"serial": "Q2CV-V49B -RCMZ",
```

```
"mac": "0c:8d:db:95:aa:39",
```

```
"networkid": "L-566327653141846927",
```

```
"model11 : "MV71",
```

```
"address": "430 E Cactus Ave .\nLas Vegas, NV 89183",
```

```
"lat": 36.00017,
```

```
"lng": -115.15302,
```

```
"notes": "",
```

```
"tagsn": "",
```

```
"lanip": "192.168.0.25",
```

```
' configurationUpdatedAt': "2019-08-08T02:15:36Z", ' firmware11 : "ca.rnera-3-3011
```

```
},
```

```
{
```

```
"ncune": "Alex's MR84 - 1"1
```

```
"serial": "Q2EK-2LYB-PCZP",
```

```

"mac": "e0:55:3d:10:56:8a", "networkid": "L_566327653141846927",
"model": "MR84",
"address": "11",
"lat": 39.9482993357826,
"lng": -82.9895675461739,
"notes": "",
"tags": "",
"lanip": null,
"configurationVpdatedAt": "2018-02-03T11:02:37Z",
"firmware11": "Not running configured version"
},
{
"na.rne11": "Vegas Living Room MR84 11",
"serial": "Q2EK-3UBE-RRUY",
"mac": "e0:55:3d:10:5a:ca", "networkid": "L_566327653141846927" 1
"model": "MR84",
"address": "430 E Cactus Ave.\nLas vegas, NV 89183", "lat": 36.00015,
"lng": -115.15308,
"notes": "",
"tags": "11
1
"lanip": "192.168.0.20",
"configurationVpdatedAt": "2018-09-29T12:23:21Z",
' firmware": "Not running configured version"

```

Refer to the exhibit.

Which line of code must be added to this code snippet to allow an application to pull the next set of paginated items?

- A. `requests.get(url, headers=links['next']['url'])`
- B. `requests.get(res.headers.get("Link")['next']['url'], headers=headers)`
- C. `requests.get(res.links['next']['url'], headers=headers)`
- D. `requests.get(url, links=['next']['url'])`

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 135

Drag and drop the expressions from below onto the code to implement error handling. Not all options are used.

**Answer:**

### NEW QUESTION: 136

Which two strategies are used to protect personally identifiable information? (Choose two.)

- A. Encrypt hash values of data.

- B. Only hash usernames and passwords for efficient lookup.
- C. Encrypt data at rest.
- D. Encrypt data in transit.
- E. Only encrypt usernames and passwords for efficient lookup.

**Answer: C,D ([LEAVE A REPLY](#))**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here: <https://www.braindumps.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 137**

Which snippet presents the correct API call to configure, secure, and enable an SSID using the Meraki API?

- A)
- B)
- C)
- D)
- A. Option D
- B. Option C
- C. Option B
- D. Option A

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 138**

An application uses OAuth to get access to several API resources on behalf of an end user. What are two valid parameters to send to the authorization server as part of the first step of an authorization code grant flow? (Choose two.)

- A. list of the API resources that the application is requesting to access
- B. name of the application under which the application registered as an OAuth integration
- C. list of scopes that correspond to the API resources to which the application is requesting to access
- D. secret that was generated by the authorization server when the application registered as an OAuth integration
- E. URI to which the authorization server will send the user-agent back when access is granted or denied

**Answer: D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 139**

DRAG DROP

Refer to the exhibit. Python threading allows a developer to have different parts of a program run concurrently and simplify a design. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to create a thread instance.

Select and Place:

**Answer:**

Section: Cisco Platforms

**NEW QUESTION: 140**

Given an application that implements a basic search function as well as a video upload function, which two load-balancing approaches optimize the application's user experience? (Choose two.)

- A. Search requests should be routed to the endpoint with lowest round-trip latency.
- B. Search requests should be routed to the endpoint with highest data throughput.
- C. Video upload requests should be routed to the endpoint using an intermediate hop.
- D. Video upload requests should be routed to the endpoint with lowest round-trip latency.
- E. Video upload requests should be routed to the endpoint with highest data throughput.

**Answer: A,E (LEAVE A REPLY)****NEW QUESTION: 141**

Which transport protocol is used by gNMI?

- A. HTTP/2
- B. HTTP 1.1
- C. SSH
- D. MQTT

**Answer: A (LEAVE A REPLY)**

Section: Software Development and Design

**NEW QUESTION: 142**

Refer to the exhibit.

The YAML represented is using the `ios_vrf` module. As part of the Ansible playbook workflow, what is the result when this task is run?

- A. VRFs not defined in the `host_vars` file are added to the device, and any other VRFs on the device remain.
- B. VRFs are added to the device from the `host_vars` file, and any other VRFs on the device are removed.
- C. VRFs not defined in the `host_vars` file are removed from the device.
- D. VRFs defined in the `host_vars` file are removed from the device.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 143**

Refer to the exhibit.

Drag and drop the correct parts of the Dockerfile from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the Dockerfile to successfully build and deploy a container running a Python application. Not all parts of the Dockerfile are used.

**Answer:**

**NEW QUESTION: 144**

Which command is used to enable application hosting on a Cisco IOS XE device?

- A. application -hosting
- B. iox-service
- C. iox
- D. app- hosting

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 145**

An engineer must access multiple bots that are running in an internal infrastructure. A different HTTPS URL is required for each bot. The infrastructure has just one public IP address and a Linux server with Apache installed. Drag and drop the actions from the left into the order of steps on the right to enable access to the bots inside. Not all options are used.

**Answer:**

**NEW QUESTION: 146**

Drag and drop the steps from the left into the correct sequence on the right to describe how to use Git to maintain the current HEAD and revert back to a previous commit, while undoing all intermediate commits.

**Answer:**

**NEW QUESTION: 147**

Refer to the exhibit above and click on the IETF Routing tab in the top left corner to help with this question. A developer is trying to update the routing instance by adding a new route to the routes list using the URL in the exhibit. What action must be taken to fix the error being received?

- A. Fix the body being sent to update the routes list.
- B. Change the URL to `"/ietf-routing:routing-instance/default"`.
- C. Change the url to `"/ietf-routing:routing/routing-instance=default"`.
- D. Change the HTTP Method being used to make the change
- E. Update the authorization credentials.

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 148**

Which HTTP status code indicates that a client application is experiencing intentional rate limiting by the server?

- A. 202
- B. 401
- C. 429
- D. 503

**Answer: C ([LEAVE A REPLY](#))**

Section: Application Deployment and Security

#### **NEW QUESTION: 149**

A cloud native project is being worked on in which all source code and dependencies are written in Python, Ruby, and/or JavaScript. A change in code triggers a notification to the CI/CD tool to run the CI/CD pipeline.

Which step should be omitted from the pipeline?

- A. Deploy the code to one or more environments, such as staging and/or production.
- B. Build one or more containers that package up code and all its dependencies.
- C. Compile code.
- D. Run automated tests to validate the correctness.

**Answer: A ([LEAVE A REPLY](#))**

Section: Software Development and Design

#### **NEW QUESTION: 150**

A developer deploys a SQLite database in a Docker container. Single-use secret keys are generated each time a user accesses the database. The keys expire after 24 hours. Where should the keys be stored?

- A. In an encrypted database table within the SQLite database.
- B. Outside of the Docker container in the source code of applications that connect to the SQLite database.
- C. In a separate file inside the Docker container that runs the SQLite database.
- D. In a separate storage volume within the Docker container.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 151**

Refer to the exhibit.

A kubeconfig file to manage access to clusters is provided. How many clusters are defined and which of them are accessed using username/password authentication versus certificate?

- A. three clusters; scratch
- B. three clusters; development
- C. two clusters; development
- D. two clusters; scratch

**Answer: ([SHOW ANSWER](#))**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:  
<https://www.braindumpspass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 152**

What are two steps in the OAuth2 protocol flow? (Choose two.)

- A. The user is authenticated by the authorization server and granted an access token.
- B. The user's original credentials are validated by the resource server and authorization is granted.
- C. The user indirectly requests authorization through the authorization server.
- D. The user requests an access token by authentication and authorization grant presentation.
- E. The user requests the protected resource from the resource server using the original credentials.

**Answer: A,E (LEAVE A REPLY)**

<https://www.digitalocean.com/community/tutorials/an-introduction-to-oauth-2>

#### **NEW QUESTION: 153**

Refer to the exhibit.

Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script to implement control flow.

**Answer:**

#### **NEW QUESTION: 154**

Refer to the exhibit above and click on the resource tabs in the top left corner to view an IETF TANG MODEL and a Python file that changes the configuration via RESTCONF. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the JSON file that changes configuration of interface GigabitEthernet1 to have an IPv4 configuration of 10.10.0.1/24. Not all options are used.

**Answer:**

#### **NEW QUESTION: 155**

DRAG DROP

Refer to the exhibit. The self-service Webex Teams bot is failing when many users attempt to interact with it at the same time. Drag and drop the code snippets from the left onto the correct

item numbers on the right that match the missing sections in the exhibit to complete this code to handle this high-load situation.

Select and Place:

**Answer:**

Section: Cisco Platforms

**NEW QUESTION: 156**

What are two features of On-Box Python for hosting an application on a network device? (Choose two.)

- A. It enables execution of XML scripts on a Cisco IOS XE router or switch.
- B. It is a Python interpreter installed inside the guest shell.
- C. It has access to Cisco IOS XE web UI through a controller.
- D. It has direct access to Cisco IOS XE CLI commands.
- E. It supports Qt for graphical interfaces and dashboards.

**Answer: B,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 157**

Drag and drop the code onto the snippet to update a SSID in Meraki using the Dashboard API. Not all options are used.

**Answer:**

**NEW QUESTION: 158**

Drag and Drop Question

Drag and drop the descriptions from the left onto the related OAuth-defined roles on the right.

**Answer:**

**NEW QUESTION: 159**

Refer to the exhibit.

An Intersight API is being used to query RackUnit resources that have a tag keyword set to "Site". What is the expected output of this command?

- A. list of all sites that contain RackUnit tagged compute resources
- B. list of all resources that have a tag with the keyword "Site"
- C. error message because the tag filter should be lowercase
- D. error message because the Value field was not specified

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 160**

Refer to the exhibit.

A kubeconfig file to manage access to clusters is provided. How many clusters are defined and which of them are accessed using username/password authentication versus certificate?

- A. two clusters; scratch
- B. three clusters; scratch
- C. three clusters; development
- D. two clusters; development

**Answer: C ([LEAVE A REPLY](#))**

Explanation

#### **NEW QUESTION: 161**

Drag and drop the REST API authentication method from the left to the description on the right

**Answer:**

**Valid 350-901 Dumps** shared by BraindumpsPass.com for Helping Passing 350-901 Exam! BraindumpsPass.com now offer the **newest 350-901 exam dumps**, the BraindumpsPass.com 350-901 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 350-901 dumps with Test Engine here:  
<https://www.braindumpspass.com/Cisco/350-901-practice-exam-dumps.html> (437 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)