

Copado.Copado-Developer.v2022-01-21.q28

Exam Code:	Copado-Developer
Exam Name:	Copado Developer Certification Exam
Certification Provider:	Copado
Free Question Number:	28
Version:	v2022-01-21
# of views:	1277
# of Questions views:	280
https://www.exam-tests.com/Copado-Developer-exam/Copado.Copado-Developer.v2022-01-21.q28.html	

NEW QUESTION: 1

Rob, would like to enforce the following quality gates when deploying to INT:

- * A static code analysis for all Apex classes and triggers.
- * A validation deployment for all Apex classes and triggers.
- * A validation deployment for profiles.

What is the easiest way for him to address these requirements?

- A.** He needs to set up 3 connection behaviors in INT, one for the Static Code Analysis, one for the validation of Apex classes and triggers and one for the validation of profiles.
- B.** He needs to set up 1 connection behavior in DEV with 3 quality gates, one Static Code Analysis for Apex classes and triggers, one validation for Apex classes and triggers and one validation for profiles.
- C.** He needs to set up 2 connection behaviors in INT, one for the Static Code Analysis and one for the validation.
- D.** He needs to set up 1 connection behavior in INT with 2 quality gates, a Static Code Analysis for Apex classes and triggers and a validation for profiles and for Apex classes and triggers.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Where can you set the Maximum Static Code Analysis Score?

- A.** In the Environment record.
- B.** In the Pipeline record.
- C.** In the User Story record.
- D.** In the Org Credential record.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

The development team is complaining that when they try to select a metadata source in the scratch org wizard, they can only see Branches. Developers should be able to select any metadata source.

How you can fix this?

- A. Set the Copado DX Mode picklist field to 'Branches' in all the environments.
- B. Give the developer profile the correct object level permissions to all metadata sources.
- C. Set the Copado DX Mode picklist field in the Pipeline record to 'None'.
- D. Set the Copado DX Mode picklist field in the Pipeline record to 'All Metadata Sources'.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 4

After pushing changes using the Copado CLI, you notice that the feature branch is being merged to a different environment branch in your remote repository. What could be the reason behind this?

- A. The environment and org credential of the related user story were accidentally changed to a different one.(Not Sure)
- B. The Copado CLI push command doesn't trigger the merge of the feature branch with the promotion branch.
- C. The Copado CLI push command doesn't trigger the merge of the feature branch with the environment branch.
- D. Copado doesn't merge the feature branch with the environment source branch.

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 5

Debbie is getting an error while trying to modify the Minimum Apex Code Coverage field on the user story. What could be the reason for this?

- A. The minimum Apex code coverage of the user story cannot be above the minimum Apex code coverage of the environment.
- B. The minimum Apex code coverage on the user story cannot be modified.
- C. The minimum Apex code coverage of the user story cannot be below the minimum Apex code coverage of the environment.
- D. The minimum Apex code coverage of the user story cannot be different from the minimum Apex code coverage of the environment.

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 6

Which of the following expressions is a correct regex expression that finds the value in the required tag of a field?

- A. required field:

'(?s)(\n\s*<customobject>(?:(!<customfields>).)*?<required>__REPLACEVALUE__</required>(?:(!<customfields>).)*?</customobject>)'.

B. required field:

'(?s)(\n\s*<object>(?:(!<fields>).)*?<fullName>__REPLACEVALUE__</fullName>(?:(!<fields>).)*?</object>)'.

C. required field: '<required>__REPLACEVALUE__</required>'.

D. required field:

'(?s)(\n\s*<fields>(?:(!<fields>).)*?<required>__REPLACEVALUE__</required>(?:(!<fields>).)*?</fields>)'.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 7

Rob is deploying an important release from uat to production and would like to temporarily freeze some users to ensure they don't make any changes during the release window that could have a negative impact on the release. What would be the easiest way to do this?

- A.** Rob can create a pre-deployment Apex task that freezes the users using an Advanced (multi-step) deployment with an Apex deployment step.
- B.** Rob can create a manual task to manually freeze the users in production.
- C.** Rob can send an email notification to the relevant users to inform them of the release window so that they don't make any changes during that period of time.
- D.** Rob can create a post-deployment Apex task that freezes the users using an Advanced (multi-step) deployment with an Apex deployment step.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 8

You have work in progress in dev1. After retrieving from the org and pushing a hotfix for your Admin profile from the Copado CLI, the validation deployment is failing. Why?

- A.** While pushing your changes from the CLI, Copado deploys the complete profile file which could contain references to other work in progress in dev1.
- B.** Copado has auto-resolved the Git conflict in the profile with changes that are not available in the source environment.
- C.** The CLI push creates a deployment that includes the nested components in the profile file without including dependencies to work in progress.
- D.** Copado has auto-resolved the Git conflict in the profile with changes that are not available in the feature branch.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 9

Which is TRUE about Static Code Analysis using CodeScan?

- A.** You can generate a default ruleset from Copado.
- B.** All are correct.

- C. You need to have a CodeScan account.
- D. CodeScan is only recommended to check Apex classes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Debbie committed some changes to the Opportunity Layout but, after deploying her changes from DEV to INT, she found her changes were not there due to an auto-resolved Git conflict she was not aware of. How can she prevent this from happening again in all future promotions?

- A. Manually promote and add Layout to the Exclude From Auto Resolve multi-select picklist field in the Promotion rec
- B. Remove Layout from the Exclude From Auto Resolve multi-select picklist field in the Pipeline record.
- C. Manually promote and remove Layout from the Exclude From Auto Resolve multi-select picklist field in the Promotion record.
- D. Add Layout to the Exclude From Auto Resolve multi-select picklist field in the Pipeline record

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Within the same sprint, Debbie added, a defaultPhone method and Dave added a defaultUrl method, both to the account operations class. Since, Debbie and Dave are working in their individual sandboxes, after promoting the second user story, a Git conflict arose. They learned up to solve the conflict using Copado's online conflict resolution feature. What happens when both user stories are mass back-promoted?

- A. Copado uses semantic conflict resolution.
- B. The defaultUrl method overwrites the other method.
- C. Copado uses the conflict solution that was previously created.
- D. The defaultPhone method overwrites the other method.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

A PMD static code analysis rule has been violated. If the violation score of the rule is 2, what was the priority set for this rule?

- A. 1
- B. 4
- C. 3
- D. 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

You want to give an existing PMD rule the lowest priority. How can you do this?

- A. Change the rule priority in the PMD Default RuleSet to Info.
- B. Change the rule priority in the PMD Default RuleSet to Low Priority.
- C. Change the rule priority in the PMD Default RuleSet to 5.
- D. Change the rule priority in the PMD Default RuleSet to 0.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

When deploying US1 and US2 in the same promotion, the old code in US2 is overwriting the most up-to-date code in US1. How can a developer resolve this issue?

- A. Resolve the conflict manually using the Online Conflict Resolution feature. (Might be this ans)
- B. Use the Order User Stories by field in the Promotion record.
- C. Commit the code again in US2 before deploying.
- D. Commit the code again in US1 before deploying.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Dave is taking a look at some of the data they have imported from production to dev2 for testing purposes using data templates, and he has noticed the data in some of the fields doesn't match that of the production environment. What could be the reason for this?

Select all that apply!

You have reached the max number of allowed answers

- A. Dave has imported the wrong data template.
- B. The user who created the data templates used Scramble Value in some of the fields to leave out sensitive data.
- C. The user who created the data templates used Scramble with Format in some of the fields to avoid moving sensitive data.
- D. They used the Global Find and Replace feature to scramble the values

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You would like to create a scratch org that has a duration of 15 days. Where can you set this value?

- A. In the user story.
- B. In the extensions.
- C. In the scratch org definition.
- D. In the project template

Answer: C ([LEAVE A REPLY](#))

Valid Copado-Developer Dumps shared by BraindumpsPass.com for Helping Passing Copado-Developer Exam! BraindumpsPass.com now offer the **newest Copado-Developer exam dumps**, the BraindumpsPass.com Copado-Developer exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Copado-Developer dumps with Test Engine here:
<https://www.braindumpsPass.com/Copado/Copado-Developer-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Your company has multiple developers working in separate environments and sometimes your Apex classes get overwritten. What can you do to prevent this?

- A.** Activate the Online Conflict Resolution feature by including Apex classes in the Exclude From Auto Resolve field in the Pipeline record
- B.** Create a validation rule to prevent the same Apex component from being committed in different environments.
- C.** Activate Online Conflict Resolution feature by removing Apex classes from the Exclude From Auto Resolve field in the Promotion record.
- D.** Activate the Online Conflict Resolution feature by removing Apex classes from the Exclude From Auto Resolve field in the Pipeline record

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Rob would like to run Apex tests for all Apex metadata coming into the UAT environment and a compliance check for profiles and permission sets coming into the same environment. How can he accomplish this?

- A.** He needs to set up 3 connection behaviors in UAT with 1 quality gate each, 1 for Apex tests, 1 for the compliance check for permission sets and 1 for the compliance check for profiles.
- B.** He needs to set up 1 connection behavior in UAT with 2 quality gates, an Apex test with Validation for the Apex elements and a Compliance Check both for profiles and for permission sets.
- C.** He needs to set up 2 connection behaviors in UAT, one for the Apex tests and another one for the compliance check.
- D.** He needs to set up 1 connection behavior in DEV with 2 quality gates, an Apex test with Validation for the Apex elements and a Compliance Check both for profiles and for permission sets.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 19

For which of the following components would you enable the Online Conflict Resolution feature? Select all that apply!

- A. Profiles
- B. Apex triggers
- C. Apex classes
- D. Custom object translations

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

After deleting the component in Dev1, Dave has accidentally refreshed the metadata index. What can he do now in order to perform a destructive changes commit of the component? Select all that apply!

- A. He can recreate the component in Dev 1 and refresh the metadata index again.
- B. He can edit the metadata attachment on the user story and add the component.
- C. He can use the Org Credential lookup field in the Commit Changes page and find the component in another org.
- D. He can the Add Row button in the Commit Changes page and add the API name of the component.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

You are using the auto-resolve conflict resolution feature, Copado will stop the merge of the feature branch into the promotion branch if it detects a conflict.

- A. False (I think this is correct, because in auto resolve copado merge it when there is conflict)
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

You have a PMD static code analysis rule with priority 1. If this rule is violated once, what will be the violation score?

- A. 5
- B. 4
- C. 1
- D. 3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

You have created two different Account page layouts in Dev1, one for sales reps and another one for the support team. You have committed the two page layouts on a user story and you are ready to deploy them to the next environment. However, the sales

manager makes a last-minute decision for his team to continue using the standard Account page layout for now. What is the easiest way to prevent the sales reps layout from being deployed while deploying the support team layout?

- A.** Go to the user story and use the Destructive Changes Git operation to delete the sales reps layout. Then, use Commit Changes and just commit the layout for the support team.
- B.** Delete the user story, create a new one and commit just the layout for the support team.
- C.** Use the Recommit Files Git operation, flag the Re-Create Feature Branch checkbox and select only the layout for the support team.
- D.** Use the Recommit Files Git operation, flag the Create New Feature Branch checkbox and select only the layout for the support team.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 24

Ana is the new NextGen networks admin. She has taken a Git snapshot in dev1 but when looking at the dev1 branch, she can't find the translation files. What could be the reason?

- A.** Her user in the Dev1 environment does not have access to Translation Workbench.
- B.** The translations are excluded in a YAML file
- C.** The translations are excluded in the .gitignore file.

Answer: **B** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 25

What test level is applied to the deployment when you check the Promote & Deploy checkbox?

- A.** The test level specified in the source environment.
- B.** The test level specified in the Test Level field of the destination environment.
- C.** The test level specified in the Promotion Test Level field on the User Story record.
- D.** The test level specified in the destination Org Credential record.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 26

Dave is getting an error message when trying to promote and deploy his Apex classes and components to the integration environment. What could be the issue? Select all that apply!

- A.** Apex tests were not executed on the user story
- B.** The minimum Apex code coverage defined on the user story is below the code coverage defined on the environment.
- C.** The Apex code coverage is below the minimum Apex code coverage defined in the Minimum Apex Code Coverage field on the user story.
- D.** The Apex code coverage is below the minimum Apex code coverage defined on the environment.

Answer: **C,D** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 27

Debbie has created a new custom field in Dev1. She commits it on a user story together with the permission set to deploy FLS. After committing the changes, she realizes she forgot to grant the permission set access to the field in Dev1, so she goes back to Dev1 and updates the FLS. What is the easiest way to ensure the FLS is deployed to the next environment together with the field?

- A. She needs to create a new user story and commit again the permission set.
- B. She needs to create a new user story and commit again the custom field.
- C. She can go back to the user story where she committed the changes and use the Recommit Files Git operation.
- D. She needs to delete the user story, create a new one and commit again the field and the permission set.

Answer: (SHOW ANSWER)

NEW QUESTION: 28

Debbie is deploying a user story with Apex components from UAT to production. The promotion test level on the user story is set to RunSpecifiedTests. What test level is going to be enforced in the deployment to production?

- A. Deployments of Apex components to production will always run specified tests.
- B. When deploying Apex components, Copado will always run the test level specified in the Promotion Test Level field on the User Story record.
- C. Deployments of Apex components to production will run at least specified tests.
- D. Deployments of Apex components to production will always run all tests.

Answer: D (LEAVE A REPLY)

Valid Copado-Developer Dumps shared by BraindumpsPass.com for Helping Passing Copado-Developer Exam! BraindumpsPass.com now offer the **newest Copado-Developer exam dumps**, the BraindumpsPass.com Copado-Developer exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Copado-Developer dumps with Test Engine here:
<https://www.braindumpspass.com/Copado/Copado-Developer-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)