

CyberArk.PAM-CDE-RECERT.v2025-08-27.q108

Exam Code:	PAM-CDE-RECERT
Exam Name:	CyberArk CDE Recertification
Certification Provider:	CyberArk
Free Question Number:	108
Version:	v2025-08-27
# of views:	113
# of Questions views:	1080
https://www.exam-tests.com/PAM-CDE-RECERT-exam/CyberArk.PAM-CDE-RECERT.v2025-08-27.q108.html	

NEW QUESTION: 1

When a DR Vault Server becomes an active vault, it will automatically revert back to DR mode once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the padr.ini file.
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file.
- D. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the dbparm.ini file.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

A customer is deploying PVWAs in the Amazon Web Services Public Cloud. Which load balancing option does CyberArk recommend?

- A. Public standard load balancer
- B. Classic Load Balancer
- C. HTTPS load balancer
- D. Network Load Balancer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

You have associated a logon account to one your UNIX cool accounts in the vault. When attempting to [b]change [/b] the root account's password the CPM will.....

- A. Log in to the system as root, then change root's password
- B. None of these
- C. Log in to the system as the logon account, then change roofs password

D. Log in to the system as the logon account, run the su command to log in as root, and then change root's password.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

To support a fault tolerant and high-availability architecture, the Password Vault Web Access (PVWA) servers must to be configured to communicate with the Primary Vault and Satellite Vaults.

Which file needs to be changed on the PVWA to enable this setup?

- A. Vault.ini
- B. Satellite.ini
- C. pvwa.ini
- D. dbparm.ini

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which onboarding method is used to integrate CyberArk with the accounts provisioning process?

- A. Accounts Discovery
- B. PTA rules
- C. Auto Detection
- D. Onboarding RestAPI functions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which report provides a list of account stored in the vault.

- A. Privileged Accounts Compliance Status
- B. Privileged Accounts Inventory
- C. Active Log
- D. Entitlement Report

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

Assuming a safe has been configured to be accessible during certain hours of the day, a Vault Admin may still access that safe outside of those hours.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

PSM for Windows (previously known as "RDP Proxy") supports connections to the following target systems

- A. Windows
- B. UNIX
- C. All of the above
- D. Oracle

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

Via Password Vault Web Access (PVWA), a user initiates a PSM connection to the target Linux machine using RemoteApp. When the client's machine makes an RDP connection to the PSM server, which user will be utilized?

- A. PSMAdminConnect
- B. PSMConnect
- C. Credentials stored in the Vault for the target machine
- D. Shadowuser

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

You are installing HTML5 gateway on a Linux host using the RPM provided. After installing the Tomcat webapp, what is the next step in the installation process?

- A. Configure ASLR
- B. Secure the webapp and JWT validation endpoint
- C. Deploy the HTML5 service (guacd)
- D. Secure the connection between the guacd and the webapp

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

When Dual Control is enabled a user must first submit a request in the Password Vault Web Access (PVWA) and receive approval before being able to launch a secure connection via PSM for Windows (previously known as RDP Proxy).

- A. False, a user can submit the request after the connection has already been initiated via the PSM for Windows
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

The password upload utility must run from the CPM server

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

When running a "Privileged Accounts Inventory" Report through the Reports page in PVWA on a specific safe, which permission/s are required on that safe to show complete account inventory information?

- A. Manage Safe Owners
- B. List Accounts, View Safe Members
- C. List Accounts, Access Safe without confirmation
- D. Manage Safe, View Audit

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

Your organization requires all passwords be rotated every 90 days. Where can you set this regulatory requirement?

- A. Platform Configuration
- B. Safe Templates
- C. Master Policy
- D. PVWAConfig.xml

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A user requested access to view a password secured by dual-control and is unsure who to contact to expedite the approval process. The Vault Admin has been asked to look at the account and identify who can approve their request.

What is the correct location to identify users or groups who can approve?

- A. PVWA> Account List > Edit > Show Advanced Settings > Dual Control > Direct Managers
- B. PVWA> Administration > Platform Configuration > Edit Platform > UI & Workflow > Dual Control> Approvers
- C. PVWA> Policies > Access Control (Safes) > Safe Members > Workflow > Authorize Password Requests
- D. PrivateArk > Admin Tools > Users and Groups > Auditors (Group Membership)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

To enable the Automatic response "Add to Pending" within PTA when unmanaged credentials are found, what are the minimum permissions required by PTAUser for the PasswordManager_pending safe?

- A. Add accounts (includes update properties), Update Account content, Update Account properties, View Audit
- B. List Accounts, Add accounts (includes update properties), Delete Accounts, Manage Safe
- C. List Accounts, View Safe members, Add accounts (includes update properties), Update Account content, Update Account properties

D. View Accounts, Update Account content, Update Account properties, Access Safe without confirmation, Manage Safe, View Audit

Answer: ([SHOW ANSWER](#))

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumps.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

For Digital Vault Cluster in a high availability configuration, how does the cluster determine if a node is down?

- A. The Digital Vault Cluster does not detect a node failure.
- B. The heartbeat s no longer detected on the private network.
- C. An alert is generated in the Windows Event log.
- D. The shared storage array is offline.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Match each key to its recommended storage location.

Recovery Private Key	Drag answer here	Store on the Vault Server Disk Drive
Recovery Public Key	Drag answer here	Store in a Hardware Security Module
Server Key	Drag answer here	Store in a Physical Safe
SSH Keys	Drag answer here	Store in the Vault

Answer:



NEW QUESTION: 19

You have been asked to secure a set of shared accounts in CyberArk whose passwords will need to be used by end users. The account owner wants to be able to track who was using an account at any given moment.

Which security configuration should you recommend?

- A. Configure one-time passwords for the appropriate platform in Master Policy.
- B. Configure object level access control on the appropriate safe.
- C. Configure shared account mode on the appropriate safe.
- D. Configure both one-time passwords and exclusive access for the appropriate platform in Master Policy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Time of day or day of week restrictions on when password reconciliations can occur are configured in the _____.

- A. Safe settings
- B. platform settings
- C. account details
- D. Master Policy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

PTA can automatically suspend sessions if suspicious activities are detected in a privileged session, but only if the session is made via the CyberArk PSM.

- A. True
- B. False, the PTA can suspend sessions whether the session is made via the PSM or not

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

Accounts Discovery allows secure connections to domain controllers.

- A. TRUE

B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Platform settings are applied to _____.

- A. The entire vault.
- B. Individual Accounts
- C. Network Areas
- D. Safes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which user is automatically added to all Safes and cannot be removed?

- A. Administrator
- B. Auditor
- C. Master
- D. Operator

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which usage can be added as a service account platform?

- A. IIS Application Pools
- B. Kerberos Tokens
- C. PowerShell Libraries
- D. Loosely Connected Devices


Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Match each PTA alert category with the PTA sensors that collect the data for it.

unmanaged privileged account		Vault
anomalous access to multiple machines	Drag answer here	Logs, Vault, AWS (optional), Azure (optional)
suspicious activities detected in a privileged session	Drag answer here	Logs, Vault, AD (optional), AWS (optional), Azure (optional)
suspected credentials theft	Drag answer here	Network Sensor, PTA Windows Agent

Answer:

unmanaged privileged account	Logs, Vault, AWS (optional), Azure (optional)	Vault
anomalous access to multiple machines	Network Sensor, PTA Windows Agent	Logs, Vault, AWS (optional), Azure (optional)
suspicious activities detected in a privileged session	Vault	Logs, Vault, AD (optional), AWS (optional), Azure (optional)
suspected credentials theft	 The Identity Security Company	Network Sensor, PTA Windows Agent

NEW QUESTION: 27

You are helping a customer prepare a Windows server for PSM installation. What is required for a successful installation?

- A. Remote Desktop services (RDS) Session Host Roles
- B. Remote Desktop services (RDS) Session Broker
- C. Windows 2016 KB4558843
- D. Window 2012 KB4558843

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

What is the purpose of the password change process?

- A. To test that CyberArk is storing accurate credentials for accounts
- B. To change the password of an account according to organizationally defined password rules
- C. To allow CyberArk to manage unknown or lost credentials
- D. To generate a new complex password

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which is the purpose of the allowed Safes parameter in a Central Policy Manager (CPM) policy? (Choose two.)

- A. To prevent accidental use of a policy in the wrong Safe
- B. To improve performance by reducing CPM workload
- C. To allow users to access only the passwords they should be able to access
- D. To enforce Least Privilege in CyberArk

Answer: (SHOW ANSWER)

NEW QUESTION: 30

What is the purpose of the CyberArk Event Notification Engine service?

- A. It sends email messages from the Vault
- B. It makes Vault data available to components
- C. It processes audit report messages
- D. It sends email messages from the Central Policy Manager (CPM)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

In a Distributed Vaults environment, which of the following components will NOT be communicating with the Satellite Vaults?

- A. AAM Credential Provider (previously known as AIM Credential Provider)
- B. Central Policy Manager
- C. ExportVaultData utility
- D. PAReplicate utility

Answer: ([SHOW ANSWER](#))

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumps.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

After installing the first PSM server and before installing additional PSM servers you must ensure the user performing the installation is not a direct owner of which safe?

- A. PSMRecordmgsSessionAccounts Safe
- B. PSMUnmanagedApphcationAccounts Safe
- C. PSMSessionBackupAccounts Safe
- D. PSMUnmanagedSessionAccounts Safe

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is the purpose of the password verify process?

- A. To allow CyberArk to manage unknown or lost credentials.
- B. To change the password of an account according to organizationally defined password rules.
- C. To generate a new complex password.
- D. To test that CyberArk is storing accurate credentials for accounts.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 34

The Accounts Feed contains:

- A. Accounts that were discovered by CyberArk in the last 30 days

- B. All accounts added to the vault in the last 30 days
- C. Accounts that were discovered by CyberArk that have not yet been onboarded
- D. All users added to CyberArk in the last 30 days

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

Customers who have the 'Access Safe without confirmation' safe permission on a safe where accounts are configured for Dual control, still need to request approval to use the account.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which permissions are needed for the Active Directory user required by the Windows Discovery process?

- A. Read/Write
- B. Read
- C. LDAP Admin
- D. Domain Admin

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

In addition to bit rate and estimated total duration of recordings per day, what is needed to determine the amount of storage required for PSM recordings?

- A. Number of users
- B. Number of targets
- C. Retention period
- D. Number of PSMs

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

When a DR Vault Server becomes an active vault, it will automatically fail back to the original state once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. True, if the AllowFailback setting is set to "yes" in the dbparm.ini file.
- C. False, this is not possible.
- D. True, if the AllowFailback setting is set to "yes" in the padr.ini file.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Secure Connect provides the following. Choose all that apply.

- A. PSM connections from a terminal without the need to login to the PVWA
- B. PSM connections to target devices that are not managed by CyberArk.
- C. Real-time live session monitoring.
- D. Session Recording

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which file is used to integrate the Vault with the RADIUS server?

- A. radius.ini
- B. ENConf.ini
- C. PARagent.ini
- D. dbparm.ini

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

Users who have the 'Access Safe without confirmation' safe permission on a safe where accounts are configured for Dual control, still need to request approval to use the account.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which component must be installed on the Vault if Distributed Vaults is used with PSM?

- A. RabbitMQ
- B. Distributed Vault Server
- C. Disaster Recovery
- D. Remote Control Client

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which values are acceptable in the address field of an Account?

- A. It must be a Fully Qualified Domain Name (FQDN)
- B. It must be NetBIOS name
- C. It must be an IP address
- D. Any name that is resolvable on the Central Policy Manager (CPM) server is acceptable

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

PSM for Windows (previously known as RDP Proxy) supports connections to the which of the following target systems?

- A. All of the above

- B. Unix
- C. Windows
- D. Oracle

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

Target account platforms can be restricted to accounts that are stored in specific Safes using the Allowed Safes property.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

The Vault needs to send Simple Network Management Protocol (SNMP) traps to the SNMP solution.

Which file is used to configure the IP address of the SNMP server?

- A. PARagent.ini
- B. snmp.ini
- C. dbparm.ini
- D. ENEConf.ini

Answer: A ([LEAVE A REPLY](#))

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumpsPASS.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

In a Simple Network Management Protocol (SNMP) integration it is recommended to use the Fully Qualified Domain Name (FQDN) when specifying the SNMP server address(es).

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

In a rule using "Privileged Session Analysis and Response" in PTA, which session options are available to configure as responses to activities?

- A. Suspend, Terminate
- B. Suspend, Terminate, None
- C. Suspend, Terminate, Lock Account
- D. Pause, Terminate, None

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

Your customer has five main data centers with one PVWA in each center under different URLs. How can you make this setup fault tolerant?

- A. Continuously monitor PVWA status and send users the link to another PVWA if issues are encountered
- B. Load balance all PVWAs under same url
- C. Install more PVWAs in each data center
- D. This setup is already fault tolerant

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

As long as you are a member of the Vault Admins group you can grant any permission on any safe.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

Being in Vault admins group only give you access to safes which are created during installation (safe created in installation process) -This is clearly mentioned in documents .

NEW QUESTION: 51

What is the purpose of EVD?

- A. To extract audit data from the vault.
- B. To allow editing of vault metadata.
- C. To create a backup of the MySQL database.
- D. To extract vault metadata into an open database platform.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

When a DR Vault Server becomes an active vault, it will automatically revert back to DR mode once the Primary Vault comes back online.

- A. True, if the AllowFailback setting is set to "yes" in the padr.ini file
- B. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the dbparm.ini file

- C. True; this is the default behavior
- D. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the padr.ini file

Answer: D (LEAVE A REPLY)

NEW QUESTION: 53

An auditor initiates a live monitoring session to PSM server to view an ongoing live session. When the auditor's machine makes an RDP connection the PSM server, which user will be used?

- A. Credentials stored in the Vault for the target machine
- B. PSMAdminConnect
- C. PSMConnect
- D. Shadowuser

Answer: B (LEAVE A REPLY)

NEW QUESTION: 54

When working with the CyberArk High Availability Cluster, which services are running on the passive node?

- A. Cluster Vault Manager and PrivateArk Database
- B. Cluster Vault Manager and Remote Control Agent
- C. Cluster Vault Manager
- D. Cluster Vault Manager, PrivateArk Database and Remote Control Agent

Answer: C (LEAVE A REPLY)

NEW QUESTION: 55

Match the Status of Service on a DR Vault to what is displayed when it is operating normally in Replication mode.

Cyber-Ark Hardened Windows Firewall	Drag answer here	Running
PrivateArk Database	Drag answer here	Stopped
PrivateArk Server	Drag answer here	
CyberArk Vault Disaster Recovery	Drag answer here	
Cyber-Ark Event Audit Engine 	Drag answer here	

Answer:



NEW QUESTION: 56

Which user(s) can access all passwords in the Vault?

- A. Master
- B. Any member of Vault administrators
- C. Administrator
- D. Any member of auditors

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

An auditor needs to login to the PSM in order to live monitor an active session. Which user ID is used to establish the RDP connection to the PSM server?

- A. PSMGwUser
- B. PSMConnect
- C. PSMAdminConnect
- D. PSMMaster

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 58

What are the basic network requirements to deploy a CPM server?

- A. All ports to the vault
- B. Port UDP/1858 to vault and all required ports to the targets and port 389 to the PSM.
- C. Port 1858 only
- D. Port 1858 to Vault and port 443 to PVWA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

What is the easiest way to duplicate an existing platform?

- A. from the PVWA, navigate to the platforms page, select the existing platform that is similar to the new target account platform and click Duplicate, name the new platform.

- B.** From the PVWA, navigate to the platforms page, select existing platform that is similar to the new target account platform, manually update the platform settings and click "Save as" instead of save to duplicate and rename the platform.
- C.** From PrivateArk, copy/paste the appropriate Policy.ini file: then rename it.
- D.** From PrivateArk, cop/paste the appropriate setting in the PVConfiguration.xml then update the policName variable.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 60

Which of the following logs contains information about errors related to PTA?

- A.** ITAlog.log
- B.** WebApplication.log
- C.** pm_error.log
- D.** diamond.log

Answer: (SHOW ANSWER)

NEW QUESTION: 61

Which Cyber Ark components or products can be used to discover Windows Services or Scheduled Tasks that use privileged accounts? Select all that apply.

- A.** On Demand Privileges Manager (OPM)
- B.** Discovery and Audit (DMA)
- C.** Accounts Discovery
- D.** Auto Detection (AD)
- E.** Export Vault Data (EVD)

Answer: B,C,D (LEAVE A REPLY)

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumpsPass.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

You received a notification from one of your CyberArk auditors that they are missing Vault level audit permissions. You confirmed that all auditors are missing the Audit Users Vault permission. Where do you update this permission for all auditors?

- A.** PVWA User Provisioning > LDAP integration > Vault Auditors Mapping > Vault Authorizations

B. PVWA > Administration > Configuration Options > LDAP integration > Vault Auditors Mapping > Vault Authorizations

C. Private Ark Client > Tools > Administrative Tools > Directory Mapping > Vault Authorizations

D. Private Ark Client > Tools > Administrative Tools > Users and Groups > Auditors > Authorizations tab

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

You are onboarding an account that is not supported out of the box.

What should you do first to obtain a platform to import?

A. Visit the CyberArk marketplace and search for a platform that meets your needs.

B. Create a service ticket in the customer portal explaining the requirements of the custom platform.

C. From the platforms page, uncheck the "Hide non-supported platforms" checkbox and see if a platform meeting your needs appears.

D. Search common community portals like stackoverflow, reddit, github for an existing platform.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

Access control to passwords is implemented by _____.

A. Master Policy

B. Vault authorizations

C. Safe authorizations

D. platform settings

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

When managing SSH keys, the Central Policy Manager (CPM) stores the private key _____.

A. on the target server

B. in the Vault and on the target server

C. nowhere because the private key can always be generated from the public key

D. in the Vault

Answer: (SHOW ANSWER)

NEW QUESTION: 66

Which one the following reports is NOT generated by using the PVWA?

A. Application Inventory

B. Sales List

C. Convince Status

D. Accounts Inventory

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which SMTP address can be set on the Notification Settings page to re-invoke the ENE setup wizard after the initial Vault installation.

- A. 1.1.1.1
- B. 192.168.1.1
- C. 8.8.8.8
- D. 255.255.255.255

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68


Arrange the steps to restore a Vault using PARestore for a Backup in the correct sequence.

Unordered Options	Ordered Response
BackupFilesDeletion=No	
CAVaultManager RestoreDB	
BackupFilesDeletion=Yes,24,1,5,7d	
CAVaultManager RecoverBackupFiles	
PARestore vault.ini operator /FullVaultRestore	



Answer:

Unordered Options	Ordered Response
BackupFilesDeletion=No	CAVaultManager RecoverBackupFiles
CAVaultManager RestoreDB	CAVaultManager RestoreDB
BackupFilesDeletion=Yes,24,1,5,7d	BackupFilesDeletion=Yes,24,1,5,7d
CAVaultManager RecoverBackupFiles	PARestore vault.ini operator /FullVaultRestore
PARestore vault.ini operator /FullVaultRestore	BackupFilesDeletion=No



NEW QUESTION: 69

A user with administrative privileges to the vault can only grant other users privileges that he himself has.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

A Reconcile Account can be specified in the Master Policy.

A. FALSE

B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

PSM for SSH (previously known as PSM-SSH Proxy) supports connections to which of the following target systems?

A. Windows

B. All of the above

C. Unix

D. Oracle

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

What is the purpose of the PrivateArk Database service?

A. Sends email alerts from the Vault

B. Executes password changes

C. Communicates with components

D. Maintains Vault metadata

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

A Logon Account can be specified in the Master Policy.

A. FALSE

B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

You are logging into CyberArk as the Master user to recover an orphaned safe.

Which items are required to log in as Master?

A. Master CD, Master Password, console access to the PVWA server, Recover.exe

B. Operator CD, Master Password, console access to the PVWA server, PVWA access

C. Operator CD, Master Password, console access to the Vault server, Recover.exe

D. Master CD, Master Password, console access to the Vault server, Private Ark Client

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 75

A user is receiving the error message "ITATS006E Station is suspended for User jsmith" when attempting to sign into the Password Vault Web Access (PVWA).

Which utility would a Vault administrator use to correct this problem?

- A. PrivateArk
- B. createcredfile.exe
- C. cavaultmanager.exe
- D. PVWA

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

What is a prerequisite step before CyberArk can be configured to support RADIUS authentication?

- A. In the RADIUS server define the CyberArk Vault as a RADIUS client/agent
- B. In the Vault installation folder, run CAVaultManager as administrator with the SecureSecretFiles command
- C. Navigate to /Server/Conf and open DBParm mi and set the RadiusServersInfo parameter
- D. Log on to the PrivateArk Client display the User properties to the user to configure, run the Authentication method dropdown list and select Radius authentication.

Answer: ([SHOW ANSWER](#))

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumpsPASS.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

You need to move a platform from using PMTerminal to using Terminal Plugin Controller (TPC) What must you do?

- A. It is not possible to change a platform from using PMTerminal to using TPC You must locate a new version of the platform that supports TPC and import the new platform over-writing the existing platform
- B. Open the process file of the platform you wish to configure to use TPC Add the following parameter under the States section; "use TPC=yes"
- C. Within PVWA

Click Administration > Platform Management
Select the platform and then click Edit.

In the left pane, click Automatic Password Management > CPM Plug-in
Set the ExeName parameter value to CyberArk TPC exe

D. Using PrivateArk, select the PasswordManager_Shared safe, and then select open Locate the mi file relating to the platform you wish to change and double click At the bottom of the file, insert a line "UseTPC = True" Remove any lines that reference "PMTerminal" and save Return the mi file to the safe Restart CPM for this change to take effect

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

Ad-Hoc Access (formerly Secure Connect) provides the following features. Choose all that apply.

- A. Real-time live session monitoring.
- B. PSM connections to target devices that are not managed by CyberArk.
- C. Session Recording.
- D. PSM connections from a terminal without the need to login to the PVWA.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which option in the PrivateArk client is used to update users' Vault group memberships?

- A. Update > Authorizations tab
- B. Update > Member Of tab
- C. Update > Group tab
- D. Update > General tab

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Arrange the steps to install the Password Vault Web Access (PVWA) in the correct sequence

Unordered Options

Ordered Response

Run the PVWAInstallation.sp1 script in PowerShell as Administrator.

Run the PVWA_Prerequisites.ps1 script in Powershell as Administrator.

Run the PVWARegisterComponent.ps1 script with the Vault password.

**CYBERARK**
The Identity Security Company




exam-tests.com

Answer:

The screenshot displays a drag-and-drop interface with two columns: "Unordered Options" and "Ordered Response".

Unordered Options:

- Run the PVWAInstallation.sp1 script in PowerShell as Administrator.
- Run the PVWA_Prerequisites.ps1 script in Powershell as Administrator.
- Run the PVWARegisterComponent.ps1 script with the Vault password.

Ordered Response:

- Run the PVWA_Prerequisites.ps1 script in Powershell as Administrator.
- Run the PVWAInstallation.sp1 script in PowerShell as Administrator.
- Run the PVWARegisterComponent.ps1 script with the Vault password.

The interface includes a watermark "exam-test.com" and the CYBERARK logo with the text "The Identity Security Company" at the bottom.

NEW QUESTION: 81

A user has successfully conducted a short PSM session and logged off. However, the user cannot access the Monitoring tab to view the recordings.

What is the issue?

- A. The user is not a member of the Auditors group
- B. The user is not a member of the PVWAMonitor group
- C. The user must login as PSMAdminConnect
- D. The PSM service is not running

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

If the AccountUploader Utility is used to create accounts with SSH keys, which parameter do you use to set the full or relative path of the SSH private key file that will be attached to the account?

- A. Address
- B. ObjectName
- C. KeyPath
- D. KeyFile

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 83

What is mandatory for a PVWA installation?

- A. A vault Administrator user must be used to register the PVWA

- B. Data Execution Prevention must be disabled.
- C. A DNS entry for PVWA url must be created.
- D. A company signed TLS certificate must be imported into the server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

Vault admins must manually add the auditors group to newly created safes so auditors will have sufficient access to run reports.

- A. FALSE
- B. TRUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

By default, members of which built-in groups will be able to view and configure Automatic Remediation and Session Analysis and Response in the PVWA?

- A. Security Admins
- B. Vault Admins
- C. Auditors
- D. Security Operators

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

Which statement is correct concerning accounts that are discovered, but cannot be added to the Vault by an automated onboarding rule?

- A. They must be uploaded using third party tools.
- B. They are not part of the Discovery Process.
- C. They are added to the Pending Accounts list and can be reviewed and manually uploaded.
- D. They cannot be onboarded to the Password Vault.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

When on-boarding account using Accounts Feed, Which of the following is true?

- A. You can specify the name of a new Platform that will be created and associated with the account
- B. You can specify the name of a new safe that will be created where the account will be stored when it is on-boarded to the Vault.
- C. You must specify an existing Safe where account will be stored when it is on boarded to the Vault
- D. Any account that is on boarded can be automatically reconciled regardless of the platform it is associated with.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

Match each key to its recommended storage location.

The screenshot shows a CyberArk interface with four rows of keys on the left and four storage locations on the right. The keys are: Recovery Private Key, Recovery Public Key, Server Key, and SSH Keys. The storage locations are: Store on the Vault Server Disk Drive, Store in a Hardware Security Module, Store in a Physical Safe, and Store in the Vault. The interface includes a 'Drag answer here' button for each key and a 'Store on the Vault Server Disk Drive' button for the first storage location.

Answer:

The answer shows the keys matched to their storage locations. The Recovery Private Key is stored on the Vault Server Disk Drive. The Recovery Public Key is stored in a Hardware Security Module. The Server Key is stored in a Physical Safe. The SSH Keys are stored in the Vault. The interface includes a 'Store on the Vault Server Disk Drive' button for the first storage location.

NEW QUESTION: 89

The DR module allows an integration with enterprise backup software.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 90

A Vault Administrator team member can log in to CyberArk, but for some reason, is not given Vault Admin rights.

Where can you check to verify that the Vault Admins directory mapping points to the correct AD group?

- A. PVWA > Administration > LDAP Integration > Mappings
- B. PVWA > User Provisioning > LDAP Integration > Map Name
- C. PVWA > Administration > LDAP Integration > AD Groups
- D. PVWA > User Provisioning > LDAP Integration > Mapping Criteria

Answer: (SHOW ANSWER)

NEW QUESTION: 91

Which of the following Privileged Session Management solutions provide a detailed audit log of session activities?

- A. PSM for SSH (previously known as PSM SSH Proxy)
- B. All of the above
- C. PSM (i.e., launching connections by clicking on the "Connect" button in the PVWA)
- D. PSM for Windows (previously known as RDP Proxy)

Answer: ([SHOW ANSWER](#))

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumpsPASS.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

You have been asked to configure SNMP remote monitoring for your organization's Vault servers. In the PARAgent.ini, which parameter specifies the destination of the Vault SNMP Traps?

- A. SNMP Version
- B. SNMPCommunity
- C. SNMPHostIP
- D. SNMPTrapPort

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 93

When managing SSH keys, the CPM stores the Public Key

- A. In the Vault
- B. On the target server
- C. Nowhere because the public key can always be generated from the private key.
- D. A & B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

You need to enable the PSM for all platforms. Where do you perform this task?

- A. Master Policy > Privileged Access Workflows
- B. Platform Management > (Platform) > UI & Workflows
- C. Master Policy > Session Management
- D. Administration > Options > Connection Components

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

tsparm.ini is the main configuration file for the Vault.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

Match each permission to where it can be found.

Add Accounts	Drag answer here	Vault
Initiate CPM account management operations	Drag answer here	Safe
Add/Update Users	Drag answer here	
Add Safes	Drag answer here	

Answer:

Add Accounts	Safe	Vault
Initiate CPM account management operations	Safe	Safe
Add/Update Users	Vault	
Add Safes		

NEW QUESTION: 97

What is the default username for the PSM for SSH maintenance user?

- A. psmjnamtenance
- B. psmma/ntenanceuser
- C. psmmnguser
- D. proxymng

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which of the following files must be created or configured in order to run Password Upload Utility? Select all that apply.

- A. A comma delimited upload file
- B. Vault.ini

- C. PACli.ini
- D. conf.ini

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 99

When using multiple Central Policy Managers (CPM), which one of the following Safes is shared by all CPMs?

- A. PasswordManager_workspace
- B. PasswordManager_ADIntemal
- C. PasswordManager
- D. PasswordManager_Pending

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 100

Where does the Vault administrator configure in Password Vault Web Access (PVWA) the Fully Qualified Domain Name (FQDN) of the domain controller during LDAP/S integration?

- A. PVWA > Administration > Options > LDAP Integration
- B. PVWA > Administration > LDAP Integration
- C. PVWA > Platform Management > LDAP Integration
- D. PVWA > LDAP Integration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

Match the log file name with the CyberArk Component that generates the log.

ITALog		PTA
pm.log		Vault
diamond.log		CPM
CyberArk.WebApplication.log		PVWA

Answer:



NEW QUESTION: 102

SAFE Authorizations may be granted to _____.

Select all that apply.

- A. LDAP Users
- B. LDAP Groups
- C. Vault Users
- D. Vault Group

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 103

Which onboarding method would you use to integrate CyberArk with your accounts provisioning process?

- A. Onboarding RestAPI functions
- B. Accounts Discovery
- C. PTA Rules
- D. Auto Detection

Answer: D (LEAVE A REPLY)

NEW QUESTION: 104

What is the purpose of the CyberArk Event Notification Engine service?

- A. It sends email messages from the Vault.
- B. It makes Vault data available to components.
- C. It sends email messages from the Central Policy Manager (CPM).
- D. It processes audit report messages.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 105

Which built-in report from the reports page in PVWA displays the number of days until a password is due to expire?

- A. Activity Log
- B. Privileged Accounts CPM Status

- C. Privileged Accounts Compliance Status
- D. Privileged Accounts Inventory

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 106

Which of the following PTA detections require the deployment of a Network Sensor or installing the PTA Agent on the domain controller?

- A. Over-Pass-The-Hash
- B. Suspected credential theft
- C. Golden Ticket
- D. Unmanaged privileged access

Answer: ([SHOW ANSWER](#))

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumpsPass.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

Which report shows the accounts that are accessible to each user?

- A. Privileged Accounts Compliance Status report
- B. Activity report
- C. Entitlement report
- D. Applications Inventory report

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 108

What is the name of the Platform parameters that controls how long a password will stay valid when One Time Passwords are enabled via the Master Policy?

- A. Min Validity Period
- B. Interval
- C. Immediate Interval
- D. Timeout

Answer: A ([LEAVE A REPLY](#))

Min Validity Period -The number of minutes to wait from the last retrieval of the password until it is replaced. This gives the user a minimum period to be able to use the password before it is

replaced. Use -1 to ignore this property. This parameter is also used to release exclusive accounts automatically Interval -" The number of minutes that the Central Policy Manager waits between running periodic searches for the platform. Note: It is recommended to leave the default value of 1440. If a change/verify policy has been configured, the Central Policy Manager will automatically align the periodic searches with the start of the defined timeframes."

Valid PAM-CDE-RECERT Dumps shared by BraindumpsPass.com for Helping Passing PAM-CDE-RECERT Exam! BraindumpsPass.com now offer the **newest PAM-CDE-RECERT exam dumps**, the BraindumpsPass.com PAM-CDE-RECERT exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PAM-CDE-RECERT dumps with Test Engine here: <https://www.braindumpsPass.com/CyberArk/PAM-CDE-RECERT-practice-exam-dumps.html> (223 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)