

EMC.D-DP-DS-23.v2025-03-27.q59

Exam Code:	D-DP-DS-23
Exam Name:	Dell Data Protection Design 2023 Exam
Certification Provider:	EMC
Free Question Number:	59
Version:	v2025-03-27
# of views:	763
# of Questions views:	590
https://www.exam-tests.com/D-DP-DS-23-exam/EMC.D-DP-DS-23.v2025-03-27.q59.html	

NEW QUESTION: 1

Which Dell EMC PowerProtect DD feature can be used with NetWorker to prevent deletion of backup data?

Response:

- A. Snapshots
- B. Encryption over the wire
- C. Retention Lock Compliance Edition
- D. Fast copy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

You are meeting with a customer to provide a data protection solution for their MS SQL servers using Dell EMC NetWorker. The customer has indicated they need granular level recovery. Which feature provides this capability?

Response:

- A. NMDA
- B. FLR Agent
- C. NSM
- D. ItemPoint

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

A company wants you to implement their new PowerProtect Cyber Recovery Solution now that the Advisory Phase is complete. Which step is performed during the Implementation Phase of a PowerProtect Cyber Recovery Solution?

Response:

- A. Provide program management services for the implementation

- B. Build the solution architecture and high-level design
- C. Design the application dependencies
- D. Develop an implementation plan and timeline, including a validation test design

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

A customer is using Dell EMC RecoverPoint for VMs with a four vNIC configuration. Which vRPA network component communicates with VMkernel ports in IP Communication mode?

Response:

- A. Management vNIC
- B. LAN vNIC
- C. Data vNIC
- D. WAN vNIC

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

A customer has decided to connect their IDPA Top-of-Rack (ToR) switch using the 40 GbE QSFP + uplinks. If the customer core or distribution switch is a Cisco switch, how should the QSFP+ and cables be ordered?

Response:

- A. QSFP+ for IDPA ToR switch through Dell EMC QSFP+ for customer switch through customer vendor MTP crossover cables through Dell EMC or customer provided
- B. 40 GbE-to-40 GbE uplink cables with QSFP+ optics attached through Dell EMC
- C. QSFP+ and Twinax uplink cables through Dell EMC
- D. QSFP+ for IDPA ToR switch through Dell EMC QSFP+ for customer switch through Dell EMC MTP crossover cables through customer vendor or Dell EMC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

A customer is planning to deploy a Dell EMC Data Domain appliance. They want to provide users with the ability to copy files and data on their desktops or laptops to a mapped CIFS share created on the Data Domain. In addition, they want to replicate the share to another Data Domain Virtual Edition, either on-premises or in their public cloud.

Which recommended solution meets the customer's requirements?

Response:


- A. Deploy Data Domain hardware on-premises Configure MTree replication to Data Domain in the public cloud
- B. Deploy Data Domain hardware on-premises Configure Directory replication to Data Domain in the public cloud
- C. Deploy Data Domain Virtual Edition in the public cloud Configure MTree replication to Data Domain hardware on-premises

D. Deploy Data Domain Virtual Edition in the public cloud Configure Directory replication to Data Domain hardware on-premises

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

A customer, using a Dell EMC Isolated Recovery Solution, needs to perform a high speed restore of the vault copy shown in the graphic.



Which VLAN is used for this activity?

Response:

- A. VLAN D
- B. VLAN C
- C. VLAN B
- D. VLAN E

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

A company is implementing a Dell EMC RecoverPoint solution for several key applications. All application have strict RPO requirements. Which design factor will affect the RPO of each Consistency Group?

Response:

- A. Size of the Protection volume
- B. Production Journal performance
- C. Responsibility volume location
- D. Copy journal performance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which product allows a customer to perform centralized management of multiple Dell EMC Data Domain systems?

Response:

- A. Data Protection Advisor
- B. Data Domain Management Center
- C. Backup and Recovery Manager
- D. Data Domain System Manager

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

A company plans to integrate a Dell EMC IDPA DP4400 with two 4 port network cards in a Cisco infrastructure. Which connection type is supported for backup management?

Response:

- A. 10 GbE SFP+ optical with LC-LC
- B. 10base with Rj45 cat6
- C. Copper Twinax up to 7m
- D. 10 Gbe with SEP+optics attached

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

What is a key benefit associated with a Dell EMC DPS Hypervisor Direct solution?

Response:

- A. Eliminates the need for a backup server
- B. Eliminates the need for Application Direct backups
- C. Works with any hypervisor solution
- D. Automatically manages the VMware snapshots to perform backups

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

You have been asked to conduct a review of a customer's current Dell EMC NetWorker backup infrastructure. They are looking for configuration, capacity, and performance information. Which tool should be used?

Response:

- A. Workbench FSA Scan
- B. Dell EMC Backup System Sizer
- C. Live Optics
- D. Workbench GAP Analysis

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

In a Dell EMC RecoverPoint for VMs environment, what is the minimum vRPA configuration that supports compression and deduplication?

Response:

- A. 2 vCPUs and 4 GB RAM
- B. 4 vCPUs and 8 GB RAM
- C. 2 vCPUs and 8 GB RAM
- D. 8 vCPUs and 8 GB RAM

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

How can the maximum capacity of 96 TB in the Dell EMC IDPA DP4400 fully utilized?

Response:

- A. Add additional capacity licenses with no additional hardware to purchase
- B. Add disk packs of 12 TB and capacity licenses needed to be ordered
- C. Set up full capacity during the deployment with IDPA System Manager
- D. Configure capacity with ACM; additional capacity is detected after disks are inserted

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

You are planning a Dell EMC RecoverPoint solution for a company that has purchased four RPAs for their RecoverPoint cluster. What information is needed to determine that the Consistency Groups are evenly balanced across the cluster RPAs?

Response:

- A. Available bandwidth for the RPAs, WAN interfaces
- B. Performance of the Copy Journal volumes for each Consistency Group
- C. Number of Consistency Groups that will be created
- D. Change rate of the Production volumes in each Consistency Group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

In a Dell EMC RecoverPoint environment, how is the Copy Journal size determined when a Consistency Group's remote copy is hosted on an XtremIO array?

Response:

- A. Journals for XtremIO volumes are always set to the minimum size allowed
- B. Measures the total change rate for the RPAs connected to the XtremIO
- C. Measures the change rate of the Consistency Group's Production Volumes
- D. Adds the space used by the existing XtremIO snapshots

Answer: A ([LEAVE A REPLY](#))

Valid D-DP-DS-23 Dumps shared by BraindumpsPass.com for Helping Passing D-DP-DS-23 Exam! BraindumpsPass.com now offer the **newest D-DP-DS-23 exam dumps**, the BraindumpsPass.com D-DP-DS-23 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com D-DP-DS-23 dumps with Test Engine here: <https://www.braindumps.com/EMC/D-DP-DS-23-practice-exam-dumps.html> (168 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

To achieve the required RPO/RTO, a customer must minimize the time the Air gap is open for replication when using a Cyber Recovery Vault. What design change can accomplish this requirement?

Response:

- A. Use a VPN for replication traffic.
- B. Add additional CR management servers.
- C. Use additional interfaces for replication.
- D. Schedule CR policies not to overlap.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

You are designing a Dell EMC RecoverPoint solution where four Gen6 RPAs are required to perform replication. Based on best practice, how many FC ports must be planned for in the RecoverPoint configuration?

Response:

- A. 16
- B. 8
- C. 20 if WAN uses FC
- D. 12 if WAN uses FC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

A customer has a Dell EMC Data Domain system with a n action tier of 864 TB configured for Cloud Tier with two cloud units. What is the maximum storage capacity of each cloud unit?

Response:

- A. 1.7 PB
- B. 1.3 PB
- C. 432 TB
- D. 864 TB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

A company wants to perform backups of user desktops and laptops. In addition, they want the flexibility to have some users select the data to backup but restrict other users. Which Dell EMC solution meets these requirements?

Response:

- A. NetWorker with PowerProtect DD
- B. PowerProtect DD using CIFS or NFS
- C. NetWorker with AFT devices
- D. Avamar DTLT with PowerProtect DD

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

A customer has Dell EMC Avamar, Data Domain, and Avamar with Data Domain systems. They recently added an Integrated Data Protection Appliance (IDPA) into the environment. They are now looking for a way to consolidate their management and backup windows.

In addition, the customer is interested in a more unified search for backups, analytics, and reporting. What should be recommended to the customer?

Response:

- A. Use standalone Dell EMC DPC, DPA, and Search for the Avamar and Data Domain systems
- B. Integrate the IDPA and all Avamar and Data Domain systems under a standalone Dell EMC DPC, DPA, and Search environment
- C. Add the Avamar and Data Domain systems to the IDPA,s system management, search, and reporting functionality
- D. Implement a third-party application for management with Google-like backup searches and reporting

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

A customer received an alert that their Dell EMC PowerProtect DD appliance has reached 90% capacity. With the weekly increase of new data, they will reach 100% capacity in four weeks.

What is the recommended course of action to avoid disruption of scheduled backup activities?

Response:

- A. Increase the file system cleaning frequency.
- B. Expand the capacity of the PowerProtect DD appliance.
- C. Decrease the retention of the backups.
- D. Remove the oldest backup cycles.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

A company plans to use Dell EMC NetWorker to back up their VMware environment using vProxy technology. Based on best practice, what is the recommended Transport mode?

Response:

- A. nbd
- B. nbdssl
- C. SAN
- D. hotadd

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

As shown in the graphic, you have designed a Dell EMC Isolated Recovery Solution for a customer.

Which component includes an Avamar?

Response:

- A. Backup Application Host
- B. Data Domain
- C. Infrastructure Services Host
- D. Management Host

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

A customer has finished evaluating multiple Dell EMC NetWorker servers and wants to activate the software. In addition, they want to centralize the NetWorker licenses. Which information is required?

Response:

- A. Sales order number and hostname of the NetWorker server
- B. Sales order number and hostname of the license server
- C. LAC number, IP address, and hostname of the license server
- D. LAC number, IP address, and hostname of the NetWorker server

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

A customer is performing backups of their desktop/laptop clients to a Dell EMC Avamar server. They plan to add a secure Oracle database server as a new backup client.

However, they are concerned about the security of the database data since no data is being encrypted when it is stored on the Avamar server. What is a consideration when enabling encryption at rest?

Response:

- A. Amount of storage capacity will be reduced
- B. Desktop/laptop backups will become inaccessible
- C. Only new clients will have encrypted data
- D. Only database data will be encrypted

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

A backup administrator needs to back up a file server at a remote location by using Dell EMC Avamar Virtual Edition (AVE). The file server has approximately 2 TB of data and a change rate of 7 GB per day.

Which configuration is required to perform the backup of this remote site?

Response:

- A. 0.5 TB AVE
- B. 2.0 TB AVE
- C. 1.0 TB AVE
- D. 4.0 TB AVE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

A customer has a new NAS device that to be backed Up. The data should be written to a EMC Data Domain with networker. The Data Domain is only accessible through the network. What is the recommended way to back up the NAS through NDMP?

Response:

- A. NDMP backup over iSCSi
- B. NDMP two-way backup
- C. NDMP backup to non-NDMP devices
- D. NDMP local backup

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 29

A customer has Dell EMC Avamar, PowerProtect DD series appliance, and Avamar with PowerProtect DD series appliances. They recently added a PowerProtect DP series appliance into the environment.

They are now looking for a way to consolidate their management and backup windows. In addition, the customer is interested in a more unified search for backups, analytics, and reporting. What should be recommended to the customer?

Response:

- A. Integrate the PowerProtect DP series appliance and all Avamar systems and PowerProtect DD series appliances under an enterprise-wide Dell EMC DPC, DPA, and Search environment.
- B. Use an enterprise-wide Dell EMC DPC, DPA, and Search for the Avamar and PowerProtect DD series appliances.
- C. Implement a third-party application for management with Google-like backup searches and reporting.
- D. Add the Avamar and PowerProtect DD series appliances to the PowerProtect DP series appliance,s system management, search, and reporting functionality.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which tool can be used to size a server to fulfill analytics software requirements within a Cyber Recovery Vault?

Response:

- A. Midrange Sizer
- B. Solution Builder
- C. CyberSense Sizer
- D. BRDC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Which communication port must the outbound security group allow for the DDVE object store communication with the cloud provider over HTTPS?

Response:

- A. 9443
- B. 8543
- C. 443
- D. 22

Answer: C ([LEAVE A REPLY](#))

Valid D-DP-DS-23 Dumps shared by BraindumpsPass.com for Helping Passing D-DP-DS-23 Exam! BraindumpsPass.com now offer the **newest D-DP-DS-23 exam dumps**, the BraindumpsPass.com D-DP-DS-23 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com D-DP-DS-23 dumps with Test Engine here: <https://www.braindumps.com/EMC/D-DP-DS-23-practice-exam-dumps.html> (168 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

A customer wants to perform a data center refresh. They want to standardize their backup infrastructure by using Dell EMC NetWorker and PowerProtect DD in an integrated environment. The environment consists of:

- A primary data center with NetWorker and PowerProtect DD
- A disaster recovery (DR) data center with only PowerProtect DD

All data is backed up to NetWorker using a DD Boost device. The data is then copied to the DR data center. Data for several critical systems must be retained for seven years on tape at the DR data center. In order to configure and track backup jobs, the entire solution must be managed from a single unified interface.

Which application interface should be used?

Response:

- A. Data Protection Advisor
- B. Backup and Recovery Manager
- C. PowerProtect DD Management Center
- D. NetWorker Management Console

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which Dell EMC array allows the use of virtual RecoverPoint Appliances to protect volumes?

Response:

- A. VMAX
- B. VPLEX
- C. VMAX3
- D. Unity

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

When designing protection storage using Dell EMC DPS Storage Direct for a VMAX solution, which formula should be used to size the storage capacity?

Response:

- A. $(\text{Number of LUNs} * \text{Size}) * (\text{Copies} + 1)$
- B. $(\text{Number of LUNs} + 2 * \text{Size}) * (\text{Copies} + 2)$
- C. $(\text{Number of LUNs} + 2 * \text{Size}) * (\text{Copies} + 1)$
- D. $(\text{Number of LUNs} * \text{Size}) * (\text{Copies} + 2)$

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

You have been asked to perform an assessment of a customer's environment. The customer has given complete access to their IT staff and environment. During which stage of the assessment is it first learned about the databases, currently backup software, and growth rates in the environment?

Response:

- A. Design
- B. Assumptions versus Reality
- C. Environment Analysis
- D. Interview phase

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which protocol does Dell EMC NetWorker use to reduce the network traffic?

Response:

- A. VTL
- B. CIFS

C. NFS

D. DD Boost

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

A customer is evaluating the risks associated with their environment after implementing a Dell EMC Isolated Recovery Solution. What is the probability of an air gap bypass?

Response:

A. LOW

B. MEDIUM

C. HIGH

D. INCREASING

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

A customer is planning to implement a Dell EMC Integrated Data Protection Appliance (JDPA) solution. The customer needs 220 TB of usable capacity Among other backup types. They want to use DDBEA/DD hosts on application hosts for direct backup ability for their DBAs DD Boost backups may generate approximately 35 TB hour at times Which IDPA model should be recommended?

Response:

A. DP5300

B. DP8800

C. DP 5800

D. DP8300

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

What is a consideration when designing a network topology for PowerProtect Data Manager?

Response:

A. IP addresses from 192.168.0.192 to 192.168.0.255 are reserved for the private Docker network.

B. IP addresses from 172.24.0.192 to 172.24.0.255 are reserved for the private Docker network.


C. Configure the specific VLAN ID for network switch port for access mode.

D. Enable Virtual Guest Tagging mode on the VMware ESXi virtual network switch port.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Refer to the Exhibit.



A company wants to implement replication using Dell EMC Data Domain systems in multiple locations. They want to replicate data at their London site to and from the Madrid site. In addition, the company wants to replicate data at the London site to and from the Paris site.

How should the company's design requirements be addressed?

Response:

- A. Establish Bi-directional MTree replication between the sites
- B. Due to WAN speed limitations, replication between Madrid and London is not supported
- C. Establish Bi-directional Collection replication between the sites
- D. Establish Collection replication between the sites

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

A customer is considering a Dell EMC Isolated Recovery Solution. However, they are not certain of the investment of a vault infrastructure. They need the copies in the vault to be used by their R&D team for development.

Which recommendation should be provided to the customer?

Response:

- A. The vault can be made public for external access
- B. A second vault can be implemented with read/write access
- C. The vault contains read-only copies for security
- D. A read/write sandbox can be created for the R&D team

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which requirement allows the Dell EMC RecoverPoint for VMs vRPAs to communicate with the ESXi servers hosting the Production or Copy VMs?

Response:

- A. WAN interfaces of the vRPAs to the VMkernel ports of the ESXi servers using IP
- B. Data interfaces of the vRPAs to the management address of the vCenter Server using TCP port 8800
- C. Data interfaces of the vRPAs to the management address of the vCenter Server using TCP port 5760
- D. Data interfaces of the vRPAs to the VMkernel ports of the ESXi servers using IP

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

A customer wants to modify their current Dell EMC NetWorker backup environment. They need to reduce their backup window by redesigning the savesets. To improve the backup performance while minimizing costs, what should be recommended?

Response:

- A. Enable Client Compression
- B. Increase the number of client parallelism
- C. Enable the parallel save streams feature
- D. Add a new device and balance the client backup across the devices

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

A system architect is designing a Dell EMC RecoverPoint for a VMs solution. During the design meeting, they are asked where point-in-time copies are stored to allow failover to a previous state. What information should be provided to the customer?

Response:

- A. Older images are written to the Repository VMDK.
- B. Previous images are stored using the Copy storage.
- C. Copy vRPA memory holds each previous image.
- D. Previous images are stored in the Journal.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

A company is planning to implement a Dell EMC RecoverPoint solution for the first time. They currently have two data centers and require remote replication. You have analyzed the WAN link between the two data centers and determined it will meet all their requirements.

What other factor will impact first time initialization of all newly configured Consistency Groups?

Response:


- A. Size of the volumes being replicated
- B. Journal performance for Production

- C. Journal performance for remote copies
- D. RPO setting for each Consistency Group

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

Based on the graphic, which component in the Dell EMC Data Domain Cloud DR solution connects the On-Premises backup solution to the public cloud?



Response:

- A. Data Protection Cloud Appliance
- B. Data Domain Cloud Connect
- C. Cloud Backup Manager
- D. Cloud DR Add-on

Answer: D ([LEAVE A REPLY](#))

Valid D-DP-DS-23 Dumps shared by BraindumpsPass.com for Helping Passing D-DP-DS-23 Exam! BraindumpsPass.com now offer the **newest D-DP-DS-23 exam dumps**, the BraindumpsPass.com D-DP-DS-23 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com D-DP-DS-23 dumps with Test Engine here: <https://www.braindumpsPass.com/EMC/D-DP-DS-23-practice-exam-dumps.html> (168 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

A customer has an existing Dell EMC Avamar for metadata integration with a Data Domain DD9800 and they recently purchased an IDPA DP8800.

The current Avamar/Data Domain system has many backups that the customer needs to keep for compliance purposes. In addition, the customer wants to migrate the data over to the DP8800 so that they can restore the backups with the DP8800.

What method must be used to achieve this migration?

Response:

- A. Avamar root-to-root migration
- B. Data Domain-to-Data Domain Collection replication
- C. Avamar/Data Domain Client Migration Tool
- D. Data Domain-to-Data Domain MTree replication

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

How will Oracle database configuration files such as the control file and spfile be backed up when using Dell EMC Storage Direct Backup?

Response:

- A. Oracle RMAN Agent
- B. Manually copied through NFS
- C. Microsoft Application Agent
- D. Database Application Agent

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Which operational mode uses the virtual editions of Dell EMC Data Domain and Avamar with Data Domain Cloud DR?

Response:

- A. Standard
- B. Basic
- C. Advanced
- D. Professional

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

What are the maximum change rates supported by Dell EMC Avamar Virtual Edition 2 TB?

Response:

- A. Less than 8 GB per day for file systemsLess than 20 GB per day for mixed data (approx. 20% DB, 80% file)
- B. Less than 10 GB per day for file systemsLess than 40 GB per day for mixed data (approx. 20% DB, 80% file)
- C. Less than 10 GB per day for file systemsLess than 20 GB per day for mixed data (approx. 20% DB, 80% file)

D. Less than 8 GB per day for file systems
Less than 30 GB per day for mixed data (approx. 20% DB, 80% file)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

A company's internal IT team wants to perform backups of user desktops and laptops. In addition, they want the flexibility to have some users select the data to backup but restrict other users. Which Dell EMC solution meets the company's requirement?

Response:

- A.** Avamar DTLT with Data Domain
- B.** NetWorker with AFT devices
- C.** NetWorker with Data Domain
- D.** NetWorker with Data Domain

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

A customer wants to move to disk-based backups using Dell EMC PowerProtect DD series appliances. They have asked for a sizing recommendation. Which sizing tool can be used for the PowerProtect DD solution?


Response:

- A.** Live Optics
- B.** Power Sizer
- C.** Solution Builder
- D.** Enterprise Delivery Portal

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 53

Refer to the exhibit.



Which component in the Dell EMC Cloud DR solution connects the on-premises backup solution to the public cloud?

Response:

- A. Cloud DR Add-on
- B. PowerProtect DD Cloud Connect
- C. Cloud Backup Manager
- D. Data Protection Cloud Appliance

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which factors affect capacity utilization and achieve a system steady state on a Dell EMC Avamar server?

Response:

- A. Backup size, data change rate, and backup retention
- B. Backup size, number of backups, and backup retention
- C. Backup duration, data change rate, and backup retention
- D. Backup size, data change rate, and backup frequency

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which SAP tool can be used to backup an Oracle database to Dell Domain using Application?

Response:

- A. HANA Studio
- B. BRTools
- C. DDBEA
- D. SSMS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

A customer plans to integrate a new Dell EMC Data Domain system into their existing backup environment. Which protocols are supported over Ethernet for the backup data?

Response:

- A. NDMP, VTL, and FTP
- B. CIFS, VTL, and DD Boost
- C. CIFS, HTTP, and VTL
- D. CIFS, NFS, and DD Boost

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

By default, how much can file cache and grow relative to the Dell EMC Avamar client main memory?

Response:

- A. File cache 1/8 and hash 1/4 of client memory
- B. File cache 1/4 and hash 1/8 of client memory
- C. File cache 1/8 and hash 1/8 16 of client memory
- D. File cache 1/8 and hash 1/12 of client memory

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

In a Dell EMC Networker environment, which component uses the largest amount of storage resources?

Response:

- A. GST database
- B. Resource database
- C. Client File Index
- D. Media database

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which factor determines the size of the Journal needed for each Dell EMC RecoverPoint for VMs Consistency Group?

Response:

- A. If synchronous replication is being used
- B. Size of each VMDK in the Consistency Group's Replication set
- C. If failover is required for each copy in the Consistency Group
- D. How far back in time Production can be recovered

Answer: B ([LEAVE A REPLY](#))

Valid D-DP-DS-23 Dumps shared by BraindumpsPass.com for Helping Passing D-DP-DS-23 Exam! BraindumpsPass.com now offer the **newest D-DP-DS-23 exam dumps**, the BraindumpsPass.com D-DP-DS-23 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com D-DP-DS-23 dumps with Test Engine here: <https://www.braindumpsPass.com/EMC/D-DP-DS-23-practice-exam-dumps.html> (**168** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)