

EMC.DES-1221.v2022-09-28.q61

Exam Code:	DES-1221
Exam Name:	Specialist - Implementation Engineer, PowerStore Solutions Exam
Certification Provider:	EMC
Free Question Number:	61
Version:	v2022-09-28
# of views:	1426
# of Questions views:	610
https://www.exam-tests.com/DES-1221-exam/EMC.DES-1221.v2022-09-28.q61.html	

NEW QUESTION: 1

Use the simulator to determine how many logical ports are currently marked for replication on the PowerStore appliance.

Note: It is necessary to close (x) the simulator window before you can select a response to this question.

- A. 4
- B. 1
- C. 6
- D. 2

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

Match the CLI command to the appropriate configuration.

Answer:

NEW QUESTION: 3

When a Volume is selected for the intercluster migration, what other data services associated with the volume will also be moved with it?

- A. NAS Servers and File.systems
- B. Thin Clones and snapshots
- C. Thin Clones and File systems
- D. Replications and Volume Groups

Answer: B (LEAVE A REPLY)

NEW QUESTION: 4

Match the CLI command to the appropriate configuration.

Answer:

NEW QUESTION: 5

Refer to the Exhibit.

A Network administrator is failing to discover a PowerStore T system using the PowerStore Discovery Utility. What might be the issue?

- A. Discovery network uses only native VLAN
- B. Dedicated port needs to be used for discovery network
- C. Port 54 needs to be enabled
- D. Port 54 has not been set to trunk mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Refer to the Exhibit.

What happens to the parent resource of thin clone 3 if thin clone 2 is deleted?

- A. Snapshot 3 becomes the parent
- B. Thin clone 3 becomes parent
- C. Thin clone 1 becomes parent
- D. Thin clone 3 has an empty parent

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: <https://www.delltechnologies.com/en-us/documentation/unity-family/unity-p-config-luns/03-configuring-block-thin-clones.htm>

NEW QUESTION: 7

What does the data import session Pause operation do?

- A. Deactivates the host to PowerStore control path
- B. Stops the source to PowerStore background copy operation
- C. Stops the source to PowerStore cutover operation
- D. Deactivates the host to PowerStore data path

Answer: B ([LEAVE A REPLY](#))

Reference:

[guid=guid-a19dffc3-8def-4a50-a4ed-14650500f567&lang=en-us](https://www.delltechnologies.com/en-us/documentation/unity-family/unity-p-config-luns/03-configuring-block-thin-clones.htm)

Topic 1, Exam Part 2 - Performance-based Questions

Part 2 of this exam contains 6 performance-based questions. You will need to run the PowerStore Test Simulator to correctly answer the questions. You invoke the simulator by clicking on one of the two buttons shown below. (Some questions use the Launch Simulator button; some questions use the Start Simulator button.)

NEW QUESTION: 8

What describes the process used in the Import External Storage migration architecture?

- A. Orchestrator on PowerStore communicates over the control path to the host plugin and controls the multipathing active path to storage
- B. Plugin on PowerStore communicates over the control path to orchestrator on the host and controls the multipathing active path to storage
- C. Orchestrator on PowerStore communicates over the data path to the host plugin and controls the multipathing active path to storage
- D. Plugin on PowerStore communicates over the data path to orchestrator on the host and controls the multipathing active path to storage

Answer: D (LEAVE A REPLY)

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/importing-external-storage-to-powerstore-overview?guid=guid-6fef77c4-d4c9-49c6-8de2-efd67aa52ca5>

NEW QUESTION: 9

Which API does PowerStore use to communicate with ESXi server during vVols provisioning operation?

- A. REST
- B. SOAP
- C. VAAI
- D. VASA

Answer: D (LEAVE A REPLY)

Explanation

VASA is a VMware-defined API meant to provide a common way for VMware to integrate with storage vendors. The API is implemented using an out-of-band, Simple Object Access Protocol (SOAP) over HTTPS.

Reference: <https://volumes.blog/2020/05/06/what-is-powerstore-part-4-vvols/>

NEW QUESTION: 10

While configuring a Dell switch with PowerStore, what are the recommended license outputs from a show license status command?

- A. Type: Term-Based, Status: Active
- B. Status: Perpetual, Type: Open
- C. Type: Perpetual, Status: Active
- D. Status: Term-Based, Type: Unlimited

Answer: (SHOW ANSWER)

Explanation/Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-cfg/validate-the-top-of-rack-tor-switch-versions-and-licensing?guid=guid-40c30b91-7fb2-4a26-bac7-4ae67c07bdfb&lang=en-us>

NEW QUESTION: 11

A customer is new to PowerStore and asks if there are any differences between the A and B back-end ports. What is the correct response?

- A. "A" ports are input ports and "B" ports are output ports
- B. "A" ports are output ports and "B" ports are input ports
- C. All ports on the base enclosure are input ports
- D. All ports on the base enclosure are output ports

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

An administrator is trying to set a performance policy while creating a Thin Clone of a volume group. Why is the option to set performance policy unavailable?

- A. Volumes in the volume group are not mapped to any hosts
- B. No Volumes are added in the volume group
- C. Thin Clones cannot be created using a volume group
- D. Performance policy can only be set on a Thin Clone volume

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/remove-a-volume-from-a-volume-group?guid=guid-4b974223-26e4-40fe-a1b8-01beb210c305&lang=en-us>

NEW QUESTION: 13

Which administrator tasks are needed to increase the size of a VMFS datastore without the use of the VSI plugin, mounted to an external ESXi host?

- A. Change the volume size in PowerStore Manager and refresh the size of the datastore in vSphere
- B. Change the volume size in PowerStore Manager and restart the VASA service in vSphere
- C. Change the size of the datastore in vSphere and refresh the size of the volume in PowerStore Manager
- D. Change the size of the datastore in vSphere and restart the VAAI service in PowerStore Manager

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18116-dell-emc-powerstore-vmware-vsphere-best-practices.pdf>

NEW QUESTION: 14

An administrator received the following alert from PowerStore regarding a previously created NAS server?

Description:

The SMB server of the NAS server PowerStore_NAS_01 is configured to be joined to the domain test.mid, but is currently not joined.

Which setting should the administrator change?

- A. UDS
- B. SMB
- C. LDAP
- D. NTP

Answer: (SHOW ANSWER)

Explanation/Reference: [https://www.dell.com/support/article/en-pk/sln317202/powerstore-alerts-smb-server-alerts?](https://www.dell.com/support/article/en-pk/sln317202/powerstore-alerts-smb-server-alerts?lang=en)

lang=en

NEW QUESTION: 15

What does the remote replication Failover operation do?

- A. Fully synchronizes the source and destination data states and reverses the replication direction
- B. Fully synchronizes the source and destination data states and stops the current replication session
- C. Promotes the destination system to production with its replica data consistent to the last successful RPO synchronization state
- D. Promotes the destination system to production and resets the RPO synchronization cycle in the protection policy

Answer: D (LEAVE A REPLY)

Explanation/Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-25-dae/pwrstr-protect-data/replication?guid=guid-7641aeec-982e-4e4e-85fb-c50f525635db&lang=en-us>

NEW QUESTION: 16

What describes the remote replication Failover operation?

- A. It is run automatically by the replication destination system in the event of a source system outage
- B. It is run from the replication destination system by the administrator in the event of a source system outage
- C. It is run automatically by the replication source system in the event of a source system outage
- D. It is run from the replication source system by the administrator in the event of an outage on the system

Answer: B (LEAVE A REPLY)

Reference:

<https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-protect-data/replication?guid=guid->

Valid DES-1221 Dumps shared by BraindumpsPass.com for Helping Passing DES-1221 Exam! BraindumpsPass.com now offer the **newest DES-1221 exam dumps**, the BraindumpsPass.com DES-1221 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com DES-1221 dumps with Test Engine here: <https://www.braindumpsPASS.com/EMC/DES-1221-practice-exam-dumps.html> (**62** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

What is the final configuration step when installing the ImportKit for a Windows host accessing VNX2 storage?

- A. Configure the network port and interface for the host data path
- B. Select the folder location on the host for the program installation
- C. Select the RSA key for configuring the control path HTTPS certificate
- D. Configure the network port and interface for the management control path

Answer: A (LEAVE A REPLY)

NEW QUESTION: 18

A Storage Administrator removed an appliance from the cluster. What is the status of the removed appliance's licenses?

- A. Licenses becomes void
- B. Licenses are erased
- C. New licenses are created
- D. No licensing impact

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

While configuring a Dell switch with PowerStore, what are the recommended license outputs from a show license status command?

- A. Type: Term-Based, Status: Active
- B. Status: Perpetual, Type: Open
- C. Type: Perpetual, Status: Active
- D. Status: Term-Based, Type: Unlimited

Answer: C (LEAVE A REPLY)

Reference:

<https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-cfg/validate-the-top-of-rack-tor-switch-versions-and-licensing?guid=guid-40c30b91-7fb2-4a26-bac7-4ae67c07bdfb&lang=en-us>

NEW QUESTION: 20

Which IP addresses are required when adding an appliance to the cluster?

- A. Storage and NTP
- B. DNS and NTP
- C. Management and DNS
- D. Management and Storage

Answer: D (LEAVE A REPLY)

NEW QUESTION: 21

What is the final configuration step when installing the ImportKit for a Windows host accessing VNX2 storage?

- A. Select the RSA key for configuring the control path HTTPS certificate
- B. Configure the network port and interface for the management control path
- C. Select the folder location on the host for the program installation
- D. Configure the network port and interface for the host data path

Answer: B (LEAVE A REPLY)

NEW QUESTION: 22

A PowerStore T administrator discovers that only one port on each node is active and passing traffic. The other port is healthy and online, but total bandwidth is only half of what the customer expects. Which action could resolve the issue?

- A. Configure VLT and Link Aggregation Control Protocol
- B. Implement VLT and Dynamic Link Aggregation Group
- C. Configure Link Aggregation Control Protocol and Dynamic Link Aggregation Group
- D. Implement Dynamic Link Aggregation Group

Answer: A (LEAVE A REPLY)

Explanation/Reference: <https://www.delltechnologies.com/resources/en-us/asset/white-papers/products/storage/h18157-dell-emc-powerstore-clustering-high-availability.pdf>

NEW QUESTION: 23

Which administrator tasks are needed to increase the size of a VMFS datastore without the use of the VSI plugin, mounted to an external ESXi host?

- A. Change the volume size in PowerStore Manager and refresh the size of the datastore in vSphere
- B. Change the volume size in PowerStore Manager and restart the VASA service in vSphere

C. Change the size of the datastore in vSphere and refresh the size of the volume in PowerStore Manager

D. Change the size of the datastore in vSphere and restart the VAAI service in PowerStore Manager

Answer: C (LEAVE A REPLY)

Explanation/Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18116-dell-emc-powerstore-vmware-vsphere-best-practices.pdf>

NEW QUESTION: 24

What are the IP requirements for ICW on PowerStore X and PowerStore T models?

A. PowerStore T requires three storage IP addresses and PowerStore X requires five storage IP addresses

B. PowerStore T requires four management IP addresses and PowerStore X requires six management IP addresses

C. PowerStore T requires five management IP addresses and PowerStore X requires six management IP addresses

D. PowerStore T requires seven storage IP addresses and PowerStore X requires three storage IP addresses

Answer: B (LEAVE A REPLY)

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2d&lang=en-us>

NEW QUESTION: 25

What are the IP requirements for ICW on PowerStore X and PowerStore T models?

A. PowerStore T requires three storage IP addresses and PowerStore X requires five storage IP addresses

B. PowerStore T requires four management IP addresses and PowerStore X requires six management IP addresses

C. PowerStore T requires five management IP addresses and PowerStore X requires six management IP addresses

D. PowerStore T requires seven storage IP addresses and PowerStore X requires three storage IP addresses

Answer: (SHOW ANSWER)

Explanation

Explanation/Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2d&lang=en-us>

NEW QUESTION: 26

An administrator received the following alert from PowerStore regarding a previously created NAS server?

Description:

The SMB server of the NAS server PowerStore_NAS_01 is configured to be joined to the domain test.mid, but is currently not joined.

Which setting should the administrator change?

- A. UDS
- B. NTP
- C. NIS
- D. LDAP

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

How many cables are required for minimum support for PowerStore T Front-End storage connectivity?

- A. 1
- B. 2
- C. 4
- D. 6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Refer to the Exhibit.

What happens to the parent resource of thin clone 3 if thin clone 2 is deleted?

- A. Snapshot 3 becomes the parent
- B. Thin clone 3 becomes parent
- C. Thin clone 1 becomes parent
- D. Thin clone 3 has an empty parent

Answer: D ([LEAVE A REPLY](#))

Reference: <https://www.delltechnologies.com/en-us/documentation/unity-family/unity-p-config-luns/03- configuring-block-thin-clones.htm>

NEW QUESTION: 29

A PowerStore T administrator discovers that only one port on each node is active and passing traffic. The other port is healthy and online, but total bandwidth is only half of what the customer expects. Which action could resolve the issue?

- A. Configure VLT and Link Aggregation Control Protocol
- B. Implement VLT and Dynamic Link Aggregation Group
- C. Implement Dynamic Link Aggregation Group
- D. Configure Link Aggregation Control Protocol and Dynamic Link Aggregation Group

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which API does PowerStore use to communicate with ESXi server during vVols provisioning operation?

- A. VAAI
- B. REST
- C. VASA
- D. SOAP

Answer: (SHOW ANSWER)

NEW QUESTION: 31

What does a Storage Administrator need to consider about Resource Balance when assigning volumes?

- A. Whether the Node is offline
Appliance failure status
Node utilization
- B. Whether the appliance is online
Appliance failure status
Cluster utilization
- C. Whether the Cluster is offline
Node failure status
I/O utilization
- D. Whether the appliance is offline
Appliance failure status
Capacity utilization

Answer: D (LEAVE A REPLY)

Valid DES-1221 Dumps shared by BraindumpsPass.com for Helping Passing DES-1221 Exam! BraindumpsPass.com now offer the **newest DES-1221 exam dumps**, the BraindumpsPass.com DES-1221 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com DES-1221 dumps with Test Engine here: <https://www.braindumpspass.com/EMC/DES-1221-practice-exam-dumps.html> (62 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

An administrator receives an alert on a PowerStore Cluster with three appliances:
The appliance A1 is projected to run out of space in 8 days
Capacity utilization is above 90 percent

Which tools are available to assist the Administrator with a potential resolution?

- A. Thin provision conversion wizard
- B. System Optimization
- C. Space reclamation wizard
- D. Assisted Migration

Answer: D (LEAVE A REPLY)

Explanation/Reference:

Reference: <https://volumes.blog/2020/05/18/what-is-powerstore-part-11-resource-balancer/>

NEW QUESTION: 33

What is the significance of the warning given when a volume with data services is deleted?

- A. Volume is mapped to a host
- B. Volume is participating in a migration
- C. Snapshot is present on the volume
- D. Protection policy is configured on the volume

Answer: (SHOW ANSWER)

Reference: [https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/delete-a-volume?](https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/delete-a-volume?guid=guid-26e8c12d-a3df-4d4d-8012-ae2ef9e53721&lang=en-us)

[guid=guid-26e8c12d-a3df-4d4d-8012-ae2ef9e53721&lang=en-us](https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/delete-a-volume?guid=guid-26e8c12d-a3df-4d4d-8012-ae2ef9e53721&lang=en-us)

NEW QUESTION: 34

How many cables are required for minimum support for PowerStore T Front-End storage connectivity?

- A. 4
- B. 1
- C. 6
- D. 2

Answer: (SHOW ANSWER)

NEW QUESTION: 35

A PowerStore X system is being implemented using Dell EMC S5248F-ON Ethernet switching as data switches.

What is required when configuring the VLT interconnects on the data switches?

- A. Configure the VLT MACs with a matching unique made-up address
- B. On each switch, select the switch management port MAC as the VLT MAC
- C. Assign the switch default route for the VLT traffic
- D. Set the VLT connection to the switch default VLAN

Answer: B (LEAVE A REPLY)

NEW QUESTION: 36

Match the CLI command to the appropriate configuration.

Answer:

NEW QUESTION: 37

A PowerStore X system is being implemented using Dell EMC S5248F-ON Ethernet switching as data switches.

What is required when configuring the VLT interconnects on the data switches?

- A. Set the VLT connection to the switch default VLAN
- B. On each switch, select the switch management port MAC as the VLT MAC
- C. Assign the switch default route for the VLT traffic
- D. Configure the VLT MACs with a matching unique made-up address

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

What is the significance of the warning given when a volume with data services is deleted?

- A. Volume is participating in a migration
- B. Protection policy is configured on the volume
- C. Volume is mapped to a host
- D. Snapshot is present on the volume

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

What is the significance of the warning given when a volume with data services is deleted?

- A. Volume is participating in a migration
- B. Protection policy is configured on the volume
- C. Volume is mapped to a host
- D. Snapshot is present on the volume

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Match the correct Base Enclosure port in column A to the Expansion Enclosure port in column B to show the correct cabling for adding a single expansion enclosure to a base enclosure.

Answer:

Explanation

Reference:

<https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-isg/cable-the-base-enclosure-to-the-expansion-enclosure?guid=guid-d68d049f-2b77-489f-b1ab-553f4f3de8aa&lang=en-us>

NEW QUESTION: 41

What does a Storage Administrator need to consider about Resource Balance when assigning volumes?

- A. Whether the appliance is offline Appliance failure status Capacity utilization
- B. Whether the Cluster is offline Node failure status I/O utilization
- C. Whether the Node is offline Appliance failure status Node utilization
- D. Whether the appliance is online Appliance failure status Cluster utilization

Answer: A (LEAVE A REPLY)

NEW QUESTION: 42

What is a requirement for the Import External Storage migration feature?

- A. PowerPath host-based multipathing software
- B. PowerStore Global Storage Discovery IP address must be configured
- C. Direct Fibre Channel connections between storage systems
- D. PowerStore LACP bonded ports are tagged for replication

Answer: B (LEAVE A REPLY)

NEW QUESTION: 43

A storage administrator has provisioned 10 x 2GB volumes. 400MB of data is written to each of the ten volumes. What is the Thin Savings ratio for this configuration?

- A. 4:1
- B. 6:1
- C. 3:1
- D. 5:1

Answer: B (LEAVE A REPLY)

NEW QUESTION: 44

An administrator receives an alert on a PowerStore Cluster with three appliances: The appliance A1 is projected to run out of space in 8 days Capacity utilization is above 90 percent Which tools are available to assist the Administrator with a potential resolution?

- A. Thin provision conversion wizard
- B. System Optimization
- C. Space reclamation wizard
- D. Assisted Migration

Answer: D (LEAVE A REPLY)

Reference: <https://volumes.blog/2020/05/18/what-is-powerstore-part-11-resource-balancer/>

NEW QUESTION: 45

What is the maximum number of snapshot rules per cluster?

- A. 16

- B. 8
- C. 32
- D. 64

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which network is used by the PowerStore for communication to the cluster database?

- A. ICD
- B. inter-node
- C. IDN
- D. ICM

Answer: D ([LEAVE A REPLY](#))

Valid DES-1221 Dumps shared by BraindumpsPass.com for Helping Passing DES-1221 Exam! BraindumpsPass.com now offer the **newest DES-1221 exam dumps**, the BraindumpsPass.com DES-1221 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com DES-1221 dumps with Test Engine here: <https://www.braindumpsPASS.com/EMC/DES-1221-practice-exam-dumps.html> (62 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

What does the remote replication Failover operation do?

- A. Fully synchronizes the source and destination data states and stops the current replication session
- B. Promotes the destination system to production and resets the RPO synchronization cycle in the protection policy
- C. Fully synchronizes the source and destination data states and reverses the replication direction
- D. Promotes the destination system to production with its replica data consistent to the last successful RPO synchronization state

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

An administrator assigns a protection policy to a volume group. Volume1, Volume2, Volume3 are put into the volume group. Later it is decided that Volume2 should be replicated at a different time. Volume2 is removed from the volume group. The administrator attempts to assign a new protection policy to Volume2 and the option is greyed out.

Why is the option greyed out?

- A. Already has a protection policy from the Volume-Group
- B. Requires a replication rule not a protection policy
- C. Still has associated Volume-Group snapshots
- D. Requires a snapshot rule and a replication rule

Answer: (SHOW ANSWER)

NEW QUESTION: 49

What describes the remote replication Failover operation?

- A. It is run from the replication source system by the administrator in the event of an outage on the system
- B. It is run from the replication destination system by the administrator in the event of a source system outage
- C. It is run automatically by the replication source system in the event of a source system outage
- D. It is run automatically by the replication destination system in the event of a source system outage

Answer: B (LEAVE A REPLY)

NEW QUESTION: 50

A storage administrator has provisioned a 50GB volume and presented it to an application. The application owner has requested that the volume be replicated to a secondary array. Which policy should be assigned to the volume to enable replication?

- A. Replication
- B. Remote
- C. Performance
- D. Protection

Answer: A (LEAVE A REPLY)

NEW QUESTION: 51

An administrator has performed the Cutover operation for an import session from a VNX2 source storage system.

What is a result of the operation?

- A. Host is removed from the VNX2 Storage Group
- B. Imported LUN is removed from the VNX2 Storage Group
- C. Storage Group containing the imported LUN is deleted
- D. Imported LUN is deleted from the VNX2

Answer: B (LEAVE A REPLY)

Explanation/Reference: <https://laptrinhx.com/what-is-dell-emc-powerstore-part-7-importing-external-storage-146661351/>

NEW QUESTION: 52

What does the data import session Pause operation do?

- A. Deactivates the host to PowerStore control path
- B. Stops the source to PowerStore background copy operation
- C. Stops the source to PowerStore cutover operation
- D. Deactivates the host to PowerStore data path

Answer: B (LEAVE A REPLY)

Reference: [https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/import-workflow?](https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/import-workflow?guid=guid-a19dffc3-8def-4a50-a4ed-14650500f567&lang=en-us)

[guid=guid-a19dffc3-8def-4a50-a4ed-14650500f567&lang=en-us](https://www.dell.com/support/manuals/en-pk/powerstore-1000/pwrstr-import/import-workflow?guid=guid-a19dffc3-8def-4a50-a4ed-14650500f567&lang=en-us)

NEW QUESTION: 53

When a Volume is selected for the intercluster migration, what other data services associated with the volume will also be moved with it?

- A. NAS Servers and File systems
- B. Thin Clones and File systems
- C. Thin Clones and snapshots
- D. Replications and Volume Groups

Answer: B (LEAVE A REPLY)

NEW QUESTION: 54

A Storage Administrator removed an appliance from the cluster. What is the status of the removed appliance's licenses?

- A. Licenses are erased
- B. No licensing impact
- C. Licenses becomes void
- D. New licenses are created

Answer: C (LEAVE A REPLY)

NEW QUESTION: 55

How is the VASA provider registered with vSphere when connecting to a PowerStore X system?

- A. VASA is unsupported in PowerStore X models
- B. Built into the PowerStore X system code
- C. Automatically added during Initial Configuration
- D. Manually added from vCenter server using add storage provider option

Answer: D (LEAVE A REPLY)

Explanation/Reference: <https://www.delltechnologies.com/en-ca/collaterals/unauth/white-papers/products/storage/h18116-dell-emc-powerstore-vmware-vsphere-best-practices.pdf>

NEW QUESTION: 56

Match the correct Base Enclosure port in column A to the Expansion Enclosure port in column B to show the correct cabling for adding a single expansion enclosure to a base enclosure.

Answer:

NEW QUESTION: 57

Match the correct Base Enclosure port in column A to the Expansion Enclosure port in column B to show the correct cabling for adding a single expansion enclosure to a base enclosure.

Answer:

Reference:

<https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-isg/cable-the-base-enclosure-to-the-expansion-enclosure?guid=guid-d68d049f-2b77-489f-b1ab-553f4f3de8aa&lang=en-us>

NEW QUESTION: 58

How is the upgrade process on a multi-appliance cluster run?

- A. On all primary nodes first, then peer nodes
- B. On one node at a time
- C. In parallel on all nodes
- D. Master appliance primary node first, then the peer node

Answer: D (LEAVE A REPLY)

NEW QUESTION: 59

Refer to the Exhibit.

Note the yellow arrow. A Data Center Engineer notices that the LED is blinking blue and amber alternating at one second intervals. What does this indicate?

- A. Node is Degraded
- B. System not initialized
- C. System is booting
- D. Node in Service Mode

Answer: D (LEAVE A REPLY)

NEW QUESTION: 60

An administrator is trying to set a performance policy while creating a Thin Clone of a volume group. Why is the option to set performance policy unavailable?

- A. Performance policy can only be set on a Thin Clone volume
- B. Volumes in the volume group are not mapped to any hosts

- C. Thin Clones cannot be created using a volume group
- D. No Volumes are added in the volume group

Answer: A (LEAVE A REPLY)

NEW QUESTION: 61

A VM administrator uses their PowerStore user account and noticed they are unable to change their password. Why?

- A. VM Administrator role cannot set password
- B. Validate user in Active Directory not set
- C. Extended schema for Unix users in Active Directory not set
- D. In settings > users: enable allow user to change password not set

Answer: (SHOW ANSWER)

Valid DES-1221 Dumps shared by BraindumpsPass.com for Helping Passing DES-1221 Exam! BraindumpsPass.com now offer the **newest DES-1221 exam dumps**, the BraindumpsPass.com DES-1221 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com DES-1221 dumps with Test Engine here: <https://www.braindumpsPASS.com/EMC/DES-1221-practice-exam-dumps.html> (**62** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

Valid DES-1221 Dumps shared by BraindumpsPass.com for Helping Passing DES-1221 Exam! BraindumpsPass.com now offer the **newest DES-1221 exam dumps**, the BraindumpsPass.com DES-1221 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com DES-1221 dumps with Test Engine here: <https://www.braindumpsPASS.com/EMC/DES-1221-practice-exam-dumps.html> (**62** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)