

HP.HPE0-S60.v2023-01-05.q26

Exam Code:	HPE0-S60
Exam Name:	Delta - HPE Compute Solutions
Certification Provider:	HP
Free Question Number:	26
Version:	v2023-01-05
# of views:	860
# of Questions views:	260
https://www.exam-tests.com/HPE0-S60-exam/HP.HPE0-S60.v2023-01-05.q26.html	

NEW QUESTION: 1

Your customer has 6 logical enclosures spanning 18 HPE Synergy frames. The customer needs to add one more logical enclosure based on 5 HPE Synergy frames. How will this change impact the customer environment?

- A. The customer can add a new logical enclosure to the existing setup because the maximum number of logical enclosures in a single management ring is not reached.
- B. The customer has to create a new management ring for new logical enclosure because the maximum number of frames in a single management ring is reached.
- C. The customer has to expand the management ring capacity either by adding HPE Composer 2 modules or adding memory to reach 128GB per module.
- D. The customer can add a new logical enclosure to an existing setup once all required licenses are added to HPE OneView and associated with the new frames.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

Your customer uses HPE OneView to manage their HPE Synergy environment. They plan to use it to manage a new set of equipment that includes.

- 20 HPE ProLiant DL365 Gen10 Plus servers
- 20 HPE ProLiant DL380 Gen10 Plus servers
- 5 HPE Primera 650
- 5 HPE MSA 2062 Storage Array

Which statements about how OneView will work with this new equipment are true? (Select two)

- A. HPE ProLiant DL380 Gen10 Plus servers have an HPE OneView license included
- B. HPE Primera 650 can be managed using HPE OneView.
- C. HPE ProLiant DL365 Gen10 Plus servers are not supported in HPE OneView
- D. HPE MSA 2062 Storage Array is not supported in HPE OneView
- E. HPE OneView replaces array management tools for both types of array

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

Your customer plans to setup an HPE Synergy solution based on SY480 Gen10 compute nodes with the following connectivity options - SAS connectivity installed in the first fabric - FC connectivity Installed In the second fabric - Ethernet connectivity installed in the third fabric. Which statement regarding this setup is true?

- A.** Compute nodes must have a second CPU installed to access the second fabric.
- B.** Each interconnect module in each fabric must be properly licensed in HPE OneView
- C.** Interconnect modules that provide SAS connectivity should be moved to the third fabric
- D.** Each compute node must have at least 768GB of memory installed

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which statement about the SY480 Gen10 Plus Compute Module is true?

- A.** It cannot be mixed with Gen9 compute modules in the same frame.
- B.** It supports 8 memory channels and memory DIMMs of up to 256GB.
- C.** It supports "3rd Gen AMO EPYC Server Processors with 64 cores.
- D.** It only supports NVDIMM Persistent Memory.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Refer to the exhibit.

Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Changed: Interconnect type t...

Which statement about this logical interconnect group is true?

- A. For an uplink set, ports from different modules can be selected
- B. interconnect modules are installed in interconnect bays 1 and 4
- C. An additional license is required to change the enclosure count
- D. Both modules are located in different frames for redundancy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Your customer has an HPE Synergy platform deployed and managed using HPE OneView. The customer also has HPE Superdome Flex with RMC deployed. They plan to deploy a second nPar and HPE Superdome Flex 280. They plan to manage new components using HPE OneView. What must be done to achieve this goal?

- A. The customer must add a second Rack Management Controller for HPE Superdome Flex 280
- B. The customer must use IL05 to add HPE Superdome Flex systems to HPE OneView
- C. The customer should deploy an HPE OneView appliance for HPE Superdome Flex management
- D. The customer has to add HPE Superdome Flex to the HPE OneView used to manage HPE Synergy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which statement about a new HPE SimpliVity deployment is true?

- A. All new HPE SimpliVity models are based on AMD CPUs
- B. New HPE SimpliVity deployments give customer flexible choice of hypervisor
- C. New HPE SimpliVity deployments are licensed per node not per physical socket
- D. All new HPE SimpliVity models support deduplication and compression

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

Your customer has the following HPE Synergy setup

- Three frames fully populated with HPE Synergy 480 Gen10 Plus modules and 25Gb/s downlink speed formulating a single logical enclosure
- Two HPE Virtual Connect SE 100Gb F32 Module for Synergy
- Four HPE Synergy 50Gb interconnect Link Module
- Six HPE Synergy Virtual Connect SE 32Gb FC Modules

The customer needs to add a frame.

Which statement about the expansion of this setup is true?

- A. The additional frame must have HPE Virtual Connect FC modules installed
- B. The customer can grow the existing logical enclosure up to 5 frames
- C. The additional frame cannot have 12Gb SAS connection modules installed
- D. The customer has to create a new logical enclosure for the additional frame

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 9

What is one of the benefits of using HPE Composer 2?

- A. The administrator can access an HPE Synergy Composer 2 appliance remotely to perform First Time Setup
- B. HPE Composer 2 modules are required to manage HPE virtual Connect SE 100Gb F32 Modules for Synergy
- C. HPE Composer 2 has 128GB of memory and 4 AMD CPUs to improve performance of the management system
- D. A pair of HPE Composer 2 modules can manage 42 frames, compared to 21 frames managed by HPE Composer

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which HPE Virtual Connect feature allows an administrator to suppress excessive inbound multicast broadcast and destination lookup failure (OLF) packets?

- A. Loop protection
- B. Pause flood protection
- C. Storm control
- D. LLDP tagging

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

You plan to configure a Link Aggregation Group (LAG) for two connections within a server profile for a compute node running an ESXI system.

What is required from the VMware side to enable LAG?

- A. Dedicated VMKernel port
- B. Virtual Distributed Switch
- C. vSphere Standard license
- D. Load balancing cluster

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

A logical interconnect group can span on multiple HPE Synergy frames for which interconnect type?

- A. HPE virtual Connect SE 32 Gb FC Module for Synergy
- B. HPE Synergy 12 Gb SAS Connection Module
- C. Brocade 32GB Fibre Channel Switch Module for HPE Synergy
- D. HPE Virtual Connect SE 100 Gb F32 Module for Synergy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Your customer has an HPE Synergy frame equipped with a D3940 Storage Module. Each of the compute nodes has an appropriate storage controller installed and two 12Gb SAS switches installed in the first fabric.

The customer reports that compute nodes cannot access the storage module. What should you verify first when troubleshooting this problem?

- A. If the D3940 storage module is properly licensed through HPE OneView interface.
- B. If there is at least one iSCSI network configured that will provide access to the module.
- C. If the D3940 module is imported in managed state that allows volume provisioning.
- D. If there is a logical interconnect created based on the 12Gb SAS switches.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Your customer reports that an external FC boot volume for Windows server is visible four times in the Disk Management 1 online and 3 offline.


What should you do to resolve this issue?

- A. Remove the offline disks using Windows Disk Management
- B. Disable deduplication for this volume at the array level
- C. Remove the offline disks using array management tools
- D. Install and configure MPIO on the Windows system


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Click the option that will allow you to change the ESXI image used In an OS Deployment Plan.



Answer:



NEW QUESTION: 16

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView. Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Steps	Answer Area
Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.	
Add vCenter Server to HPE OneView for VMware vCenter Server.	
Deploy new ESXi systems using vCenter Server interface.	
Upload HPE-friendly ESXi image.	

Answer:

Answer Area
Add vCenter Server to HPE OneView for VMware vCenter Server.
Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
Upload HPE-friendly ESXi image.
Deploy new ESXi systems using vCenter Server interface.

- 1 - Add vCenter Server to HPE OneView for VMware vCenter Server.
- 2 - Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- 3 - Upload HPE-friendly ESXi image.
- 4 - Deploy new ESXi systems using vCenter Server interface.

Valid HPE0-S60 Dumps shared by BraindumpsPass.com for Helping Passing HPE0-S60 Exam! BraindumpsPass.com now offer the **newest HPE0-S60 exam dumps**, the BraindumpsPass.com HPE0-S60 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com HPE0-S60 dumps with Test Engine here: <https://www.braindumpsPASS.com/HP/HPE0-S60-practice-exam-dumps.html> (81 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

In the past a customer experienced a networking issue where network ports went down and came back up in quick succession.

Which HPE Virtual Connect SE 100 GD F32 Module for HPE Synergy feature can be configured to disable such ports?

- A. Storm control
- B. Port flap protection
- C. sFlow
- D. Pause flood protection

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

Your customer plans to deploy VMware ESXi 7.0 U2, and they are looking for a hardware platform that will allow them to use up to 16 CPU sockets Which HPE compute system meets the customer requirements?

- A. HPE Synergy 480 Gen10 Plus
- B. HPE Superdome Flex system
- C. HPE ProLiant OL380 Gen 10 Plus
- D. HPE ProLiant DL580 Gen10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which statement about HPE OneView milestone releases is true?

- A. A milestone release is a release which must be installed on HPE Composer to support current version of the Service Pack for Synergy
- B. A milestone release is a release with an enhanced update architecture that is a prerequisite prior to updating to a subsequent release.
- C. A milestone release is a release that is published when HPE releases new hardware components to immediately support new systems
- D. A milestone release is available for selected partners that give access to HPE OneView features which are not officially announced.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

Refer to the exhibit.

Logical-JBOD Overview

General >

Description	none
State	Configured
Drive enclosure	CZ204400XB_bay.11
Used by	none
Number of physical drives	1
Drive technology	SAS HDD
Minimum drive size	600 GB
Maximum drive size	600 GB
Erase on delete	Yes

Drives >

Bay	Drive Enclosure	Model	Type	Capacity
19	CZ204400XB_bay.11	EG000600JWJNH	SAS HDD	600 GB

Which statement about this logical JBOD is true?

- A. This logical JBOD can be presented to the compute nodes in a different frame.
- B. After deleting this logical JBOD drives will be blocked for 12h in case this JBOD must be re-created
- C. After deleting this logical JBOD, its drives will not be available until a clean-up procedure is done
- D. This logical JBOD can be connected to multiple systems to formulate a shared datastore.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Your customer has the following HPE Synergy setup

- 3 HPE Synergy 12000 Frames
- 4 HPE Virtual Connect SE 100 Gb F32 Modules
- 2 HPE Synergy 50 GO Interconnect Link Modules
- 36 HPE Synergy 480 Gen10 Plus compute modules
- 2 HPE Composer 2 modules

Which statement about this setup is true?

- A. The customer must buy 36 HPE OneView Advanced licenses to manage compute modules
- B. To use all compute nodes, the customer must create at least two logical enclosures
- C. To manage all frames, the customer must buy two additional HPE Composer 2 modules
- D. The customer can add one D3940 storage Module to each of the frames

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 22

Your customer has the following HPE Synergy setup

- 3 HPE Synergy 12000 Frames
- 4 HPE Virtual Connect SE 100 Gb F32 Modules
- 2 HPE Synergy 50 GO Interconnect Link Modules
- 36 HPE Synergy 480 Gen10 Plus compute modules
- 2 HPE Composer 2 modules

Which statement about this setup is true?

- A. To manage all frames, the customer must buy two additional HPE Composer 2 modules
- B. The customer can add one D3940 storage Module to each of the frames
- C. The customer must buy 36 HPE OneView Advanced licenses to manage compute modules
- D. To use all compute nodes, the customer must create at least two logical enclosures

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

As a result of the troubleshooting process, you recommend replacing HPE Synergy Composer modules with HPE Synergy Composer 2. Why would you recommend this change?

- A. HPE Composer 1 cannot support remote frames, which doubles the configuration and management procedures effort

- B.** HPE Composer 2 provides access to 105 interface that can be used for full management of HPE Composer 2 remotely
- C.** HPE Composer 2 can support more than the maximum 21 frames that are supported with HPE Composer 1 and HPE OneView.
- D.** HPE Composer 1 running HPE OneView 5.2 or later can support only 12 frames within a single management node

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Your customer plans to deploy HPE Superdome Flex and configure two nPars, each based on two chassis. Which components must be included in the proposal to meet the customer's needs?

- A.** Rack Management Controller for nPar management
- B.** One base chassis and three expansion chassis with licenses
- C.** HPE Superdome Flex Grid licenses enabling connectivity between chassis
- D.** At least four HPE Persistent Memory DIMMs per nPar

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 25

The proposal consists of.

- 3 HPE Synergy 12000 frames
- 6 HPE Composer 2 modules
- 2 HPE Virtual Connect SE 100 Gb F32 Module
- 4 HPE Synergy 50 Gb interconnect Link Module

Which statements about this proposed design are true? (Select two.)

- A.** The selected interconnect modules do not provide the requested WWN virtualization
- B.** FC upgrade licenses for HPE Virtual Connect SE 100 Gb F32 Module must be added
- C.** The current setup can support up to 18 HPE Synergy 480 Gen10 Plus compute modules
- D.** HPE Synergy 50Gb ILMs must be replaced with HPE Virtual Connect SE 100 Gb F32 modules
- E.** Remove 4 HPE Composer 2 modules from the design, as they are not required

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

You are troubleshooting an HPE OneView server profile that presents a critical state. The server profile was configured with a Link Aggregation Group. What should you check to fix the issue?

- A.** If the logical enclosure is built on at least three HPE Synergy frames
- B.** If both FiexNICs are configured with the same speed
- C.** If the logical enclosure is configured with redundant master modules
- D.** If both FiexNICs are connected to different networks

Answer: ([SHOW ANSWER](#)**)**

Valid HPE0-S60 Dumps shared by BraindumpsPass.com for Helping Passing HPE0-S60 Exam! BraindumpsPass.com now offer the **newest HPE0-S60 exam dumps**, the BraindumpsPass.com HPE0-S60 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com HPE0-S60 dumps with Test Engine here: <https://www.braindumpspass.com/HP/HPE0-S60-practice-exam-dumps.html> (81 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)