

Huawei.H12-723_V3.0.v2022-06-21.q55

Exam Code:	H12-723_V3.0
Exam Name:	HCIP-Security-CTSS V3.0
Certification Provider:	Huawei
Free Question Number:	55
Version:	v2022-06-21
# of views:	1397
# of Questions views:	550
https://www.exam-tests.com/H12-723_V3.0-exam/Huawei.H12-723_V3.0.v2022-06-21.q55.html	

NEW QUESTION: 1

In the WLAN wireless access scenario, which of the following network security technologies belong to user access security? (Multiple choice)

- A. data encryption
- B. Link authentication
- C. User access authentication
- D. AP Certification

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

For the terminal Wi-Fi The order of the push, which of the following is correct?

1. Any Office Mobile office system push Wi-Fi Configuration
2. Any Office The mobile office department automatically applies for a certificate.
3. The administrator configures the enterprise Wi-Fi Push.
4. The terminal automatically connects to the enterprise Wi-Fi.

- A. 1-2-3-4
- B. 3-2-1-4
- C. 2-3-1-4
- D. 4-2-3-1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which of the following options is not included in the mobile terminal life cycle?

- A. Obtain
- B. run
- C. Uninstall

D. deploy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

The terminal host access control function does not take effect, the following is SACG View information on:

<FW> display right- manager role-id rule

Advanced ACL 3099 ,25 rules,not binding with vpn-instance Ad's step is 1 rule 1000

permit ip (1280 times matched) rule 1001 permit ip destination 172.18.11.2210 (581 times

matched) rule 1002 permit ip destination 172:18.11.2230 (77 times matched) rule 1003

permit ip destination 172.19.0.0 0.0 255.255 (355 Book times matched) rule 1004 deny ip

(507759 times matched) Which of the following statements is correct?

A. 172.18.11.221 It is the server of the isolation domain.

B. The escape route was opened.

C. The terminal host stream is the default ACL Blocked.

D. 172.18.11.223 It is a post-domain server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Import the user information of the AD server on the Agile Controller-Campus to realize the user's access authentication. If the user is in the Agile.

The user information is not found on the Controller-Campus. Which of the following actions will be performed in the next step?

A. Discard user information.

B. Straight forward to return authentication failure information.

C. Synchronize the database again.

D. User 91 Information sent to AD The server performs verification.

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 6

Regarding the identity authentication method and authenticationtype, which of the following descriptions is correct?

A. User passed web Agent The method can support two authentication types:digital certificate authentication and system authentication.

B. User passed Agent The method can support three authentication types: local authentication, digital certificate authentication and system authentication.

C. User passed web Agent The method can support two authentication types: digital certificate authentication and local authentication.

D. User passed web The method can support two authentication types: local authentication and digital certificate authentication.

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 7

Install Agile Controller-Campus Which of the following steps do not need to be completed before?

- A. Install the database
- B. Install antivirus software
- C. Install the operating system
- D. Import License

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

For the convenience of visitors, different authentication and master pages can be distributed for different visitors. When configuring the push page strategy, different matching conditions need to be defined, so which of the following options can be used as the limited matching conditions? (Multiple choice)

- A. Terminal P address
- B. Priority of guest accounts
- C. Location information of the access device
- D. Connected to the network SSID'

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 9

Which of the following options is correct for the description of the role of the isolation domain?

- A. Isolation domain refers to the area that terminal users can access after passing identity authentication and security authentication, such as ERP system, financial system database system. The area where you are.
- B. End users can access the isolated domain regardless of whether they pass identity authentication.
- C. Isolation domain refers to the area that the terminal host can access before passing the identity authentication, such as DNS server, external authentication source, business controller (SC)c The area where the service manager (SM) is located.
- D. Isolation domain refers to the area that is allowed to be accessed when the terminal user passes the identity authentication but fails the security authentication, such as patch server, virus database server.
The area where the server is located.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 10

Agile Controller-Campus The product architecture includes three levels. Which of the following options does not belong to the product architecture level?

- A. Network device layer
- B. Access control layer
- C. User access layer
- D. Server layer

Answer: (SHOW ANSWER)

NEW QUESTION: 11

In WPA2, because of the more secure encryption technology-TKIP/MIC, WPA2 is more secure than WPA.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 12

If you deploy Free Mobility, in the logic architecture of Free Mobility, which of the following options should be concerned by the administrator?

- A. Does the strategy deployment target a single department?
- B. Choose the appropriate policy control point and user authentication point
- C. Is the strategy automatically deployed?
- D. Does the strategy deployment target a single user?

Answer: (SHOW ANSWER)

NEW QUESTION: 13

Agile Controller-Campus The system architecture belongs to C/S Architecture.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 14

The use of the 802.1X authentication scheme generally requires the terminal to install specific client software.

For large-scale deployment of client software, the methods that can be taken. What are the cases? (multiple choices)

- A. Enable Guest VLAN so that users can obtain the installation package in Guest VLAN
- B. Copy the installation packages to each other via U disk.
- C. Installed by the administrator for each user.
- D. Configure Free-rule and web push functions on the switch to push the installation package to users.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 15

Deployed by an enterprise network manager Agile Controller-Campus with SACG Later; Identity authentication is successful but cannot access the post-authentication domain, This phenomenon may be caused by any reason? (Multiple choice)

- A. A serious violation will prohibit access to the post-authentication domain.
- B. Agile Controller-Campus Wrong post-authentication domain resources are configured on the server.
- C. The access control list of the post-authentication domain has not been delivered SACG.
- D. ALC The number of rules issued is too many, and a lot of time is required to match, causing interruption of access services.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 16

In enterprises where terminal host access control management is relatively strict, administrators hope to bind terminal hosts and accounts to prevent terminal users from accessing the controlled network from unauthorized terminal hosts at will. Regarding the description of binding the terminal host and account, which of the following is correct?

- A. exist Any Office When logging in with an account for the first time, the terminal host is automatically bound to the current account, but the automatic binding process requires administrator approval
- B. When other accounts need to be authenticated on the bound terminal host, there is no need to find the asset owner who is bound for the first time to authorize themselves.
- C. Binding terminal hosts and accounts is only applicable to terminal users through Any Office Scenarios for authentication, Not applicable Web Agent Plugins and Web The scenario where the client authenticates.
- D. There are only consoles in the account binding terminal host, which cannot be configured by the administrator.

Answer: C (LEAVE A REPLY)

Valid H12-723_V3.0 Dumps shared by BraindumpsPass.com for Helping Passing H12-723_V3.0 Exam! BraindumpsPass.com now offer the **newest H12-723_V3.0 exam dumps**, the BraindumpsPass.com H12-723_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H12-723_V3.0 dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H12-723_V3.0-practice-exam-dumps.html

(170 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

The following is the 802.1X access control switch configuration:

```
[S5720]dot1x authentication-method eap
```

[S5720-GigabitEthernet0/0/1] port link-type access

[S5720-GigabitEthernet0/0/1] port default vlan 11

[S5720-GigabitEthernet0/0/1] authentication dot1x

Assuming that GE0/0/1 is connected to user 1 and user 2 through the HUB, which of the following options is correct?

- A. Neither user 1 nor user 2 can pass the authentication and access network resources.
- B. GE0/0/1 does not need to enable dot1X
- C. User 1 and User 2 must be individually authenticated before they can access network resources
- D. After user 1 is authenticated, user 2 can access network resources without authentication

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Terminal security access technology does not include which of the following options?

- A. System Management
- B. Access control
- C. Authentication
- D. safety certificate

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

In the scenario of SACG linkage in bypass mode, only the traffic initiated by the terminal user will pass through the firewall, and the server will return to the terminal in use.

The traffic does not need to go through the firewall y. For the firewall, it belongs to the scenario of inconsistent traffic back and forth paths, this needs to turn off the session state check function.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

Portal The second-level authentication method of authentication refers to the direct connection between the client and the access device (Or only layer devices exist in between), The device can learn the user's MAC Address and can be used IP with MAC Address to identify the user.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

Security zone division means to better protect the internal network security, Based on the business type and security requirements of the intranet, divide the intranet into several granularities.

Logical area. Which of the following options does not belong Agile Controller-Campus Security domain?

- A. Attack domain
- B. Business domain:
- C. Network domain
- D. User domain

Answer: A (LEAVE A REPLY)

NEW QUESTION: 22

Regarding the description of the logic architecture of the business accompanying, which of the following options is correct?

- A. The user plane focuses on authentication points and policy enforcement points.
- B. The network equipment plane focuses on user terminals and static resources.
- C. The business free mobility logic architecture includes a management subsystem, an authentication and authorization subsystem, and a business strategy subsystem.
- D. The business management plane focuses on administrators, authentication servers, and policy servers.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 23

In the Agile Controller-Campus solution, which device is usually used as the hardware SACG?

- A. router
- B. IPS
- C. switch
- D. Firewall

Answer: D (LEAVE A REPLY)

NEW QUESTION: 24

When managing guest accounts, you need to create a guest account policy and set the account creation method. For the account creation method, which of the following descriptions is wrong?

- A. When adding accounts individually, you can choose to create them individually.
- B. If there are many users, you can choose database synchronization
- C. If there are a lot of users, you can choose to create in batches.
- D. In order to facilitate management and improve user experience, self-registration can be used.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

Regarding the principle of MAC authentication, which of the following descriptions is wrong?

- A. MAC Certification is passed 802.1X Implementation of the agreement.
- B. NAS Device Configuration MAC After authentication, the terminal's MAC The address is used as the username and password.
- C. MAC Authentication requires obtaining the terminal's MAC The address is stored in AAA server.
- D. MAC Certification required Portal Server cooperation.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Using Agile Controller-Campus for visitor management, users can obtain the account they applied for in a variety of ways, but which of the following are not included A way?

- A. E-mail
- B. Short message
- C. Web Print
- D. Voicemail

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

After an enterprise deployed antivirus software, it was discovered that virus infections still occurred on a large scale. In addition to the limitations of the product's own technology, the reason for the problem is weak personal terminal security protection, which is also an important factor.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

A network adopts 802.1X To authenticate access users, the access control equipment is deployed at the convergence layer, and after the deployment is completed, it is used on the access control equipment t-aa The command test is successful, but the user cannot access the network. The failure may be caused by the following reasons? (Multiple choice)

- A. The aggregation layer device is not configured RADIUS Certification template.
- B. The Layer 2 link is used between the access device and the aggregation device, and it is not turned on

802 Instrument transparent transmission function

- C. Agile Controller-Campus The switch is not added on NAS equipment.
- D. Connect to the terminal on the device to open 802.1X Function.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

There are three roles in the XMPP protocol: server, gateway, and client. Corresponding to the free mobility solution: AgileController-Campus as For the server, Huawei USG6000 series firewall acts as the gateway; the agile switch acts as the client.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

In the Agile Controller-Campus admission control technology framework, regarding the description of RADIUS, which of the following options is correct?

- A. PADIUS Used for Portal Server pushes to users Web page.
- B. PADIUS Used in 802.1X Switch and AAA Information such as user name and password are passed between servers.
- C. PADIUS Used on the client and 802.1X Information such as user names and passwords arepassed between switches.
- D. PADIUS Used for server to SACG Security policy issued by the device

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which of the following options is Agile Controller-Campus middle SC The main function of the component?

- A. As Agile Controller-Campus The management center is responsible for formulating the overallstrategy.
- B. As Agile Controller-Campus The management interface is used to configure and monitor the system.
- C. Integrated with standards RADIUS server,Porta Server, etc., responsible for linking with network access equipment to realize user-based networkaccess control Strategy.
- D. As Agile Controller-Campus 'S security assistance server, responsible for iRadar Analysis and calculation of reported security incidents.

Answer: ([SHOW ANSWER](#))

Valid H12-723_V3.0 Dumps shared by BraindumpsPass.com for Helping Passing H12-723_V3.0 Exam! BraindumpsPass.com now offer the **newest H12-723_V3.0 exam dumps**, the BraindumpsPass.com H12-723_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H12-723_V3.0 dumps with Test Engine here:

NEW QUESTION: 32

Deploying on Windows platform, using SQL Server database About the HA function of Agile Cotoller-Campus, which of the following descriptions Is it correct? (multiple choice)

- A. Deployment Management Center MC Time, support HA,Provide based on Keepalived Technical HA Active/standby switchover.
- B. Deploy the database DB Time, support HA use SQL Server Database mirroring technology requires the deployment of master DB+Mirroring DB+witness DB.
- C. Deploy business controller 3SC Time, support HA, Provide a backup solution in resource pool mode, which needs to be deployed N+1 indivual SC
- D. Deploy Business Manager SM Time, support HA, Provide based on Keepalived Technical HA Active/standby switchover.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

Business accompanying is-A special access control method, according to the user's access location, access time, access method and terminal use to grant designated investment limits, among which the physical connection can be divided into 3 Class, excluding which of the following access methods?

- A. VPN Access
- B. 802.1X Access
- C. Wireless access
- D. Wired access

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

Agile Controller-Campus Which deployment mode is not supported?

- A. Hierarchical deployment
- B. Two-machine deployment
- C. Distributed deployment
- D. Centralized deployment

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

Guest management is Agile Controller-Campus Important function of, regarding visitor management, which of the following statements are correct? (Multiple choice)

- A. There is a violation of the guest account, and the administrator cannot retrospectively
- B. Visitors can use their mobilephone number to quickly register an account
- C. The administrator can assign different permissions to each visitor

D. Reception staff cannot create guest accounts

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 36

MAC Bypass authentication means that after the terminal is connected to the network, the access control device automatically obtains the terminal MAC Address, which is sent to RADIUS The server performs euverification.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

In the campus network, employees can use 802.1X, Portal,MAC Address or SACG Way to access. Use different access methods according to different needs to achieve the purpose of user access control.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which of the following options are relevant to Any Office The description of the solution content is correct?

(Multiple choice)

A. It can be quickly integrated and docked with the enterprise application cloud platform.

B. The tunnel is dedicated and cannot be penetrated by viruses.

C. Applications are quickly integrated and can be extended.

D. Provide unified and secure access to enterprise mobile applications on mobile terminals.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

802.1X During the authentication, if the authentication point is at the aggregation switch, in addition to RADIUS,AAA,802.1X In addition to theconventional configuration, what special configuration is needed?

A. Both the aggregation layer and the access layer switches need to be turned on 802.1X Function.

B. No special configuration required

C. Access layer switch needs to be configured 802. 1X Transparent transmission of messages.

D. The aggregation switch needs to be configured 802 1X Transparent transmission of messages.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 40

In the terminal security management, the black and white list mode is used to check the terminal host software installation status. Which of the following situations is a compliant behavior?

- A.** The terminal host installs part of the software in the whitelist, but does not install the software in the blacklist.
- B.** The terminal host does not install the software in the whitelist, nor the software in the blacklist.
- C.** The terminal host installs all the software in the whitelist, and also installs some of the software in the blacklist.
- D.** The terminal host installs all the software in the whitelist, but does not install the software in the blacklist.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 41

Free mobility is a special access control method, according to the user's access location, access time, access method and terminal authorization instructions. Set permissions, as long as the user's access conditions remain unchanged, the permissions and network experience after accessing the network--To q

- A.** True
- B.** False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 42

Use hardware SACG Access control,,In hardware SACG View the results of the conversation table on the deduction.

Which of the following statements are correct? (Multiple choice)

- A.** if 192.126.200.11 is the server of the post-authentication domain, then IP Address is 192.18.0.1 If your terminal has not passed the authentication, it is possible to access the server.
- B.** 192.168.100.1 definitely is Agile Controller-Campus Controller IP address.
- C.** 192.168.1.0 definitely is Agile Controller-Campus Manager IP address
- D.** If in 6 Within minutes of the conversation 192.168.0.19 154->/192.162.0.11: 15080 Not refreshed,IP Address is 192.168.0.119 If the device wants to IP Address is 192.168.200.11 For device communication, the session must be re-established.

Answer: (SHOW ANSWER)

NEW QUESTION: 43

After configuring the announcement, Agile Controller-Campus The system cannot assign this announcement to which of the following objects?

- A. Assign to terminal IP Address range
- B. Assigned to account
- C. Assign to user
- D. Assigned to places

Answer: (SHOW ANSWER)

NEW QUESTION: 44

Regarding the trigger mechanism of 802.1X authentication, which of the following descriptions is correct?

(multiple choice)

- A. 802.1X The client can trigger authentication through multicast or broadcast.
- B. 802.1X Certification can only be done by certified equipment (like 802.1X switch) Initiate
- C. 802.1X Authentication can only be initiated by the client.
- D. The authentication equipment department triggers authentication through multicast or unicast.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 45

In a WLAN network, intra-group isolation and inter-group isolation can be used at the same time.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 46

About in WLAN User isolation technology is used in the networking environment. Which of the following statements is wrong?

- A. User isolation between groups means that users in different groups cannot communicate, but internal users in the same group can communicate
- B. Intra-group isolation and inter-group isolation cannot be used at the same time
- C. The user isolation function is related to the same AP Layer 2 packets between all wireless users on the Internet cannot be forwarded to each other
- D. Isolation within a user group means that users within the same group cannot communicate with each other.

Answer: B (LEAVE A REPLY)

Valid H12-723_V3.0 Dumps shared by BraindumpsPass.com for Helping Passing H12-723_V3.0 Exam! BraindumpsPass.com now offer the **newest H12-723_V3.0 exam dumps**, the BraindumpsPass.com H12-723_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H12-723_V3.0 dumps with Test Engine here:

https://www.braindumps.com/Huawei/H12-723_V3.0-practice-exam-dumps.html

(170 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Use on access control equipment test-aaa Command test and Radius When the server is connected, the running result shows a timeout, which may be caused by incorrect account or password configuration.

- A. True
- B. False

Answer: (SHOW ANSWER)

NEW QUESTION: 48

Which of the following options is for Portal The description of the role of each role in the authentication system is correct?

- A. Portal The role of the server is to receive client authentication requests, provide freeportal services and authentication interfaces, and exchange client authentication information with access devices.
- B. The role of admission control equipment is to complete the authentication, authorization and accounting of users.
- C. The client is Any Office software.
- D. RADIUS The role of the server is to authenticate all the users in the network segment HTTP Requests are redirected to Portal server.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 49

Which of the following options is for Portal The statement of the gateway access process is correct?

- A. The ACL issued by the server to the access gateway is carried in the Portal protocol message
- B. Issue policies while performing identity authentication
- C. Portal gateway initiates Radius Challenge request message, including user name and password information
- D. The Portal server needs to pass the security check result to the access gateway device

Answer: D (LEAVE A REPLY)

NEW QUESTION: 50

In the visitor reception hall of a company, there are many temporary terminal users, and the administrator hopes that users do not need to provide any account numbers and passwords. access Internet. Which of the following authentication methods can be used for access?

- A. AD Account Verification
- B. Anonymous authentication
- C. Local account authentication
- D. MAC Certification

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

The multi-level defense system is mainly reflected in the network level and the system level. Which of the following options are used for security defense at the network level? (Multiple choice)

- A. hardware SACG
- B. software SACG
- C. Authentication server
- D. 802.1X switch

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 52

User access authentication technology does not include which of the following options?

- A. Authentication
- B. Isolation repair'
- C. Security check
- D. Access control

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Portal authentication on the Agile Controller-Campus has been configured and is correct. Configure the following commands on the access control switch:

[S5720] authentication free-rule 1 destination ip 10.1.31.78 mask 255.255. 255.255 Which of the following options are correct? (multiple choice)

- A. Only after the authentication is passed, the terminal can access 10.1.31.78 Host.
- B. This configuration allows users to access network resources before authentication.
- C. After the configuration is complete, the administrator still needs to manually configure the release network segment
- D. After the configuration is complete, the switch will automatically release the data flow to access the security controller, No need for manual configuration by the administrator.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Identity authentication determines whether to allow access by identifying the identity of the access device or user.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

According to the different user name format and content used by the access device to verify user identity, the user name format used for MAC authentication can be changed.

There are three types. Which of the following formats is not included?

- A. MAC Address format
- B. ARP Option format
- C. Fixed username form
- D. DHCP Option format

Answer: ([SHOW ANSWER](#))

Valid H12-723_V3.0 Dumps shared by BraindumpsPass.com for Helping Passing H12-723_V3.0 Exam! BraindumpsPass.com now offer the **newest H12-723_V3.0 exam dumps**, the BraindumpsPass.com H12-723_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H12-723_V3.0 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H12-723_V3.0-practice-exam-dumps.html

(170 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)