

Huawei.H13-711_V3.0-ENU.v2022-01-24.q177

Exam Code:	H13-711_V3.0-ENU
Exam Name:	HCIA-Big Data V3.0
Certification Provider:	Huawei
Free Question Number:	177
Version:	v2022-01-24
# of views:	4706
# of Questions views:	1770
https://www.exam-tests.com/H13-711_V3.0-ENU-exam/Huawei.H13-711_V3.0-ENU.v2022-01-24.q177.html	

NEW QUESTION: 1

Hive does not support a timeout retry mechanism.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

The driver in Spark on YARN mode can only run on the client.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

When Flume processes are cascaded, which of the following sink types are used to receive messages sent by the last hop Flume? (Multiple choice)

- A. Avro sink
- B. Null sink
- C. Thrift sink
- D. Hive sink

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which way does Elasticsearch index data use?

- A. Forward Index
- B. Keyword Index
- C. Full-text index

D. Inverted index

Answer: D (LEAVE A REPLY)

NEW QUESTION: 5

Assuming that HDFS only saves 2 copies when writing data. During the writing process, the HDFS Client first writes the data to DataNode1 and then writes the data to DataNode2.

A. True

B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 6

Loader job execution fails, the imported data will not be deleted automatically, and must be deleted manually.

A. False

B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 7

Which of the following commands can be used to create node data?

A. create /node

B. ls/node

C. set/node data

D. get /node

Answer: A (LEAVE A REPLY)

NEW QUESTION: 8

What can the unified certification management system of the new mainstream business consist of? (Multiple choice)

A. Unified Authentication management module

B. Court meeting Security Management Module

C. Unified Identity Authentication Server

D. Identity information storage server

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 9

Which of the following measures are to ensure data integrity? (Multiple choice)

A. Rebuild the copy data of the failed data disk

B. Metadata reliability guarantee

C. Safe Mode

D. Cluster data balance

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 10

In the FusionInsight cluster, which of the following components does Spark mainly interact with? (Multiple choice)

- A. Hive
- B. HDFS
- C. YARN
- D. Zookeeper

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

When the Fusioninsight Manager interface shows that the Hive service status is Bad, what are the possible reasons? (Multiple choice)

- A. HDFS service is unavailable
- B. HBase service is unavailable
- C. DBService is unavailable
- D. MetaStore instance is unavailable

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

Assuming that the minimum resource guarantee for each user is set to `YARN.scheduler.capacity.root.QueueA.minimum-user-limit-percent=25`, which of the following is wrong?

- A. When the fourth user submits the task, each user gets up to 25% of the resources
- B. When the third user submits the task, each user gets 33.33% of resources at most
- C. When the second user submits the task, each user gets up to 50% of the resources
- D. When the fifth user submits the task, each user gets a maximum of 20% of the resources

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

To set the maximum resource usage of queue QueueA in YARN, which parameter needs to be configured?

- A. `yarn.scheduler.capacity.root.QueueA.maximum-capacity`
- B. `yarn.scheduler.capacity.root.QueueA.state`
- C. `yarn.scheduler.capacity.root.QueueA.minimum-user-limit-percent`
- D. `yarn.scheduler.capacity.root.QueueA.user-limit-factor`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Flink is a computing framework that combines batch processing and stream processing. Its core is a stream data processing engine for data classification and parallel computing.

- A. False
- B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 15

Regarding the DataNode of HDFS in the Huawei Fusioninsight HD system, which of the following is correct?

- A. Periodically send the block related information of this node to the NameNode
- B. Will not check the validity of the data
- C. The blocks stored by different DataNodes must be different
- D. Blocks on a DataNode can be the same

Answer: A (LEAVE A REPLY)

NEW QUESTION: 16

In the Fusioninsight HD V100R002C60 version cluster, which of the following components need to be planned for metadata partitioning? (Multiple choice)

- A. HBase
- B. Streaming
- C. HDFS
- D. Redis
- E. Zookeeper
- F. Kafka

Answer: B,C,E (LEAVE A REPLY)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumps.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

After the Loader job in Fusioninsight HD is submitted to YARN, the job cannot be stopped manually.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which of the following are the main functions of FusionInsight Manager? (Multiple choice)

- A. System Management
- B. Data integration
- C. Service governance
- D. Security Management

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Regarding the relationship between Hive and other components of Hadoop, which is wrong in the following description?

- A. Hive is a data warehouse tool for the Hadoop platform
- B. Hive has a strong dependency on HBase
- C. Hive finally stores the data in HDFS
- D. HQL can execute tasks through MapReduce

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Hive supports normal views and materialized views.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which are the correct understandings and descriptions of the main characteristics of big data? (Multiple choice)

- A. Many data sources and formats
- B. Data value density is low and value is high
- C. Large amount of data and large amount of calculation
- D. Data growth rate is fast, processing speed is fast

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

The nodes in the ElasticSearch cluster are divided into master and slave.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which of the following is correct about the LdapServer organization model? (Multiple choice)

- A. Each node in the LDAPServer directory tree is called an entry, and has its own unique distinguished name DN (Distinguished Name).
- B. The root of the LDAPServer directory tree generally defines the domain name DC (Domain Component).
- C. No specific objects can be defined under the organization unit.
- D. LDAPServer directory information is organized and stored based on a tree structure.

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 24

Hardware failure is considered normal. In order to solve this problem, HDFS has designed a copy mechanism.

By default, one file, how many copies will HDFS save?

- A. 2
- B. 4
- C. 1
- D. 3

Answer: (SHOW ANSWER)

NEW QUESTION: 25

Regarding the warning of insufficient disk capacity in Kafka, which of the following analysis is incorrect for possible reasons?

- A. The disk configuration used to store Kafka data (such as the number of disks, size, etc.) cannot meet the current business data flow announcement, resulting in the disk usage reaching the upper limit
- B. Broker node failure caused
- C. Unreasonable business planning, resulting in uneven data distribution, causing some disks to reach the upper limit of utilization
- D. The data storage time configuration is too long, and the data accumulation reaches the upper limit of the disk usage rate

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

The flume architecture shown in the figure below is mainly used to import data from outside the cluster into the cluster.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 27

Which of the following languages are supported by the Flink streaming data processing interface Datastream API? (Multiple choice)

- A. C Language
- B. Scala
- C. Python
- D. Java

Answer: (SHOW ANSWER)

NEW QUESTION: 28

Which of the following aspects reflect Fusioninsight HD data high reliability? (Multiple choice)

- A. Critical data power failure protection
- B. Third-party backup system integration
- C. Cross-data center disaster recovery
- D. Disk hot swap

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 29

In the HDFS mechanism, the NameNode is responsible for managing metadata. Each read request on the client side needs to read metadata information from the metadata disk of the NameNode to obtain the location of the read file in the DataNode.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

Which of the following about the Install Fusioninsight HD installation process is correct?

- A. LLD tool for configuration -> execute preinstalls -> install cluster -> install Manager -> check after installation -> configure after installation
- B. Install Manager->Execute preinstall->LLD tool for configuration->Install cluster->Check after installation->Configure after installation
- C. Configure with LLD tool->Execute preinstall->Install Managers->Install cluster->Check after installation->Configure after installation
- D. Install Manager->LLD tool for configuration->Execute preinstall->Install cluster->Check after installation->Configure after installation

Answer: (SHOW ANSWER)

NEW QUESTION: 31

Which of the following is not a role or service involved in the HBase read data process?

- A. HMaster
- B. HDFS

- C. Zookeeper
- D. HRegionServer

Answer: A (LEAVE A REPLY)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumps.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (**646 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

What items can FusionInsight Manager perform health checks on? (Multiple choice)

- A. Role
- B. Service
- C. Examples
- D. Host

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 33

What are some typical filters included in HBase? (Multiple choice)

- A. Filter List
- B. Key Only Filter
- C. Single Column Value Filter
- D. Row Filter

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 34

Which of the following descriptions of data management and architecture faced by traditional enterprises is correct? (Multiple choice)

- A. Traditional databases do not require high data processing time, while big data requires real-time data processing
- B. Traditional databases are not suitable for processing PB of data.
- C. Mass data operation and maintenance needs to ensure data stability and support high concurrency while increasing server burden.
- D. Traditional databases do not consider the diversity of data, and are especially compatible with structured data, unstructured data and semi-structured data.

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 35

Flink is similar to Spark Streaming, it is an event-driven real-time streaming system

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

When importing data to the Hive table, the validity of the data will not be checked, only when the data is read.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

During the operation of the Kafka cluster, which components are directly dependent on?

- A. Spark
- B. Zookeeper
- C. HBase
- D. HDFS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which of the following are the characteristics of Huawei Kunpeng processor?

- A. Open ecology, support mainstream software and hardware in the industry, and work with developers, partners, and industrial organizations to create a new base for intelligent computing
- B. Safe and reliable, creating high quality as stable as Mount Tai
- C. High-performance computing, high-performance Huawei Kunpeng processor compatible with ARM architecture and x86 architecture servers and solutions
- D. All the above are correct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

The checkpoint mechanism in Flink continuously draws snapshots of streaming applications, and the state snapshots of streaming applications can only be saved in the HDFS file system.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following RESTful request methods belong to Elasticsearch? (Multiple choice)

- A. Update
- B. Get
- C. Post
- D. Delete

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which one of the following is not a state store supported by Flink?

- A. FileStateBackend
- B. MemoryStateBackend
- C. RocksDBStateBackend
- D. FsStateBackend

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

Huawei Fusioninsight HD is the first domestic big data platform that complies with national financial and other garbage protection. Which of the following aspects is its security now?

- A. System Security
- B. Data Security
- C. All of the above are correct
- D. Authorization

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

In the Fusioninsight HD system, if dirty data is generated during the running of the Loader job, the status of the Loader job execution result must be failed.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following components must depend on Zookeeper to run? (Multiple choice)

- A. YARN
- B. HBase
- C. HDFS
- D. Spark

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Which one of the following is not a role or service involved in the HBase read data process?

- A. HRegionServer
- B. ZooKeeper
- C. HMaster
- D. HDFS

Answer: D (LEAVE A REPLY)

NEW QUESTION: 46

In the Fusioninsight product, which of the following descriptions about kafka topic is wrong?

- A. Each topic can only be divided into one partition area
- B. Each partition corresponds to a log file at the storage level, and all message data is recorded in the log file
- C. The number of Topic partitions can be configured when created
- D. Every message published to Kafka has a category, which is called topic and can also be understood as a queue for storing messages

Answer: A (LEAVE A REPLY)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here: https://www.braindumpspass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

In Fusioninsight HD, which of the following does not belong to the flow control feature of Hive? (Multiple choice)

- A. Support threshold control of the total number of established connections
- B. Support threshold control of the number of connections established per unit time
- C. Support threshold control of the number of connections established by a specific user
- D. Support threshold control of the number of connections that each user has established

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 48

There are currently 3 racks, and there is a file that needs to be stored in 3 copies, of which copy 1 and copy 2 are stored in the same rack as the client but on different servers. According to HDFS's copy placement strategy, it must be stored in other racks.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

Flink is suitable for applications with high concurrency processing data and millisecond delay.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

What types of data sources does Flink stream processing include? (Multiple choice)

A. JDBC

B. Socket streams

C. Files

D. Collections

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

In the WebHCat architecture, which of the following operations can users perform through the secure HTTPS protocol?

A. Run Hive HQL tasks

B. Perform Hive DDL operations

C. Run MapReduce tasks

D. All the above are correct

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which is not Flume's channel type?

A. JDBC Channel

B. File Channel

C. HDFS Channel

D. Memory Channel

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Kafka is a high-throughput, distributed, publish-and-subscribe messaging system. Using kafka technology, a large-scale messaging system can be built on a cheap PC Server.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

What storage formats does Hive support include? (Multiple choice)

A. RCFile

B. TextFile

C. Parquet

D. SequenceFile

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

The description about HBase's Region Split process, which is wrong?

A. The region that is split during the Split process will suspend service

B. The data sheet will be suspended during the split process

C. Split in order to reduce the size of the data in the Region, thereby splitting a Region into two Regions

D. During the Split process, the file is not really split, only the reference file is created

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which of the following nodes are included in the basic system architecture of HDFS?
(Multiple choice)

A. Data Node

B. ResourceManager

C. NodeManager

D. NameNode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which of the following are not part of the core elements of KrbServer?

A. Kerberos KDC Client

B. KDC(Key Distribution Center)

C. Kerberos KDC Server

D. Kerberos Client

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

HUAWEI CLOUD MapReduce service provides tenants fully controllable-station enterprise-level big data cluster cloud service, fully compatible with open-source interfaces, combined with HUAWEI cloud computing, storage advantages and big data industry experience, to provide customers with high performance, low cost, Flexible and easy-to-use full-stack big data platform, easy to run Hadoop, Spark, HBase. Kafka, Storm and other big data components. Realize real-time and offline analysis and mining, and discover new business opportunities.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

When the Spark application is running, what is the basis for stage division?

A. task

B. action

C. shuffle

D. taskSet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

The core concept of MapReduce is to decompose a large computing task to each node of the cluster, make full use of cluster resources, and shorten the running time.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

In the Huawei big data solution, which of the following components are included in the hadoop layer? (Multiple choice)

A. Spark

B. Hive

C. Flink

D. Miner

Answer: ([SHOW ANSWER](#))

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest**

BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Assuming that the data volume is about 200GB and the maximum fragment capacity is limited to 30GB, what is the appropriate design for the maximum number of fragments?

- A. 7 or 8
- B. 5 or 6
- C. 9 or 10
- D. 3 or 4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

In a Huawei Fusioninsight HD cluster, which of the following services can the Spark service read data from? (Multiple choice)

- A. YARN
- B. Hive
- C. HBase
- D. HDFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

What is the meaning of this command "ALTER TABLE employee1 ADD columns (column1 string);" in Hive?

- A. Create a table
- B. Delete table
- C. Modify the file format
- D. Add columns

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

In FusionInsight HD cluster planning, what kind of scenario is suitable for the integrated deployment of management node & control node & data node?

- A. 100-200 nodes
- B. More than 100 nodes
- C. Below 30 nodes
- D. More than 200 nodes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

Which of the following descriptions of Kafka partition offset is incorrect?

- A. Consumers track records through (offset, partition, topic)
- B. The position of each message in the file is called offset (offset)
- C. Uniquely mark a message
- D. offset is a String type string

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which object cannot be managed by Fusion Insight manager?

- A. YARN
- B. Host OS
- C. HDFS
- D. Spark

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

In Spark on YARN mode, nodes without NodeManager deployed cannot start executor to execute tasks.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 69

The smallest processing unit of HBase is Region, and the routing information between User Region and RegionServer is stored in Zookeeper.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

In the Fusioninsight cluster networking design, the Layer 2 networking refers to the Layer 2 switching in the cluster. The cluster nodes are in a subnet, which is suitable for cluster scenarios with nodes less than 200.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

One Executor of Spark task can run multiple tasks at the same time.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which of the following descriptions about HBase secondary indexes is correct?

- A. The secondary index was queried 2 times
- B. All of the above are correct
- C. The secondary index associates the column to be searched with the rowkey into an index table
- D. Now it is listed as the new rowkey, and the original rowkey becomes the value

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

Streaming of Fusioninsight HD is weakly dependent on Zookeeper, even if Zookeeper fails, Streaming can provide services normally.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

In creating a Loader job, which of the following steps can be used to set the filter type?

- A. Basic information
- B. Input settings
- C. Conversion
- D. Output

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

Neither Spark nor Hadoop is suitable for iterative computing scenarios.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 76

In order to ensure the reliability of the snapshot storage of streaming applications, where are the snapshots mainly stored?

- A. In the local file system
- B. In a highly reliable stand-alone database
- C. In the memory of JobManager
- D. In HDFS

Answer: D ([LEAVE A REPLY](#))

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumps.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (**646** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

When using HBase for data reading services in Fusioninsight HD, you need to connect to HMaster.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 78

Hive does not retrieve whether the data conforms to the schema during load. Hive follows the schema on read (read mode) and only checks the Hive data field schema during the read mode.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 79

In the Fusioninsight Hadoop cluster, through df-hT query on a node, the partitions seen include the following:

```
/var/log  
/srv/BigData  
/srv/BigData/hadoop/data5  
/srv/BigData/solr/solrserver3  
/srv/BigData/dbdataom
```

What is the planned combination of the best Raid level for the disks corresponding to these partitions?

- A. Raid1 Raid1 Non-Raid Non-Raid Raid1
- B. Raid0 Raid0 Raid0 Raid0 Raid0
- C. Raid0 Raid1 Raid0 Non-Raid1
- D. Non-Raid Non-Raid Non-Raid Non-Raid Raid1

Answer: (SHOW ANSWER)

NEW QUESTION: 80

When the HDFS Client writes a file, the first copy of the data is determined by the NameNode, and the other copies are written by the Data Node.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

When viewing the partition details of a topic in Kafka, which command is used as follows?

- A. bin/kafka-topic.sh -create
- B. bin/kafka-topic.sh -describe
- C. bin/kafka-topic.sh -list
- D. bin/kafka-topic.sh -delete

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

Fusioninsight is a unified platform for Huawei's enterprise-level big data storage, query, and analysis. It can help companies quickly build a massive data information processing system, and discover new value points and business opportunities through real-time and non-real-time analysis and mining of massive information data.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

Which of the following descriptions of Zookeeper features is wrong?

- A. The number of Zookeeper nodes must be an odd number.
- B. Message update can only succeed or fail, there is no intermediate state.
- C. Updates sent by the client will be applied in the order in which they were sent.
- D. A message needs to be received by more than half of the servers. It can be successfully written to disk

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 84

Spark is a memory-based computing engine. All data during the running of Spark programs can only be stored in memory.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

If part of the information is allowed to be lost in the process of message processing, which of the following methods can be used to close the message reliability processing mechanism? (Multiple choice)

- A. When Spout sends a message, use the interface that does not specify the message ID of the message to send
- B. Set the reference Config.Topology_ACKKRS to False
- C. Use Unanchor to send messages when Bolt sends messages
- D. Set the parameter Config.Topology_ACKKRS to 0

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 86

Regarding the order of the YARN scheduler allocating resources, which one of the following descriptions is correct?

- A. Local resources -> same rack -> any machine
- B. Any machine -> same rack -> local resource
- C. Same rack -> any machine -> local resource
- D. Any machine -> local resource -> same rack

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 87

What is the default resource scheduler for queues in YARN?

- A. FIFO scheduler
- B. None of the above is correct
- C. Capacity scheduler
- D. Fair scheduler

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which of the following are enterprise-level big data application scenarios? (Multiple choice)

- A. Supply chain management
- B. Customer analysis
- C. Marketing analysis
- D. Internal operation management

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

In Flink, the checkpoint mechanism can ensure that when the application fails during operation, it will be restored from a certain checkpoint. In this process, the stream snapshot is established based on the data inflow.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 90

After submitting the topology using the Streaming client shell command in the Fusioninsight HD system, using the Strom UI to view it, it is found that the topology has not processed data for a long time. What are the possible reasons? (Multiple choice)

- A. Supervisor is a component that receives data in the topology and then performs processing
- B. The topology is too complicated or the concurrency is too large, which causes the worker startup time to be too long, exceeding the waiting time of the Supervisor
- C. There is a logic error in the topology business, and it cannot run normally after submission
- D. Supervisor's slot resources are exhausted, and no slots can be allocated to start the worker process after the topology is submitted.

Answer: (SHOW ANSWER)

NEW QUESTION: 91

When a Region in HBase performs a Split operation, at what stage does the process of separating an HFile file into two regions occur?

- A. Flush process
- B. Compaction process
- C. Split process
- D. HFile separation process

Answer: B (LEAVE A REPLY)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here: https://www.braindumpspass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

When FusionInsight Manager is connected to an external management platform, which interfaces are supported? (Multiple choice)

- A. FTP
- B. SNMP
- C. VPN

D. Syslog

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 93

Which of the following key features are included in the Zookeeper? (Multiple choice)

A. Waiting for irrelevance

B. Reliability

C. Atomicity

D. Eventual consistency

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

Which of the following indicators belong to flume data monitoring? (Multiple choice)

A. Sink write data volume

B. The amount of data received by the Source

C. Number of DataNodes

D. Channel cache data volume

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

How many copies of HDFS Block in FusionInsight HD system are saved by default?

A. Not sure

B. 2

C. 3

D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

Which of the following descriptions about bucketing is correct in Hive? (Multiple choice)

A. Different data can be put into different buckets according to the way of buckets

B. The advantage of bucketing is to obtain higher query processing efficiency and make sampling more efficient

C. Unsortable in the bucket

D. You can specify the number of buckets when creating a table

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 97

HDFS supports large file storage, and supports multiple users to write to the same file, as well as modify any location of the file.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

Fusioninsight HD cluster contains a variety of services, and each service is composed of several roles. Which of the following are service roles? (Multiple choice)

- A. HBase
- B. DataNode
- C. HDFS
- D. NameNode

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 99

The smallest processing unit of HBase is Region. Where is the routing information between User Region and Region Server stored in?

- A. meta table
- B. Zookeeper
- C. Master
- D. HDFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

FusionInsight HD uses HBase client to write 10 pieces of data in batches.

A Regionserver node contains 2 Regions of the table, A and B respectively.

Two of the 10 pieces of data belong to A and 4 belong to B.

How many RPC requests need to be sent to the Regionserver to write these 10 pieces of data?

- A. 1
- B. 2
- C. 4
- D. 3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which of the following does not belong to the characteristics of the MapReduce component in Hadoop?

- A. Good scalability
- B. High fault tolerance
- C. Real-time calculation
- D. Easy to program

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 102

SolrCloud mode is a cluster mode. In this mode, the Solr server strongly depends on which of the following services?

- A. HBase
- B. YARN
- C. ZooKeeper
- D. HDFS

Answer: C (LEAVE A REPLY)

NEW QUESTION: 103

Hive is a data warehouse processing tool that uses the SQL-like HiveQL language to implement data query functions. All Hive data is stored in HDFS.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 104

Regarding the client uploading files to the HDFS file system, which of the following statement is correct?

- A. The file data of the client is passed to the DataNode through the NameNode
- B. The client side divides the file into multiple blocks, and writes them to each DataNode in order according to the address information of the DataNode
- C. The client only uploads data to one DataNode, and then the NameNode is responsible for block replication
- D. The client writes the entire file to each DataNode in order according to the address information of the DataNode, and then the DataNode divides the file into multiple blocks

Answer: B (LEAVE A REPLY)

NEW QUESTION: 105

What services can Huawei DWS provide to customers? (Multiple choice)

- A. Support GDS tools to speed up data storage
- B. Ensure high reliability of data and system
- C. Second-level response to trillions of data association analysis
- D. Unified management console

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 106

When using the configuration planning tool to plan the Fusioninsight HD V100R002C50 cluster, you can use the V100R2002C60 configuration planning tool to plan.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumpspass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (**646 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

The memory size allocated by YARN to the Container in the Hadoop system can be set by the parameter yarn.app.mapreduce am.resource.mb.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 108

Which of the following are the characteristics of Elasticsearch? (Multiple choice)

- A. High reliability
- B. High scalability
- C. High fault tolerance
- D. High performance

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 109

The ___ interface in Flink is used for stream data processing, and the ___ interface is used for batch processing.

- A. Data batch API, DataStream API
- B. Stream API, Batch API
- C. Datastream API, DataSet API
- D. Batch API, Stream API

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

In the process of data transmission by Flume, after sink takes the data and writes it to the destination, events will be deleted from the channel.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

Commands in Redis are case sensitive.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 112

Regarding the task selection of the capacity scheduler, which statement is correct?

- A. Maximum queue level priority
- B. The queue with the lowest resource utilization has priority
- C. The smallest queue level priority
- D. Resource recovery request queue priority

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 113

The role of Channel is similar to a queue, which is used to temporarily buffer incoming data. When Sink successfully sends the data to the next-hop Channel or the final destination, the data will be removed from the Channel.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 114

Huawei has extensive experience in big data solutions in finance, public security, railways, government affairs and other industries.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

What is the correct description of the Loader job in FusionInsight HD?

- A. After the Loader submits the job to YARN for execution, if the Loader transaction is abnormal at this time, the job execution fails.
- B. After the Loader job fails to execute, garbage data will be generated, which needs to be manually cleared by the user
- C. After the Loader submits a job to YARN for execution, no other jobs can be submitted until the job is completed.
- D. After the Loader submits the job to YARN for execution, if a Mapper task fails to execute, it can automatically retry

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

Which of the following options belong to Fusioninsight data security? (Multiple choice)

- A. Operating system security hardening
- B. User authority authentication management
- C. Data integrity check
- D. Component data encryption

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 117

The capacity scheduler is performing resource allocation. The existing two queues Q1 and Q2 at the same level have a capacity of 30. Among them, Q1 has used 8 and Q2 has used 14, and the resource will be allocated to Q1 first.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 118

Which of the following scenarios is HDFS not suitable for? (Multiple choice)

- A. Random write
- B. Streaming data access
- C. Large amount of small file storage
- D. Large file storage and access

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 119

What are the main features of YARN capacity scheduler? (Multiple choice)

- A. Flexibility
- B. Capacity guarantee
- C. Multiple leases
- D. Dynamically update configuration files

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 120

Flink is a unified computing framework that combines batch processing and stream processing. Its core is a stream data processing engine for data distribution and parallel computing.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 121

Hive is a data warehouse software based on hadoop, which can query and manage PB-level distributed data.

Which of the following descriptions of Hive features is wrong?

- A. Flexible and convenient ETL (extract/transform/load)
- B. Easy to use and easy to program
- C. Only supports MapReduce computing engine
- D. Can directly access HDFS files and HBase

Answer: C (LEAVE A REPLY)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumpsPass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 122

Flume is used to collect data, and the basic unit of data transmitted by the device is?

- A. Block
- B. Split
- C. Event
- D. Packet

Answer: C (LEAVE A REPLY)

NEW QUESTION: 123

When deploying HBase in a Fusioninsight HD cluster with N nodes, it is recommended to deploy ___ HMaster processes and ___ RegionServer processes.

- A. 2, 2
- B. 2, N
- C. 3, N
- D. N, N

Answer: B (LEAVE A REPLY)

NEW QUESTION: 124

Zookeeper's scheme authentication method does not include which of the following?

- A. sasl

- B. world
- C. auth
- D. digest

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

In the flume architecture, a Source can connect to multiple channels.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 126

Which of the following steps are involved in preparing for Fusioninsight HD installation?
(Multiple choice)

- A. Prepare planning data, such as network parameters and role deployment location
- B. Complete the node host operating system installation
- C. Complete the hardware installation
- D. Prepare tools and software. Such as Putty, LLD, Fusioninsight HD software installation package, etc.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 127

What can the unified certification management system of mainstream manufacturers consist of? (Multiple choice)

- A. Unified certification management module
- B. Unified Identity Authentication Server
- C. Unified Security Management System
- D. Identity information storage server

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 128

With the continuous increase in the volume of big data, the requirements for the physical security of data storage are getting higher and higher, and higher requirements are put forward for multiple copies of data and disaster tolerance mechanisms.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 129

TaskSlot in Flink is mainly used for resource isolation, including memory resources and CPU resources.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 130

The description of the role of the standby NameNode in the HDFS system, which is correct? (Multiple choice)

- A. The standby NameNode has no memory requirements
- B. Help the main NameNode to merge and edit logs to reduce the startup time of the main NameNode
- C. Hot standby of the primary NameNode
- D. The standby NameNode should be deployed to the same node as the primary NameNode

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 131

What are the aspects of Flink's compatibility? (Multiple choice)

- A. Ability to use Hadoop formatted input and output
- B. YARN can be used as the resource scheduling manager of Flink cluster
- C. Ability to obtain data locally
- D. Can be mixed with Hadoop's original mappers and reducers

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 132

Which of the following statements about Fusioninsight HBase visual modeling are correct? (Multiple choice)

- A. Qualifier HBase column: each column represents a certain attribute of business data
- B. Column user table column: each column represents a KeyValue
- C. Visual modeling helps DBA perform modeling and design, lowering the threshold for using HBase
- D. Realize the division of labor: DBA pays attention to data table modeling, and developers pay attention to user table names and columns used

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 133

What log download methods does FusionInsight HD support? (Multiple choice)

- A. Download the log of the specified host
- B. Download the log of a module of a single component
- C. Download logs for the specified time period
- D. Download the logs of all components of the installed components

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 134

Which of the following data sources can be used to exchange data with Fusioninsight HD through loader? (Multiple choice)

- A. SFTP Server
- B. MySQL
- C. NoSQL
- D. FTP Server

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 135

When planning and deploying FusionInsight clusters, it is recommended to deploy _ management nodes, at least _ control nodes, and at least _ data nodes.

- A. 2, 3, 3
- B. 1, 2, 2
- C. 1, 3, 2
- D. 2, 3, 1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 136

In the Fusioninsight HD system, which component does the flume data stream not need to pass through in the node?

- A. topic
- B. sink
- C. Channel
- D. Source

Answer: (SHOW ANSWER)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here: https://www.braindumpspass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 137

Redis's default snapshot method is AOF.

- A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 138

In the Fusioninsight HD system, HBase supports dynamically expanding columns.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 139

What is the module used to manage the active and standby status of Loader Server processes in Loader?

A. Job Scheduler

B. Resource Manager

C. HA Manager

D. Job Manager

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 140

Now server.channels=ch1 is available, set the Channel type to File Channel, which of the following configurations are correct?

A. server.channels.ch1.type = memory

B. server.channels.ch1.type = file

C. server.channels.type = memory

D. server.channels.type = file

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 141

Which of the following statements about atomicity in the key features of ZooKeeper is correct?

A. The update can only be fully completed or failed, not partially completed

B. A message received by one server will be received by all servers

C. No matter which server in the cluster, the external display is the same view

D. Updates sent by the client will be applied in the order they were sent

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 142

Spark on YARN-client is suitable for production environments because you can see the output of the APP faster.

A. False

B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 143

In the Fusioninsight HD platform, HBase does not currently support secondary index.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 144

Which of the following nodes in HDFS is ZKFC process deployed on? (Multiple choice)

- A. Standby NameNode
- B. DataNode
- C. All of the above are wrong
- D. Active NameNode

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 145

In the Fusioninsight Manager interface, which of the following options is not included in the operation of the loader?

- A. Start the loader instance
- B. View the loader service status
- C. Switch Loader active and standby nodes
- D. Configure loader parameters

Answer: C (LEAVE A REPLY)

NEW QUESTION: 146

In Hadoop, if `yarn.scheduler.capacity.root.QueueA.minimum-user-limit-percent` is set to 50, which of the following is wrong?

- A. A user submits a task can use 100% of QueueA's resources
- B. If there are already 2 user tasks running in QueueA, then the task submitted by the third user needs to wait for the release of resources
- C. QueueA must ensure that each user gets at least 50% of the resources
- D. Each user in QueueA can only get up to 50% of the resources

Answer: D (LEAVE A REPLY)

NEW QUESTION: 147

Which of the following functions can be achieved by the Kafka Cluster Mirroring tool?

- A. Kafka single cluster data backup
- B. Kafka cross-cluster data synchronization method
- C. None of the above is correct
- D. Kafka single cluster data recovery

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 148

Which of the following scenarios in HBase will trigger the Flush operation? (Multiple choice)

- A. HBase refreshes Memstore regularly, the default period is 1 hour
- B. The total size of MemStore in the Region has reached the preset Flush Size threshold
- C. The ratio of the total memory occupied by MemStore to the total memory of RegionServer exceeds the preset threshold size
- D. When the number of files in WALs reaches the threshold

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 149

Which one of the following commands can be used to clear the data of all databases under the Redis instance?

- A. dropdb
- B. flushdb
- C. dropall
- D. flushall

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 150

The processing logic of the topology is in the bolt.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 151

Which of the following options is a process that MapReduce must have? (Multiple choice)

- A. Map
- B. Partition
- C. Reduce
- D. Combine

Answer: A,B,C ([LEAVE A REPLY](#))

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest**

BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumpsPass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 152

In the operation process of Flink, which role is responsible for applying for resources?

- A. ResourceManager
- B. JobManager
- C. Client
- D. TaskManager

Answer: (SHOW ANSWER)

NEW QUESTION: 153

Under the HDFS federation mechanism, metadata between NameNodes is not shared.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 154

On the FusionInsight Manager interface, when a Kafka disk capacity shortage alarm is received, and the cause of the read alarm has been eliminated from the disk hardware failure, the system administrator needs to consider capacity expansion to solve this problem.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 155

In Fusioninsight HD, which of the following is not part of the flow control feature of Hive?
(Multiple choice)

- A. Support threshold control of the number of connections established by a specific user
- B. Support threshold control of the number of connections that each user has established
- C. Support threshold control of the number of connections established per unit time
- D. Support threshold control of the total number of established connections

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 156

When the size of a Region gradually increases in HBase, it may be trimmed.

- A. False
- B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 157

The ResourceManager adopts a high-availability solution. When the Active ResourceManager finds a fault, it can only start the standby ResourceManager through the built-in ZooKeeper and switch its state to active.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 158

In what scenarios is the MapReduce component of Hadoop good at handling computing tasks?

- A. Streaming computing
- B. Real-time interactive computing
- C. Offline calculation
- D. Iterative calculation

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 159

The "Group by" in Hive refers to dividing a data set into several small data sets through certain rules, and then performing data grouping processing for several small data sets.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 160

When the loader in FusionInsight HD imports files from the SFTP server, which of the following is the fastest file type without encoding conversion and data conversion?

- A. binary_file
- B. text_file
- C. graph_file
- D. sequence_file

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 161

Which of the following descriptions of the cloud search service CSS is correct? (Multiple choice)

- A. TB-level data retrieval is returned in seconds
- B. Does not support the fusion search of text such as sound
- C. Expansion of nodes and disk services will not be interrupted, and the thesaurus will be updated without interruption

D. Compatible with Elasticsearch APIs

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 162

In order to optimize performance, it is recommended to deploy LdapServer and KrbServer on the same node in all clusters.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 163

Hive is not suitable for which of the following scenarios?

A. Non-real-time analysis. Such as log analysis, statistical analysis

B. Data mining. Such as user behavior analysis, interest analysis, regional display

C. Data summary. For example, clicks per user per day, click ranking

D. Real-time online data analysis

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 164

Which of the following descriptions of the basic operations of Hive SQL is correct?

A. You can specify the column separator when creating a table

B. To create an external table, you must specify location information

C. Create an external table using external keying. To create a normal table, you need to specify the internal keyword

D. The source data must be a path in HDFS when loading data to Hive

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 165

Which of the following are the functions of Nimbus in the Streaming architecture? (Multiple choice)

A. Task scheduling

B. Monitoring task execution status

C. Resource allocation

D. Start/shut down the work process

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 166

Which of the following statements about Zookeeper's Leader election is correct? (Multiple choice)

A. When the number of instances is 8, 5 votes are required to become the leader node, and the disaster tolerance is 4

B. When the number of instances n is an odd number, assuming $n=2x+1$, $x+1$ votes are required to become the leader node

C. When the number of instances n is an odd number, assuming $n=2x+1$, x votes are required to become the leader node

D. When Zookeeper elects a leader, more than half of the votes are required

Answer: B,D (LEAVE A REPLY)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:
https://www.braindumps.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (**646** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 167

Which parts of the data need to be read to perform the HBase data reading service?

(Multiple choice)

A. MemStore

B. HLog

C. HFile

D. HMaster

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 168

Use the Hbase client to write 10 pieces of data in batches.

An HRegionServer node contains 2 Regions of the table, namely A and B.

6 of the 10 pieces of data belong to A and 4 belong to B.

Please write How many RPC requests need to be sent to HRegionServer for these 10 pieces of data?

A. 6

B. 10

C. 1

D. 2

Answer: C (LEAVE A REPLY)

NEW QUESTION: 169

Which data type application scenarios are not suitable for Hadoop's HBase?

A. Mass data application scenarios

- B. Semi-structured data application scenarios
- C. Large file application scenarios
- D. High throughput application scenarios

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 170

What is the purpose of the HBase cluster to perform compaction regularly? (Multiple choice)

- A. Reduce the number of files in the same Region
- B. Reduce the number of files in the same Region and ColumnFamily
- C. Reduce the file data of the same ColumnFamily
- D. Improve data reading performance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 171

If there are only Default, QueueA and QueueB sub-queues in the YARN group, then their capacity is allowed to be set to 60%, 25%, and 22% respectively.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 172

What processes are included in the HBase service of Fusioninsight HD? (Multiple choice)

- A. Data Node
- B. Slave
- C. HRegionServer
- D. HMaster

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 173

Through the unified user management system in the big data platform, unified management of users, roles and organizations of various open-source component application systems in the platform can be realized, and cross-domain single sign-on logout and unified identity authentication function among various application systems can be realized.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 174

In the era of big data, which of the following challenges companies face? (Multiple choice)

- A. The data is scattered among various departments of the enterprise, and the same data is inconsistent in the internal storage format of each department.
- B. Scattered data has problems such as noise, missing, irregular storage type, etc., which requires a lot of data preprocessing.
- C. The data structure is diversified.
- D. The technological advancement of competitors.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 175

ApplicationMaster applies for and receives resources from ResourceManager through the RPC protocol in a polling manner.

- A. False
- B. True

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 176

What storage formats does Hive support in the Fusioninsight HD system include? (Multiple choice)

- A. SequenceFile
- B. TextFile
- C. RCFile
- D. HFile

Answer: [A,B,C \(LEAVE A REPLY\)](#)

NEW QUESTION: 177

Which of the following statements is correct about the interaction between Flink and other components? (Multiple choice)

- A. The implementation of Flink's checkpoint relies on Zookeeper
- B. Flink reads and writes data in the HDFS file system
- C. The operation of Flink tasks relies on YARN for resource scheduling management
- D. Flink can send the received components to Kafka

Answer: [A,B,C,D \(LEAVE A REPLY\)](#)

Valid H13-711_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-711_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-711_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-711_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-711_V3.0-ENU dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H13-711_V3.0-ENU-practice-exam-dumps.html (646 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)