

Huawei.H13-723_V2.0.v2022-09-27.q125

Exam Code:	H13-723_V2.0
Exam Name:	HCIP-Big Data Developer V2.0
Certification Provider:	Huawei
Free Question Number:	125
Version:	v2022-09-27
# of views:	2770
# of Questions views:	1250
https://www.exam-tests.com/H13-723_V2.0-exam/Huawei.H13-723_V2.0.v2022-09-27.q125.html	

NEW QUESTION: 1

existSpark, which of the following is trueDataFrameThe operator that takes the intersection?

- A. intersect (other: Data Frame): Data Frame
- B. dropDuplicates (): DataFrame
- C. filter (condifionExpr: String): DataFrame
- D. join (right: DataFrame, join Exprs: Column): DataFrame

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

for running onMapRestoeThe application on the platform, on which this application is basedjarpackage is placed where?

- A. HIVE
- B. DB
- C. HBASE
- D. HDFS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Spark on YARNin modedriverOnly works on the client side.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

existFusionInsight HDUnder the client, to runMapReducegenerated by the applicationjarBag. Which command can be executed?

- A. yarn jar
- B. yarn application
- C. hdfs dfs

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

FusionInsight HDmiddle,Oozieclient'sJava APIwill be called when the task is runOozieClientWhich method of the class?

- A. run
- B. submit
- C. suspend
- D. getJobInfo

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

FusionInsight HDmiddle,StreamingPackaging tools are used tojarpackages and other dependencies jarpackage, etc., typed into a completeStreamingAppliedjarBag

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

existKafkamiddle,ProducerThis can be done by configuring the synchronization parameters (producer.type), to ensure that the data press

- A. False
- B. True
- C. sent in order.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

due toSparkis a memory-based computing engine, therefore, aSparsThe amount of data that the application can handle cannot exceed the amount allocated for this individualSparkThe total memory of the application.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

existSparkIn application development, which of the following codes can correctly count words?

- A. `rval counts = textFile.map(line => line.split("")).map(word =>(word, 1)).reduceByKey(+)`
- B. `vrval counts = textFie.map(line => line.split("")).map(word =>(word, 1)).groupByKey()`
- C. `vrval counts = textFile.flatMap(line => line.split("")).map(word =>(word, 1)).groupByKey()`
- D. `val counts = textFile.flatMap(line => line.split("")).map(word =>(word, 1)).reduceByKey(+)`

Answer: A (LEAVE A REPLY)

NEW QUESTION: 10

implementHBaseWhat parts of the data need to be read for the data read service? (multiple choice)

- A. HFile
- B. MemStore
- C. HLog
- D. HMaster

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 11

Which of the following methods can generateDStreamobject?

- A. `StreamingContext.fileStream(...)`
- B. `KafkaUtils.createDirectStream(...)`
- C. `KafkaUtils.createStream(...)`
- D. `StreamingContext.socketStream`

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 12

aboutKafkaofPeoducer, is the following statement correct? (multiple choice)

- A. Produceris a message producer
- B. ProducerNeed to connect first when producing dataZooKeeper, and then connectBroker
- C. Can play multiple at the same timeProducerprocess to the sameTopicsend data
- D. ProducerProduction data needs to be specifiedTopic

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 13

existMapReduceIn application development of , which of the followingJAVAThe class is responsible for managing and running a Counting tasks?

- A. Configuration

- B. Context
- C. Job
- D. FileSystem

Answer: C (LEAVE A REPLY)

NEW QUESTION: 14

FusionInsight HD in, about Hive and Spark SQL, which of the following descriptions are correct? (multiple choice)

- A. Both can run on Spark on the computational framework
- B. Both are available via table fields and HBase Access by field mapping HBase data on
- C. Both can run on MapReduce on the computational framework
- D. Both are available externally SQL or class SQL ability

Answer: (SHOW ANSWER)

NEW QUESTION: 15

exist Spark, which of the following statements about broadcast variables is correct? (multiple choice)

- A. Port broadcast variables are read-only
- B. mouth broadcast variable in each Task save a copy
- C. port broadcast variable via SparkContext.broadcast() method to generate
- D. mouth broadcast variable in each Executors save a copy

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 16

exist Spark, the accumulator can realize high-speed parallel counter and variable summation; in Spark during application development, only in Driver Get the value of this counter on .

- A. False
- B. True

Answer: (SHOW ANSWER)

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

FusionInsight HD in use Streaming of A, CK Which of the following statements is true?
(multiple choice)

- A. Acker The message that will identify the processing timeout or processing failure is fail.
- B. from spout started, formed Tuple Failure of any link in the tree will mark the entire tree as failed.
- C. The application needs to be in spout off fail() interface method to implement message resend logic.
- D. enabled Acker Later, Streaming It will identify the failure to send Tuple And automatically resend without human intervention.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 18

FusionInsight HD which of the following components can be used for data collection?
(multiple choice)

- A. mouth HBase
- B. mouth MapReduce
- C. mouth Loader
- D. mouth Flume

Answer: (SHOW ANSWER)

NEW QUESTION: 19

FusionInsight HD HBase in the cluster, Table1 belong Namespace1, Table2 belong Namespace2, Table1 There are two column families, namely cf11, cf12, Table2 There is a column family named cf21, Which of the following options will allow the user account A also have cf11 and cf21 read and write permissions.
(multiple choice)

- A. Assign this user account global read permission
- B. Give this user account Namespace1 read and write permissions
- C. Assign this user account Table1 and Table2 read and write permissions
- D. Assign this user account Namespace1 and Namespace2 read and write permissions

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 20

about Flume Which of the following descriptions is correct?

- A. (1) data from source arrive channel; (2) sink from channel fetch data
- B. (1) data from channel arrive source; (2) sink from source fetch data.
- C. (1) data from sink arrive channel; (2) source from channel fetch data
- D. (1) data from channel arrive source; (2) sink from source fetch data

Answer: (SHOW ANSWER)

NEW QUESTION: 21

Suppose there is an application that needs to be accessed frequently. The user table in the database, in order to improve performance, introduce Redis cache users information.

For this scene, Redis. Which of the following is the best data structure choice for ?

- A. sorted set
- B. set
- C. hash
- D. list

Answer: C (LEAVE A REPLY)

NEW QUESTION: 22

Spark Streaming available from Kafka. Receive data and perform calculations, and the calculation results can only be stored in HDFS, can't write back Kafka.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

There are the following business scenarios: User online log files have been stored in HDFS above, the log file content format the formula is: each online record has three fields, namely name, gender, and online time, and the fields are separated by ","; It is required to print out all female netizens who spend more than two hours online. Which of the following code snippets can achieve The above business scenario? (multiple choice)

- A.

```
sc.textFile("/data/file/path").map(_.split(",")).map(p=>FemaleInfo(p(0),p(1),p(2).trim.toInt)).toDF.registerTemp Table("FemaleinfoTable")sqlContext.sql("select name,sum(stay Time)as stay Time from FemaleInfoTable where gender=female'group by name").filter("stay Time >=120").collect).foreach(println)
```
- B.

```
sc.textFile("/data/file/path").map(_.split(",")).map(p=>FemaleInfo(p(0),p(1),p(2).trim.toInt)).toDF.registerTemp Table("Female infoTable") sqlContext.sql("select name, sum(stay Time)as stay Time from FemaleInfoTable where gender=female).filter("stay Time >=120").collect).foreach(println)
```
- C.

```
val text=sc.textFile("/data/fle/path")
val data=text.filter(_.contains("female"))
Val femaleData:RDD(String,Int) =data.map{line=>val t=line.split(',')
(t(0),t(2).toInt)
}.reduceByKey(_+_ )
Val result=femaleData.filter(line=>line.2>120)
Rusult.collect.map(x=>x._1 + ',' + x._2).foreach(println)
```
- D.

```
val text=sc.textFile("/data/fle/path")
val data=text.filter(_.contains("female"))
```

```
Val femaleData:RDD(String,Int) =data.map(line=>val t=line.split(',')
(t(0),t(2).toInt)
}
```

```
Val result=femaleData.filter(line=>line.2>120)
Rusult.collect.map(x=>x._1 +' '+ x._2).foreach(println)
```

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following causesHDFSofNameNodeEntersafemode(safe read-only mode)?
(multiple choice)

- A. Lost replicas exceed the threshold.
- B. The corrupted replica exceeds the threshold.
- C. Active and standbyNameNodeThe disk space where the metadata is located is insufficient.
- D. The number of missing blocks exceeds the threshold.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

existMapReduceIn application development of , which of the followingJAVA, Class responsible for managing and running a computational task?

- A. Job
- B. FileSystem
- C. Configuration
- D. Context

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

existFusionInsight HDofHBase, which of the following scenarios will not triggerFlushoperate?

- A. When the client initiates a scan request, it willscan cachingset too large
- B. RegionofMemStoreset over threshold
- C. RegionServerTotal memory exceeds threshold
- D. Initiate by client-specified methodFlushdo

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

forSpakstreamingapplication, in aJVM, there can only be one at a time Streamingcontextis active.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

about Streaming disaster recovery capability, which of the following statements is correct?
(multiple choice)

- A. Supervisor After the process exits, it can be automatically identified and pulled up without affecting running business.
- B. When a node fails, the tasks on the node will be reassigned to other normal nodes without manual intervention.
- C. Nimbus After the failure, the backup Nimbus will take over automatically without affecting the running business.
- D. Worker Can be used after abnormal exit. Supervisor pulls up automatically without manual intervention.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

HDFS client with N When a copy writes a file, which of the following is true about the writing process?
(multiple choice)

- A. Support multiple users to write to the same file at the same time.
- B. The first copy of the data block is placed preferentially on the node where the client writing the data block is located.
- C. each Data Node maximum storage 1 copies.
- D. Copied file blocks all exist on the same rack by default.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

exists in application development, which of the following codes can correctly count words?

- A. `val counts=textFile.flatMap(line=>line.split(" ")).map(word=>(word,1)).reduceByKey(_+_)`
- B. `val counts=textFile.map(line=>line.split(" ")).map(word=>(word,1)).groupByKey()`
- C. `val counts=textFile.flatMap(line=>line.split(" ")).map(-rd=>(word,1)).reduceByKey()`
- D. `val counts=textFile.map(line=>line.split(" ")).map(-rd=>(word,1)).reduceByKey(_+_)`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

Fusion Insight Manager interface, when received Kafka insufficient disk capacity alarm, and the alarm's cause has been ruled out for the hard disk hardware failure, the system administrator needs to consider expanding the capacity to solve this problem.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, 40%OFF Special Discount: [Exam-Tests](#))

NEW QUESTION: 32

Fusioninsight HDmedium, applicablestreamingSubmit by command lineexample.jarmiddle om.huawei.example.wordcounttask, task name iswcTest, is the following execution command correct?

- A. Storm.jar example.jar wcTest wordcount
- B. Storm.jar example.jar wcTest om.huawei..example.wordcount
- C. Storm.jar example.jar wordcount wcTest
- D. Storm.jar example.jar om.huawei..example.wordcount wcTest

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

existSpark, assuminglinesIs anDStreamobject,filterStatements can be filtered out80%data for the following two The correct statement is:

X: lines.filter(...).groupByKey(...)

Y: lines.groupByKey(...).filter(...)

- A. XCompareYhigher performance
- B. UncertaintyXandYdifference in performance
- C. XCompareYlower performance
- D. XandYsame as performance

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 34

writingMapReduceWhich two interfaces are usually required to be implemented by developers?

- A. mapandreduce
- B. mapandcombine
- C. reduceandcombine
- D. combineandsort

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

when aMapRcdueWhen the application is executed, which of the following actions ismapoccurs before the stage of?

- A. sort
- B. split
- C. partition
- D. combine

Answer: B (LEAVE A REPLY)

NEW QUESTION: 36

HBaseofRegionWhich service process is managed?

- A. ZooKeeper
- B. HMaster
- C. DataNode
- D. HRegionServer

Answer: (SHOW ANSWER)

NEW QUESTION: 37

existFusionInsight HDclient, executeskinit{account number}command is to getKDCwhich of the item content?

- A. conf
- B. jaas.conf
- C. Krb5
- D. TGT

Answer: D (LEAVE A REPLY)

NEW QUESTION: 38

Tonganeng's societyHDofe, user-definedUDFcan andHmachine built-inUDFclass name, In this case, the user-definedUDF.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 39

passing throughFusionindight ManagerWhen the interface creates a user, you want the user to have access to allTopichave Read and write permissions, but not createTopicpermissions should be addedkafkaWhich group of services?

- A. KakfaGroup
- B. kafkasuperuserGroup
- C. KafkaadminGroup

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

aboutFusionInsight HDplatformHiveservice, itsWebHCatDevelopment interface, the following description does not the correct one is?

- A. Agreement to provide services to the outside world able to passWebHCatCreate tables, query, etc.
- B. WebHCatbased onHTTPandHTTPS
- C. Support based onRESTquery request
- D. WebHCatThe return data format isXML (Json)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

TowardsHBaseincrease in the clusterRegionServerhost, the original cluster must be stopped first, becauseHBaseDynamic expansion is not supported.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

existHBaseWhich of the following interfaces or classes does not need to be involved in the implementation of business logic for writing data?

- A. HBaseAdmin
- B. HTable
- C. Put
- D. Puttist

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

FSpark Streamingapplication, in aJVM, there can only be one at a time StreamingContextin active state

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

existFusionInsight HDproduct, aboutKafkaWhich of the descriptions of secure and non-secure ports is wrong?

(Note: oldAPImeans oldProducerAPIand oldConsumerAPI. Among them, the oldConsumer API:

Refers to kafka.consumer.ConsumerConnector interface defined in; oldProducerAPI: Refers to kafka.producer.Producer interface defined in .)

A. oldAPI Access only 21005 port; newAPI Compatible access to non-secure ports 21005 and secure port

21007.

B. oldAPI pass through 21005 access to a port Topic The premise is: server parameters allow everyone.if.no.acd.foundSet astrue, and this Topic not setA, CLAttributes.

C. for settingA, CLofTopic, you can use the oldAPI connect 21005 port to access.

D. Kafka The cluster security access port defaults to 21007, the non-secure access port defaults to 21005.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 45

Fasion In night HD Heene in the

group, Table1 GenusFNamespace1, Table2 GenusFNamespace2, Table1 there are two columns, respectively Rdf11.df12, Table2 There is a column home named df21, then which of the following user account 9AA at the same time have write rights.

(multiple choice)

A. Give this user account global read permission

B. Give this user account Table1 and Table2 read and write permissions

C. Give this user account Namespace1 read and write permissions

D. Give wave user account Namespace1 and Namespace2 read and write permissions,

Answer: (SHOW ANSWER)

NEW QUESTION: 46

Solr is a high-performance, based Lucene full-text search service. Solr right Lucene expanded, provides a richer query language and a powerful full-text search function are implemented, with a high degree of reliability.

Extensibility. At the same time from Solr 4.0 Version starts, supports Solr Cloud model.

A. True

B. False

Answer: (SHOW ANSWER)

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated and answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

NEW QUESTION: 47

in a MapReduce application, mapThe output of the function is via MapReduce? After processing, send to reduce letter number. This process belongs to? Sort and group pairs.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

FusionInsight HD which of the following components can be used for data collection? (multiple choice)

- A. MapReduce
- B. HBase
- C. Flume
- D. Loader

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

FusionInsight HD in, about Hive UDFs Secondary development, is the following description correct? (multiple choice)

- A. Under the secure cluster, user-defined UDF, it is recommended to create it once before each use.
- B. user defined UDF Before being used, it needs to be Hive create this in the system UDF.
- C. user defined UDF, can be added according to the actual situation deterministic and stateful etc. Annotation
- D. user defined UDF, information such as summary and status is not allowed.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

FusionInsight HD assuming a topology that set spout Concurrency is 3, bot1 Concurrency is 2, bot2 Concurrency is 3, worker The number is 2, Sobol1 of executor exist worker How is it distributed?

- A. two worker one of the worker distribute two
- B. two worker one for each
- C. no fixed rules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

existHBaseWhile the application is running, the application can write data while creating the table.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

existSparkmiddle,SparkSQLis an independent module that does not depend onSparkCorefinish independentlySQLSentence parsing, optimization operations such as transformation and execution.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

FusionInsight ManagerWhat interfaces are supported when interfacing with external management platforms?

(multiple choice)

A. BGP

B. syslog

C. VPN

D. SNMP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

FusionInsight HD in which ways can you viewOozieDebug results of the job? (multiple choice)

A. CheckOozieofJava APIWhether the returned result is as expected

B. Oozieself-containedWebThe interface can also view the job execution results

C. pass throughHue's file browser to see ifHDFSThe specified directory produces the expected file

D. pass throughHueofworkflowDashboard to view program running results

Answer: [A,B,C,D](#) ([LEAVE A REPLY](#))

NEW QUESTION: 55

Spark StreamingAs a micro-batch stream processing engine, it converts the data of each time slice into aRDDmiddle A partition is calculated.

A. True

B. False

Answer: [A](#) ([LEAVE A REPLY](#))

NEW QUESTION: 56

Flume write HDFS When the file is generated, what are the ways of generating the file?
(multiple choice)

- A. Set the file generation time interval, close the old file when the time interval is reached, and the new data will be written to the new file
- B. Generate files directly according to the source file name
- C. Set up single file storage event quantity, when the file is stored event When the number reaches the set value, the old file will be closed, and the new data will be is written to a new file
- D. Set the size of a single file, when the file size reaches the set value, the old file will be closed, and the new data will be written to the new file

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 57

Suppose there is an application that needs to be accessed frequently Oracle The user table in the database, in order to improve performance, introduce Redis to cache user information. For this scene, Redis Which of the following is the best data structure choice for ?

- A. Set
- B. Hash
- C. List
- D. Sorted set

Answer: B (LEAVE A REPLY)

NEW QUESTION: 58

Fusion Insight HD in the system, Hive What are the supported interface types? (multiple choice)

- A. JDB, Cinterface
- B. Pythoninterface
- C. ODB, Cinterface
- D. Rubyinterface

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 59

exist Spark middle, Spark SQL is an independent module that does not depend on Spark Core finish independently SQL Statement parsing, optimization, and execution.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 60

Redis In cluster mode, use JAVA Which of the following is a best practice for application development?

A. use JedisCluster object connection Redis Server, transfer JedisCluster of set, get other business operations interface.

In multithreaded applications, each thread creates a JedisCluster object.

B. use redisCluster object connection Redis Server, transfer JedisCluster of set. get other business operations interface for data manipulation; in multithreaded applications, multiple threads share one JedisCluster object.

C. use Jedis object connection Redis Server, transfer Jedis of set. get Waiting for business operation interface to process data operate.

D. use JedisPool object created JedisObject pool, each business operation starts from JedisPool get one Jedis object, then call, Jedis of set. get Wait for the business operation interface to perform data operations.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

for $N(N > 1)$ copies of stored documents, HDFS The client initiates a read file request. If the read replica node fails, the If the connection fails, it will not go to other replica nodes for reading.

A. False

B. True

Answer: **A** ([LEAVE A REPLY](#))

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

HDFS Runtime, NameNode will load all the metadata of the file system from disk into memory, so the file system can The total number of files stored is limited by NameNode memory capacity.

A. False

B. True

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 63

forSpark Streamingapplication, in aJVM, there can only be one at a timeStreamingContextactive condition.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 64

Which of the following application scenarios mainly generate unstructured data?
(multiple choice)

- A. CRMcustomer relationship management business
- B. Financial Bill Imaging Service
- C. Seismic Mapping Analysis Business
- D. Taobao online payment service

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 65

HDFSThere is a file in the cluster and directorytext.txt, which of the following commands can find theDatNodenode information?

- A. hdfs fsck /test.txt-blocks
- B. hdfs fsck /test.txt-files
- C. hdfs fsck /text.txt-locations
- D. hdfs fsck /test.txt-list-corruptfileblocks

Answer: C (LEAVE A REPLY)

NEW QUESTION: 66

existStreamingin application development,BoltUse which of the following interfaces to sendTuple?

- A. to emit
- B. execute
- C. nextTuple
- D. open

Answer: B (LEAVE A REPLY)

NEW QUESTION: 67

Below aboutZooKeeperThe statement is wrong ().

- A. ZooKeeperThe cluster is elected at startupLeaderRole.
- B. If ZooKeeperIf there is an interruption in the process of synchronizing the message, after the failure is recovered, the transmission status before the failure can be adjusted according to the the state continues to synchronize, that is, support for resuming transmission from a breakpoint.

C. LeaderAfter a node receives a data change request, it first writes to disk and then writes to memory.

D. ZooKeeperUse a custom atomic message protocol to ensure the consistency of node data in the entire system.

Answer: (SHOW ANSWER)

NEW QUESTION: 68

FusionInsight HD assuming a topology, set the roadspoutConcurrency is3,bolt1Concurrency for2,bolt2Concurrency is3,workerThe number is2,Sobolt1ofexecutorexistworkerhow to divide Cloth?

A. twoworkerone for each

B. twoworkerone of theworkerdistribute two

C. twoworkerBoth are distributed

D. no fixed rules

Answer: B (LEAVE A REPLY)

NEW QUESTION: 69

FusionInsight HDin, useStreamingofLinuxWhen submitting a topology in command line mode, you need to first use a possessedStreamingUser with submit permissionkinitway authentication

A. False

B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 70

FusionInsight HDmiddle,StreamingWhich of the following scenarios is applicable? (multiple choice)

A. Traffic flow analysis

B. Streaming data monitoring

C. Offline log analysis

D. Real-time visit statistics of the website

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 71

RDDasSparkThe core object, which has the following characteristics? (multiple choice)

A. read only

B. fault tolerance

C. efficient

D. partition

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 72

Which of the following causes HDFS to enter safe mode (safe read-only mode)? (multiple choice)

- A. Lost replicas exceed the threshold.
- B. Active and standby NameNode of metadata is running out of disk space.
- C. The corrupted copy exceeds the threshold.
- D. The number of missing blocks exceeds the threshold.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 73

For Fusion Insight HD platform HBase component, adding a secondary index needs to define the secondary index. Which properties? (multiple choice)

- A. index name
- B. the name of the column family to which the indexed column belongs,
- C. index column
- D. Index column type (and index column length)

Answer: (SHOW ANSWER)

NEW QUESTION: 74

During Fusion Insight HD product development, you can use Solr Admin UI to perform one-shot verification. Draw about Solr Admin UIs the statement correct? (multiple choice)

- A. Click Cloud to view the Replica distribution and status of each Shard under each Collection
- B. Click Tree under Cloud to view metadata such as Collections, configuration sets, and live nodes in Solr cloud information
- C. Users of the Solr user group, Solr admin role, and Super group can access the Solr Admin UI
- D. Enter the Core Overview interface where Elasticsearch is installed, and you can view the Replica index Real-time information. You Department relies on storing size and location information

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 75

HDFS client with N copies to HDFS. When writing a file, if one of the copies fails to write, all if there is a copy, it will return a failure.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 76

existSpark, assuminglinesIs anDStreamobject, which of the following statements can periodically count this number of words on a stream?

- A. lines.flatMap(_.split(" ")).flatMap(word =>(word,1)).groupByKey(_+_).print ()
- B. lines.flatMap(_.split(" ")).map(word =>(word,1)).reduce(_+_).print()
- C. lines.flatMap(_.split(" ")).map(word =>(word,word.length())).reduceByKey (_+_).print()
- D. lines.flatMap(_.split(" ")).map(word =>(word,1)).reduceByKey(_+_).print ()

Answer: D (LEAVE A REPLY)

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, 40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 77

HDFSWhich of the following business scenarios is not applicable to?

- A. Lots of small file storage
- B. Mass data storage
- C. large file storage
- D. Streaming file storage

Answer: A (LEAVE A REPLY)

NEW QUESTION: 78

forHBase rowkeyThe design principles described below are correct? (multiple choice)

- A. Attribute values with good dispersion are placed inRowkeysecond half
- B. Attribute values with high access weight are placed inRowkeysecond half
- C. Attribute values with good dispersion are placed inRowkeyfirst half
- D. Attribute values with high access weight are placed inRowKeyFront

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 79

Spark StreamingAs a micro-batch stream processing engine, it converts the data of each time slice into OneRDDa partition in the

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 80

Which of the following descriptions about massive small file storage is correct ()?
(multiple choice)

- A. HDFS Storing a large number of small files will give NameNode bring great pressure.
- B. The above statement is not correct.
- C. HBase Store a large number of small files, Compaction will bring I/O Waste of resources.
- D. Huawei HFS It is suitable for storing a large number of small files, and files can be selectively stored in HDFS or MOBS middle.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 81

Fusion Insight HD of HBase save a user information table in meg table, Rowkey for usersid, One of the columns is the user's nickname, now write three to this column in order Key Value: 001:Li, 001:Mary, 001:Lily, Excuse mescan'meg table, {VERSIONS=>2} What data will be returned?

- A. 001:Lily
- B. 001:Li, 001:Mary, 001:LiLy
- C. 001:Li

Answer: B (LEAVE A REPLY)

NEW QUESTION: 82

Fusion Insight HD middle, Oozie Before submitting the job, you need to upload the configuration files that this job depends on and jar package to HDFS

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 83

exist HBase in table design, it is common to multiple businesses rowkey, what are the possible countermeasures for situations that lead to data access contradictions? slightly? (multiple choice)

- A. Create secondary index
- B. Redundancy method (use space for time factory efficiency)
- C. compromise method (rowkey Design takes into account A and B business needs)
- D. pre-scoring region

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 84

Hadoop in the system YARN What resource types are supported for management?
(Multiple Choice)

- A. Network

- B. CPU
- C. DiskSpace
- D. Memory

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 85

YARNIn the service, if you want to give the queueQueueAset capacity to30%, which parameter should be configured?

- A. yarm.scheduler.capacity.root.QueueA. capacity yarm.scheduler.capacity.rot.QueueA
- B. yam.scheduler.capacity.root.QueueA. minimum-userlimit-percent
- C. yarm.scheduler.capacity.rot.QueueA. user-limit-factor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

HadoopIn the system: ifHDFSThe backup factor of the file system is3,SoMapReduceevery time In progresstaskall from3The segment of the file that needs to be processed is transmitted on a machine with a replica.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 87

In useSolrWhen performing a full-text search, you canwtThe parameter specifies the response format of the query result. close AtSolrThe response format of the query result, which of the following statements is wrong?

- A. supportCSV,JSONandHTML
- B. supportCSV,JSONandXML
- C. supportCSVandJSON

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

HBaseFilters can set column names or column values as filter conditions, and support the use of multiple filters at the same time.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

existMapReduceIn the development framework,InputFormatWhat is the function of the class?

- A. put allmapThe results of the stages are merged to get the final result

- B. rightmapThe results of the stages are sorted and merged
- C. Divide the input data into one by one. and split this further into pairs, then asmapfunction input of
- D. mergemapThe result of the stage has the samekeyvalue key-value pair

Answer: (SHOW ANSWER)

NEW QUESTION: 90

existFusionInsight HDin, aboutHivepartition (partition) function, which is wrong as described below?

- A. Using partitions can reduce the data scan range of some queries, thereby improving query efficiency
- B. Partition fields are defined when the table is created
- C. There can only be one partition field, and multi-level partitions cannot be created
- D. Partition fields can be used aswherecondition of the sentence

Answer: C (LEAVE A REPLY)

NEW QUESTION: 91

existFusionInsight HDcluster, aboutkinitOperation command, which of the following statements is wrong?

(multiple choice)

- A. Only the machine account can be used.
- B. Only the HMI account can be used.
- C. The ticket obtained by executing this command is intwenty fourIt will time out when it is small and needs to be executed againkinitcommand to log in again.
- D. A client does not support the simultaneous use of multiple accounts.

Answer: A,B,D (LEAVE A REPLY)

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

aboutstreamingdisaster recovery capability, which of the following statements is correct?
(multiple choice)

- A. When a node fails, the tasks on the node will be reassigned to other normal nodes without manual intervention
- B. SupervisorAfter the process exits, it can beNimbusAutomatically identify and pull up without affecting the running business
- C. NimbusAfter the failure, the backupNimbusIt will take over automatically without affecting the running business
- D. WorkerCan be used after abnormal exitsupervisorsPulls up automatically without manual intervention

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 93

FusionInsight HDofHiveIn the application, there are the following scenarios: ? ? ? Is there a higher storage file? ? efficiency, and most Minute? ? Only a part of the letter is involved in the file, this scenario is suitable for using a column file (ORC F??)storage.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 94

FusionInsigt HDWhat distributed computing frameworks do big data platforms provide? (multiple choice)

- A. Streaming
- B. HBase
- C. MapReduce
- D. Spark

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 95

SparkWhat kind of parameter setting methods does the application have? (multiple choice)

- A. In the application code, passSparkConfobject to set
- B. in the application configuration filespark-defaults.confconfigure in
- C. When submitting your application, pass-confmake settings
- D. In the application code, passSparkContextofsetPropertymethod to set

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 96

Fusioninsight HDin useStreamingofA, CKWhich of the following statements is true of? (multiple choice)

- A. The application needs to be inspoutoffail() interface method to implement message resend logic.

B. fromspoutstarted, formedTupleFailure of any link in the tree will mark the entire tree as failed.

C. enabledAckerLater,StreamingIt will identify the failure to sendTupleAnd automatically resend, no need for human intervention pre.

D. AckerThe message that will identify the processing timeout or processing failure isfail.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 97

FusionInsight HDIn the system,hiveWhat are the supported interface types?

A. ODB, Cinterface

B. JDB, Cinterface

C. Pythoninterface

D. Rubyinterface

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 98

existFusionInsight HDproduct,KafkaWhat is the role name of the service?

A. Producer

B. Broker

C. Consumer

D. ZooKeeper

Answer: B (LEAVE A REPLY)

NEW QUESTION: 99

In ThereNnodesFusionInsightHDDeploy in a clusterHBase, it is recommended to deploy()HMaster process, ()RegionServerprocess?

A. 3 N

B. 2 2

C. 2 N

D. N, N

Answer: C (LEAVE A REPLY)

NEW QUESTION: 100

HDFSIn application development of , which of the following areHDFSInterfaces supported by the service?

(multiple choice)

A. BufferedOutputStream.write

B. FileSystem.append

C. FileSystem.create

D. BufferedOutputStream.flush

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 101

aboutFusionInsight HDplatformHiveservice, itsWebHCatDevelopment interface, the following description does not the correct one is?

- A. WebHCatThe return data format isXML
- B. WebHCatbased onHTTPandHTTPSAgreement to provide services to the outside world
- C. able to passWebHCatCreate tables, query, etc.
- D. Support based onRESTquery request

Answer: D (LEAVE A REPLY)

NEW QUESTION: 102

Which of the following options isYarncore functionality?

- A. search
- B. Resource management
- C. storage
- D. data transmission

Answer: B (LEAVE A REPLY)

NEW QUESTION: 103

FHumeofproperties.propertiesMultiple configurations can be configured in the configuration filechannelto transmit data.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 104

existBaseln application development, when a table'sRowkeyRange and distribution are known, pre-score is recommendedregion, Please call the following code (fragment) to pre-sort a tableregionAfter this table will create severalregion?

```
splits0=Bytes.toBytes("A");splits1=Bytes.toBytes("H");splits2  
=Bytes.toBytes("O");splits3=Bytes.toBytes("U");admin.createTable(htd,splits);
```

- A. 3
- B. 5
- C. 4
- D. 6

Answer: B (LEAVE A REPLY)

NEW QUESTION: 105

Hbase one of Region conduct Split When operating, place aHFileThe file is really separated into two RegionAt what stage does the process take place?

- A. HFilein the process of separation

- B. Split in the process
- C. Flush in the process
- D. Compaction in the process

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

existSolrWhen indexing, which of the following code snippets can significantly improve indexing performance? (multiple choice)

- A. `if(updateRequest.getDocumentsMap().size() >= 10000)cloudSolrClient.request(updateRequest, collName);updateRequest.clear();}`
- B. `lbClient.setRequestWriter(new BinaryRequestWriter())`
- C. `if(updateRequest.getDocuments().size() >= 1000){cloudSolrClient.request(updateRequest, collName);updateRequest.clear();}`
- D. `SolrInputDocument doc = new SolrInputDocument();doc.addField("id", i.toString());doc.addField("name", "Zhang San"+ i);doc.addField("features", "test"+ i);doc.addField("price", (float)i*1.01);cloudSolrClient.add(doc);cloudSolrClient.commit();`

Answer: A,B ([LEAVE A REPLY](#))

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

The user wants to develop an application to access HBaseservice, first apply for a machine account tester1, and give it sets access HBaseservice permissions; then download the account's keytab file, and use that account to run the application use. Subsequent applications of this application will increase business requirements and require access to Hiveservice, then giving tester1 User additionally granted access askHive After the component permissions, you need to re-download the user's keytab document.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 108

existHadoopAmong the open source big data platforms, which are distributed storage components? (multiple choice)

- A. SparkF
- B. HBase
- C. MapReduce
- D. HDFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

HDFSThere is a file in the cluster root directorytest, which of the following commands can find the file stored in ofDataNodeNode information?

- A. hdfs fsck/test.txt-locations
- B. hdfs fsck/test.txt-blocks
- C. hdfs fsck/test.txt-list-corruptfileblocks
- D. hdfs fsck/test.txt-files

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

FusionInsight HDmiddle,LoaderThe sequence of transformation steps for a job is input, transformation, and output.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

HiveWhich of the following scenarios does not apply to?

- A. Data summary, such as daily and weekly user clicks, click ranking.
- B. Real-time online data analysis.
- C. Data mining, such as user behavior analysis, interest division, regional display.
- D. Non-real-time analysis, such as log analysis, statistical analysis.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 112

forN(N>1) copies of stored files,HDFSThe client initiates a read file request, if the read If the replica node fails, the failure will be returned directly, and it will not be read from other replica nodes.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

FusionInsight HD In, about Oozie Which of the following descriptions is correct?
(multiple choice)

- A. submit command to change the status of the job to PREP
- B. Kill Commands can act on PREP/SUSPEND/RUNNING status job
- C. stat command allows PREP The status of the job changes to RUNNING
- D. Run command to change the job status to RUNNING

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 114

FusionInsight HD V100R002C60 In, about Hive of Python Interface type, which of the following descriptions is incorrect?

- A. Client must have setup tools, and the version is not lower than 5.0
- B. Require Python version no lower than 2.6.6, not higher than 2.7.0
- C. Python Secondary development does not support secure clusters
- D. hive_python_clientscript provides direct execution SQL functions, such as hive_python_client's show tables'

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

Set the block storage size to 128M, HDFS When the client is writing a file, when writing a 100M Big. How much storage space is there?

- A. 64M
- B. 128M
- C. 50M
- D. 100M

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

use HBase Client batch write 10 pieces of data, a HRegion Server contains the table on the node of 2 individual Region, respectively A and B, 10 in the data 2 Article belongs to A, 4 Article belongs to B, please write this

10 pieces of data need to be sent to the HRegion Servers send several times RPC Ask?

- A. 2
- B. 10
- C. 6
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

about the following HDFS What is the correct process for the client to read the file? (multiple choice)

- A. If the client and the connectedDataNodeIf there is a failure in reading, then the client will give up the applause node and connect the node where other replicas are located.
- B. Supports multiple clients fromDataNoderead the same file data.
- C. file data fromDataNodeback toNameNode, then fromNameNodeDown to the client.
- D. priority from the nearestDataNodeDownload data.

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 118

Fusioninsight HDIn, yessolrThe creation and read and write permissions of various resources are applicable.

Which of the following statements is wrong?

- A. collectionmake an update
- B. SolrUsers of the user group can createcollection
Collectioncreator, thecollectionroles with read and write permissions andsolr adminrole can be
- C. onlycollectioncreator andsolr adminRoles can be deletedcollection
- D. SolrUser group users can create configuration sets and createcollectionis to specify the configuration set

Answer: C (LEAVE A REPLY)

NEW QUESTION: 119

there are the following scenarios: new data is generated by the online system every day500G, it is necessary to analyze these data by day, week, Monthly and other dimensions for statistical summary. ask if it is suitable for useHiveWhat kind of table to handle?

- A. Partition table, partitioned by day
- B. skew table, skew field select date, skew value random
- C. partition+Bucket table, partitioned by time, each partition2560buckets
- D. Bucket table, bucket according to day

Answer: C (LEAVE A REPLY)

NEW QUESTION: 120

A project needs to save the Internet access data in a certain area, and search the full text of these Internet access records to see if there is any sensitive data.

Sensitive information is used to prevent crimes in this area. In this scenario, which of the following options is the best?

- A. Store data on HBase, and satisfy fuzzy matching queries through HBase's filtering feature
- B. Retrieve the key information of the record, and obtain the complete record on HBase through the key information

C. When storing data, build an index on solr, and store complete data in HBase: query full text through solr

D. Create an index on solr, save the data, and return all the data during full-text search

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 121

Fusioninsight HDofhiveIn the application, there are the following scenarios: high compression efficiency for data storage files rate, and most queries involve only a subset of fields in the file. This scenario is suitable for using columnar files (ORC File) storage

A. True

B. False

Answer: ([SHOW ANSWER](#))

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpsPASS.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, 40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 122

Fusioninsight HDsystematicv100R002C60version,HiveOnly supports based onMapReduceengine query service, does not support based onSparkEngine query service

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 123

Sparkis a memory-based computing engine, allSparkData during program operation can only be stored in in memory.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 124

Suppose there is an application with10Tables, each table has tens of millions of records, and the number of fields is about20individual. now useRedisto cache this10The data of a table, the design of its data structure, which of the following is the best design?

- A.** record fields, and designKEYEach table adds a different prefix to distinguish it. usingstructure, each field of each row record of each table uses oneKEY.
- B.** usem3structure, each row record of each table uses oneKEY,,aueAll records for a row in the table. The value after the field is concatenated.
- C.** usehashTable structure, each row record of each table uses onehashKEY, hashKEYofebCorrespondence table
- D.** usehashstructure, and a table uses ahashKEY, a row in the table records forhash keyone of individualed.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 125

HiveWhich of the following table types are supported? (multiple choice)

- A.** Tilt table
- B.** Partition Table
- C.** bucket table
- D.** partition+bucket table

Answer: A,B,C,D (LEAVE A REPLY)

Valid H13-723_V2.0 Dumps shared by BraindumpsPass.com for Helping Passing H13-723_V2.0 Exam! BraindumpsPass.com now offer the **newest H13-723_V2.0 exam dumps**, the BraindumpsPass.com H13-723_V2.0 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-723_V2.0 dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-723_V2.0-practice-exam-dumps.html

(370 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)