

Huawei.H13-821_V3.0-ENU.v2024-12-12.q125

Exam Code:	H13-821_V3.0-ENU
Exam Name:	HCIP-Cloud Service Solutions Architect V3.0
Certification Provider:	Huawei
Free Question Number:	125
Version:	v2024-12-12
# of views:	530
# of Questions views:	1250
https://www.exam-tests.com/H13-821_V3.0-ENU-exam/Huawei.H13-821_V3.0-ENU.v2024-12-12.q125.html	

NEW QUESTION: 1

An e-commerce user wants to optimize the purchased elastic cloud server to meet the cost-saving needs of the enterprise. Which of the following statements about optimization methods are correct? (Multiple choice)

- A. Based on the operation and maintenance statistics, identify and shut down unused resources, such as development/test servers that have not been running for a long time
- B. Determine the number of servers based on historical and real-time operation and maintenance data, combined with demand and actual usage, without considering scaling services
- C. Refer to the operation and maintenance historical monitoring data to reasonably determine the size of the server type at the lowest cost to meet the performance and workload requirements
- D. Continuously monitor and measure utilization for optimization opportunities

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

The elastic cloud server ECS can switch the system disk by switching the operating system. Which description is wrong?

- A. Switching the operating system does not affect the data on the data disk
- B. Images that support switching include public images, private images, shared images, and market images
- C. Support X86 architecture and Kunpeng architecture servers to switch between operating systems
- D. After the switch is completed, the system disk ID of the ECS will change, and the original system disk will be deleted.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

The container image service SIR is a service that supports image lifecycle management, provides easy-to-use, safe and reliable image management functions, and supports API and console access.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

When users use HUAWEI CLOUD Log Service LTS, logs exceeding the storage time will be automatically deleted, but users can dump log data to OBS buckets for long-term storage as needed. How long does the LTS service store log data for users by default?

- A. 30 days
- B. 1 hour
- C. 7 days

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

An insurance company plans to migrate the business of the local data center to Huawei Cloud, and adopt the cross-AZ active-standby disaster recovery solution for business deployment. Virtual machine layer for disaster recovery planning

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Through the () function, the user can use the private IP address to communicate between two VFCs. After the configuration is completed, the cloud servers in the two VPCs can access each other, just like two WVFCs in the same network.

Answer:

peer connection

NEW QUESTION: 7

By configuring network ACL and security group policy, the safe use of servers in VPC can be guaranteed. The security group mainly protects the server, and the network ACL mainly protects the subnet.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Web Application Firewall (WAF) is an application security protection product provided by Huawei Cloud. Which of the following threats can WAF protect against? (Multiple choice)

- A. Streaming attack
- B. Web Tampering Protection
- C. Host Vulnerabilities
- D. Third-party service framework and plug-in vulnerabilities

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

With the rapid development of the Internet industry, customer data is crucial to an enterprise. Data protection from attacks and rapid recovery after data failure have become important tasks considered by major cloud vendors.

HUAWEI CLOUD's cloud backup and recovery service, CBR, can provide data security services for which of the following scenarios? (Multiple choice)

- A. Data was deleted by mistake
- B. The cloud server is down
- C. Application update error
- D. Network Attack Protection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which of the following descriptions about cloud-native key technologies are correct? (Multiple choice)

- A. Immutable infrastructure: Once deployed, hardware devices such as servers cannot be modified or adjusted
- B. Declarative API: declare the operations to be performed by the system through configuration files
- C. Microservices: A single application is composed of many smaller components or services that are loosely coupled and independently deployable
- D. Service Mesh: Usually used to describe the network of microservices that make up an application and the interactions between applications

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

The four deployment models of mainstream cloud computing are: public cloud, community cloud, private cloud and ().

Answer:

hybrid cloud

NEW QUESTION: 12

Which of the following descriptions about Huawei Cloud database MySQL is correct? (Multiple choice)

- A. A single database node is suitable for application scenarios such as personal learning, small business websites, enterprise non-core databases, and development and testing environments
- B. Automatically detect and identify SQL injection attacks, and support predefined or customized response measures
- C. Active-standby high-availability architecture can be perfectly applied to various financial scenarios
- D. Automatically scan the entire database table structure and data, find sensitive data, and formulate desensitization strategies when SQL queries are returned, so that unauthorized users cannot obtain sensitive data

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Security is the basis of architecture design. Designing a secure architecture can minimize the risk of system intrusion and ensure business operation.

Which of the following is not a high-security architecture design purpose?

- A. Multi-dimensional monitoring of the system, real-time assessment of system risk
- B. Use the elastic scaling service AS to adjust the number of instances according to the actual situation
- C. Manage IAM through a unified identity, distinguishing system roles and corresponding permissions
- D. Use cloud certificate management CCM to manage certificates

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

A user's website is deployed on Huawei Cloud, and the public network ELB is used as the load balancer. Multiple ECS instances in the ELB backend server group are configured with the same weight, but the actual ECS instance loads are different.

Which of the following is the most likely cause?

- A. ECS instances are in different Regions, and the network delay is different
- B. Turned on the chat waiting function
- C. The website has enabled the HTTPS function
- D. The function of obtaining real IP is enabled

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15








Compared with non-relational databases, relational databases use semi-structured datasets to store data, while non-relational databases use structured tables to store data.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

Please complete the sorting of the following operations according to the operation flow recommended by FunctionGraph. (drag)

Write code: users write business code	
Upload code: upload the written code	
View log: view function operation log information	
Billing: After the function is executed, it will be billed according to the execution times and execution time of the function request	
API and cloud product event sources trigger function execution: generate function instances to realize business functions	
View monitoring: View graphical monitoring information	
Elastic execution: During the execution of the function, it will expand elastically according to the request volume, and support the execution of request peaks	

Answer:

Write code: users write business code	Write code: users write business code
Upload code: upload the written code	Upload code: upload the written code
View log: view function operation log information	API and cloud product event sources trigger function execution: generate function instances to realize business functions
Billing: After the function is executed, it will be billed according to the execution times and execution time of the function request	Elastic execution: During the execution of the function, it will expand elastically according to the request volume, and support the execution of request peaks
API and cloud product event sources trigger function execution: generate function instances to realize business functions	View log: view function operation log information
View monitoring: View graphical monitoring information	View monitoring: View graphical monitoring information
Elastic execution: During the execution of the function, it will expand elastically according to the request volume, and support the execution of request peaks	Billing: After the function is executed, it will be billed according to the execution times and execution time of the function request

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumps.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Which of the following descriptions about the main usage scenarios of relational database (YySQL), document database (agDB), cache database (Redis) and wide-column database (Cassandra) are correct? (Multiple choice)

A. Document database (longoDB): Key-Value pair

- B. Relational database (MySQL), transaction processing
- C. Wide column database (Cassandra), log storage
- D. Cache database (Redis): Key-Value pair

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Data express service DES is a transmission service for terabytes or petabytes of data to the cloud. It uses physical storage media (USB, eSATA interface disks, etc.) or Teleport to transmit large data to Huawei Cloud. Which description of DES is wrong?

- A. It is recommended to use when uploading data to the cloud with a data age of 10TB or more
- B. The sent disk will be sent back after the transfer task is completed
- C. Use of passwords for data security
- D. If the administrator does not receive the disk within 30 days, the default service has expired

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

In response to the various management needs of cloud operation and maintenance, HUAWEI CLOUD has launched a three-dimensional operation and maintenance solution to perform multi-dimensional monitoring of cloud services in real time. Through application and resource alarm association, log analysis, distributed call tracking and other technologies, the rapid diagnosis and repair of minute-level problems can be realized to ensure the long-term stable operation of applications.

Which of the following options does not belong to Huawei's three-dimensional operation and maintenance service?

- A. Application operation and maintenance management AOM
- B. Cloud Audit Service CTS
- C. Application performance management service APM
- D. Database Security Service DBSS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which of the following scenarios does the Huawei Cloud Database Discovery Service DLI apply to? (Multiple choice)

- A. The traditional parking lot needs to be changed to rely on manpower management. It is difficult to grasp the panoramic view of the parking lot in real time. It takes a long time to enter and exit, and the payment time is long. chemical theory
- B. The operation department of the game company needs to obtain new players, active players, retention rate, churn rate, payment rate, etc. in a timely manner to understand the current status of the game and follow-up response measures
- C. Operators need to perform ETL processing on massive and multi-type data to provide distributed data sets for distributed batch computing

D. Traditional car companies need to collect and analyze the daily vehicle indicator data (battery, engine, tire pressure, airbag and other health status), and timely feedback maintenance suggestions to car owners, build a car-connected cloud platform and car-machine OS , connect Internet applications and car usage scenarios, and complete the digital service transformation of traditional car companies, so as to provide car owners with a better smart-connected travel experience, increase the competitiveness of car companies, and promote sales growth

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

The bare metal server supports four network types, which are virtual private cloud, advanced network, custom VLAN network, and B network.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

When the capacity of the existing cloud hard disk is insufficient, the user can expand the capacity of the cloud hard disk, that is, expand the capacity of the cloud hard disk. When there is remaining capacity, the user can also reduce the capacity of the cloud hard drive.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

HUAWEI CLOUD Application Service Grid ASM is based on the open source Isti of HUAWEI CLOUD. The service grid platform launched is also an important part of the cloud-native Cloud Native ecosystem. Which of the following descriptions about ASM is correct? (Multiple choice)

A. Provide full application hosting, call chain monitoring, alarm notification and real-time log analysis capabilities

B. Support grayscale release and continuous testing to help users upgrade calmly

C. Strategic intelligent routing and elastic traffic management

D. Intelligently manage the authentication, authentication, and encryption of communication between services to provide security for service communication

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following descriptions about HUAWEI CLOUD container solutions are correct? (Multiple choice)

A. Non-intrusive traffic management can be realized through application service grid ASM

B. Support cross-cloud unified cluster resource management through the multi-cloud container platform MCP

- C. Realize call chain tracking through application operation and maintenance management AOM
- D. Implement elastic scaling of cross-cluster applications through elastic load balancing (ELB)

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

According to different data storage methods, databases are mainly divided into relational databases and non-relational databases.

Which of the following statements about the main advantages of relational databases over non-relational databases is wrong?

- A. Stable performance, the query performance of relational database is better than that of non-relational database
- B. Easy to use, the general sql statement makes it very convenient to operate relational databases
- C. Easy to maintain, the ACID property of the database greatly reduces the probability of data redundancy and data inconsistency
- D. Easy to understand, the structure of the two-dimensional table is very close to the real world, two-dimensional table, easy to understand

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

Cloud container instance service CCI provides serverless container (serverless container) introduction, so that users can run containers directly without creating and managing server clusters. In the following description about cloud container instance service CCI, which one is wrong?

- A. Cloud container instances provide dedicated container instances, such as running Kata containers
- B. Provide rich network access methods and support four-layer and seven-layer load balancing
- C. Can call or manage Kubernetes cluster resources
- D. Supports multiple types of CPU computing resource calls, but does not support GPU computing for the time being

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Compared with cloud database RDS, Huawei's self-developed database GaussDB has many advantages over cloud database RDS in terms of system architecture and other aspects. Which of the following descriptions related to GaussDB is wrong?

- A. There is only one copy of storage, no need to purchase additional storage. If there are more read-only nodes, the storage cost will be saved more
- B. There is no longer a standby database, and all read-only databases are in the Active state. And bear the read traffic, making resource utilization higher

C. With multiple storages, when the access volume is large, the read and write performance of the database will be significantly improved

D. All update operations are only logged, and Double write is no longer required. Reduced valuable network bandwidth

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

During the experimental operation, engineer Xiao Li found that the files written after the container was running had disappeared after the container was restarted. After checking the running status of the container, no abnormal error was found.

Which of the following causes is the most likely?

A. There is a problem with the file system in the container

B. The local storage space of the container image is full

C. No persistent storage is mounted for the container

D. The Kubernetes cluster is abnormal

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 29

Due to business needs, an independent software developer 1SV often needs to repeatedly deploy the environment. It takes a long time to prepare the environment. Errors will inevitably occur in the manual configuration of the business. Multiple identical environments need to be maintained separately, resulting in high overall costs. Therefore, the company plans to use Huawei Cloud application orchestration service AOS to solve related problems.

What functions does the customer use AOS to solve the problems encountered? (Multiple choice)

A. By using templates, the deployment of software and the opening of resources are automated to achieve one-click rapid deployment

B. The free application template provided by the AOS platform can meet all the needs of the enterprise's diversified business

C. The life cycle management of software can be realized through AOS service in a unified way, and software upgrades, scaling and other operations can be completed with one click

D. All required cloud service resources can be solidified through templates to reduce the impact of human errors

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 30

After configuring the peer-to-peer connection, the cloud operation and maintenance engineer of a company found that the two VPCs still cannot be accessed normally.

Which of the following possible reasons are correct? (Multiple choice)

A. Network parameter configuration error

B. The ECS does not support the peer-to-peer connection function by default, and it needs to be manually enabled to take effect

C. The route of the peer-to-peer connection overlaps with the destination address of the leased line and VPN route

D. A VPN has been configured for the VPC, and its network access has a higher priority than peer-to-peer connections.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 31

When a microservice application has a large flow of access requests and a single instance cannot bear the load, it can distribute the traffic to multiple instances to process requests through load balancing, thereby optimizing the response time and preventing instance overload.

A. FALSE

B. TRUE

Answer: B (LEAVE A REPLY)

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

An e-commerce customer's business system is deployed on Huawei Cloud. In order to meet the needs of multiple cloud servers to share files, the operation and maintenance personnel plan to realize the sharing of business data by mounting the NFS file system.

Which of the following descriptions about the prerequisites for mounting NFS are correct?

(Multiple choice)

A. If you use the SFS Turbo file system, you need to configure domain name resolution first

B. The file system has been created and the mount address of the file system has been obtained

C. Determine the operating system type of the cloud server. The commands for installing the NFS client in different operating systems may be different

D. At least one cloud server that is the same as the VPC to which the file system belongs

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 33

FunctionGraph is an event-driven function hosting computing service in Huawei Cloud. Using unctimgraph does not require writing business function codes or setting running conditions. It only

needs to configure and manage infrastructure such as servers, and function computing can run elastically and efficiently.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

Cloud container engine service CCE provides highly scalable and high-performance enterprise-level Kubernetes clusters and supports running Docker containers. With the help of cloud container engine, users can easily deploy, manage, and expand containerized applications on the cloud.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

In the practical guidance of microservices, () microservices can be published in gray scale.

Answer:

weather

NEW QUESTION: 36

A software development enterprise hopes to build a complete DevOps process from code submission to application deployment with the help of cloud container instance service CCI, so as to improve the efficiency of enterprise application generation selection.

Which of the following descriptions of this scene is wrong?

A. Users do not need to create and maintain clusters, and realize the whole process automation from CI/CD

B. Delivered as a container image, it can be migrated from the development environment to the production environment indiscriminately

C. The container is started on demand, and the payment is made according to the resource specification and convenient use time, so as to avoid idle resources

D. Support GPU/FPGA and other computing acceleration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

The application of the microservice architecture in a cloud-based scenario needs to analyze and locate problems through logs. Using traditional log location methods is often time-consuming and laborious. In the following description of the ServiceStage log function of the Huawei Cloud application management and operation and maintenance platform, which is correct? (Multiple choice)

- A. It can be combined with the source information of the log and the original data of the context to assist in locating the problem
- B. You can view application logs in real time on the ServiceStage application operation and maintenance interface without entering the background
- C. Use the log retrieval function to quickly query the required logs in the massive logs
- D. Log files cannot be exported on the ServiceStage application operation and maintenance interface, and can only be viewed online

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 38

By using the API gateway, the company can reduce the R&D investment of the enterprise, focus on the core business of the enterprise, and improve operational efficiency. At the same time, it can also help users improve their monetization service capabilities.

Which of the following descriptions about API gateways is wrong?

- A. Simplify the service architecture, quickly complete the decoupling of the internal system of the enterprise and the separation of the front and back ends through standardized and standardized API interfaces
- B. It can be seamlessly connected with the function workflow service, and supports the open use of the function workflow service in the form of API
- C. The API gateway adopts synchronous flow control method and does not support asynchronous flow control method, so as to realize refined second-level flow control
- D. Through the API gateway, the internal service capabilities of the enterprise can be opened to partners in the form of standard APIs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which of the following descriptions about cloud resolution service DNS is wrong?

- A. Cloud resolution service supports domain name resolution to other cloud service providers or offline computer rooms
- B. Intranet domain names only take effect within the associated VPC
- C. Cloud resolution service only supports resolving domain names to fixed IPv4 addresses or IPv6 addresses
- D. When the record value has multiple IP addresses, DNS will randomly return an address

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

ServiceStage, an application management and operation and maintenance platform, supports the access and governance of mainstream microservice frameworks. It can flexibly select the most suitable microservice technology, quickly develop cloud applications, and adapt to complex and changing business needs.

- A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

In order to understand the details of the scaling bandwidth policy, users can view the basic information and execution logs of the scaling bandwidth policy.

The policy execution log records the details of policy execution, which of the following information is included? (Multiple choice)

- A. Policy Execution Time
- B. Scale target value
- C. Scale primitive values
- D. Execution status of scaling bandwidth policies

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 42

The following is a list of several reasons for an Internet customer to use CDN services. Which of them is the most important reason?

- A. Securing the Site
- B. Achieve national coverage across operators and regions
- C. Reduce investment in operation and maintenance, and focus more on business
- D. Speed up website access

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

With the continuous evolution of the IT architecture, the complexity of the architecture is getting higher and higher. The development and operation and maintenance within the enterprise are often two independent departments, and there are obvious differences in work and technical directions. When completing an application project together, the communication is not smooth, which leads to a delay in the application progress and a significant drop in enterprise efficiency. Therefore, the entire system architecture needs to evolve continuously, from traditional operation and maintenance to automated operation and maintenance, and break the barriers of operation and maintenance engineers, development engineers, and quality assurance engineers, so as to form an efficient work system.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

If there is no special control on the traffic direction of the subnet, and the default IPC intranet intercommunication, the default routing table can be used, and there is no need to configure a custom routing policy.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

A user wants to use a message middleware that is ready to use, highly available, and supports the AMQP protocol. Which of the following is recommended?

- A. Zookeeper
- B. RabbitMQ
- C. RocketMQ
- D. Kafka

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

Due to the rapid development of business, an Internet company plans to transform its business system into the cloud and migrate some of its business data to the cloud for operation because its current self-built IT resources cannot meet business needs. Customers want to use the database as a business, which needs to meet the following requirements: capacity can be dynamically adjusted according to business changes; meet high availability requirements, performance is significantly improved compared with traditional databases (such as MySQL).

Which of the following options can meet the customer's needs?

- A. Purchase HUAWEI CLOUD RDS cloud database service and use the active/standby mode
- B. Purchase the HUAWEI CLOUD GaussDB cloud database service and complete the database transformation
- C. Purchase a high-performance elastic cloud server and deploy a database
- D. Purchase bare metal servers and deploy databases

Answer: ([SHOW ANSWER](#))

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumpsPASS.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

User A and user B respectively create their own virtual private clouds in the first district of Shanghai. Due to business requirements, it is necessary to connect the two virtual private clouds for communication.

Which of the following descriptions is correct when creating a peer-to-peer connection?

- A. The peer-to-peer connection will be successfully established without the consent of the requesting party
- B. The peer account needs to accept the request to establish a peer-to-peer connection
- C. The local account needs to accept the request to establish a peer-to-peer connection
- D. The peer-to-peer connection will be established successfully without the consent of the recipient

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

An enterprise plans to use HUAWEI CLOUD FunctionGraph to cooperate with other cloud services to build cloud-native web applications to improve business automation. In the following description of FunctionGraph, which items are correct? (Multiple choice)

- A. Through the visual layout page, event triggers, functions and process controllers can be associated in a flow chart through connections
- B. Unified plug-in support for development and debugging on cloud and off cloud
- C. When users use it, they only need to write business function codes and set the running conditions, without configuring and managing infrastructure such as servers
- D. Support Node.js, Java, Python, C# and other runtime languages

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

An individual user uses HUAWEI CLOUD to deploy a personal blogging platform to record and share his or her work experience, and wishes to store personal data separately.

Considering factors such as cost, which of the following services are recommended? (Multiple choice)

- A. DSS
- B. DESS
- C. OBS
- D. SES

Answer: (SHOW ANSWER)

NEW QUESTION: 50

Microservice Engine CSE is a one-stop management platform for microservice solutions. Using a microservice engine enables developers to focus more on the operation and maintenance of business platforms, further improving product delivery efficiency and quality.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

An e-commerce user wants to reduce operation and maintenance costs and realize operation and maintenance automation.

At the same time, the resources used on the cloud can be regulated and the irregularly used or vacant resources can be cleaned up in a timely manner. Which of the following services can meet the needs of users? (Multiple choice)

- A. Application operation and maintenance management service AOM
- B. Application performance management service APM
- C. Cloud Monitor CES
- D. Cloud Audit CTS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

A company deployed multiple sets of Muermetes environments in the XX data center, and conducted unified monitoring of multiple sets of ubernetes environments through Pometheus (separate device deployment). One day, engineer MR Wang suddenly found that he could not obtain the latest monitoring data of a certain Mubrmetes environment. After inspection, it was confirmed that the business in this environment can be accessed normally, and the business operation is also normal. Which of the following analysis options for the problem is the likely cause?

- A. Prometheus global alarm configuration policy error caused
- B. The Exporters component is abnormal, so the monitoring data cannot be read normally by Prometheus Server
- C. The Alertmaneger component is abnormal, which can be resolved after restarting the service
- D. Prometheus Server is abnormal and cannot receive data normally

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Huawei Cloud Distributed Message Service RocketlQ version is fully compatible with the open source RabbitlQ, providing users with features such as out-of-the-box, rich message features, flexible routing, high availability, monitoring, and alarms.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

The rapid development of edge computing is mainly driven by which of the following factors? (Multiple choice)

- A.** Privacy and security: data related to the security of production and business activities of enterprises, processing confidential information of enterprises and customer privacy at the edge
- B.** Local autonomy: does not rely on cloud-based offline processing capabilities and self-recovery capabilities
- C.** Low latency: In order to meet low latency requirements, it is necessary to build solutions on the "edge" closest to the business site to reduce business processing delays
- D.** Massive data: The explosive growth of edge data in the Internet of Things era makes it difficult to directly send back to the cloud and the cost is high. Data is analyzed and filtered locally to save network bandwidth

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

According to the performance of cloud hard disk, the disk can be divided into ordinary IO, high IO, general-purpose SSD and ultra-high IO.

- A.** True
- B.** False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

High availability on the cloud is one of the factors that need to be considered when designing the architecture. In the actual design process, multiple ECS instances are often run on the backend of the elastic load balancing EB to avoid () failures.

Answer:

Single Point

NEW QUESTION: 57

An e-commerce company plans to launch a new product display business, in order to ensure that it can meet the ever-increasing access demand and the security of new service access.

Which of the following services can be used for pre-launch testing to provide a reference for post-launch business assurance? (Multiple choice)

- A.** Cloud backup service CBR
- B.** Web Application Firewall (VAF)
- C.** Cloud Audit Service CTS
- D.** Cloud performance testing service CPTS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Data encryption service is a comprehensive data encryption service on the cloud. Users can manage the stored data confidentially through the key encryption mechanism.

The data encryption service provides multiple service modules, which of the following options are correct? (Multiple choice)

- A. Key Pair Management
- B. Exclusive extra space
- C. Credential Management
- D. Key management

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

The cloud database RDS for MySQL has made a lot of optimizations in the kernel. In the following description of the optimized content, which items are correct? (Multiple choice)

- A. The storage engine can automatically convert InnoDB to MyISAM, which is transparent to users and solves the problem that InnoDB does not support transactions
- B. Multi-threaded replication: only 5.7 introduces transaction-level multi-threaded replication, effectively reducing replication delay
- C. Thread pool, introduces the function of thread pool in the enterprise version, supports more connections under large concurrency, and has better performance
- D. Security controls such as system libraries: prevent users from deleting system libraries by mistake or executing some commands that destroy the normal operation of the instance

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 60

There are many types of data in the Internet of Vehicles scenario, some of which are time-related and have a very large amount of data, such as motion track records, battery data, monitoring data, etc. Which of the following types of data services is recommended?

- A. Distributed database middleware
- B. Document database
- C. Time series database
- D. Cloud database

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Threat Detection Service MTD is a security service product provided by HUAWEI CLOUD, which can warn of malicious activities and unauthorized behaviors in a timely manner.

Which of the following statements about the function of MTD is wrong?

- A. The threat detection service counts the detected alarm results through the severity level of the alarm. There are five levels in total, fatal, high-risk, medium-risk, low-risk, prompt
- B. Support custom upload and add intelligence/whitelist to OBS bucket, and asynchronously synchronize to the threat detection service. After uploading, the detection service will give priority to associating the IP and domain name in the detection list library
- C. The alarm results detected by MTD store the data of the last 30 days by default. In order to meet the compliance requirements of the insurance, the MTD alarm results can be transferred to OBS to achieve longer data storage

D. MTD monitoring supports multiple cloud service log monitoring, including enterprise host security HSS, cloud analysis service DNS, web application firewall WAF, etc.

Answer: ([SHOW ANSWER](#))

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

As the number of urban vehicles increases year by year, the problem of parking difficulties is becoming more and more real. Especially for commercial complexes in cities and tourist attraction parking lots with a large flow of people, it is difficult to park and find a car, and it is easy for passengers to cause unnecessary traffic. Congestion, even increased the probability of traffic accidents. It is planned to use HUAWEI CLOUD ROMAConnect to transform the management system of the traditional parking lot. After investigation and analysis, the current transformation of the traditional parking lot management system has the following pain points:

Pain point 1: Since most of the traditional parking lots rely on manpower management, it is difficult to grasp the panoramic view of the parking spaces in real time.

Pain point 2: Parking users cannot know the vacant parking spaces in the parking lot in real time, and it takes a lot of time to find a parking space, which further increases the road traffic pressure;

Pain point 3: The transportation department cannot grasp the usage of urban parking spaces in real time, and it is difficult to formulate effective traffic mitigation measures for parking problems.

Assuming you are a Huawei Cloud operation and maintenance expert, in order to solve the above pain points, which of the following measures will you complete the digital transformation of the traditional parking lot management system? (Multiple choice)

A. The parking space sensing device and door gate device of the parking lot are connected to ROMA Connect to realize the reporting of parking space status information

B. By creating a data API, open the parking space status data in the parking lot management system to third-party applications for car owners and city managers to understand the parking space situation

C. Register the device (parking space sensing device, door gate device) on ROMA Connect, and assign a unique ID and password to the device in ROMA Connect, so that the device can be connected to ROMAConnect

D. By configuring the data forwarding rules, forward the device data to the message integration MQS of ROMA Connect, and through the data integration task, convert the data structure of the device data in MQS and write it into the database of the parking lot management system

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 63

In Huawei container hybrid cloud and multi-cloud solutions, which of the following services can provide traffic management capabilities for K8S clusters deployed in different regions?

- A. Application Service Grid ASM
- B. Container Delivery Pipeline ContainerOps
- C. Multi-cloud container platform MCP
- D. Load balancing service ELB

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

Huawei Cloud MapReduce Service MRS builds big data clusters based on containers. It is a service for deploying and managing Hadoop systems on Huawei Cloud. One-click deployment of Hadoop clusters.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Redis, a non-relational database, is a Key-value database for high-performance concurrent read and write. Redis supports five data types: string (string), hash (hash), list (list), set (unordered collection) and zset (ordered collection).

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

Compared with self-built servers, which of the following descriptions about the advantages of deploying business on the cloud is wrong?

- A. Availability, automatic downtime migration, automatic snapshot backup, and convenient data recovery
- B. Security, with a large number of cloud security experts, security services respond in a timely manner
- C. Scalability, the opening is very flexible, and the configuration can be upgraded online
- D. Cost, low usage cost threshold and high maintenance cost

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

Cloud workloads are loads that run services on cloud resources, including virtual machines, elastic load balancing, containers, etc., which carry the core of enterprise business.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

HUAWEI CLOUD resolution service provides highly available and scalable DNS services, which convert commonly used domain names into IP addresses for computer connections. Cloud DNS supports multiple service types.

Which of the following descriptions about cloud analysis service types is wrong?

- A. Forward analysis
- B. Public domain name resolution
- C. Intranet domain name resolution
- D. Reverse analysis

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Cloud backup service CBR can provide simple and easy-to-use backup services for cloud servers and cloud hard disks. When events such as virus invasion, human error deletion, software and hardware failures, etc. occur, data can be restored to any backup point. Currently, elastic cloud Server backup can be backed up through the "Cloud Server Backup" service and the "Cloud Disk Backup" service.

In the following comparison of the two backups, which items are correct? (Multiple choice)

- A. Dimensions of backup/restore objects: cloud server backup, all cloud disks in the server, cloud disk backup, specified single or multiple disks
- B. From the dimension of advantages: cloud server backup, all disk data under the same server are consistent, that is, all cloud hard disks are backed up at the same time, and there is no data inconsistency caused by backup creation time difference, cloud hard disk backup, to ensure data security while reducing backup costs
- C. From the dimension of recommended scenarios: cloud server backup, the entire cloud server needs to be protected, cloud hard disk backup, the system disk has no personal data, so only part of the data disk needs to be backed up
- D. From the dimension of backup speed: cloud server backup, the backup speed is fast, cloud hard disk backup, the backup speed is slow

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 70

An Internet company uses Huawei Cloud to deploy its business. It plans to limit the development environment, test environment, UAT environment, and production environment to operate their respective businesses independently.

Which of the following options is most suitable?

- A. Use multiple VFCs for business isolation
- B. Use a single VFPC to divide NameSpace for business isolation
- C. Use a single VPC and set ACL forwarding rules for business isolation
- D. Use a single VPC and define a security group for business isolation

Answer: A (LEAVE A REPLY)

NEW QUESTION: 71

In software projects/engineering, CI/CD is a name that is often mentioned. In the following description about CI/CD, which one is wrong?

- A. Continuous Delivery: Continuous delivery can release verified code to a repository (such as GiLab)
- B. Continuous Deployment: Continuous Deployment extends Continuous Documentation so that a software build can be automatically deployed after passing all tests
- C. Continuous Integration: With continuous integration, developers are able to make multiple commits to the repository at any time
- D. Continuous integration Through continuous integration, developers need to submit content independently and uniformly at the end of the development cycle

Answer: D (LEAVE A REPLY)

NEW QUESTION: 72

The disaster recovery of the database is very important to the production system of the enterprise. The enterprise is currently using the GaussDB (foropenGauss) distributed database as the production database. Now consider using DRS to realize the synchronization ability from the production database to the disaster recovery GaussDBf (oropenGauss) cluster, which of the following scenarios is suitable for this solution/

- A. The production library may expand in the future and add new DN
- B. The topology of the production database cluster and the disaster recovery database cluster are inconsistent. For example, the production database has 6 DNs and the disaster recovery database has 3 DNs.
- C. The disaster recovery database will have access to some query services, and these services will involve multi-table associated queries
- D. The business requires that the RTO of the disaster recovery library must be within 5s

Answer: A (LEAVE A REPLY)

NEW QUESTION: 73

What are the advantages of Huawei cloud database RDS compared with self-purchased servers to build databases? (Multiple choice)

A. Data backup: ApsaraDB for RDS supports automatic and manual backups, and also supports custom backup storage periods. Self-built databases need to purchase backup equipment, specify settings and post-maintenance by yourself

B. Deployment expansion: ApsaraDB for RDS elastic expansion, opened on demand, self-built database needs to purchase hardware that matches the original equipment, the overall cycle is longer

C. Resource utilization, cloud database RDS is settled on an annual basis. Compared with monthly settlement, the cost is higher. Self-built databases need to consider the peak value. During peak business periods, the resource utilization rate is low

D. Maintenance cost: cloud database RDS basically does not require operation and maintenance, and self-built databases require more labor costs

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 74

When customers analyze and obtain performance indicators based on stress tests, they usually set thresholds for basic resource performance monitoring data, among which the maximum threshold of CPU usage load is <85%, the maximum threshold of memory usage load is <85%, and I/O read and write utilization rate maximum threshold <80%

A. False

B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 75

An enterprise plans to migrate part of its business to Huawei Cloud. In order to ensure the stability and reliability of the business, some test services are migrated for observation in the early stage, in order to monitor the operation of the newly launched business, it is necessary to analyze the log, and through the log analysis, Provide a reference for subsequent business migration. Which of the following descriptions about Cloud Log Service LTS is wrong?

A. When creating log groups and log streams, it is generally recommended that users create as many as needed to prevent subsequent log storage exceptions due to insufficient numbers

B. Through the LTS service, you can easily and quickly perform log query, and support fuzzy query, keyword query, etc.

C. There is a time limit for log storage. If you need long-term observation in the cloud, you need to back up or dump important logs

D. You can install ICAgent in the elastic cloud host ECS, and monitor and collect logs through services such as LTS and AOM

Answer: (SHOW ANSWER)

NEW QUESTION: 76

A customer purchased the auto scaling service. When the customer enabled the scaling policy for the created scaling group, he found that not only one scaling policy could be enabled for the

scaling group, but also multiple scaling policies could be enabled. When enabling multiple scaling policies, it is necessary to ensure that the conditions of the multiple scaling policies do not conflict.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumps.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

The web application firewall is a security service that guarantees web applications. Which of the following types of web attacks can be blocked for websites? (Multiple choice)

A. SQL Injection and Command Injection Attacks

B. Trojan attack on website

C. Text injection attack

D. XSS cross-site attack

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 78

A customer of a game company needs to build a real-time leaderboard, use Pub/Sub to realize an instant chat room, deploy a dynamic server to update the "circle of friends" published by players, an account server to save basic user information, and a friend server to persistently store massive, Complex web of player relationships.

Which of the following HUAWEI CLOUD database products can be used to meet the above requirements? (Multiple choice)

A. Based on the Huawei cloud database GaussDB (for Mongo), some game data, such as user equipment and user points, can be stored in it

B. Build based on Huawei Cloud database GaussDB (for MySQL), rich data types, business dynamic load balancing, second-level expansion during peak hours, low cost, large-capacity storage, etc.

C. Built based on Huawei Cloud database DCS, by putting hotspot data into the cache, the client access speed is accelerated and the user experience is improved

D. Based on the Huawei cloud database GaussDB (for Redis), it supports the provision of real-time data persistence, strong consistency guaranteed of multiple copies, real-time monitoring, elastic scaling, automatic backup, etc. station generation service

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 79

Huawei cloud server ECS supports multiple billing methods, including yearly/monthly subscription, pay-as-you-go, and bidding.

When a user wants to change the billing mode after purchasing a cloud server, which of the following descriptions about billing mode conversion is correct? (Multiple choice)

- A.** On-demand billing mode supports switching to bidding billing mode
- B.** The on-demand billing mode supports switching to the packet cycle billing mode
- C.** The package cycle billing mode supports switching to the on-demand billing mode
- D.** Bidding billing mode supports switching to on-demand billing mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

As more and more enterprises go to the cloud, security on the cloud has become an important topic that needs attention.

There are several major security requirements for enterprises to go to the cloud. Which of the following descriptions of security requirements on the cloud is wrong?

- A.** To protect the data stored on the cloud, it needs to be kept confidential, mainly restricting the inaccessibility of cloud service providers and external users
- B.** The enterprise architecture on the cloud still needs to meet compliance requirements. HUAWEI CLOUD provides customers with one-stop public cloud protection services
- C.** Enterprise cloud security pursues high efficiency in operation and maintenance, operation can be audited, and applicable products include CBH
- D.** The business on the cloud pursues business continuity without interruption, and the web application firewall VAF and anti-DDOS high-defense services are all for this purpose

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

The status of the workload in the HUAWEI CLOUD CCE cluster determines whether the application can be deployed properly. Which of the following descriptions is correct?

- A.** Stateful containers cannot be used in external Redis applications
- B.** CCE Cloud Container Engine provides stateful container instances by default
- C.** Stateless containers are not recommended for deploying relational database applications
- D.** Daemon Set+Volume can be used to provide stateful containers

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

In the model training session, you can create training jobs through ModelArts. After the training is complete, the system will generate a model and automatically download it locally.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

Froathus is an open source system monitoring and alarm framework, which is very suitable for recording any purely mathematical time series. It is suitable for machine-centric monitoring, and also suitable for monitoring highly dynamic service-oriented architecture, because it does not support charts and Visual display, so it needs to be monitored with Grafana.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

The IoT edge service IoT Edge is the application of edge computing in the Internet of Things industry. Which of the following descriptions about the characteristics of IoT Edge are correct? (Multiple choice)

- A. Universal access: Multiple access methods support universal access of IoT devices (general protocol, plug-in extension, SDK extension)
- B. Low latency: real-time processing and decision-making at the edge
- C. Intelligent analysis: edge nodes directly analyze the collected data without uploading to the back-end server, and the response speed is faster
- D. Edge-cloud collaboration: Unified deployment, operation and maintenance, and business management of edge nodes on the cloud, with business support running offline

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 85

In the storage-computing separation scheme of bare metal service BMS service + object storage OBS service, it not only means the decoupling of resources, but also decoupling at the software level, which can support independent maintenance, installation, deployment and upgrade

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

After the website is connected to the Web Application Firewall TAF, the file upload request of the website will be subject to certain restrictions.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

Kubernetes can restart the container after it senses that the container has crashed. For example, the memory of a Java program leaks and the program cannot work normally, but the JVM process is running all the time. For such a situation where the application itself has a business problem, which of the following probes does Kubernetes use to detect whether the container responds normally to decide whether to restart?

- A. Monitoring Probes
- B. Start the probe
- C. Readiness Probe
- D. Survival Probes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

The container uses cgroup technology to limit the use of CPU and memory. Reasonably setting the request and upper limit of container resources can effectively guarantee the resource usage quota of the container, avoid resource preemption and affect the stability of the operating environment, and do not affect container resources. Setting the upper limit of the quota can effectively improve the resource utilization of the node

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

Which of the following options is the correct process for enterprises to go to the cloud?

- A. Plan>Design>Delivery> Verify >Implement
- B. Plan>Design>Implement>Verify>Delivery
- C. Design>Plan>Implement>Verify>Delivery
- D. Plan>Design>Verify>Implement>Delivery

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 90

Spring Cloud is a common microservice system architecture. Which of the following description about Spring Cloud are correct? (Multiple choice)

- A. It has the characteristics of simple configuration, rapid development, easy deployment, and convenient testing
- B. Provide a complete set of microservice solutions with low development costs
- C. Support non-intrusive SideCar injection technology, separation of data plane and control plane
- D. Provides Docker and Kubernetes microservice orchestration support

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 91

Which of the following descriptions about the disaster recovery solution in two places and three centers is correct? (Multiple choice)

- A. The business can be shared between the two regions through DNS, and the disaster recovery center only shares the business when a disaster occurs
- B. When the entire production site fails, switch the active and standby status of the database, and then modify the DNS authorization to 0% for the production site and 100% for the disaster recovery site
- C. Configurations, logs, snapshots, and backups generated by production and disaster recovery centers are replicated across regions through VBS
- D. Deploy RDS database instances in the production and disaster recovery centers respectively, and the databases are 1:1:1 master-slave replication
- E. When an AZ of the production site fails, the business system switches to another AZ, and the database master and backup switch

Answer: A,B,D,E (LEAVE A REPLY)

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

Please match the relevant concepts about the microservice engine with their corresponding descriptions in the following options.

application	An instance can be understood as a process, and one microservice can deploy several
governance strategy	An application can be understood as a software system that completes a complete business scenario
Microservice instance	A logical concept established by the service center, such as development, production, etc.
environment	A concept in microservice governance that refers to a certain method used by current governance

Answer:



NEW QUESTION: 93

Database and application migration UGO is a specialized tool focusing on heterogeneous database object migration and application migration. Through the two core functions of pre-migration evaluation and structure migration, the automatic migration of mainstream commercial databases to HUAWEI CLOUD databases is realized, helping users easily realize the purpose of one-click cloud access and one-click switch database.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 94

During the application release (such as application upgrade/update) period of an enterprise, the application will be temporarily unavailable due to application system upgrades and other reasons, and if a major problem is found after the new version is released, it needs to be repaired and re-released. Bring a lot of inconvenience to the business. The company hopes to carry out a small-scale push before the release, and then conduct a large-scale deployment after confirming that there is no abnormality in use, so as to reduce the impact on the business.

Among the following options, which publishing method is recommended?

- A. ABC released
- B. Blue Release
- C. Canary release
- D. Deep Release

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 95

Application operation and maintenance management AOM is one of the important services of Huawei's three-dimensional operation and maintenance. Which of the following functions can be realized by AOM? (Multiple choice)

- A. Unified operation and maintenance monitoring and management: realize resource, application, business - one-stop monitoring and analysis

B. Log management: high-performance search and business analysis, digging into the business value of logs

C. Application topology: application relationship and abnormalities are clear at a glance, and precise drilling down to locate faults

D. Application and resource association analysis: automatic association layer by layer, direct detection of abnormalities

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 96

The smallest unit of Kubernetes orchestration is the container, which can be managed through Pod.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 97

HUAWEI CLOUD DRS provides various functions such as migration, synchronization, disaster recovery and subscription.

Which of the following descriptions about DRS service features or application scenarios are correct? (Multiple choice)

A. Migration: Through incremental migration technology, database migration can be completed during business operation without affecting business

B. Disaster recovery: Data disaster recovery supports the disaster recovery architecture of three centers in two places and four centers in two places. Unilateral disaster recovery can use the functions of upgrading the master and downgrading the standby in the disaster recovery scenario to achieve the effect of master-standby switchover in different places

C. Synchronization, focusing on tables and data, and meeting the needs of a variety of flexibility, such as many-to-one, one-to-many, dynamic addition and deletion of synchronization tables, synchronization of data between different table names, etc.

D. Subscription: The main application scenario is kafka subscription GaussDB incremental data scenario

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 98

Although microservices have obvious advantages, they also bring certain problems. For example, the number of developed services increases, remote calls are slower, and there is always a risk of failure. Therefore, except for special scenarios, it is generally not recommended to use microservice architecture.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

Database and application migration UGO's source library portrait function is trained with the key indicators of the database as the characteristics, abstracting the whole picture of the database information.

Which of the following key indicators are the objects of extraction? (Multiple choice)

- A. DB name and DB creation time
- B. Table and SQL Complexity
- C. IOPS and QPS
- D. CPU and memory usage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

Which of the following descriptions about Region and AZ is correct?

- A. One is a collection of one or more physical data centers, with independent wind, fire, hydropower, and logically divide computing, network, storage and other resources into multiple clusters
- B. General Region refers to a dedicated Region that only undertakes the same type of business or only provides business services for specific tenants
- C. Dedicated Region refers to the Region that provides general cloud services to public tenants
- D. There can only be one AZ in a Region

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

In order to improve the security of the system architecture, a company hopes to improve the load security by purchasing enterprise host security HSS services. Which of the following scenarios is not suitable for HSS services?

- A. Verify the access account to ensure that the identity of the login meets the security requirements
- B. Perform security assessment on the host system, detect host vulnerabilities and insecure configurations, and be able to prompt users of risks
- C. Provide the ability to detect the entire attack path of the host, and be able to perceive hacking events in real time and accurately
- D. Ability to configure account permissions to distinguish employees from different functional departments in the enterprise who access the host

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

A user deploys his core business in the local data center, and deploys the edge business on the cloud.

Now due to business needs, it is necessary to interconnect the data center with the cloud network. Which of the following services can help users achieve this goal? (Multiple choice)

- A. Cloud connection
- B. Peer-to-peer connection
- C. Cloud Dedicated Line
- D. Virtual Private Network

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which of the following descriptions about NAT gateways is wrong?

- A. When the specification of ECS is changed, the configured NAT rules will become invalid
- B. When the cloud host accesses the external network through the NAT gateway, its bandwidth is determined by the bound elastic public network IP
- C. DNAT and SNAT rules need to be configured separately
- D. Each subnet in a VPC can be bound to multiple SNAT rules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

When a user purchases an elastic cloud server, various virtualization software can be installed on the cloud server. Not only that, it also supports the creation of virtual machines in virtualization software to complete secondary virtualization and multiple virtualizations.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 105

On HUAWEI CLOUD, when users use AOM to collect container and virtual machine logs in their cloud services, they do not need to configure the log collection path first.

- A. TRUE
- B. FALSE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 106

A scaling policy can trigger scaling activities, which is a way to adjust the number of instances or bandwidth in a scaling group. The scaling strategy specifies the conditions that need to be met and the operations that need to be performed. When the scaling conditions are met, the system will automatically trigger a scaling activity. Currently, the system supports three scaling strategies: alarm strategy, timing strategy, and period Strategy.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:
https://www.braindumpspass.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html
(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

When using the data replication service DRS to configure the migration task, it is necessary to check whether the data transfer server can connect to the cloud database to be migrated. This operation needs to be completed in the pre-check step

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 108

Service Mesh is a specialized infrastructure layer that handles service communication. In the following description of Service Mesh, which items are correct? (Multiple choice)

- A. It can support distributed systems such as load balancing, service discovery, monitoring and tracking, and flow control
- B. Common applications such as Istio, Spring Cloud, etc. all belong to the Service Mesh architecture
- C. Belongs to the middle layer of inter-application communication
- D. It is a set of lightweight network agents deployed together with application services, transparent to application services

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 109

Compared with object storage service OBS and elastic file service SFS, block storage service EVS mainly uses?

- A. NFS
- B. HTTP
- C. CIFS
- D. SCSI

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

Compared with traditional databases, cloud databases only need to pay for database instances, without purchasing and installing any software and hardware, which simplifies operation and maintenance costs.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 111

Which of the following descriptions about the applicable scenarios of the Huawei container high-performance batch computing solution are correct? (Multiple choice)

A. Big data scenarios: separation of storage and computing, second-level expansion and contraction of big data clusters, improved analysis performance, and reduced use costs

B. Gene sequencing scenario, supports 100,000+ container-scale concurrency, and easily handles the analysis and mining of massive sequencing data

C. Database scenarios, exclusive resource sharing, network isolation, and performance assurance

D. AI scenarios: multi-computing power is available out of the box, natively supporting a variety of mainstream training frameworks

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 112

The working node in the cloud container engine service CCE is the basic element of the container cluster. The node depends on the business. It can be a virtual machine or a physical machine: each node contains the basic components required to run the Pod, including Kubelet, Kube-proxy, Container Runtime, etc., in the cloud container engine CCE, high-performance elastic cloud server ECS or bare metal server BMS is mainly used as nodes to build a highly available Kubernetes cluster.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 113

Whether it is microservices or container technology, infrastructure is inseparable. In the architecture of Huawei Cloud Native 2.0, which of the following does not belong to cloud native infrastructure?

A. Object Storage Service (OBS)

B. Elastic cloud server (ECS)

C. Cloud Container Engine CCE

D. Software development platform DevCloud

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 114

A company's financial system uses an Oracle database to store business-related data. Now when it wants to migrate the system data to the Huawei cloud database GaussDB (for openGauss), it should use the DRS tool to complete the data migration.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 115

DataArts Studio (formerly DGC), the database governance center, is a one-stop governance and operation platform that provides data lifecycle management and intelligent data management capabilities for the digital operation demands of enterprises.

Which of the following describes DGC's core competencies? (Multiple choice)

- A. Data Model Development
- B. Integration of multiple heterogeneous data sources
- C. Job Script Arrangement Development Scheduling
- D. Data Quality Monitoring

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 116

A customer wants to use an elastic cloud server. The server is required to be able to process high-quality images and videos, have large memory, large data processing and high I/O concurrency. At the same time, it satisfies the scenarios that can complete fast data processing and a large amount of computing power. Usually, it is recommended to use a disk-enhanced ECS.

- A. wrong
- B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 117

When there are many container instances running in Kubernetes, in order to facilitate management, Kubernetes provides a Label (label) mechanism to classify resources. Which of the following descriptions about Label are correct? (Multiple choice)

- A. Various resources can be marked by Label
- B. The principle is to mark resources during resource allocation through Name space
- C. The specific form of Label is a key-value tag pair
- D. It can be set when creating resources, or added later

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 118

Which of the following descriptions about basic objects in Kubernetes are correct?

- A. Pod: The smallest deployment unit that can be created, scheduled, and managed
- B. Job: An object used to control batch tasks
- C. Deployment: Objects used to manage stateful applications
- D. Service: Defines a logical collection of Pods and a strategy for accessing the collection

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 119

HUAWEI CLOUD database MySQL supports cross-AZ high availability. If the main database fails, it will start fault detection three times and pull it up. If it cannot be pulled up, it will automatically failover. The main database will switch to the standby database, and the standby database will be promoted to the main database. The read-only instance will also be automatically hung under the new master library.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 120

Among the following descriptions about the difference between cloud hard disk backup and snapshot, which ones are correct? (Multiple choice)

- A. Business recovery, by restoring the backup to the cloud hard drive, or creating a new cloud hard drive through the backup, snapshots are rolled back to the cloud hard drive, or creating a new cloud hard drive through the snapshot
- B. Disaster recovery scope, backup and VS are located in the same availability zone, cloud server backup supports cross-region replication, snapshots and VS are located in different availability zones
- C. Data synchronization, save the data at the specified time of the cloud hard disk, and you can set automatic backup. If you delete the cloud disk that created the backup, the corresponding backup will not be deleted at the same time, the snapshot also saves the data of the cloud disk at a specified time, if you delete the cloud disk that created the snapshot, the corresponding snapshot will also be deleted at the same time
- D. Storage scheme, backup and cloud hard disk data are stored separately and stored in object storage, snapshots are stored together with cloud hard disk data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

Network QoS refers to the use of various basic technologies to provide better service capabilities for designated network communications. Configuring QoS in the network environment can increase the predictability of network performance, effectively allocate network bandwidth, and make more reasonable use of network resources. The QoS data of cloud resources with specified specifications can be queried through the specification list.

Regarding the QoS data, what are the main items included? (Multiple choice)

- A. Maximum sending and receiving packet capacity (10,000 PPS)
- B. Maximum number of network cards
- C. Maximum bandwidth/baseline bandwidth (Gbps)
- D. NIC multi-queue number

Answer: ([SHOW ANSWER](#))

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumpspass.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 122

HUAWEI CLOUD provides public network NAT gateway service and private network NAT gateway service.

When using the public network NAT gateway, you need to pay attention to its constraints and limitations. In the following description of the precautions for the public network NAT gateway, which one is wrong?

- A. A port of a cloud host corresponds to a DNAT rule, and a port can only be mapped to one EIP. It cannot be mapped to multiple EIPs
- B. Only one SNAT rule can be added to each subnet in the VPC
- C. A VPC supports associating multiple public network NAT gateways
- D. When the cloud host is configured with the elastic public network IP service and the public network NAT gateway service at the same time, the data is forwarded through the public network NAT gateway

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 123

Which of the following descriptions about cloud database RDS is wrong?

- A. The primary and standby instances of the active and standby instances share the same IP address, so they need to be deployed in the same AZ
- B. The stand-alone instance contains only one node, which is cost-effective and suitable for micro-sites and personal learning scenarios
- C. The cluster version instance supports the master 1 backup 5 read-only cluster mode, which has higher availability, reliability and scalability
- D. Cloud database for RDS supports stand-alone, active/standby, and cluster deployments

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 124

A car company deploys its business on HUAWEI CLOUD and uses two primary and secondary servers. Which of the following methods can provide high-availability services to the outside world?

- A. EIP
- B. Private IP
- C. IP address group
- D. Virtual IP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

A user purchases the elastic scaling service, and the bandwidth can be adjusted on demand through elastic scaling. When the service increases, the bandwidth is expanded, and when the service decreases, the bandwidth is reduced, which enhances the cost management of the service system. Currently, the scaling strategies supported by the auto scaling service mainly include: () strategy, timing strategy, and periodic strategy. Users can adjust the IP bandwidth on demand by selecting different scaling policies according to the actual situation.

Answer:

alarm

Valid H13-821_V3.0-ENU Dumps shared by BraindumpsPass.com for Helping Passing H13-821_V3.0-ENU Exam! BraindumpsPass.com now offer the **newest H13-821_V3.0-ENU exam dumps**, the BraindumpsPass.com H13-821_V3.0-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H13-821_V3.0-ENU dumps with Test Engine here:

https://www.braindumpsPass.com/Huawei/H13-821_V3.0-ENU-practice-exam-dumps.html

(415 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)