

Huawei.H19-338-ENU.v2023-11-24.q130

Exam Code:	H19-338-ENU
Exam Name:	HCSP-Presales-Storage
Certification Provider:	Huawei
Free Question Number:	130
Version:	v2023-11-24
# of views:	2624
# of Questions views:	1300
https://www.exam-tests.com/H19-338-ENU-exam/Huawei.H19-338-ENU.v2023-11-24.q130.html	

NEW QUESTION: 1

FastWrite improves performance by 30%.

How many kilometers between active-active data centers can this improvement be applied to? (Multiple choice)

- A. 50 km
- B. 100 km
- C. 0 km
- D. 20 km

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 2

Which of the following are possible statuses of HyperMetro? (Multiple choice)

- A. Synchronizing
- B. Paused
- C. Normal
- D. Force Start
- E. Awaiting Synchronized

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 3

What facts can be used to clear customers' security concerns about SmartIDC-Grad (Information Collection) ? (Multiple Choice)

- A. No plug-in is installed.
- B. Only open APOs and CLI commands of the collected devices are invoked.
- C. Success stories

D. SmartIDC-Grab has been tested and certified by professional antivirus and security vulnerability scan tools.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

In an OceanStor Dorado V6 Architecture with two controller enclosures and eight controllers, which scenarios are supported for high availability? (Multiple Choice)

- A. Tolerance of simultaneous failures of any two controllers
- B. Tolerance of simultaneous failures for any three controllers
- C. Tolerance of simultaneous failures for seven controllers
- D. Tolerance of a single controller enclosure failure

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which statements about OceanStor 100D are true? (Multiple choice)

- A. It employs a distributed cluster architecture.
- B. It stores metadata in metadata nodes.
- C. It provides background data consistency checks.
- D. It can be scaled out to a maximum of 4096 nodes.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which is NOT a typical application of HyperMetro for SAN?

- A. SAP HANA application (in application mode)
- B. Oracle RAC application
- C. SQL Server application
- D. VMware vSphere application

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Assume a customer needs to generate a large number of data copies based on the scheduling policy to recover data if production data is deleted by mistake.

Which is the feature that must be configured?

- A. HyperReplication
- B. HyperCDP
- C. HyperSnap
- D. HyperClone

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which models support continuous cache mirroring? (Multiple choice)

- A. 6800 V5
- B. 5800 V5
- C. 18800 V5
- D. 18500 V5
- E. 5500V5

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Controllers must be restarted during software NDU upgrade of Dorado V6.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following is not a VDI application scenario in the healthcare industry?

- A. Telemedicine assistance and training
- B. Patient information and management system
- C. Surgical treatment room
- D. Public terminal

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which of the following RAID levels are supported by Dorado V6? (Multiple choice)

- A. RAID 10
- B. RAID 6
- C. RAID TP
- D. RAID 5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which of the following are storage protocols for host connection in SAN? (Multiple choice)

- A. NoF (NVMe over Fabric)
- B. FC
- C. iSCSI
- D. SAS

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which statements about the quorum network in the HyperMetro network are true? (Multiple choice)

- A. The quorum network requires that the link bandwidth be greater than or equal to 10 Mbit/s.
- B. The quorum network supports the FC network.
- C. The quorum network requires that the latency be less than or equal to 50 ms.
- D. The quorum network supports the IP network.

Answer: (SHOW ANSWER)

NEW QUESTION: 14

Which of the following are features of the entire Dorado V6 series. (Multiple choice)

- A. Fixed-length and variable-length data deduplication.
- B. Upgrades most of components in user mode within 1 second.
- C. I/O interruption time of controller failover within 1 second.
- D. Intelligent DAE

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 15

Which of the following redundancy designs are supported by the NE8000 X4 and X8?

- A. MPU 1+1 backup
- B. SFU 7+1 backup
- C. Power supply 9+1 backup
- D. PEM 1+1 backup

Answer: A,B,D (LEAVE A REPLY)

Explanation

NE8000 X4 and X8 are high-end core routers designed for large-scale IP backbone networks, data centers, and metro networks . They support various redundancy designs to ensure high availability and reliability, such as MPU (Main Processing Unit) 1+1 backup, SFU (Switch Fabric Unit) 7+1 backup, and PEM (Power Entry Module) 1+1 backup . MPU 1+1 backup means that two MPUs work in active/standby mode and provide control plane redundancy . SFU 7+1 backup means that eight SFUs work in N+1 mode and provide data plane redundancy . PEM 1+1 backup means that two PEMs work in active/standby mode and provide power supply redundancy . The NE8000 X4 and X8 do not support power supply 9+1 backup, which is a feature of the NE8000 X16 router .

NEW QUESTION: 16

Which of the following are key features provided by SmartRadio?

- A. Dynamic Frequency Assignment (DFA)
- B. Intelligent load balancing
- C. Enhanced distributed channel access (EDCA)
- D. Airtime fair scheduling

Answer: A,B,D (LEAVE A REPLY)

Explanation

SmartRadio is a technology that provides intelligent radio resource management for wireless networks.

SmartRadio includes several features, such as Dynamic Frequency Assignment (DFA), which automatically adjusts the frequency allocation based on the interference situation; Intelligent load balancing, which distributes users among APs based on user density and traffic load; and Airtime fair scheduling, which allocates airtime resources fairly among users with different rates. Enhanced distributed channel access (EDCA) is not a feature of SmartRadio, but a standard mechanism defined by IEEE 802.11e to provide QoS differentiation for wireless multimedia applications.

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpsPASS.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

QceanStor Dorado V6 supports SAS SSDs only.

- A. False
- B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Which of the following features make OceanStor capable of storing PACS data over a 15-year period? (Multiple choice)

- A. Elastic scalability
- B. Simplified management
- C. Security and reliability
- D. Intelligent lifecycle management

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 19

The free mobility function allows users to obtain the consistent network access policy regardless of their location and IP address Free mobility requires the network to be made up entirely of Huawei devices.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Explanation

The free mobility function allows users to obtain the consistent network access policy regardless of their location and IP address, but it does not require the network to be made up entirely of Huawei devices.

According to the Huawei CloudCampus Solution Description, free mobility is supported on a hybrid network consisting of Huawei and third-party devices, and the authentication point can be deployed on third-party devices.

NEW QUESTION: 20

Which statements about the SmartTier feature for FS are NOT true? (Multiple choice)

- A. The SmartTier features of the FS can define the migration rate.
- B. The scope of the SmartTier feature of the FS is a single pool.
- C. The media in the FS SmartTier feature are divided into three layers SSD, SAS, and NL-SAS.
- D. The migration unit of the FS SmartTier feature is Extent.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which statement about the recommended deployment of the quorum device is true?

- A. Deploy the quorum device at the non-preferred site.
- B. Deploy the quorum device at the preferred site.
- C. Do not deploy the quorum device.
- D. Deploy the quorum device at the third-place site.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

OceanStor 100D uses NVDIMMs as cache, which can prevent data loss during power failure.

- A. No
- B. Yes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which statements about HyperMetro (Active-Active) supports by Dorado are correct? (Multiple Choice)

- A. Online upgrade from the HyperMetro solution to the 3DC solution
- B. Gateway-free
- C. Online upgrade from a single DC to dual-DC HyperMetro

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

How many remote devices does OceanStor 100D HyperReplication support at most?

- A. 8
- B. 16
- C. 32

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following switches Goes not support iStack?

- A. S1730S-H
- B. S5731-H
- C. S5735-S
- D. S5732-H

Answer: A ([LEAVE A REPLY](#))

Explanation

The switch that does not support iStack is S1730S-H. This is because the S1730S-H does not have any stack ports or support stack cards. The iStack technology allows multiple switches to be connected and managed as a single logical device, which improves network scalability and reliability.

NEW QUESTION: 26

Which of the following are benefits of front-end interconnect (shared) I/O modules?

(Multiple choice)

- A. Direct data dispatch to the distributed controller through front-end modules in one engine controller enclosure
- B. Fewer front-end modules and hst links needed
- C. Storage sysadmins are needed to ensure the multipath software is servers runs online before controller upgrades
- D. Host path loss prevention in the event of controller failure controller hard/software upgrades, and even single FC link between host and storage

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following statement about the advantages of WPA3 is incorrect?

- A. Open SSID data can be encrypted
- B. Potential for dictionary attacks
- C. Meet NSA/SuiteB security requirements of governments and banks
- D. Even if the attacker obtains the intermediate key. the data cannot be decrypted

Answer: ([SHOW ANSWER](#))

Explanation

WPA3 is a new security protocol for wireless networks that provides enhanced security and privacy features compared to WPA2 . One of the advantages of WPA3 is that it eliminates the potential for dictionary attacks, which are a type of brute-force attack that tries to guess passwords by using a list of common words or phrases

. WPA3 uses a more robust authentication mechanism called Simultaneous Authentication of Equals (SAE), which prevents offline password cracking attempts . The other statements are correct advantages of WPA3.

WPA3 can encrypt data on open SSIDs using Opportunistic Wireless Encryption (OWE), which creates a unique encryption key for each user without requiring any credentials .

WPA3 also meets the NSA/SuiteB security requirements of governments and banks, which specify the use of strong encryption algorithms such as AES-256 and Elliptic Curve Cryptography (ECC) . WPA3 also ensures that even if an attacker obtains the intermediate key during the handshake process, they cannot decrypt the data or derive the session key, thanks to a feature called forward secrecy .

NEW QUESTION: 28

Which arbitration mode does Huawei's active-active (HyperMetro) solution support?

(Multiple choice)

- A. Static priority
- B. Quorum server
- C. Heartbeat
- D. Quorum disk

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Controllers must be restarted during software NDU upgrade of Dorado V6.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Which is the technology used for end-to-end protection of data integrity in the industry?

- A. T10 PI
- B. CRC
- C. SHA

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which models does the mid-range all-flash storage of Hitachi Vantara include? (Multiple Choice)

- A. 370F

- B. 350F
- C. 900F
- D. 700F

Answer: ([SHOW ANSWER](#))

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpspass.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Which of the following are benefits of front-end interconnect (shared) I/O modules?
(Multiple choice)

- A. Fewer front-end modules and host links needed.
- B. Storage sysadmins are needed to ensure the multipath software in servers runs online before controller upgrades.
- C. Direct data dispatch to the distributed controllers through front-end modules in one controller enclosure.
- D. Host path loss prevention in the event of controller failure, controller hard/software upgrades, and even single FC 1 between host and storage.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

For defending against application layer DDoS attacks, which product will be the best choice?

- A. USG6000E
- B. Hisec Insight
- C AntiDDoS
- C. FireHunter

Answer: B ([LEAVE A REPLY](#))

Explanation

HiSec Insight is a security analysis platform that provides comprehensive protection against advanced persistent threats (APTs) and application layer DDoS attacks . It uses big data analysis and machine learning techniques to detect and block malicious traffic, identify attack sources, and generate security reports . The other products are not specialized in defending against application layer DDoS attacks. USG6000E is a series of

next-generation firewalls that provide network security and VPN services . AntiDDoS is a series of products that provide protection against network layer DDoS attacks . FireHunter is a series of sandbox products that provide malware detection and analysis .

NEW QUESTION: 34

What technical features does Huawei's active-active (HyperMetro) solution provide?
(Multiple choice)

- A. cross-site bad block repair
- B. HyperMetro for SAN and NAS
- C. Dual arbitration
- D. Visual management

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

The OceanStor OS monitors the response time of I/Os sent to disks. If the time exceeds the threshold, the system quickly responds to hosts through degraded reading of RAID groups. The technique is called

- A. Quick response to slow I/Os
- B. Slow disk detection
- C. Online diagnostics

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

In OceanStor Dorado V6, one LUN is enough for testing close-to-maximum performance.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

HIS refers to hospital management information system. It collects stores. tarsiers analyze queries and may share patient finance and material information, as well as genetates reports to provide comprehensive and accurate data for hospital leaders and management personnel of each department.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which technology can achieve zero RPO?

- A. Snapshots
- B. Clone

- C. Active-active
- D. Asynchronous replication

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which is NOT the arbitration granularity supported by HyperMetro arbitration?

- A. HyperMetro vStore pair
- B. HyperMetro LUN consistency group
- C. HyperMetro vStore consistency group
- D. HyperMetro LUN pair

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which storage systems support gateway-free active-active configuration? (Multiple choice)

- A. EMC Unity
- B. EMC PowerMax
- C. Huawei OceanStor V5
- D. NetApp A300

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Which networking modes does the OceanStor 100D storage plane support? (Multiple choice)

- A. InfiniBand
- B. 10GE
- C. GE
- D. ROCE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

The NE8000M1C supports Dual AC/DC power module

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

The NE8000M1C supports dual AC/DC power modules. According to the NetEngine 8000 M1C Service Router Datasheet, NE8000M1C supports two power modules that can work in 1+1 redundancy mode. The power modules can be AC or DC power modules.

NEW QUESTION: 43

Huawei is the only storage supplier that has passed the 9 intensity earthquake resistance certification in China.

A. False

B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 44

Which statements about HyperMetro (Active-Active) supports by Dorado are correct?
(Multiple Choice)

A. Gateway-free

B. Online upgrade from the HyperMetro solution to the 3DC solution

C. Online upgrade from a single DC to dual-DC HyperMetro

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 45

Among the Dorado series storage systems, which of the following back-end technologies provides the lowest theoretical latency?

A. NVMe

B. SAS

C. PCIe

Answer: (SHOW ANSWER)

NEW QUESTION: 46

The entire Dorado V6 series supports front-end and back-end interconnect shared I/O modules.

A. False

B. True

Answer: B (LEAVE A REPLY)

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpspass.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which statement about the replication network between storage arrays in an active-active (HyperMetro) network is NOT true?

- A. Each controller of active-active (HyperMetro) arrays has at least two redundant links
- B. The active-active (HyperMetro) replication network bandwidth must be larger than the average service bandwidth
- C. The active-active (HyperMetro) replication network supports the FC network
- D. The active-active (HyperMetro) replication network supports the IP network

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

In static-priority arbitration mode, if the active-active relationships are functioning, but all replication links between storage arrays are down.

What will happen?

- A. Service stop at both the preferred and non-preferred sites
- B. Services stop at the preferred-site while they continue at the non-preferred site
- C. Services continue at the preferred site while they stop at the non-preferred site
- D. Service continues at both the preferred and non-preferred sites

Answer: C (LEAVE A REPLY)

NEW QUESTION: 49

Does incremental EC directly aggregate large objects and affect performance?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

NEW QUESTION: 50

Which is the protocol for networking a smart disk enclosure with controller enclosures?

- A. SAS
- B. PCIe
- C. 100GE RoCE
- D. FC

Answer: C (LEAVE A REPLY)

NEW QUESTION: 51

Dorado V3 (same with Dorado V6) supports three kinds of RAID types _____, and the default RAID type is _____, while _____ supports triple disk failure.

- A. RAID-5/RAID-6/RAID-10; RAID-5; RAID-10
- B. RAID-5/RAID-6/RAID-TP; RAID-5; RAID-TP
- C. RAID-5/RAID-6/RAID-TP; RAID-6; RAID-TP

Answer: C (LEAVE A REPLY)

NEW QUESTION: 52

What technical features does Huawei's active-active (HyperMetro) solution provide?

(Multiple choice)

- A. HyperMetro for SAN and NAS
- B. Dual arbitration
- C. Visual management
- D. cross-site bad block repair

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 53

The active-active status will be interrupted if a quorum server is faulty.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 54

In Huawei's CloudCampus Solution, communication between virtual networks (VNs) is supported which of the following statements about the policies for such communication is false?

- A. Communication between VNs can be directly implemented on the border node
- B. Communication between VNs can be implemented through the external firewall
- C. Free mobility is supported for policies in a VN
- D. Free mobility cannot be deployed for traffic between VNs

Answer: D (LEAVE A REPLY)

Explanation

Free mobility cannot be deployed for traffic between VNs. Free mobility is supported only for policies in a VN. Communication between VNs can be directly implemented on the border node or through the external firewall. Free mobility is a feature that allows users to access network resources without changing their IP addresses or VLANs when they move within a VN. Communication between VNs requires inter-VN routing or firewall policies to ensure security and isolation.

NEW QUESTION: 55

Huawei ranked No.1 in the Wi-Fi 6 standard working group in the number of proposals

- A. True
- B. False

Answer: A (LEAVE A REPLY)

Explanation

Huawei ranked No.1 in the Wi-Fi 6 standard working group in the number of proposals. According to the Huawei AirEngine Wi-Fi 6 Solution White Paper, Huawei has submitted more than 240 proposals to the IEEE

802.11ax (Wi-Fi 6) standard working group, accounting for 15% of all proposals.

NEW QUESTION: 56

The active-active status will be interrupted if a quorum server is faulty.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 57

Which of the following are OceanStor Dorado V6 capability? (Multiple choice)

- A. Symmetric active-active controller
- B. AI engine
- C. Engine(Controller enclosure) level failure tolerance
- D. Smart DAE

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 58

Which statement is NOT true about OceanStor 100D?

- A. OceanStor 100D supports only x86 servers
- B. OceanStor 100D can provide file, object, and block storage services at the same time
- C. OceanStor 100D uses strong consistency protocols
- D. All OceanStor 100D software is developed by Huawei and has proprietary intellectual property rights

Answer: C (LEAVE A REPLY)

NEW QUESTION: 59

Which of the following statements about CloudEngine S5731 -H is false?

- A. Delivers a switching performance of 336 Gbit/s
- B. Supports MPLS
- C. Supports 2-port 40GE and 8-port 10GE optical/electrical cards
- D. Does not support VxLAN

Answer: (SHOW ANSWER)

Explanation

CloudEngine S5731-H supports VxLAN. It can implement Layer 2 and Layer 3 gateways for VxLANs, support centralized and distributed gateways, and interwork with BGP-EVPN to implement inter-subnet communication between VxLANs. CloudEngine S5731-H delivers a switching performance of 336 Gbit/s.

CloudEngine S5731-H supports MPLS and can provide L2VPN and L3VPN services based on MPLS tunnels. CloudEngine S5731-H supports 2-port 40GE and 8-port 10GE optical/electrical cards that can be installed in the extended slot

NEW QUESTION: 60

Which Dorado versions or models support Non-Disruptive Upgrade (NDU)? (Multiple choice)

- A. Dorado V6 entry-level models
- B. Dorado V6 mid-range models
- C. Dorado V6 high-end models
- D. Dorado V3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Which are the capacity expansion methods that OceanStor Dorado V6 supports? (Multiple choice)

- A. If the licensed effective capacity is insufficient, expand licensed capacity.
- B. If the physical capacity of a domain is insufficient, add disks or disk enclosures.
- C. If the effective capacity of the controller enclosure is insufficient, increase the number of controllers.
- D. If the number of front-end host ports is insufficient, increase the number of front-end interface modules.

Answer: ([SHOW ANSWER](#))

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpspass.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

The CloudEngine S5736-S is a new-generation 10GE multi-rate switch launched by Huawei. Which of the following features does the CloudEngine S5.

- A. Native AC
- B. Free mobility
- C. Cloud management
- D. iStack

Answer: A ([LEAVE A REPLY](#))

Explanation

The CloudEngine S5736-S is a new-generation 10GE multi-rate switch launched by Huawei. It supports native AC (Access Controller) function, which enables it to manage up to 1024 APs and provide wireless services for up to 16K users.

NEW QUESTION: 63

What is the function of BGP EVPN as a VXLAN control plane protocol?

- A.** The VXLAN tunnel is automatically established between VTEPs You do not need to manually configure a full-mesh tunnel
- B.** Advertise host routes and MAC address entries on the control plane to reduce unknown traffic flooding and optimize packet forwarding
- C.** Implements Layer 2 interconnection between data centers in different networking modes
- D.** Advertise subnet routes to implement Layer 3 interconnection of data centers through VXLAN tunnels

Answer: B (LEAVE A REPLY)

Explanation

BGP EVPN is a control plane protocol that can be used for VXLAN networks . VXLAN is a technology that creates overlay networks to extend Layer 2 connectivity across Layer 3 networks . BGP EVPN has the following functions as a VXLAN control plane protocol: It automatically establishes the VXLAN tunnel between VTEPs (VXLAN Tunnel Endpoints), which are devices that encapsulate and decapsulate VXLAN packets . You do not need to manually configure a full-mesh tunnel between all VTEPs, which reduces the configuration complexity and improves the scalability .

It advertises host routes and MAC address entries on the control plane, which are used to learn the location of hosts and their corresponding VTEPs . This reduces the unknown traffic flooding that occurs when the destination MAC address is unknown, and optimizes the packet forwarding by using optimal paths .

It implements Layer 2 interconnection between data centers in different networking modes, such as bridging, routing, or integrated routing and bridging (IRB) . This enables seamless communication between hosts in different subnets or VLANs across data centers .

It advertises subnet routes to implement Layer 3 interconnection of data centers through VXLAN tunnels . This enables routing between different subnets or VLANs across data centers without requiring an external gateway device .

NEW QUESTION: 64

Huawei AirEngine 8760X1 -PRO is Huawei's flagship Wi-Fi 6 model.

- A.** True
- B.** False

Answer: B (LEAVE A REPLY)

Explanation

Huawei AirEngine 8760X1-PRO is not Huawei's flagship Wi-Fi 6 model. According to the Huawei AirEngine Wi-Fi 6 Solution White Paper, Huawei AirEngine 8760X1-PRO is a high-performance Wi-Fi 6 AP that supports 16 spatial streams and a rate of up to 10.75 Gbit/s, but it is not the flagship model. The flagship model is Huawei AirEngine 8760R-PRO, which supports 24 spatial streams and a rate of up to 16.13 Gbit/s.

NEW QUESTION: 65

Which of the following models supports expansion to up to 32 controllers?

- A. OceanStor Dorado 6000 V6
- B. OceanStor Dorado 5000 V6
- C. OceanStor Dorado 8000 V8
- D. OceanStor Dorado 300 V6

Answer: (SHOW ANSWER)

NEW QUESTION: 66

Which of the following statements about LUN mapping on Dorado V6 is incorrect?

- A. A mapping view must be created.
- B. New LUN groups can be directly mapped to a host.
- C. New LUNS can be directly mapped to a host or added to a LUN group (which has been mapped to a host)
- D. LUNs or LUN groups can be created on the host mapping page

Answer: (SHOW ANSWER)

NEW QUESTION: 67

Which of the following technologies is not recommended for data centers?

- A. 802.1x
- B. M-LAG
- C. VXLAN
- D. BFD

Answer: A (LEAVE A REPLY)

Explanation

The technology that is not recommended for data centers is 802.1x. This is because 802.1x is a port-based authentication protocol that requires each device to be authenticated before accessing the network. This can cause delays and complexity in data center environments where there are many devices and high-speed connections²

NEW QUESTION: 68

The iMaster NCE-Fabric can be deployed in a single-node system.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

Explanation

The iMaster NCE-Fabric cannot be deployed in a single-node system. According to the iMaster NCE-Fabric Product Overview, iMaster NCE-Fabric is a distributed system that consists of three nodes: the management node, the control node, and the analysis node. The management node provides basic management functions, such as configuration, monitoring, and alarm management. The control node provides control functions, such as VXLAN tunnel establishment and policy association. The analysis node provides analysis functions, such as network health analysis, fault diagnosis, and performance optimization.

NEW QUESTION: 69

Which of the following models supports expansion of up to 32 controllers?

- A. OceanStor Dorado 5000 V6
- B. OceanStor Dorado 3000 V6
- C. OceanStor Dorado 18000 V6
- D. OceanStor Dorado 6000 V6

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

In the headquarters-branch VXLAN Interconnection scenario, single-fabric networking is supported

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Explanation

In the headquarters-branch VXLAN interconnection scenario, single-fabric networking is not supported.

According to the Huawei CloudCampus Solution Description, headquarters-branch VXLAN interconnection is a scenario that connects multiple campus networks over a WAN using VXLAN tunnels. In this scenario, each campus network forms an independent fabric network with its own controller and gateway devices.

Single-fabric networking is a scenario that connects multiple campus networks over a LAN using VXLAN tunnels. In this scenario, all campus networks share the same fabric network with a unified controller and gateway devices.

NEW QUESTION: 71

The redundancy design of key components of the S12700E series switches can achieve 99.999% reliability

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

The redundancy design of key components of the S12700E series switches can achieve 99.999% reliability.

According to the CloudEngine S12700E Series Switches Datasheet, CloudEngine S12700E series switches support N+1 backup for MPUs, SFUs, CMUs, and power modules, as well as hot swapping for all components, ensuring high availability and reliability.

NEW QUESTION: 72

What is the minimum activation interval supported by HyperCDP of Dorado V6?

- A. 5s
- B. 10s
- C. 3s
- D. 30s

Answer: C (LEAVE A REPLY)

NEW QUESTION: 73

In the dual engine configuration of OceanStor Dorado 18000, data can still be accessed even if multiple controllers fail. The OceanStor Dorado 18000 can handle which of the following failure scenarios? (Multiple choice)

- A. A single engine fails
- B. Up to seven controllers fail simultaneously at the time point
- C. Two controller fail simultaneously at the same time point
- D. A single controller fails

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 74

Which is the scale-out networking protocol that OceanStor Dorado V6 supports?

- A. PCIe
- B. FC
- C. IB
- D. RoCE

Answer: D (LEAVE A REPLY)

NEW QUESTION: 75

Before the PoC test for Dorado V3, which of the following statements about Dorado V3 test is true (same with Dorado V6)?

- A. We should try to collect the I/O block size from application. Then we can select a suitable I/O block size when we create LUNs.
- B. All of the above.
- C. We need to collect the application type of example, database, VDF, etc.
- D. We need to collect the host type and version.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 76

The desktop USG6530E can compete with all desktop models of Fortinet and Cisco What is the large-packet throughput of the USG6530E?

- A. 1 Gbit/s
- B. 2 Gbit/s
- C. 3 Gbit/s
- D. 4 Gbit/s

Answer: C (LEAVE A REPLY)

Explanation

The large-packet throughput of the USG6530E is 3 Gbit/s. This is based on the performance test results of the USG6530E using 1500-byte packets

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpsPASS.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Two quorum devices are deployed at the third-place site.
Both quorum devices can be used for arbitration at the same time.

- A. True
- B. False

Answer: (SHOW ANSWER)

NEW QUESTION: 78

Which of the following are the end-to-end architecture optimization implemented by Dorado? (Multiple choice)

- A. RAID-TP
- B. Global garbage collection
- C. Multi-stream technology on SSDs.
- D. ROW-based full-stripe write and snapshot technology

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 79

How many controllers can be concurrently accessed by a single SSD in OceanStor Dorado V6 high-end storage?

- A. 4
- B. 1
- C. 2
- D. 8

Answer: D (LEAVE A REPLY)

NEW QUESTION: 80

Which of the following chips are part of the Dorado V6 in addition to Dorado V3's self-developed chips? (Multiple choice)

- A. BMC chip
- B. AI chip
- C. SSD controller chip
- D. CPU chip
- E. Multi-protocol interface chip

Answer: A,B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 81

Which of the following is the minimum RAID unit of Huawei RAID 2.0+?

- A. Block (chunk)
- B. Cache
- C. Disk

Answer: A (LEAVE A REPLY)

NEW QUESTION: 82

The OceanStor Os's data plane and management plane are isolated from each other. Faults on either plane will not affect the other plane

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 83

Dorado V6 supports both scale-out and scale-up.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 84

Policy association achieves policy flexibility and network simplicity on large campus networks. With policy association, user access policies are centrally managed on the gateway devices and enforced by gateway and access devices.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

Policy association achieves policy flexibility and network simplicity on large campus networks. With policy association, user access policies are centrally managed on the gateway devices and enforced by gateway and access devices. According to the Huawei CloudCampus Solution Description, policy association is a feature that allows user policies to be associated with user groups, service types, or service priorities, rather than IP addresses or VLANs. Policy association simplifies network configuration and management, and improves user experience.

NEW QUESTION: 85

Which of the following statements about CloudEngine S5732-H series multi-GE switches is false?

- A. Delivers a switching performance of 1760 Gbit/s.
- B. Manages a maximum of 2K APs
- C. Supports native WAC
- D. Provides 2 x 100GE uplink ports

Answer: ([SHOW ANSWER](#))

Explanation

CloudEngine S5732-H series multi-GE switches do not deliver a switching performance of 1760 Gbit/s.

According to the CloudEngine S5732-H Series Multi-GE Switches Datasheet, CloudEngine S5732-H series multi-GE switches deliver a switching performance of up to 336 Gbit/s.

NEW QUESTION: 86

Which problems can continuous mirroring solve? (Multiple Choice)

- A. Two controllers fail at an interval of 10 seconds.
- B. Two controllers fail at an interval of 20 minutes.
- C. Two controllers fail at the same time
- D. The customer has not replaced it within 10 days after the controller fails.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

In an active-active (HyperMetro) network, which network types are supported between hosts and storage arrays? (Multiple choice)

- A. HyperMetro NAS supports the IP network.

- B. HyperMetro SAN supports the IP network.
- C. HyperMetro SAN supports the FC network
- D. HyperMetro NAS supports the FC network.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

Which networking architectures are provided by Huawei geo-redundant 3D DR solution?
(Multiple choice)

- A. Parallel networking
- B. Ring networking
- C. Serial networking

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 89

Which are the main features of distributed storage? (Multiple choice)

- A. Can reduce capacity by removing servers.
- B. Can reduce capacity by removing servers.
- C. Deployed on general purpose servers.
- D. Can expand capacity by adding servers.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

Which statement about the DR star for OceanStor V5 is true? (Multiple choice)

- A. Active-active + asynchronous replication + asynchronous replication (standby).
- B. Asynchronous replication + asynchronous replication + asynchronous replication (standby)
- C. Synchronous + asynchronous replication + asynchronous replication (standby)

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 91

Which technologies are used to improve Dorado performance? (Multiple choice)

- A. CPU grouping algorithm that uses dedicated cores for I/O reads and writes.
- B. Full-strip write
- C. RAID-IP
- D. I/O priority scheduling policy that assigns different priorities for different types of I/Os.
- E. Wear leveling and anti-wear leveling technologies.

Answer: A,B,D ([LEAVE A REPLY](#))

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumps.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

The Dorado supports HyperMetro (active-active).

Which statements are true? (Multiple Choice)

- A. Load balancing between sites with zero RPO and close-to-zero RTO
- B. Gateway-free active-active, low cost, fewer fault points, and shorter latency
- C. The Dorado can use HyperMetro to work with OceanStor V5 hybrid storage to establish a 3DC deployment mode, reducing customers TCO.
- D. Easy to expand and upgrade to 3DC, which provides reliable data protection without data migration
- E. VMs cannot be used as quorum servers.

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 93

In OceanStor V5, one LUN is enough for testing the ultimate performance.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 94

In OceanStor V5, one LUN is enough for testing the ultimate performance.

- A. True
- B. False

Answer: (SHOW ANSWER)

NEW QUESTION: 95

How to test the failure of three controllers on a Dorado V6 mission-critical storage system with four controllers (SmartMatrix)?

- A. Simulate the faults on three controllers at the same time
- B. Simulate the faults on any two controllers. After 5 minutes, simulate the fault on the third controller.

Answer: (SHOW ANSWER)

NEW QUESTION: 96

OceanStor 100D uses NVDIMMs as cache, which can prevent data loss during power failure.

- A. No
- B. Yes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

What are the typical networking modes of a FusionStorage cluster? (Multiple choice)

- A. Isolated front-end and back-end storage networks.
- B. Integrated front-end and back-end storage network.
- C. TCP/IP, InfiniBand, and RoCE networks.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 98

OceanStor 100D provides inline deduplication.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

Huawei partners should establish a cyber security assurance system to ensure the cyber security of customers

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Explanation

Huawei partners should establish a cyber security assurance system to ensure the cyber security of customers.

According to the Huawei Cyber Security Assurance System White Paper, Huawei partners are required to comply with Huawei's cyber security requirements and standards, implement cyber security management processes and controls, conduct cyber security audits and assessments, and report cyber security incidents.

NEW QUESTION: 100

Which disaster recovery solutions can Huawei Dorado V6 provide for customers? (Multiple Choice)

- A. CDM solution with near real-time, continuous data protection
- B. Active-active solutions
- C. Sync. Storage replication solutions
- D. Async. Storage replication solutions

E. DR-Star networking solutions

Answer: A,B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 101

In which storage products are LUNs not bound to controllers? (Multiple choice)

A. EMC Unity

B. HDS G5000

C. EMC PowerMAX/VMAX

D. HDS F1500

E. Huawei OceanStor Dorado V6

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which replication link types do Huawei active-active (HyperMetro) solution support? (Multiple choice)

A. IP

B. SAS

C. Fiber Channel

D. InfiniBand

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 103

RAID2.0+ is a block-based virtualization technology. Disks are divided into CKs and CKGs form RAID groups. Therefore, compared with traditional RAID, RAID2.0+ does not require hot spare disks or hot spare space.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

Which statement about the interconnection of Huawei storage systems for remote replication based on OceanStor OS is NOT true?

A. Different types interconnection among OceanStor Dorado, OceanStor V3, and OceanStor V5

B. Different vendors interconnection among Huawei, EMC, and HDS storage systems

C. Different generations interconnection between OceanStor V5 and OceanStor V3

D. Different levels interconnection among high-end, mid-range, and entry-level storage systems of OceanStor

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 105

Which of the following statements is incorrect about the Active-active architecture of Dorado V6?

- A. Load is balanced among controllers.
- B. The logical paths of the host are Active-Active.
- C. ALUA must be configured when the operating system's native multipathing software is used.
- D. LUNs are not owned by any controller.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 106

Which of the following are NOT true about OceanStor Dorado V6? (Multiple choice)

- A. OPS up to 20 million
- B. Latency as low as 0.7
- C. NVMe for every model
- D. Controller failure tolerance of 7 out of 8 (controllers for every model)

Answer: B,C (LEAVE A REPLY)

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpspass.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

In OceanStor V5, what protocols are supported by NAS? (Multiple choice)

- A. CIFS
- B. NFS
- C. HTTP
- D. FTP

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 108

Which software architecture does the OceanStor V5 use?

- A. Block-based FS architecture
- B. Parallel block and FS architecture
- C. FS-based block architecture

Answer: (SHOW ANSWER)

NEW QUESTION: 109

HyperMetro quorum servers can be deployed on VMs.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 110

Huawei active-active (HyperMetro) solution must use Huawei UltraPath.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111

Huawei Wi-Fi 6 products Implement 10 ms ultra-fast roaming for Huawei terminals only by introducing a cache mechanism, ensuring that there is no frame freezing during roaming.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Explanation

Huawei Wi-Fi 6 products implement 10 ms ultra-fast roaming for all terminals, not only Huawei terminals, by introducing a cache mechanism, ensuring that there is no frame freezing during roaming. According to the Huawei AirEngine Wi-Fi 6 Solution White Paper, Huawei Wi-Fi 6 products use a cache mechanism to store user information on APs and switches, which enables fast authentication and reconnection when users roam between APs. This mechanism is compatible with all terminals that support IEEE 802.11k/v/r standards.

NEW QUESTION: 112

Two quorum devices are deployed at the third-place site.

Both quorum devices can be used for arbitration at the same time.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 113

Which of the following statement is incorrect about the Active-Active architecture of Dorado V6?

- A. The logical paths of the host are Active-Active.
- B. LUNs are not owned by any controller.
- C. Load is balanced among controllers.

D. ALUA must be configured when the operating system's native multipathing software is used.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 114

Which problems can continuous mirroring solve? (Multiple Choice)

- A. Two controllers fail at an interval of 10 seconds.
- B. The customer has not replaced it within 10 days after the controller fails.
- C. Two controllers fail at an interval of 20 minutes.
- D. Two controllers fail at the same time

Answer: (SHOW ANSWER)

NEW QUESTION: 115

Which arbitration mode does Huawei's active-active (HyperMetro) solution support? (Multiple choice)

- A. Quorum server
- B. Static priority
- C. Heartbeat
- D. Quorum disk

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 116

Which of the following are SmartMatrix features of OceanStor Dorado V5? (Multiple choice)

- A. Zero host awareness of faults: 1 second switchover and interrupted links in the event of controller failure for upper layer services
- B. Full protection; Zero data loss and zero business interruption if either 1 of 2 OceanStor Dorado V6 engines break down in a cluster
- C. Zero interruption on applications, industry's only storage that tolerance failures of up to 7 out of 8 controllers
- D. Zero impact during upgrades, Component based online upgrades (second) for unaffected and uninstalled host services

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 117

Which model does not support NVMe SSD?

- A. OceanStor Dorado 6000 V6
- B. OceanStor Dorado 3000 V6
- C. OceanStor Dorado 5000 V6
- D. OceanStor Dorado 18000 V6

Answer: B (LEAVE A REPLY)

NEW QUESTION: 118

Does incremental EC directly aggregate large objects and affect performance?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

NEW QUESTION: 119

What is the purpose of using sequential I/Os to overwrite all LUNs before testing Dorado performance?

- A. To ensure that all space of thin LUNs is allocated so read performance is close to that in actual scenarios
- B. To ensure correct deduplication and compression ratios
- C. To provide better performance

Answer: (SHOW ANSWER)

NEW QUESTION: 120

The storage system monitors the responses to I/Os delivered to disks. If the responses exceed the upper limit, the RAID group experiences a read degrade to quickly respond to the hosts. This technology is called:

- A. Rapid response to slow I/Os
- B. Slow disk detection
- C. Online diagnosis

Answer: B (LEAVE A REPLY)

NEW QUESTION: 121

Which of the following are features of the entire Dorado V6 series? (Multiple choice)

- A. I/O interruption time of controller failover within 1 second
- B. Intelligent DAE
- C. Upgrades of 94% of components in user model within 1 second
- D. Fixed length and variable length data deduplication

Answer: B,C,D (LEAVE A REPLY)

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpspass.com/Huawei/H19-338->

NEW QUESTION: 122

What are the benefits of intelligent DAEs? (Multiple choice)

- A. Reduced impact on services during data reconstruction
- B. Accelerated data reconstruction
- C. Reduced power consumption
- D. Improved storage performance

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 123

In Europe, Customer A is using SmartIDC for discovery and Assessment (DNA).

Which SmartIDC platforms can be used for analysis? (Multiple choice)

- A. Upload data to the SmartIDC China site for analysis
- B. Deploy SmartIDC Analyzer for analysis.
- C. Upload data to the SmartIDC Germany site for analysis.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 124

What are the benefits of the multi-stream technology supported by Dorado? (Multiple choice)

- A. Less write application
- B. Longer SSD service life
- C. No garbage collection overhead on SSDs.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

The system availability is 99.999%, indicating that the annual interruption time of the storage array is about 5 minutes.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

The HyperMetro architecture of OceanStor Dorado V6 belongs to which of the following categories?

- A. Active-passive gateway
- B. Active-active gateway
- C. Active-passive gateway-free
- D. Active-active gateway-free

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 127

Which software architecture does the OceanStor V5 use?

- A. Parallel block and FS architecture
- B. FS-based block architecture
- C. Block-based FS architecture

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 128

Which DR features can deliver zero RPO? (Multiple choice)

- A. HyperReplication Asynchronous
- B. HyperMetro
- C. SmartMigration
- D. HyperReplication Synchronous

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

Oceanstor Dorado V6 series includes entry-level mid-range and high-end product models.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 130

Huawei HyperMetro (active-active) solution supports non-disruptive capacity expansion.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

Valid H19-338-ENU Dumps shared by BraindumpsPass.com for Helping Passing H19-338-ENU Exam! BraindumpsPass.com now offer the **newest H19-338-ENU exam dumps**, the BraindumpsPass.com H19-338-ENU exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com H19-338-ENU dumps with Test Engine here: <https://www.braindumpsPass.com/Huawei/H19-338-ENU-practice-exam-dumps.html> (217 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)