

## IBM.1z0-1041-22.v2022-11-10.q29

<b>Exam Code:</b>	1z0-1041-22
<b>Exam Name:</b>	Oracle Cloud Platform Enterprise Analytics 2022 Professional
<b>Certification Provider:</b>	IBM
<b>Free Question Number:</b>	29
<b>Version:</b>	v2022-11-10
<b># of views:</b>	934
<b># of Questions views:</b>	290
<a href="https://www.exam-tests.com/1z0-1041-22-exam/IBM.1z0-1041-22.v2022-11-10.q29.html">https://www.exam-tests.com/1z0-1041-22-exam/IBM.1z0-1041-22.v2022-11-10.q29.html</a>	

### NEW QUESTION: 1

If something goes wrong with your data model, you can easily restore your content to a previous working state from a\_\_\_\_\_.

- A. db\_restore command
- B. analytics\_restore command
- C. Model Restore
- D. snapshot

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 2

Before you create an Oracle Analytics Cloud Standard Edition service, you must check to make sure you are subscribed to the required services. Which combination of services is required?

- A. Oracle Database Cloud Service; Oracle Cloud Infrastructure Object Storage Classic; Oracle Big Data Cloud
- B. Oracle Cloud Infrastructure Compute Classic; Oracle Database Cloud Service; Oracle Cloud Infrastructure Object Storage Classic; Oracle Identity Cloud Service (Oracle Universal Credits required)
- C. Oracle Cloud Infrastructure Compute Classic; Oracle Cloud Infrastructure Object Storage Classic; Oracle Identity Cloud Service (Oracle Universal Credits required)
- D. Oracle Cloud Infrastructure Compute Classic; Oracle Database Cloud Service; Oracle Cloud Infrastructure Object Storage Classic; Oracle Identity Cloud Service (Oracle Universal Credits required); Oracle Big Data Cloud

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 3

If your service uses the embedded LDAP server, you can add users and roles one-by-one through the Console. What is the correct process to add a role?

**A.** Click Roles; Click Add; Enter a name for the role; Enter a more detailed display name and description (optional); Assign one or more users to this role by selecting Manage Members; Import Users from a .csv file; Move all the users you want for this role to the Selected Users pane; click OK.

**B.** Click Roles; Click Add; Enter a name for the role; Enter a more detailed display name and description (optional); Assign one or more users to this role by selecting Manage Members, select Users from the Type list and then click Search to list all the users; Move all the users you want for this role to the Selected Users pane; click OK.

**C.** Click Roles; Click Add; Enter a name for the role; Import Users from a .csv file; Assign one or more users to this role by selecting Manage Members; Select Users from the Type list and then click Search to list all the users you imported from your .csv file.

**D.** Click Roles; Click Add; Enter a name for the role; Enter a more detailed display name and description (required); Assign one or more users to this role by selecting Manage Members, select Users from the Type list and then click Search to list all the users; Move all the users you want for this role to the Selected Users pane; click OK.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 4**

What should you use to make sure that the model you created is correct?

**A.** Correct icon

**B.** Data Checker icon

**C.** Validate Icon

**D.** DB Sync Icon

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 5**

Which operating system does the administration tool require?

**A.** Microsoft Windows x86-64-bit

**B.** Oracle Solaris on SPARC 64-bit

**C.** Oracle Solaris on x86 64-bit

**D.** Linux x86-64-bit

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 6**

Which two statements are true regarding configuring filters to control visual content?

**A.** When the Oracle Business Intelligence Enterprise Edition repository is used as a data source, filters defined in the initialization blocks with the client administration tool are automatically inherited in Data Visualization.

- B.** Expression filters cannot be applied in the filter steps of Oracle Analytics Cloud Data Visualization data flows.
- C.** Variables may be employed in all Data Visualization filter types (that is, Range, List, Date, Expression).
- D.** Application role filters for fact and dimension tables are defined in the Oracle Analytics Cloud Data Modeler.

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 7**

Which of the following cannot be done with Data Visualization to shape stories?

- A.** Visual canvases can be resized and the Auto Fit setting can be disabled.
- B.** Multiple projects can be combined into one project by clicking on the Share icon in the Narrate menu bar.
- C.** Enhance narrative transition by rearranging and/or hiding Insight canvases.
- D.** Create filters to focus upon pertinent data points.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 8**

Which step is required to create a new curated Data Set comprised of columns from several existing Data Sets?

- A.** Add Data
- B.** Aggregate
- C.** Filter
- D.** Merge Columns

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 9**

Which is the correct URL for smartview?

- A.** /smartview
- B.** /Essbase
- C.** / Essbase / sv
- D.** /Essbase/smartview

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 10**

Which are the steps to create a new Map Layer in OAC?

- A.** From the map visualization select map properties, new layer and drag geoJSON file.
- B.** From the map visualization select map properties, new layer and drag JSON file.
- C.** From the OAC console, go to maps and drag and drop a geoJSON file.
- D.** From the OAC console, go to maps and drag and drop a JSON file.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

Which two statements pertaining to Action Links are false?

- A. Navigation from one Analysis to another Analysis only works when both analyses are created from single subject area.
- B. The Navigation option on a column can be enabled conditionally.
- C. Presentation variables can be used while navigating from one Analysis to another Analysis.
- D. Navigation from one Analysis to another Analysis is not possible if they reside In different folders.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 12**

Which statement is false with respect to Dashboard Prompts?

- A. Repository variables and session variables can be used in prompt default values.
- B. Prompts can be developed using multiple columns from different subject areas.
- C. Prompt values can be limited based on requirements.
- D. Images can be used in the prompts.

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

What does a confusion matrix illustrate?

- A. a table that reports the occurrences of negative positives, false negatives, true positives, and positive negatives for a machine learning model
- B. a table that reports the occurrences of upper positives, lower negatives, mid positives, and true negatives for a machine learning model
- C. a table that reports the occurrences of false positives, false negatives, true positives, and true negatives for a machine learning model
- D. a table that reports the occurrences of higher positives, false negatives, lower positives, and true negatives for a machine learning model

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 14**

What should you use to start the BI components within your service?

- A. start\_bi
- B. start\_ORCL\_bi
- C. start\_analytics\_suite
- D. start\_oac

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 15**

You want to create a filter that restricts access to the Fact table so that Revenue is only visible to users assigned to a particular role. In which tab should you set this up?

- A. Permissions
- B. Row Level Data
- C. Table filter
- D. Data Filters

**Answer: D (LEAVE A REPLY)**

You can define data filters for fact tables, dimension tables, and columns that provide row-level security for data model objects. For example, you can create a filter that restricts access to the Products table so that only certain brands are visible to users assigned to a particular role.

<https://docs.oracle.com/en/cloud/paas/bi-cloud/bilpd/securing-access-data.html>

### NEW QUESTION: 16

Which statement is false with respect to Dashboards?

- A. Options for the Export and Refresh report links can be enabled globally at the dashboard level.
- B. Prompts on the dashboards can be shared between different pages of a dashboard.
- C. All the Analyses placed on a dashboard must be sourced from the same subject area.
- D. Multiple Analyses can be arranged into different columns and sections with different sizes on a dashboard.

**Answer: (SHOW ANSWER)**

**Valid 1z0-1041-22 Dumps** shared by BraindumpsPass.com for Helping Passing 1z0-1041-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1041-22 exam dumps**, the BraindumpsPass.com 1z0-1041-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1041-22 dumps with Test Engine here: <https://www.braindumpsPASS.com/IBM/1z0-1041-22-practice-exam-dumps.html> (84 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### NEW QUESTION: 17

Which feature does the Data Lake Edition uniquely offer?

- A. Migrate content from your existing on-premises environment
- B. Execute data flows on Apache Spark
- C. Live optimized connectivity to your on-premises database
- D. Use the Day by Day mobile app

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 18**

How should you determine the accuracy of a machine learning model created in Oracle Analytics Cloud?

- A. Use the debug option in the data flow where the model was created.
- B. Create a data flow that Includes a histogram.
- C. Run the machine learning model with various filter values applied.
- D. Open the Inspect dialog for a given machine learning model and review the F1 score.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 19**

A customer built an Essbase cube (Block Storage) with six dimensions. At a later stage, a few cube settings were updated and new members were added manually. Based on new requirements from users, the customer wants to add a new dimension to the existing cube. The administrator will be using the Cube Designer extension in SmartView to make the updates. How can the customer update the cube incrementally while retaining any previous changes that were applied manually?

- A. Previous changes applied manually in cloud service cannot be retained while using Cube Designer.
- B. Select "From Sheet" to populate the wizard with contents of the application workbook.
  3. Add a new dimension.
  4. Select "To Sheet" to propagate the changes to the application workbook.
  - 5 Add members in the dimension worksheet.Finally, select the Load Data option.
- C. In Cube Designer:
  1. Export the cube to the application workbook.
  2. Select "From Sheet" to populate the wizard with contents of the application workbook.
  3. Add a new dimension.
  4. Select "To Sheet" to propagate the changes to the application workbook.
  5. Add members in the dimension worksheet.
  6. Finally, select Update Cube from the build options.
- D. A new dimension cannot be added to an existing cube using Cube Designer.
- E. In Cube Designer:
  1. Export the cube to the application workbook.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 20**

You've been given a spreadsheet of employee attrition data and have been asked to determine which are the most important factors that contribute to whether an employee is likely to leave their position. What is the quickest way to start this analysis after uploading the data to Oracle Analytics Cloud?

- A. Calculate a forecast of the probability of attrition.

- B. Perform a cluster analysis of employees.
- C. Use the Explain option on the attrition attribute.
- D. Use Outlier identification.

**Answer:** ([SHOW ANSWER](#))

### **NEW QUESTION: 21**

How should you use a machine learning model within a canvas of an Oracle Analytics Cloud project?

- A. Create a data sequence.
- B. Create a scenario using the required model.
- C. Use the machine learning model visualization.
- D. Create a custom calculation.

**Answer:** B ([LEAVE A REPLY](#))

### **NEW QUESTION: 22**

Which two elements does a well modeled Fact Table consist of?

- A. Dimension Keys
- B. REST APIs
- C. Nulls
- D. Measures

**Answer:** A,D ([LEAVE A REPLY](#))

[https://docs.oracle.com/cd/E05553\\_01/books/admintool/admintool\\_DataModeling8.html](https://docs.oracle.com/cd/E05553_01/books/admintool/admintool_DataModeling8.html)

### **NEW QUESTION: 23**

Which are the steps to create a connection between ADWH and OAC?

- A. - In home page, go to hamburger icon and console tab
  - Select connections
  - Create connection and Write connection name
  - Upload the wallet.sso file.
  - add the appropriate credentials and select the correct service name.
- B. - In OAC home menu, Create connection
  - Select Oracle Autonomous Data Warehouse Cloud
  - Write connection name
  - Upload the wallet.sso file.
  - add the appropriate credentials and select the correct service name.
- C. - In home page, go to hamburger icon and console tab
  - Select connections
  - Create connection and Write connection name
  - Upload the wallet.zip file.
  - add the appropriate credentials and select the correct service name.
- D. - In OAC home menu, Create connection

- Select Oracle Autonomous Data Warehouse Cloud
- Write connection name
- Upload the wallet.zip file.
- add the appropriate credentials and select the correct service name.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 24**

Which action cannot be employed to split one Data Set column containing data with hyphenated strings (in the format of xxx-xxx) into two columns?

- A.** Edit the Data Set and select the Group option from the hyphenated column's action menu to create two new groups for each element.
- B.** Edit the Data Set and select the Edit option from the hyphenated column's action menu to invoke the Expression Editor. Use the String functions to parse and extract the string preceding the hyphen. Repeat for the text following the hyphen.
- C.** Edit the Data Set and select the Create option from the hyphenated column's action menu to invoke the Expression Editor. Use the String functions to parse and extract the string preceding the hyphen. Repeat for the text following the hyphen.
- D.** Edit the Data Set and select the Split option from the hyphenated column's action menu.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 25**

What should you do to visualize the relationship between two numeric values?

- A.** Create multiple pie charts.
- B.** Use a box plot with trellising.
- C.** Create a scatter plot of the two numeric values and choose a value of interest as the category (points).
- D.** Create a line chart with multiple reference lines.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 26**

What is the Oracle resource recommendation for applying a patch?

- A.** Oracle recommends 200 GB, that is, 100 GB latency, and 100 GB data.
- B.** Oracle recommends 300 GB, that is, 150 GB latency, and 150 GB data.
- C.** Oracle recommends 230 GB, that is, 130 GB latency, and 100 GB data.
- D.** Oracle recommends 330 GB, that is, 180 GB latency, and 150 GB data.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 27**

You are trying to get a quick view of the number of orders placed without having to create a project. In the "What are you interested in" field of the home page, you enter the search string Number of Orders and BI Ask search returns a visual of order numbers.

Select two options that describe what occurred,

- A.** There is no metric defined with the name Number of Orders. Resubmit with another variation of the name (for example, # of Orders) and see if results are returned.
- B.** There is no metric defined with the name Number of Orders. Resubmit the search using a wildcard.
- C.** The indexes that BI Ask uses to search are corrupt and cache needs to be cleared.
- D.** BI Ask used fuzzy logic to determine that you really wanted a list of the order numbers and complied.

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 28**

You've created an instance with 1 OCPU and 15 GB of RAM. What is this combination of OCPU and RAM called?

- A.** Classic compute
- B.** Architecture shape
- C.** Compute shape
- D.** Analytics shape

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 29**

Monitoring information is updated automatically. You can also run a health check to update the display of monitoring information at any time. What are the correct steps to explicitly run a health check?

- A.** On the Overview pane, click the Display monitoring information icon and select an Analytics Cloud service; In the Resources section, click the View Healthcheck Details icon.
- B.** Select an Analytics Cloud service on the OAC dashboard; click the Display monitoring information icon on the Overview pane; click the Export Healthcheck Details icon.
- C.** Select an Analytics Cloud service on the OAC dashboard; click the View Healthcheck Details Icon In the Resources section; click the Export Healthcheck Details icon.
- D.** Select an Analytics Cloud service on the OAC dashboard; click the Display monitoring information Icon on the Overview pane; click the View Healthcheck Details icon in the Resources section.

**Answer: D (LEAVE A REPLY)**

**Valid 1z0-1041-22 Dumps** shared by BraindumpsPass.com for Helping Passing 1z0-1041-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1041-22 exam dumps**, the BraindumpsPass.com 1z0-1041-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1041-22 dumps with Test Engine here: <https://www.braindumpsPASS.com/IBM/1z0-1041-22->

[practice-exam-dumps.html](#) (84 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)