

Lpi.201-450.v2023-05-08.q73

Exam Code:	201-450
Exam Name:	LPIC-2 Exam 201, Part 1 of 2, version 4.5
Certification Provider:	Lpi
Free Question Number:	73
Version:	v2023-05-08
# of views:	1651
# of Questions views:	730
https://www.exam-tests.com/201-450-exam/Lpi.201-450.v2023-05-08.q73.html	

NEW QUESTION: 1

What is the purpose of the smartd daemon?

- A. It monitors process activity and helps the kernel decide which processes to kill when the kernel overcommits.
- B. It is a user space daemon used for reading smart cards and integrated circuit chips.
- C. It attempts to automatically repair file systems upon a failed file system check.
- D. It monitors certain disk drives and attempts to predict when they will fail.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

In the following output from top, which processes contribute to the percentage of time that the CPU spends in the state of wa?

Tasks: 193 total, 1 running, 190 sleeping, 2 stopped, 0 zombie

Cpu(s): 0.5%us, 0.3%sy, 0.0%ni, 98.2%id, 1.0%wa, 0.0%hi, 0.0%si, 0.0%st

- A. Processes that have not been scheduled yet because they haven't been fully loaded into RAM or are in swap.
- B. Processes that were already closed and are waiting to be launched again.
- C. Processes waiting for user interaction.
- D. Processes waiting for IO operations to complete.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 3

What is the purpose of the command udevadm monitor?

- A. It monitors the /dev directory for new devices.
- B. It monitors the udev process and prints performance statistics to the console.
- C. It communicates with D-Bus to setup new devices.
- D. It listens to kernel events produced by a udev rule and print information to the console.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which of the following filter keywords for tcpdump specify the transfer direction for network packets? (Choose TWO correct answers.)

- A. dest
- B. both
- C. src
- D. source
- E. src or dst

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which sub command to cryptsetup shows information about an encrypted LUKS partition?

- A. luksShow
- B. luksLS
- C. luksDump
- D. luksInfo
- E. luksDebug

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

How is the source code for the main Linux kernel modules distributed?

- A. It is included with the Linux kernel source code.
- B. The kernel modules have their own release cycle and can be maintained separately from the Linux kernel source.
- C. It is provided as a separate download alongside the Linux kernel source code of the same version.
- D. The kernel modules are downloaded on demand as they are used during compilation.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following commands displays the physical path of the kernel module named dummy?

- A. modpath -v dummy
- B. modprobe -i dummy
- C. modshow -p dummy
- D. depmod -n dummy
- E. modinfo -n dummy

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

A system has one hard disk and one CD writer which are both connected to SATA controllers. Which device represents the CD writer?

- A. /dev/scd1
- B. /dev/sr1
- C. /dev/sdd
- D. /dev/hdb
- E. /dev/sr0

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 9

How can the label rootbe added to the ext4 filesystem on /dev/sda1?

- A. echo 'root' > /proc/fs/sda1/label
- B. labelfs --device /dev/sda1 root
- C. relabel /dev/sda1 root
- D. tune2fs -L root /dev/sda1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which /etc/hosts.allow entries will permit access to sshd for users from the 192.168.1.0/24 subnet? (Choose TWO correct answers.)

- A. sshd : 192.168.1.0/255.255.255.0
- B. sshd : 192.168.1.0
- C. sshd : 192.168.1
- D. sshd : 192.168.1.0 netmask 255.255.255.0
- E. sshd : 192.168.1.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which of the filter keywords below could be used in the following command:

tcpdump -i eth0 _____ 203.0.113.8

(Choose three.)

- A. ip
- B. src
- C. host
- D. ipv6
- E. dst

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following wireless tools can be used to check the wireless network link quality? (Choose TWO correct answers.)

- A. iw
- B. iwlink
- C. iwconfig
- D. iwscan
- E. iwifi

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

What are the options to node.startup in the iscsid.conf file? (Choose TWO correct answers.)

- A. automatic
- B. discover
- C. initiate
- D. login
- E. manual

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. TFTP
- B. DNS
- C. HTTP
- D. DHCP
- E. NFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which commands are used to load modules into the Linux kernel? (Choose TWO correct answers.)

- A. probemod
- B. loadmod
- C. modprobe
- D. kernload
- E. insmod

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Fill in the blank.

Which directory contains system-specific systemd unit files? (Specify the full path to the directory.)

Answer:

/lib/systemd/system

Valid 201-450 Dumps shared by BraindumpsPass.com for Helping Passing 201-450 Exam! BraindumpsPass.com now offer the **newest 201-450 exam dumps**, the BraindumpsPass.com 201-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 201-450 dumps with Test Engine here: <https://www.braindumpsPASS.com/Lpi/201-450-practice-exam-dumps.html> (367 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Identifying processes killed during out of memory occurrences.
- C. Selecting a computer vendor.
- D. Troubleshooting a software problem.
- E. Diagnosing capacity problems.

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 18

What information is found in the following excerpt from the file /proc/mdstat? (Choose two.)

```
Personalities : [raid6] [raid5] [raid4]
md0 : active raid5 sdb1[3] (S) sdc1[7] sda1[4] (S) sdd1[6] sde1[5]
      1046528 blocks super 1.2 level 5, 512k chunk, algorithm 2 [3/2] [UU_]
      [====>] recovery = 15.9% (83808/523264) finish=0.1min
      speed=71880K/sec
unused devices: <none>
```

- A. The device is using version 1.2 metadata to allow LILO and GRUB Legacy to use /dev/md0 as the boot partition. This would not have been necessary with GRUB2
- B. The spare disk /dev/sda1 is used to restore full redundancy after the current recovery
- C. One of the disks in /dev/md0 has failed and a spare disk is used to recreate full redundancy
- D. The information [UU_] means, that the raid is missing one disk and is not fully redundant
- E. The information [3/2] means that 3 RAID disks belong to the array and 2 disks are spare. Together they equal the number of available disks

Answer: (SHOW ANSWER)

NEW QUESTION: 19

What command is used to make an exact copy, at a single point in time, of a logical volume for backup purposes?

- A. lvclone
- B. lvcreate
- C. lvcopy
- D. lvsnap
- E. lvsnapshot

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 20

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. menuentry
- B. linux
- C. initrd
- D. runlevel

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 21

If the file containing the Linux kernel is deleted, what happens when the system boots?

- A. The bootloader mounts the root filesystem read-only and launches /bin/sh directly in order to allow the administrator to reinstall the kernel
- B. Instead of the kernel, the initramfs is loaded and instructed to mount the root filesystem and reinstall the kernel from the original package or from source
- C. Without a kernel system cannot boot and, depending on the bootloader, an error is displayed
- D. The system starts normally since the bootloader copies the kernel to the master boot record of the hard disk

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 22

Which of the following commands shows capabilities and usable frequencies for the wireless interface wlan0?

- A. iw phy phy0 info
- B. iw dev wlan0 info
- C. iw dev wlan0 show
- D. iw phy wlan0 show
- E. iw phy0 show

Answer: [A \(LEAVE A REPLY\)](#)

Explanation/Reference:

NEW QUESTION: 23

How is the source code for the main Linux kernel modules distributed?

- A. It is included with the Linux kernel source code
- B. It is provided as a separate download alongside the Linux kernel source code for the same version
- C. The kernel modules are downloaded on demand as they are used during compilation
- D. The kernel modules have their own release cycle and can be maintained separately from the Linux kernel source

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which command will report information on memory usage, paging and block input/output?

- A. free
- B. memshow
- C. ps
- D. top
- E. vmstat

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 25

The following is an excerpt from the output of tcpdump -nli eth1:

```
1 3:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.], ack 1 (truncated)
1 3:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.], seq (truncated)
```

Which network service or protocol was used?

- A. SSH
- B. DHCP
- C. FTP
- D. HTTP
- E. DNS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

On a Linux node with multiple active network interfaces, each having a default route to the Internet, which default route is preferred?

- A. The default route with the lowest metric value
- B. The default route with the highest MTU value
- C. The default route with the highest TTL value
- D. The default route with the lowest TTL value
- E. The default route with the highest metric value

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

CORRECT TEXT

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

Answer:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION: 28

CORRECT TEXT

What keyword is missing in the following line from /etc/fstab in order to make a USB flash device writeable by the user fred when mounted:

/dev/sda1 /mnt/usbflash vfat defaults,users,_____=fred,umask=022, 0 0

(Provide the option name only without any settings)

Answer:

uid

NEW QUESTION: 29

Which of the following commands will provide the PIDs of the processes sorted by which are using the most CPU cycles on the Linux system?

- A. top
- B. freemem
- C. uptime
- D. vmstat
- E. ps aux

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. lsof
- B. pstree
- C. telinit
- D. acpid

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

CORRECT TEXT

Consider the following /etc/fstab file:

/dev/hda1 swap swap defaults 0 0

/dev/hda2 / ext2 defaults 1 1

/dev/hda3 /home ext2 defaults 1 2

none /proc proc defaults 0 0

/dev/sdb1 /media/usb0 vfat user,noauto 0 0

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

Answer:

mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount/media/usb0,
mount /media/usb0/, /bin/mount /media/usb0/

Valid 201-450 Dumps shared by BraindumpsPass.com for Helping Passing 201-450 Exam! BraindumpsPass.com now offer the **newest 201-450 exam dumps**, the BraindumpsPass.com 201-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 201-450 dumps with Test Engine here: <https://www.braindumpsPASS.com/Lpi/201-450-practice-exam-dumps.html> (**367 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

What is the purpose of the command vgextend?

- A. Create a volume group which uses all available space on disk.
- B. Add physical volumes to an existing volume group.
- C. Extend a volume group's footprint on disk.
- D. Increase the number of days between scheduled error checking.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?

pvcreate, _____, _____, mkfs, mount

- A. lvcreate, mdadm
- B. vgcreate, mdadm
- C. vgcreate, lvcreate
- D. lvcreate, vgcreate
- E. lvmcreate, vgcreate

Answer: (SHOW ANSWER)

NEW QUESTION: 34

Which of the following is an example path to a Linux software RAID array?

- A. /dev/rd1

- B. /dev/raid0
- C. /dev/md1
- D. /dev/pr0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

The following is an excerpt from the output of tcpdump -nli eth1 'udp':

```
1 3:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25)
1 3:03:17.598624 IP 192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A
198.51.100.42 (41) Which network service or protocol was used?
```

- A. DHCP
- B. DNS
- C. FTP
- D. HTTP
- E. SSH

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

The IDE hard drive /dev/hda does not have DMA enabled. Which command must be run to enable DMA on it?

- A. hdparm -d /dev/hda1
- B. hdparm -d 1 /dev/hda
- C. hdparm --dma /dev/hda
- D. hdparm -d /dev/hda
- E. hdparm --dma /dev/hda1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

In this example output, which descriptions match the purpose of the free, buff and cache columns? (Choose THREE correct answers.)

```
# vmstat 1 100
```

```
procs -----memory----- ---swap-- -----io---- --system-- ----cpu---- r b swpd free buff
cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. RAM used for filesystem cache
- B. Used swap space
- C. RAM available for filesystem buffers
- D. Available free RAM

E. RAM used for buffers

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 38

What is the purpose of a system mount unit?

A. It is used only to mount network file systems to local mount points. It cannot be used for local media

B. It is used by the command mount when using system to mount and unmount file systems

C. It is created by the command systemd-fstab-generator to integrate entries from /etc/fstab into the system boot process

D. It is used by the command systemd-mount and allows users to mount partitions to mount points of their choice

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

What is the correct parameter to pass to the kernel at boot time to force it to use only one of the available processors?

A. vcpumx=1

B. maxcpus=1

C. usecpus=1

D. smpcpus=1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which single command will simulate a failed device within a RAID 5 array?

A. mdadm --remove /dev/md0 /dev/sdd1

B. mdadm /dev/md0 --offline /dev/sdc1

C. mdadm --zero-superblock /dev/sdf3

D. mdadm --fail /dev/md0 /dev/sdc1

E. mdadm --force-fault /dev/md2 /dev/sde2

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

In the following output, what percentage of time was the CPU waiting for pending I/O?

```
# vmstat 1 100
```

```
procs -----memory----- ---swap-- -----io---- --system-- ----cpu---- r b swpd free buff  
cache si so bi bo in cs us sy id wa
```

```
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
```

0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0

A. 35.9

B. 36.6

C. 100

D. 0

E. 57.7

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which files are updated as devices are mounted and unmounted to provide information on the currently mounted devices and the options used? (Choose TWO correct answers.)

A. /proc/devices

B. /proc/dtab

C. /etc/fstab

D. /proc/mounts

E. /etc/mtab

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 43

Fill in the blank.

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

Answer:

/etc/inittab

NEW QUESTION: 44

CORRECT TEXT

Which directory contains system-specific systemd unit files? (Specify the full path to the directory.)

Answer:

/lib/systemd/system

NEW QUESTION: 45

The following is an excerpt from the output of tcpdump -nli eth1:

13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.], ack 1 (truncated)

13:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.], seq (truncated)

Which network service or protocol was used?

A. FTP

B. DHCP

C. HTTP

D. SSH

E. DNS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Which of the following commands creates a Btrfs subvolume named volumein/mnt?

A. btrfs create subvolume /mnt volume

B. btrfs-subvolume create /mnt/volume

C. btrfs subvolume new volume /mnt

D. btrfs subvolume add -n volume /mnt

E. btrfs subvolume create /mnt/volume

Answer: E ([LEAVE A REPLY](#))

Valid 201-450 Dumps shared by BraindumpsPass.com for Helping Passing 201-450 Exam! BraindumpsPass.com now offer the **newest 201-450 exam dumps**, the BraindumpsPass.com 201-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 201-450 dumps with Test Engine here: <https://www.braindumpsPass.com/Lpi/201-450-practice-exam-dumps.html> (367 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

In the below example output, which columns detail the percent of time the CPU spent running non-kernel code and the percent of time the CPU spent running kernel code? (Choose TWO correct answers.)

```
# vmstat 1 100
```

```
procs -----memory----- ---swap-- -----io---- --system-- ----cpu---- r b swpd free buff
```

```
cache si so bi bo in cs us sy id wa
```

```
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

A. us

B. wa

C. sy

D. id

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 48

In which directory tree are files modified when changing kernel parameters using the command `sysctl`?

- A. `/sys/proc/`
- B. `/sys/kernel/`
- C. `/lib/sys/`
- D. `/proc/kernel/`
- E. `/proc/sys/`

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 49

What does the `-p3` option to the `patch` command do?

- A. It instructs `patch` to conform more strictly to the POSIX standard.
- B. `patch` will keep three previous versions of each file in the output to prevent loss of change history.
- C. It instructs `patch` to look up to three lines of context before or after the declared line in the original file for a match.
- D. It will strip off path information from each file mentioned in the patch file up to and including the third `/` character.
- E. `patch` continues execution as long as there are three or fewer errors.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 50

The correct command sequence to create and mount logical volumes on a Linux system is:

- A. `vgcreate`, `lvcreate`, `pvcreate`, `mount`, `mkfs`
- B. `pvcreate`, `vgcreate`, `lvcreate`, `mkfs`, `mount`
- C. `lvcreate`, `pvcreate`, `vgcreate`, `mkfs`, `mount`
- D. `mkfs`, `pvcreate`, `vgcreate`, `lvcreate`, `mount`
- E. `pvcreate`, `lvcreate`, `vgcreate`, `mkfs`, `mount`

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 51

On a server running the 3.4.50-11 Linux kernel, which file in the `/boot` directory contains the kernel configuration parameters?

- A. `config-linux-3.4.50-11`
- B. `config-3.4.50-11`
- C. `system-3.4.50-11`
- D. `vmlinuz-3.4.50-11`
- E. `rc.config-3.4.50-11`

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 52

Which of the following commands shows capabilities and usable frequencies for the wireless interface wlan0?

- A. iw phy0 show
- B. iw dev wlan0 show
- C. iw dev wlan0 info
- D. iw phy wlan0 show
- E. iw phy pyh0 info

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 53

The following is an excerpt from the output of tcpdump -nli eth1:

```
13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.], ack 1 (truncated)
```

```
13:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.], seq (truncated)
```

Which network service or protocol was used?

- A. SSH
- B. HTTP
- C. DNS
- D. FTP
- E. DHCP

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 54

The following command has just been run successfully:

```
Cd /opt; tar xvf /dev/nst0;
```

What will happen if the command sequence is run again?

- A. The entire contents of /opt will be replaced with the contents of the next file on the tape
- B. The contents of /opt will be restored again
- C. An error saying that there is no tape present is generated because the tape has been ejected after being used
- D. The contents of /opt will have additional content added from the next file on the tape

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 55

What is the purpose of an initramfs during the Linux system start?

- A. It moves the kernel from normal system memory to initram memory to speed up kernel access
- B. It copies the root file system's content to RAM to speed up the system and reduce writes to disk
- C. It loads required modules and starts sub systems like LVM to make the root file system accessible to the kernel

D. It creates a ram disk to store volatile data for directories like /tmp to reduce writes to disk

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

What should be done after updating the configuration file for syslogd in order to make the changes become effective? (Choose TWO correct answers.)

A. Send the HUP signal to the syslogd process.

B. No action is required, syslogd will notice the updated configuration file after a few minutes.

C. Run the command `syslogd -u`.

D. Restart the syslogd service.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5 GB of additional swap space, which combination of commands should be used?

A. `mkswap /tmp/swapfile 512000; swapon /tmp/swapfile`

B. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon /tmp/swapfile`

C. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile`

D. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile`

E. `touch -5G /tmp/swapfile; swapon /tmp/swapfile`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

A. `ip route add default via 192.168.0.1 dev eth0`

B. `route add defaultgw=192.168.0.1 if=eth0`

C. `echo defaultroute 192.168.0.1 >> /etc/resolv.conf`

D. `route add default gw 192.168.0.1 eth0`

E. `ifconfig eth0 defaultroute 192.168.0.1`

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

After the downloading patch-4.6.4.xz from <http://kernel.org>, what are the next steps to prepare the build of a version 4.6.4 Linux kernel? (Choose two.)

- A. Use patch to apply the uncompressed patch file to the source directory of any previous kernel version
- B. Apply the patch file to the kernel source directory containing kernel version 4.6.3
- C. Apply the patch file to the kernel source directory containing kernel version 4.6.0
- D. Uncompress the file and move the resulting directory to /usr/src/linux
- E. Uncompress the file using xz to get the uncompressed patch file

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 60

During booting, when the Linux kernel loads an initramfs file, which command from the initramfs will be executed first, if present?

- A. /sbin/init
- B. /init
- C. /rc.local
- D. /linuxrc
- E. /initrd

Answer: (SHOW ANSWER)

NEW QUESTION: 61

What action should be performed after increasing the size of a logical volume?

- A. Run lvresize.
- B. Remount the logical volume.
- C. Increase the size of the filesystem used for the logical volume.
- D. Run vgresize.

Answer: C (LEAVE A REPLY)

Valid 201-450 Dumps shared by BraindumpsPass.com for Helping Passing 201-450 Exam! BraindumpsPass.com now offer the **newest 201-450 exam dumps**, the BraindumpsPass.com 201-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 201-450 dumps with Test Engine here: <https://www.braindumpsPASS.com/Lpi/201-450-practice-exam-dumps.html> (367 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Which of the following commands will securely copy the directory ./fyf/ to /var/tmp/ on the remote host deltaur using the remote user account kevin?

- A. rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/
- B. rsync -a -u kevin -e ssh deltaur:/var/tmp/ fyf/
- C. rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/

D. `rsync -a -u kevin -e ssh fyf/ deltau:/var/tmp/`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Which command is used to install a new LILO boot loader?

- A. `lilo`
- B. `install-lilo`
- C. `lilo-config`
- D. `lilo-install`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

CORRECT TEXT

Which command is used to unload a single module currently loaded by the kernel without unloading any modules that it depends upon? (Specify the command with or without path information)

Answer:

`rmmod, /sbin/rmmod`

NEW QUESTION: 65

CORRECT TEXT

According to the tcpdump output below, what is the IP address of the client host?

02:12:40.511381 IP 192.168.246.11.1045 > 192.168.246.1.22: S

3838532429:3838532429(0) win 5840 <mss 1460,sackOK,timestamp

31325740,nop,wscale 2>

02:12:40.511540 IP 192.168.246.1.22 > 192.168.246.11.1045: S

1209330085:1209330085(0) ack 383853 2430 win 5792 <mss 1460,sackOK,timestamp

11553457 3132574,nop,wscale 0>

0 2:12:40.511755 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 1 win 1460

< nop,nop,timestamp 3 132574 11553457>

0 2:12:40.515122 IP 192.168.246.1.22 > 192.168.246.11.1045: P 1:26(25) ack 1 win 5792

< nop,nop,timestamp 11553460 3132574>

0 2:12:40.515511 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 26 win 1460

< nop,nop,timestamp 3132578 11553460>

0 2:12:40.515952 IP 192.168.246.11.1045 > 192.168.246.1.22: P 1:23(22) ack 26 win 1460

< nop,nop,timestamp 3132578 11553460>

Answer:

192.168.246.11

NEW QUESTION: 66

A regular user has just run

`./configure && make && make install`

to build and install a program. However, the installation fails. What could be done to install the program?

(Choose two.)

A. Run `make install` with root privileges

B. Run `make install_local` to install into `/usr/local/`

C. Install the binaries manually with `suinstall`

D. Rerun `./configure` with a `--prefix` option where the user has permissions to write

E. Do not run `./configure` in order to maintain the default configuration for correct installation

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 67

The main configuration file for `autofs` has this entry:

`/home /etc/auto.home`

What is the meaning of the `/etc/auto.home` file?

A. It holds the SSL key to allow authentication to the remote file server.

B. It has configuration information on settings for the `/home` mount point.

C. It has configuration information, such as passwords and keys, for the remote file server.

D. It has the indirect maps for the mounting of file systems.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which of the following configuration files are used by `tcpwrapper`?

A. `/etc/service.allow` and `/etc/service.deny`

B. `/etc/tcpd.allow` and `etc/tcpd.deny`

C. `/etc/access.allow` and `/etc/access.deny`

D. `/etc/tcpwrapper.allow` and `/etc/tcpwrapper.deny`

E. `/etc/hosts.allow` and `/etc/hosts.deny`

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which one of these directories should not be backed up?

A. `/opt`

B. `/backup`

C. `/var/log`

D. `/etc`

E. `/proc`

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 70

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5 GB of additional swap space, which combination of commands should be used?

A. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile;

B. mount /tmp/swapfile

dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile

C. mkswap /tmp/swapfile 512000; swapon /tmp/swapfile

D. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile;

E. swapon /tmp/swapfile

touch -5G /tmp/swapfile; swapon /tmp/swapfile

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

CORRECT TEXT

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)

Answer:

vgreduce, /sbin/vgreduce

NEW QUESTION: 72

What should be done to ensure a client machine uses the recursive nameserver running on the IP address

192.168.0.1? (Choose two.)

A. Run routeadd nameserver 192.168.0.1

B. Ensure that the dnsservice is listed in the hosts entry in the /etc/nsswitch.conf file

C. Add nameserver 192.168.0.1 to /etc/resolv.conf

D. Run ifconfig eth0 nameserver 192.168.0.1

E. Run bindadd nameserver 192.168.0.1

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 73

CORRECT TEXT

Please enter the complete path to the main SysV init process configuration file.

Answer:

/etc/inittab

Valid 201-450 Dumps shared by BraindumpsPass.com for Helping Passing 201-450 Exam! BraindumpsPass.com now offer the **newest 201-450 exam dumps**, the BraindumpsPass.com 201-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 201-450 dumps with Test

Engine here: <https://www.braindumppass.com/Lpi/201-450-practice-exam-dumps.html>

(**367** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)