

Microsoft.PL-200.v2025-08-11.q161

Exam Code:	PL-200
Exam Name:	Microsoft Power Platform Functional Consultant
Certification Provider:	Microsoft
Free Question Number:	161
Version:	v2025-08-11
# of views:	157
# of Questions views:	1610
https://www.exam-tests.com/PL-200-exam/Microsoft.PL-200.v2025-08-11.q161.html	

NEW QUESTION: 1

On a Contact record, a user creates a Note record that contains the word running.

One week later, the user reports that they cannot find the Contact record associated with the Note record.

You need to find the Note record.

Solution: Use Relevance Search to search for the word run.

Does the solution meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Relevance Search brings the following benefits:

- * Finds matches to any word in the search term in any field in the entity. Matches may include inflectional words, like "stream," "streaming," or "streamed."

- * Includes the ability to search documents found in Notes and Attachments on Emails and Appointments Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/configure-relevance-search-organization#what-is-relevance-search>

NEW QUESTION: 2

You are a Dynamics 365 Customer Service administrator.

Users report that the main form does not display data from other entities or allow them to edit data from other entities.

You need to embed information from other entities in the form and allow users to edit the data.

Which actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Action

Edit data

	▼
Add a mobile form	
Add a quick create form	
Add a sub-grid	
Add a virtual entity	

View data

	▼
Add a reference panel	
Add a quick view	

Answer:

Requirement	Action										
Edit data	<table border="1"><tr><td></td><td>▼</td></tr><tr><td colspan="2">Add a mobile form</td></tr><tr><td colspan="2">Add a quick create form</td></tr><tr><td colspan="2">Add a sub-grid</td></tr><tr><td colspan="2">Add a virtual entity</td></tr></table>		▼	Add a mobile form		Add a quick create form		Add a sub-grid		Add a virtual entity	
	▼										
Add a mobile form											
Add a quick create form											
Add a sub-grid											
Add a virtual entity											
View data	<table border="1"><tr><td></td><td>▼</td></tr><tr><td colspan="2">Add a reference panel</td></tr><tr><td colspan="2">Add a quick view</td></tr></table>		▼	Add a reference panel		Add a quick view					
	▼										
Add a reference panel											
Add a quick view											

Explanation

Graphical user interface, text, application, chat or text message Description automatically generated

Requirement

Action

Edit data

	▼
Add a mobile form	
Add a quick create form	
Add a sub-grid	
Add a virtual entity	

View data

	▼
Add a reference panel	
Add a quick view	

Box 1: Add a quick create form

With quick create forms, your app can have a streamlined data entry experience with full support for logic defined by form scripts and business rules.

Box 2: Add a quick view

A quick view form can be added to another form as a quick view control. It provides a template to view information about a related entity record within a form for another entity record. This means your app users do not need to navigate to a different record to see the information needed to do their work.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-quick-create-forms>

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/create-edit-quick-vi>

NEW QUESTION: 3

On a Contact record, a user creates a Note record that contains the word running.

One week later, the user reports that they cannot find the Contact record associated with the Note record.

You need to find the Note record.

Solution: Use Quick Find search on the Notes list to search for the word run.

Does the solution meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

Instead use Relevance Search.

Note: Relevance Search finds matches to any word in the search term in any field in the entity. Matches may include inflectional words, like "stream," "streaming," or "streamed." Reference: <https://docs.microsoft.com/en-us/power-platform/admin/configure-relevance-search-organization#what-is-releva>

NEW QUESTION: 4

On a Contact record, a user creates a Note record that contains the word running. One week later, the user reports that they cannot find the Contact record associated with the Note record.

You need to find the Note record.

Solution: Use Relevance Search to search for the word run.

Does the solution meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Explanation

Relevance Search brings the following benefits:

- * Finds matches to any word in the search term in any field in the entity. Matches may include inflectional words, like "stream," "streaming," or "streamed."

- * Includes the ability to search documents found in Notes and Attachments on Emails and Appointments Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/configure-relevance-search-organization#what-is-releva>

NEW QUESTION: 5

You have a business process flow.

You need to update the business process flow while minimizing administrative and maintenance efforts.

What should you implement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Requirement	Feature
Action step	Allow users to navigate to the previous stage only from specific stages.	Feature
Classic workflow	Create checklist records in specific stages on demand	Feature
Power Automate flow		

Answer:

Features	Answer Area
Action step Classic workflow Power Automate flow	Requirement Allow users to navigate to the previous stage only from specific stages. Feature Power Automate flow Action step

Explanation

Requirement	Feature
Allow users to navigate to the previous stage only from specific stages.	Power Automate flow
Create checklist records in specific stages on demand.	Action step

NEW QUESTION: 6

You manage the Dynamics 365 environment for a company.

You need to ensure that there are no leads for a customer before you create a new opportunity for the customer.

How can you use duplicate detection rules to achieve this goal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Duplicate detection rule criteria	Value
Base record type	Lead Account Opportunity
Base record field	Topic Account Originating Lead

Answer:

Duplicate detection rule criteria	Value
Base record type	Lead Account Opportunity
Base record field	Topic Account Originating Lead

NEW QUESTION: 7

You have a canvas app.

The canvas app must store data in a variable that is available only to the current screen.

You need to create the variable.

Which two functions should you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Navigate
- B. UpdateContext
- C. Set
- D. Collect
- E. SaveData

Answer: A,B (LEAVE A REPLY)

B: UpdateContext function can be used to create a variable that is only available to the current screen. This function takes in an object that defines the variable and its initial value, and updates the context of the current screen with that variable. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

C: Set function can be used to assign a value to a variable. The Set function sets a variable to a specified value, which is useful when you need to update the value of a variable. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-set>

NEW QUESTION: 8

You have a Power Apps portal app that supports a sales community and a service community in the same environment. The only language configured in the environment is English. The company wants to add support for two more languages.

The solution must meet the following requirements:

- * Languages must be for both sales and service functions.
- * The company logo and colors must be used and apply to all screens.
- * Communities must be separate with different URLs and access lists.

You need to configure the solution.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Languages	Create two portals, one for each community. Create three portals, one for each language. Create one portal and import translations. Create six portals, one for each combination of language and community.
Company logo and colors	Add themes. Add web resources. Add a portal header and footer.

Answer:

Requirement	Configuration
Languages	Create two portals, one for each community. Create three portals, one for each language. Create one portal and import translations. Create six portals, one for each combination of language and community.
Company logo and colors	Add themes. Add web resources. Add a portal header and footer.

Explanation

Box 1: Create two portals, one for each community

Power Apps portal app languages

Box 2: Add themes

You can create a custom look and feel (a theme), for your app by making changes to the default colors and visual elements provided in the uncustomized system. For example, you can create your personal product branding by adding a company logo and providing table-specific coloring. A theme can be created by using the Themes area, without requiring a developer to write code. You can create, clone, change, or delete themes that are used in your environment.

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/create-themes-organization-branding>

NEW QUESTION: 9

You plan to create a Power BI dataflow.

The Power BI dataflow has the following requirements:

- * Be able to create a copy of the dataflow to separate Power BI workspaces-
- * Schedule the dataflow to update every day at 11:00 AW.

You need to configure the dataflow.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Export the JSON file.
	Change the settings.
	Change the properties.
	Add Streaming dataset.
Schedule updates.	Configure the Power BI service.
	Refresh the history.
	Configure the Power BI service.
	Share the dashboards with other users.
	Refresh automatically.

Answer:

Answer Area

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Export the JSON file.
	Change the settings.
	Change the properties.
	Add Streaming dataset.
Schedule updates.	Configure the Power BI service.
	Refresh the history.
	Configure the Power BI service.
	Share the dashboards with other users.
	Refresh automatically.

Explanation

Answer Area

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Configure the Power BI service.

NEW QUESTION: 10

A company is creating a canvas app and a model-driven app to manage their customer accounts. The canvas app requires a business rule to set the Business Type column to large if the customer size is greater than a specific currency value.

The model-driven app requires a business rule to recommend the account rating be re-evaluated when the account goes on credit hold for this app only.

You need to configure the scope for the business rules.

Which scope should you use? To answer, drag the appropriate scopes to the correct business rules. Each scope may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Scopes	Answer Area	Scope
All forms	Business rule Business Type column setting for customer size Account rating re-evaluation	
Specific form		
Table		

Answer:

Scopes	Answer Area	Scope
All forms	Business rule Business Type column setting for customer size Account rating re-evaluation	Table
Specific form		Specific form
Table		

Explanation

Box 1: Table

The canvas app requires a business rule to set the Business Type column to large if the customer size is greater than a specific currency value.

Scope the business rule to Entity (Table).

Box 2: Specific form

The model-driven app requires a business rule to recommend the account rating be re-evaluated when the account goes on credit hold for this app only.

For Model

The scope of the business rule determines which forms the business rule will be applied. You set the scope, according to the following:

If you select this item...

The scope is set to...

Entity- The table and all forms for the table

All Forms- All forms for the table

Specific form (account Main Form, for example) - Just that form

Reference: <https://debajmecrm.com/business-rules-in-powerapps-canvas-apps/>

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/create-business-rules-recommendations->

NEW QUESTION: 11

You plan to create a Power Virtual Agents bot. The bot has the following requirements:

* Ensure that user responses are available to any topic.

* Recognize a list of words from spoken language of users.

You need to configure the bot.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Feature
User responses are available to any topic.	Global variable Entity Bot variable Global variable
Recognize a list of words from spoken language.	Entity Topic Entity Variable

Answer:

Answer Area

Requirement	Feature
User responses are available to any topic.	Global variable Entity Bot variable Global variable
Recognize a list of words from spoken language.	Entity Topic Entity Variable

Explanation

Answer Area

Requirement	Feature
User responses are available to any topic.	Global variable
Recognize a list of words from spoken language.	Entity

NEW QUESTION: 12

You are a Dynamics 365 Sales administrator for a software company. The sales team wants to attach a large number of supporting documents to customer records, but management does not want to incur the cost of additional storage.

The company does not have any Office 365 application integrations enabled.

You need to recommend a storage solution that keeps storage costs low.

Solution: Enable server-based SharePoint integration.

Does the solution meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Explanation

References:

<https://docs.microsoft.com/en-us/power-platform/admin/set-up-dynamics-365-online-to-use-sharepoint-online>

NEW QUESTION: 13

You are using the Data import wizard to import records into the account table from a CSV file. The CSV-to-table mapping is as following:

- * Name column represents the account and maps to the Account column.
- * TIE Parent Name column represents the holding company of the account with subsidiaries underneath Records that are imported into the table are only related to other records in the file. You need to configure the import to create the relationship between records. What should you do?

- A.** Map Parent Name in the CSV file to the Parent Account column. Select Account as lookup criteria
- B.** Lookup the record IDs Of the records in the ParentAccount column. Add the record IDs new column in the file. Map the new column to the ParentAccount column.
- C.** Map Parent Name in the file to the Parent Account column. Select Parent Account as lookup criteria
- D.** Create an alternate key the account table by using the Account Name column. DO not map parent Name in file.

Answer: C ([LEAVE A REPLY](#))

Add a new column for the self-referential mapping.

Reference: <https://docs.microsoft.com/en-us/power-apps/developer/data-platform/import-data>

NEW QUESTION: 14

You are customizing a model-driven app for a company. You create a Theme template to ensure the company logo and colors are properly used within these apps.

The theme must meet the following requirements:

- * Updated to add the logo
- * Downloaded by the makers to create the app

You need to configure the assets. To answer, drag the appropriate configurations to the correct requirements.

Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations	Requirement	Configuration
Edit the theme in System settings and upload a jpg file.	Update logo.	
Replace an existing UI item's hexadecimal number.	Change model-driven app colors.	
Upload the theme elements as new web resources.		
Use the component library.		

Answer:

Configurations	Requirement	Configuration
Edit the theme in System settings and upload a jpg file.	Update logo.	Upload the theme elements as new web resources.
Replace an existing UI item's hexadecimal number.	Change model-driven app colors.	Replace an existing UI item's hexadecimal number.
Upload the theme elements as new web resources.		
Use the component library.		

Explanation:

Box 1: Upload the theme elements as new web resources.

Each type of icon is stored as a web resource. Create a web resource first and then set the icons to use them.

Alternatively, you can add the icon by creating a new web resource when you define the table properties.

Box 2: Replace an existing UI item's hexadecimal number.

Copy and alter the existing theme

The easiest and quickest way to create a new theme is to clone and alter an existing theme. Then save, preview, and publish it.

- * Sign in to Power Apps, select Settings icon (upper right), and then select Advanced settings.
- * Select Customizations, and then select Themes.
- * Under All themes, select the theme you want to clone, such as the CRM Default Theme. Select Clone on the command bar.
- * Replace an existing UI item's hexadecimal number, such as the Title Text Color, with the hexadecimal value that represents the color you want.

For example, the CRM Default Theme was cloned and changed using mostly varying shades of green color.

The following screenshots show the new colors for navigation and highlighting. A custom logo was also added that will appear in the upper left corner of an app.

THEME

Gentle Green Theme

Theme Name

Theme Name *

Gentle Green Theme

Navigation Bar

Logo

new_defaultlogo

Logo Tooltip

MS Green


Navigation Bar Fill Color

#415C55



Navigation Bar Shelf Fill Color

#79AB9E



Title Text Color

#358717



Main Color

#65825C



Accent Color

#A4D194



UI Elements		
Link and Button Text Color	#415C55	
Selected Link Color	#65825C	
Hover Link Color	#A4D194	
Legacy Accent Color	#358717	
Default Entity Color	#666666	
Default Custom Entity Color	#00CCA3	
Control Hover Fill Color	#FFFFFF	
Control Hover Border Color	#BDC3C7	
Page Header Fill Color	#E0E0E0	
Panel Header Fill Color	#F3F3F3	

Reference: <https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/create-themes-organization-branding>

NEW QUESTION: 15

You are a Dynamics 365 help desk administrator.

You need to create a dashboard that displays information on help desk cases that are handled each week. Which dashboard components should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Component type
Add a tag chart by using opened cases.	System chart Personal chart Area chart
Add a stacked column chart shared with your team.	System chart Personal chart Area chart
Add a Microsoft Power BI visualization.	System chart Personal chart Area chart
Add a chart from a view that a user creates.	System chart Personal chart Area chart
Add a doughnut chart that shows cases by owner.	System chart Personal chart Area chart

Answer:

Requirement	Component type
Add a tag chart by using opened cases.	System chart Personal chart Area chart
Add a stacked column chart shared with your team.	System chart Personal chart Area chart
Add a Microsoft Power BI visualization.	System chart Personal chart Area chart
Add a chart from a view that a user creates.	System chart Personal chart Area chart
Add a doughnut chart that shows cases by owner.	System chart Personal chart Area chart

NEW QUESTION: 16

You need to create a system chart for the Account entity.

The chart must display a count of accounts grouped by owner and then display the accounts by Address 1: State/Province for each owner. You begin to configure chart options as shown in the image below.

Power Apps

File

Home

Save

Save & Close

Save as

Save

Column

Bar

Area

Line

Pie

Funnel

Charts

Tag

Doughnut

Top X Rule

Bottom X Rule

Clear Rules

Top/Bottom Rules

Working on solution: Default Solution

View used for chart preview

Active Accounts

Accounts by Owner and Address 1: State/Province



Legend Entries (Series)

☐

Select Field

Aggregate

+ Add a series

Horizontal {Category} Axis Labels

Select Field

X

Select Field

X

+ Add a category

Description

How should you complete the configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point. The chart must display a count of accounts grouped by owner, and then display the accounts by Address 1 to State/Province for each owner.

Component	Selection
Legend Entries (Series): Select Field	▼ Account Address 1: State/Province Owner
Legend Entries (Series): Aggregate	▼ Avg Count:All Sum
Horizontal (Category) Axis Labels: Select Fields	
First grouping field	▼ Account Address 1: State/Province Owner
Second grouping field	▼ Account Address 1: State/Province Owner

Answer:

Component

Selection

Legend Entries (Series): Select Field

	▼
Account	
Address 1: State/Province	
Owner	

Legend Entries (Series): Aggregate

	▼
Avg	
Count:All	
Sum	

Horizontal (Category) Axis Labels: Select Fields

First grouping field

	▼
Account	
Address 1: State/Province	
Owner	

Second grouping field

	▼
Account	
Address 1: State/Province	
Owner	

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:
<https://www.braindumps.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

You are designing a desktop user interface (UI) flow.

The UI flow automates legacy software.

You need to prepare data for transfer to a Microsoft SharePoint list.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select information to pass to the SharePoint list.	
Copy and paste the text in the output definition window.	
On the Outputs menu of the UI flow, choose Select text on screen .	
Enter a name and description for the output.	
Start recording the UI flow.	
Stop the recording and save the flow.	

Answer:

Actions	Answer Area
Select information to pass to the SharePoint list.	Start recording the UI flow.
Copy and paste the text in the output definition window.	On the Outputs menu of the UI flow, choose Select text on screen .
On the Outputs menu of the UI flow, choose Select text on screen .	Select information to pass to the SharePoint list.
Enter a name and description for the output.	Enter a name and description for the output.
Start recording the UI flow.	
Stop the recording and save the flow.	

Explanation:

Start recording the UI flow.
On the Outputs menu of the UI flow, choose Select text on screen .
Select information to pass to the SharePoint list.
Enter a name and description for the output.

Reference:

<https://docs.microsoft.com/en-us/power-automate/ui-flows/inputs-outputs-desktop#use-outputs-to-extract-inform>

NEW QUESTION: 18

You configure an alert in Power BI.

You need to alert users when the value of a tile exceeds a threshold. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Where should you configure the Power BI alert so that it triggers the process?

- Power BI
- Common Data Service
- Power Automate
- Power BI admin portal

Who can see alerts configured for Power BI?

- The person who created the alert.
- The dashboard owner and the person who created the alert.
- Everyone who has access to the dashboard.
- Everyone who has access to the Power BI instance.

Answer:

Where should you configure the Power BI alert so that it triggers the process?

- Power BI
- Common Data Service
- Power Automate
- Power BI admin portal

Who can see alerts configured for Power BI?

- The person who created the alert.
- The dashboard owner and the person who created the alert.
- Everyone who has access to the dashboard.
- Everyone who has access to the Power BI instance.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

NEW QUESTION: 19

On a Contact record, a user creates a Note record that contains the word running.

One week later, the user reports that they cannot find the Contact record associated with the Note record.

You need to find the Note record.

Solution: Use Relevance Search to search for the word run.

Does the solution meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Explanation

Relevance Search brings the following benefits:

Finds matches to any word in the search term in any field in the entity. Matches may include inflectional words, like "stream," "streaming," or "streamed." Includes the ability to search documents found in Notes and Attachments on Emails and Appointments Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/configure-relevance-search-organization#what-is-releva>

NEW QUESTION: 20

You need to be able to move a Power Automate desktop flow used in the verification process to the testing environment.

What should you do?

- A. Share a copy of the desktop flow with a member of internal IT.
- B. Use the Export option in the flow to get the flow identifier and provide it to internal IT.
- C. Send a copy of the desktop flow to a member of internal IT.
- D. Create the desktop flow in a solution and provide it to internal IT.

Answer: D (LEAVE A REPLY)

Internal IT reports that the solution import to the test environment failed because of missing dependencies related to the flow for completing service requests.

Flows with PowerApps steps

Flows that were created via Power Automate in the PowerApps menu or flows that have PowerApps steps added have a different issue than other Power Automate flows. As of the writing of this blog these flows are not able to be imported into another environment. This means that if you create flows with Power Apps steps within them you will need to recreate them in your destination environment.

Reference: <https://www.spyglassmtg.com/blog/power-platform-solution-export-and-import-issues>
Topic 3, Bellows College Case Study

Bellows College is a post-secondary school that wants to start a football team. The college uses Microsoft Power Platform to manage its recruiting efforts. The registration team and assistants use model-driven apps.

The coaches use canvas apps on their mobile devices.

Prospects are considered underage if they are younger than 18 years old at the time of registration.

Environment

- * Custom code is not allowed in the system.
- * Server-side synchronization is configured for emails, appointments, contacts, and tasks.
- * The database and file storage of Dataverse must be minimized to keep costs low.

Contact table

- * Birthdate is a custom date and time field.
- * Age at Registration is a calculated field that displays the age of the prospect at the time of registration.

- * Current Age is a calculated field that displays the age of the prospect based on the current date and time.

Evaluation Table

- * The Evaluation table is a custom table used to track evaluation criteria.
- * Evaluation records cannot be manually created.
- * Users must not be able to continue until an evaluation record is created automatically for the prospect.

Consent table

- * The consent forms completed by the parents are stored as records in the Consent table.
- * Occasionally, a parent cannot complete the consent online and a paper copy must be printed. The signed copy must be scanned and stored with the consent record.

team website

- * The consent forms completed by the parents are stored as records in the Consent table.
- * Occasionally, a parent cannot complete the consent online and a paper copy must be printed. The signed copy must be scanned and stored with the consent record.

Requirements

- * The team website is created by using Power Pages.
- * A starter layout template was used to create the site.
- * The site consists of five pages:
 - o Home: A page open to everyone to view the announcements from the team,
 - o Schedule: A page open to everyone to view the tryout and game schedule,
 - o Evaluations: A page that displays tracking from the evaluation table.

Prospects are able to view their own information only.

- o Forms: A page that displays the consent form,
- o Contact Us: A page for anyone to submit questions and comments.
- * Two web roles for authenticated users are created: Primary Contact User and Prospect User.
- o All primary contacts and prospects are assigned to their respective roles.

Registration

- * Parents and prospects are created as contacts and must be linked.
- * The registration team must be able to rapidly create prospects without navigating away from the Parents form. Only the First Name, Last Name, and Birthdate fields should be displayed for the team.
- * Assistants must be able to update prospect information and add teams that the prospect has previously played on to a subgrid.

Parent consent

- * When a prospect is underage, a Primary Contact field will appear. The field must be populated before the prospect record can be saved.
- * A view named Underage Prospects that lists all underaged prospects is required.
- * The Underage Prospects view must run once a week without requiring modifications to display correct information.
- * A consent email must meet the following requirements:

- o be sent to the primary contact of each new underage prospect
 - o contain a link to the team website
 - o be automatically sent weekly and tracked to the contact record in Dataverse
 - o include the current date using the full month name, date, and year
- Evaluations
- * Coaches rate prospects each day on a scale of 1-10 in three categories: endurance, coordination, and skill.
 - * The total of the three categories is displayed at the bottom of the form. If the total for the day is greater than 25, the number should appear green.

NEW QUESTION: 21

You need to be able to move a Power Automate desktop flow used in the verification process to the testing environment.

What should you do?

- A. Share a copy of the desktop flow with a member of internal IT.
- B. Use the Export option in the flow to get the flow identifier and provide it to internal IT.
- C. Send a copy of the desktop flow to a member of internal IT.
- D. Create the desktop flow in a solution and provide it to internal IT.

Answer: (SHOW ANSWER)

Internal IT reports that the solution import to the test environment failed because of missing dependencies related to the flow for completing service requests.

Flows with PowerApps steps

Flows that were created via Power Automate in the PowerApps menu or flows that have PowerApps steps added have a different issue than other Power Automate flows. As of the writing of this blog these flows are not able to be imported into another environment. This means that if you create flows with Power Apps steps within them you will need to recreate them in your destination environment.

Topic 3, Bellows College

Overview

Bellows College is a post-secondary school that wants to start a football team. The college uses Microsoft Power Platform to manage its recruiting efforts. The registration team and assistants use model-driven apps. The coaches use canvas apps on their mobile devices.

Prospects are considered underage if they are younger than 18 years old at the time of registration.

Environment

- * Custom code is not allowed in the system.
- * Server-side synchronization is configured for emails, appointments, contacts, and tasks.
- * The database and file storage of Dataverse must be minimized to keep costs low.

Contact table

- * Birthdate is a custom date and time field.

- * Age at Registration is a calculated field that displays the age of the prospect at the time of registration.
- * Current Age is a calculated field that displays the age of the prospect based on the current date and time.

Evaluation Table

- * The Evaluation table is a custom table used to track evaluation criteria.
- * Evaluation records cannot be manually created.
- * Users must not be able to continue until an evaluation record is created automatically for the prospect.

Consent table

- * The consent forms completed by the parents are stored as records in the Consent table.
- * Occasionally, a parent cannot complete the consent online and a paper copy must be printed. The signed copy must be scanned and stored with the consent record.

team website

- * The consent forms completed by the parents are stored as records in the Consent table.
- * Occasionally, a parent cannot complete the consent online and a paper copy must be printed. The signed copy must be scanned and stored with the consent record.

Requirements

- * The team website is created by using Power Pages.
- * A starter layout template was used to create the site.
- * The site consists of five pages:
 - o Home: A page open to everyone to view the announcements from the team,
 - o Schedule: A page open to everyone to view the tryout and game schedule,
 - o Evaluations: A page that displays tracking from the evaluation table.

Prospects are able to view their own information only.

- o Forms: A page that displays the consent form,
- o Contact Us: A page for anyone to submit questions and comments.
- * Two web roles for authenticated users are created: Primary Contact User and Prospect User.
- o All primary contacts and prospects are assigned to their respective roles.

Registration

- * Parents and prospects are created as contacts and must be linked.
- * The registration team must be able to rapidly create prospects without navigating away from the Parents form. Only the First Name, Last Name, and Birthdate fields should be displayed for the team.
- * Assistants must be able to update prospect information and add teams that the prospect has previously played on to a subgrid.

Parent consent

- * When a prospect is underage, a Primary Contact field will appear. The field must be populated before the prospect record can be saved.
- * A view named Underage Prospects that lists all underaged prospects is required.

* The Underage Prospects view must run once a week without requiring modifications to display correct information.

* A consent email must meet the following requirements:

- o be sent to the primary contact of each new underage prospect

- o contain a link to the team website

- o be automatically sent weekly and tracked to the contact record in Dataverse o include the current date using the full month name, date, and year Evaluations

* Coaches rate prospects each day on a scale of 1-10 in three categories: endurance, coordination, and skill.

* The total of the three categories is displayed at the bottom of the form. If the total for the day is greater than 25, the number should appear green.

NEW QUESTION: 22


You need to set up webpage permissions.

Which permissions must you set? To answer, move the appropriate permissions to the correct page. You may use each permission once, more than once, or not at all. You may need to move the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.

Microsoft Dynamics 365 Webpage permissions interface. The interface is split into two panes. The left pane, titled 'Permissions', contains three items: 'Prospect User', 'Primary Contact User', and 'Anyone can see this page'. The right pane, titled 'Webpage permissions', contains four items: 'Home', 'Schedule', 'Evaluations', and 'Forms'. A vertical split bar is located between the two panes, and a watermark 'examtest3.com' is visible across the center.

Answer:



Explanation:



NEW QUESTION: 23

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You administer the Microsoft 365 and Power Platform environments for Contoso, Ltd. The company has a model-driven app that is used to track customer interactions with employees. The app uses standard table types for customers. A user named Elisabeth Rice signs in to the app by using the following sign in name: Elisabeth.Rice@contoso.com.

After marriage, Elisabeth changes her legal name to Elisabeth Mueller.

You need to update the sign in name for the user without losing any application history.

Solution: From Dynamics 365 Settings, select Email Configuration. In the active mailbox for the user, update the name.

Does the solution meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

Change the user name, not the email configuration.

Change a user's email address

You must be a global admin to complete these steps.

In the admin center, go to the Users > Active users page.

Select the user's name, and then on the Account tab select Manage username.

In the first box, type the first part of the new email address. If you added your own domain to Microsoft 365, choose the domain for the new email alias by using the drop-down list. Learn how to add a domain.

Select Save changes.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/add-users/change-a-user-name-and-email-address>

NEW QUESTION: 24

You have a Power Apps portal app that supports a sales community and a service community in the same environment. The only language configured in the environment is English. The company wants to add support for two more languages.

The solution must meet the following requirements:

- * Languages must be for both sales and service functions.
- * The company logo and colors must be used and apply to all screens.
- * Communities must be separate with different URLs and access lists.

You need to configure the solution.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Configuration

Languages

	▼
Create two portals, one for each community.	
Create three portals, one for each language.	
Create one portal and import translations.	
Create six portals, one for each combination of language and community.	

Company logo and colors

	▼
Add themes.	
Add web resources.	
Add a portal header and footer	



Answer:

Requirement

Languages

Configuration

Microsoft

▼
Create two portals, one for each community.
Create three portals, one for each language.
Create one portal and import translations.
Create six portals, one for each combination of language and community.

Company logo and colors

▼
Add themes.
Add web resources.
Add a portal header and footer

Explanation:

Box 1: Create two portals, one for each community

Power Apps portal app languages

Box 2: Add themes

You can create a custom look and feel (a theme), for your app by making changes to the default colors and visual elements provided in the uncustomized system. For example, you can create your personal product branding by adding a company logo and providing table-specific coloring. A theme can be created by using the Themes area, without requiring a developer to write code. You can create, clone, change, or delete themes that are used in your environment.

Reference: <https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/create-themes-organization-branding>

NEW QUESTION: 25

You are a Dynamics 365 help desk administrator

You need to create a dashboard that displays information on help desk cases that are handled each week.

Which dashboard components should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area	Requirement	Component type
	Add a tag chart by using opened cases.	System chart Personal chart Area chart
	Add a stacked column chart shared with your team.	System chart Personal chart Area chart
	Add a Microsoft Power BI visualization.	System chart Personal chart Area chart
	Add a chart from a view that a user creates.	System chart Personal chart Area chart
	 Add a doughnut chart that shows cases by owner.	System chart Personal chart Area chart

Answer:

Answer Area	Requirement	Component type
	Add a tag chart by using opened cases.	System chart Personal chart Area chart
	Add a stacked column chart shared with your team.	System chart Personal chart Area chart
	Add a Microsoft Power BI visualization.	System chart Personal chart Area chart
	Add a chart from a view that a user creates.	System chart Personal chart Area chart
	 Add a doughnut chart that shows cases by owner.	System chart Personal chart Area chart

Explanation

System

Personal

Personal

Personal

System

<https://docs.microsoft.com/en-us/dynamics365/customer-engagement/basics/add-edit-power-bi-visualizations-da>

NEW QUESTION: 26

A company has a canvas app that includes the following screens: Screen1 and Screen2.

The OnVisible property for Screen1 contains the following expression.

```
Set(AgeGroups, ["1-25", "26-54", "55+"])
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☐
AgeGroups is a collection.	☐	☐
You can use the Update function to change values in AgeGroups.	☐	☐

Answer:

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☒
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☒	☐

Explanation:

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☒
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☒	☐

NEW QUESTION: 27

You create a canvas app that uses data from a Microsoft SQL Server database.

You use a dataflow to move some of the data from the database to Microsoft Dataverse. Users will filter the data by using the app.

You need to filter data in the dataflow and in the canvas app.

Which tools should you use? To answer, drag the appropriate tools to the correct requirements.

Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

The image contains two screenshots of the Microsoft Power Platform interface, specifically the 'Tools' and 'Requirement' sections. The top screenshot shows the 'Tools' list with 'Power Fx', 'Power Query', 'T-SQL', and 'Kusto'. The 'Requirement' section has two entries: 'Filter data in the dataflow.' and 'Filter data in the canvas app.'. The 'Tool' section is empty. The bottom screenshot shows the same interface, but the 'Tools' list is highlighted with green dashed boxes. The 'Requirement' section is the same. The 'Tool' section now contains two entries: 'Power Query' and 'Power Fx'.

Answer:

Explanation:

First Box: Power Query

To filter data in a dataflow, you should use Power Query. Power Query is a data connection tool that is part of the Microsoft Power Platform, which allows you to connect to various data sources, transform, and load data into other applications such as Power BI, Excel, and Dataverse. It is a functional, case-sensitive, and data-transformation language that enables you to discover, connect, combine, and refine data sources to meet your business intelligence needs.

Power Query allows you to filter data by using its built-in functions and operators. You can filter data by using the filter, sort, and group by functions, as well as by using custom formulas and conditions. You can also use the advanced editor to write complex queries using M code, which is the underlying language used by Power Query.

Reference: <https://docs.microsoft.com/en-us/power-query/>
<https://docs.microsoft.com/en-us/power-query/transform>

2ndBox: Power Fx

To filter data in a canvas app, you should use Power Fx. Power Fx is a no-code, low-code, and code-based platform that enables you to build custom business logic and automate workflows in your Power Platform apps. It allows you to create custom formulas and expressions in the app using a functional language, which allows you to filter data in the app.

Power Fx can be used to create custom formulas and expressions in the app which can filter data in the app by using its built-in functions and operators. You can filter data by using the filter, sort, and group by functions, as well as by using custom formulas and conditions. You can also use the advanced editor to write complex queries using Power Fx code.

Reference: <https://docs.microsoft.com/en-us/power-apps/maker/canvas-apps/power-fx-formulas>

NEW QUESTION: 28

You are setting up Power Apps security for a company. The company has a CEO, two vice presidents, and 10 managers. Five support representatives report to each manager.

You set up Manager Hierarchy so managers are able to view data only for the representatives who report to them. The CEO must be able to view all data for everyone. All support representatives must be able to view customer information in each other's data across all managers.

You need to resolve issues that arise during testing.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue	Action
Managers are unable to view all their report data.	▼ Add the manager's name to the representative's user record. Change the Manager Hierarchy depth to 2. Move the manager and reports to a separate business unit. Set up a position in hierarchy.
The CEO is unable to view representative data but can view manager data.	▼ Add the CEO to the representative user record as a manager. Change Manager Hierarchy depth to 3. Create team security.
Five support representatives can view only their own data.	▼ Add the manager's name to the representative's user record. Add users to field security. Set up a position hierarchy.

Answer:

Issue	Action
Managers are unable to view all their report data.	▼ Add the manager's name to the representative's user record. Change the Manager Hierarchy depth to 2. Move the manager and reports to a separate business unit. Set up a position in hierarchy.
The CEO is unable to view representative data but can view manager data.	▼ Add the CEO to the representative user record as a manager. Change Manager Hierarchy depth to 3. Create team security.
Five support representatives can view only their own data.	▼ Add the manager's name to the representative's user record. Add users to field security. Set up a position hierarchy.

Explanation:

Box 1: Move the manager and reports to a separate business unit.

Keep the Manager hierarchy, and put the reports to the appropriate business unit.

Note: Two security models can be used for hierarchies, the Manager hierarchy and the Position hierarchy.

With the Manager hierarchy, a manager must be within the same business unit as the report, or in the parent business unit of the report's business unit, to have access to the report's data. The Position hierarchy allows data access across business units. If you are a financial organization, you may prefer the Manager hierarchy model, to prevent managers' accessing data outside of their business units. However, if you are a part of a customer service organization and want the managers to access service cases handled in different business units, the Position hierarchy may work better for you.


Box 2: Add the CEO to the representative user record as a manager.

Set up Manager and Position hierarchies

The Manager hierarchy is easily created by using the manager relationship on the system user record. You use the Manager (ParentsystemuserID) lookup field to specify the manager of the user.

Note: Depth is used to limit how many levels deep a manager has Read-only access to the data of their reports.

For example, if the depth is set to 2, the CEO can see the data of the VP of Sales, VP of Service and Sales and Service Managers. However, the CEO doesn't see the Sales data or the Support data.



Box 3: Add users to field security

Power Platform's field-level security lets you set which fields users can see or edit.

Reference:<https://docs.microsoft.com/en-us/power-platform/admin/hierarchy-security>

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION: 29

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company uses a model-driven app

The company needs to automatically update the Status column in real time You need to configure this feature.

Solution: Create a workflow that has an Update Record step.

Does the solution meet the goal?

A. No

B. Yes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

You need to design the guest check-in solution.

Which technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Technology
Develop the base check-in solution.	☐ Xamarin app ☐ Power Apps portal ☐ Model-driven app ☐ Canvas app
Access the check-in solution on the check-in devices.	☐ Traditional desktop application ☐ Web browser ☐ Power Apps mobile app ☐ Dynamics 365 for phones and tablets
Access the check-in solution on the check-in devices.	

Answer:

Requirement	Technology
Develop the base check-in solution.	☐ Xamarin app ☐ Power Apps portal ☐ Model-driven app ☒ Canvas app
Access the check-in solution on the check-in devices.	☐ Traditional desktop application ☐ Web browser ☒ Power Apps mobile app ☐ Dynamics 365 for phones and tablets
Access the check-in solution on the check-in devices.	

Explanation

Canvas app,

Power Apps mobile app

<https://docs.microsoft.com/en-us/power-apps/maker/canvas-apps/offline-apps>

NEW QUESTION: 31

You need to design and create the solution for gathering contact information from guests for marketing purposes.

What should you use? To answer, select the appropriate options In the answer area.

NOTE: Each correct selection is worth one point.

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

Answer:

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

Explanation

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam!

BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the

newest BraindumpsPass.com PL-200 dumps with Test Engine here:

<https://www.braindumps.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

You create a report by using Power BI Desktop and publish the report to the Power BI service.

You enable Power BI visualization embedding in a model-driven app.

You need to configure the model-driven app to display a Power BI tile

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Pin the Power BI report to a new dashboard in the Power BI service.
- Share the dashboard with the appropriate users.
- Add a Power BI tile to the dashboard and select the Power BI dashboard in the app.
- Create a new Power BI personal dashboard in the model-driven app.
- Create a personal dashboard in the model-driven app.
- Ensure the dashboard is available to the appropriate security roles.

Answer area

Answer:

Actions

- Pin the Power BI report to a new dashboard in the Power BI service.
- Share the dashboard with the appropriate users.
- Add a Power BI tile to the dashboard and select the Power BI dashboard in the app.
- Create a new Power BI personal dashboard in the model-driven app.
- Create a personal dashboard in the model-driven app.
- Ensure the dashboard is available to the appropriate security roles.

Answer area

- Add a Power BI tile to the dashboard and select the Power BI dashboard in the app.
- Create a new Power BI personal dashboard in the model-driven app.
- Ensure the dashboard is available to the appropriate security roles.
- Pin the Power BI report to a new dashboard in the Power BI service.

NEW QUESTION: 33

You are implementing a model-driven app to support a new line of business.

There are several places where automated business logic must be applied.

You need to determine how to apply the business logic.

Which method should you use? To answer, drag the appropriate methods to the appropriate business logic statements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Methods	Answer Area	Method
Business rule	Business logic	Method
Real-time workflow	Make a field read only until a predetermined value is exceeded	Method
Power Automate instant flow	Automatically send an email when a record's status is changed to deactivated.	Method
	Use the previous value of a field when the value is automatically updated as part of the	Method

Answer:

Methods	Answer Area	Method
Business rule	Business logic	Business rule
Real-time workflow	Make a field read only until a predetermined value is exceeded	Real-time workflow
Power Automate instant flow	Automatically send an email when a record's status is changed to deactivated.	Power Automate instant flow
	Use the previous value of a field when the value is automatically updated as part of the	

Explanation

Graphical user interface, text, application Description automatically generated

Business logic	Method
Make a field read only until a predetermined value is exceeded.	Business rule
Automatically send an email when a record's status is changed to deactivated.	Real-time workflow
Use the previous value of a field when the value is automatically updated as part of the	Power Automate instant flow

Box 1: Business rule

By combining conditions and actions, you can do any of the following with business rules:

NSE5_FSM-5.2 Set column values

Clear column values

Set column requirement levels

Show or hide columns

Enable or disable columns

Validate data and show error messages

Create business recommendations based on business intelligence.

Box 2: Real-time workflow

Real-time workflows:

Graphical user interface, text, application, email Description automatically generated

Process: Discount for a specific group of accounts - Microsoft Dynamics CRM - Internet Explorer

File Save and Close Activate Convert to a real-time workflow Show Dependencies Actions

Process: Discount for a specific group of accounts Working on solution: Default Solution

Information

Common

Information

Audit History

Process Sessions

Process Sessions

General Administration Notes

Hide Process Properties

Process Name * Discount for a specific group of accounts

Activate As Process

Available to Run

☒ Run this workflow in the background (recommended)

☐ As an on-demand process

☐ As a child process

Workflow Job Retention

☒ Automatically delete completed workflow jobs (to save disk space)

Entity Opportunity

Category Workflow

Options for Automatic Processes

Scope User

Start when

☒ Record is created

☒ Record status changes

☐ Record is assigned

☐ Record fields change

☐ Record is deleted

Add Step Insert Delete this step

Discount for the child accounts of the Alpine Ski House account

If Account (Account) Account Under [Alpine Ski House (sample)], then:

Apply 10% discount

Update: Opportunity Set Properties

Discount for the accounts that are not children of the Alpine Ski House account

If Account (Account) Account Not Under [Alpine Ski House (sample)], then:

Apply 5% discount

Update: Opportunity Set Properties

Status: Draft

Microsoft

Box 3: Power Automate instant flow

Instant Flows don't have a trigger in the same way as the Automated flow. Instead, they are triggered manually or on-demand, such as a user clicking a Flow button in the mobile app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-business-rules-recommendations-a>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/configure-workflow-steps>

<https://carldesouza.com/difference-between-instant-automated-and-scheduled-flows-in-power-automate-and-how>

NEW QUESTION: 34

A car dealership has a Dynamics 365 Sales environment for its sales company and another environment for its leasing company.

Users in one environment must not be able to see the other environment.

You need to grant salespeople access to the sales company environment.

What should you do?

A. Add salespeople to an Office 365 security group.

B. Add salespeople to a security role.

- C. Set privileges.
- D. Set app security.

Answer: ([SHOW ANSWER](#))

Explanation

Explanation/Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/control-user-access>

NEW QUESTION: 35

You are designing a canvas app that connects to Common Data Service.

You need to configure the app to meet the requirements and ensure that the canvas app is available offline.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDateOffline ShowData

Answer:

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDateOffline ShowData

Explanation

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDateOffline ShowData

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION: 36

A company plans to implement AI Builder to add intelligence to several business processes. Each business process uses different sources and produces different outputs.

You need to determine which AI Builder model types to use.

Which model types should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Recognition requirement



Model type

Identify a person's age in a paragraph when written using the pattern **twenty years old**.

Entity extraction

Text recognition

Key phrase

Identify items and prices from an invoice.

Form processing

Text recognition

Object detection

Answer:

Recognition requirement



Model type

Identify a person's age in a paragraph when written using the pattern **twenty years old**.

Entity extraction

Text recognition

Key phrase

Identify items and prices from an invoice.

Form processing

Text recognition

Object detection

Explanation:

Recognition requirement	Model type
Identify a person's age in a paragraph when written using the pattern twenty years old .	▼ Entity extraction Text recognition Key phrase
Identify items and prices from an invoice.	▼ Form processing Text recognition Object detection



Reference:

<https://docs.microsoft.com/en-us/ai-builder/form-processing-model-overview>

<https://docs.microsoft.com/en-us/ai-builder/entity-extraction-overview>

NEW QUESTION: 37

You are a Dynamics 365 Customer Services administrator. You have a Production instance and Sandbox instance.

Users record Production instance data in the Sandbox instance.

You need to ensure that the users only record data in the Production instance.

Which security function needs to be edited to prevent access to the Sandbox? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Application area	Security function
Microsoft 365 admin center	▼ Roles Groups Licenses Access rights
Dynamics 365 Sandbox instance	▼ Roles Groups Access rights

Answer:

Application area	Security function
Microsoft 365 admin center	▼ Roles Groups Licenses Access rights
Dynamics 365 Sandbox instance	▼ Roles Groups Access rights

Explanation

Application area


Security function

Microsoft 365 admin center



A screenshot of a dropdown menu from the Microsoft 365 admin center. The menu is open, showing four options: 'Roles', 'Groups', 'Licenses', and 'Access rights'. The 'Groups' option is currently selected and highlighted with a grey background. The menu is contained within a light pink header bar.

Dynamics 365 Sandbox instance



A screenshot of a dropdown menu from the Dynamics 365 Sandbox instance. The menu is open, showing three options: 'Roles', 'Groups', and 'Access rights'. The 'Groups' option is currently selected and highlighted with a grey background. The menu is contained within a light pink header bar that also features the Microsoft logo and the word 'Microsoft'.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/control-user-access>

NEW QUESTION: 38

You are a Dynamics 365 Customer Services administrator. You have a Production instance and Sandbox instance.

Users record Production instance data in the Sandbox instance.

You need to ensure that the users only record data in the Production instance.

Which security function needs to be edited to prevent access to the Sandbox? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Application area	Security function
Microsoft 365 admin center	- Roles - Groups - Licenses - Access rights
Dynamics 365 Sandbox instance	- Roles - Groups - Access rights

Answer:

Application area	Security function
Microsoft 365 admin center	- Roles - Groups - Licenses - Access rights
Dynamics 365 Sandbox instance	- Roles - Groups - Access rights

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/control-user-access>

NEW QUESTION: 39

You have a model-driven app. You create five Microsoft Excel templates for analyzing customer data.

Four of the templates must be available to all users. The remaining template must be available only to you.

You configure the appropriate security roles for users.

You need to determine how to upload the Excel templates.

Which method should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Availability	Method
Available to everyone	
	In the Settings menu, select Document Templates.
	In the view for the email records, select Excel Templates.
	In the Settings menu, select Email Templates.
Available only to yourself	
	In the Settings menu, select Document Templates.
	In the view for the email records, select Excel Templates.
	In the Settings menu, select Email Templates.

Answer:

Availability	Method
Available to everyone	
	In the Settings menu, select Document Templates.
	In the view for the email records, select Excel Templates.
	In the Settings menu, select Email Templates.
Available only to yourself	
	In the Settings menu, select Document Templates.
	In the view for the email records, select Excel Templates.
	In the Settings menu, select Email Templates.

Explanation

Table Description automatically generated with medium confidence

Availability	Method
Available to everyone	
	In the Settings menu, select Document Templates.
	In the view for the email records, select Excel Templates.
	In the Settings menu, select Email Templates.
Available only to yourself	
	In the Settings menu, select Document Templates.
	In the view for the email records, select Excel Templates.
	In the Settings menu, select Email Templates.

Box 1: In the Settings menu, select Document Templates

Templates uploaded from the Settings page are available to all users. You don't need to take any further action.

Administrators can use the Settings page to upload the Excel template. A template uploaded in Settings is available to all users.

For admins: Upload the Excel template

- * Go to Settings > Templates > Document Templates.
- * Click Upload Template.
- * Drag the Excel file into the dialog box or browse to find and upload the file.
- * Upload Template dialog box.
- * Click Upload.

Box 2: In the view for the email records, select Excel templates

Note: For non-admins or admins wanting to create a personal template: Upload the Excel template Open a page with a list of records, for example, the list of Sales Opportunities. Go to Sales > Opportunities > My Open Opportunities.

- * On the menu bar, click Excel Templates > Create Excel Template.
- * Click Excel Template > Upload.
- * Click Upload to add the Excel template.
- * Drag the file into the dialog box or browse to find and upload the file.
- * Click Upload.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/analyze-your-data-with-excel-templates>

NEW QUESTION: 40

The owner of a company needs to know who signs into the system.

You need to ensure that the owner can view the user audit logs.

Where does each action need to be performed? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Action	Location
Activate user auditing.	System Settings Personal Settings Customize the System Microsoft 365 Compliance
View the user audit logs.	Advanced Find Individual record User Summary report Microsoft 365 Compliance

Answer:

Action	Location
Activate user auditing.	System Settings Personal Settings Customize the System Microsoft 365 Compliance
View the user audit logs.	Advanced Find Individual record User Summary report Microsoft 365 Compliance

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/audit-data-user-activity>

NEW QUESTION: 41

A customer has a support website that includes FAQ pages, knowledge articles, and support content.

You plan to leverage an existing Power Virtual Agents bot to enhance and streamline existing support functionality for the existing support portal.

You need to create topics from existing website content. The process must minimize human errors during topic creation.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer area
Hover over the topic and select the Automate icon.	
Capture suggested topics.	
Add selected topics to the chatbot.	
Enable the topics.	
Identify the pre-filled trigger phrases.	

Answer:

Answer Area
Add the suggested topics to your bot.
Enable the topics.

1 - Add the suggested topics to your bot.

2 - Enable the topics.

NEW QUESTION: 42

You need to add controls to the check-in solution for the health and wellness questions.

Which form control should you use?

A. Drop down

B. Check box

C. Text input

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

A company has a sales application that is supported by an Azure SQL database. You are developing a Power Apps app for use by customer service agents.

The app must reference customer data from the sales application. Data in the sales application is constantly changing and must not be replicated in Microsoft Dataverse. Some customer data is considered sensitive. You must protect data for specific fields when users view data in the app.

You need to configure table creation for the app.

How should you configure the app? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point

Requirement	Action
Dataverse table type to create for the referenced customer data.	☐ Create a virtual table. ☐ Create an activity table. ☐ Create a user-owned table. ☐ Create an organization-owned table.
Protect sensitive customer data for specific fields.	☐ Create an alternate key. ☒ Create a secured column. ☒ Implement input method editor (IME) mode. ☒ Set the value of the visible property of the fields to false.

Answer:

Requirement	Action
Dataverse table type to create for the referenced customer data.	☒ Create a virtual table. ☐ Create an activity table. ☐ Create a user-owned table. ☐ Create an organization-owned table.
Protect sensitive customer data for specific fields.	☐ Create an alternate key. ☒ Create a secured column. ☒ Implement input method editor (IME) mode. ☒ Set the value of the visible property of the fields to false.

Explanation:

Requirement	Action
Dataverse table type to create for the referenced customer data.	☒ Create a virtual table.
Protect sensitive customer data for specific fields.	☒ Create a secured column.

NEW QUESTION: 44

You need to embed the FAQbot into the communication solution.

Which actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Add the new FAQ solution to the communication solution for the first time.	- Import an existing app. - Create a new app. - Import a new page. - Import bot.
Configure the FAQ solution in Microsoft Teams.	- Configure the FAQbot. - Import a chatbot. - Create a new chatbot.

Answer:

Requirement	Action
Add the new FAQ solution to the communication solution for the first time.	- Import an existing app. - Create a new app. - Import a new page. - Import bot.
Configure the FAQ solution in Microsoft Teams.	- Configure the FAQbot. - Import a chatbot. - Create a new chatbot.

Explanation

Requirement	Action
Add the new FAQ solution to the communication solution for the first time.	- Import an existing app. - Create a new app. - Import a new page. - Import bot.
Configure the FAQ solution in Microsoft Teams.	- Configure the FAQbot. - Import a chatbot. - Create a new chatbot.

NEW QUESTION: 45

You have a canvas app that contains the following text input fields: Id, FirstName, LastName. The app also has a button named Button1.

The OnSelect property for Button1 contains the following expression:

Collect(People, {Id:Id.Text, FirstName:FirstName.Text, LastName:LastName.Text}) For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statement	Yes	No
The People collection is automatically created if it does not already exist.	☐	☐
When Button1 is pressed, if a record with the current value of Id.Text already exists in the People collection, the values for FirstName and LastName are updated.	☐	☐
If you update the record in the Collection function to include the value from a new field named Age, it will result in an error.	☐	☐

Answer:

Statement	Yes	No
The People collection is automatically created if it does not already exist.	☒	☐
When Button1 is pressed, if a record with the current value of Id.Text already exists in the People collection, the values for FirstName and LastName are updated.	☐	☒
If you update the record in the Collection function to include the value from a new field named Age, it will result in an error.	☐	☒

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

NEW QUESTION: 46

You plan to create a dataflow to import data into Microsoft Dataverse by using Power Query. The dataflow has the following requirements:

- * A table of aggregated data must be created in dataflow storage.
- * A unique identifier must be created for the table.

You need to configure the dataflow.

Which solutions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement
Table of aggregated data

Solution

Merge query
Fact table
Merge query
Linked entity
Computed entity

Key column
Key column
Pivot column
Alternate key

Unique identifier

Microsoft

Answer:

Answer Area

Requirement
Table of aggregated data

Solution

Merge query
Fact table
Merge query
Linked entity
Computed entity

Key column
Key column
Pivot column
Alternate key

Unique identifier

Microsoft

Explanation

Answer Area

Requirement
Table of aggregated data
Unique identifier

Solution
Merge query
Key column

Microsoft

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:
<https://www.braindumpsPASS.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

You are creating a new business process flow to qualify leads.

You create an action. The action is not available inside the Action Step.

You need to make the action available to the Action Step.

Which two steps must you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A.** Ensure that the entity for the action matches the corresponding entity for the business process flow stage.
- B.** Add at least one step to the action.

C. Select Run as an on-demand process.

D. Activate the action.

Answer: A,B (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april18/microsoft-flow/add-action- business-process-flow Implement Power Virtual Agents chatbots Question Set 1>

NEW QUESTION: 48

A company uses Power Apps. You enable auditing in Microsoft Dataverse. Users report the following issues when viewing the audit logs:

- * Unable to view the read access audit logs.
- * Unable to view the Account table audit logs.

You need to troubleshoot the issues.

What are the causes of the issues? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Issue	Cause
Unable to view the read access audit logs.	☐ Auditing is not enabled at the environment level.
	☐ Storage for the tenant is over capacity.
	☐ Auditing is not enabled at the environment level.
Unable to view the Account table audit logs.	☐ Auditing is disabled at the table level.
	☐ Auditing is disabled at the app level.
	☐ Auditing is disabled at the table level.
	☐ Auditing for read access is not enabled.

Answer:

Answer Area

Issue	Cause
Unable to view the read access audit logs.	☒ Auditing is not enabled at the environment level.
	☒ Storage for the tenant is over capacity.
	☒ Auditing is not enabled at the environment level.
Unable to view the Account table audit logs.	☒ Auditing is disabled at the table level.
	☒ Auditing is disabled at the app level.
	☒ Auditing is disabled at the table level.
	☐ Auditing for read access is not enabled.

Explanation:

Answer Area

Issue	Cause
Unable to view the read access audit logs.	☒ Auditing is not enabled at the environment level.
Unable to view the Account table audit logs.	☒ Auditing is disabled at the table level.

NEW QUESTION: 49

A customer has a support website that includes FAQ pages, knowledge articles, and support content.

You plan to leverage an existing Power Virtual Agents bot to enhance and streamline existing support functionality for the existing support portal.

You need to create topics from existing website content. The process must minimize human errors during topic creation.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer area
Hover over the topic and select the Automate icon.	
Capture suggested topics.	
Add selected topics to the chatbot.	
Enable the topics.	
Identify the pre-filled trigger phases.	

Answer:

Actions	Answer area
Hover over the topic and select the Automate icon.	
Capture suggested topics.	Capture suggested topics.
Add selected topics to the chatbot.	Add selected topics to the chatbot.
Enable the topics.	Enable the topics.
Identify the pre-filled trigger phases.	

Explanation

Select Suggest topics on the Topics page to extract content from FAQ/support pages or online files.

Add the suggested topics to your bot.

Enable the topics.

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-create-topics-from-web>

NEW QUESTION: 50

You have a business process flow (BPF) that interacts with the Account entity.

You configure a new version for the BPF and add a new stage at the beginning.

You need to identify the impact of the new version on the existing account records.

What is the outcome in each scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Scenario	Action
What happens to existing accounts?	Existing accounts show the old BPF. Existing accounts show the new BPF. Existing accounts only show the new stage.
What happens to new accounts?	No BPF is linked to a new account. The new BPF shows only the new stage for a new account. The new BPF is showing in a new account.

Answer:

Scenario	Action
What happens to existing accounts?	Microsoft Existing accounts show the old BPF. Existing accounts show the new BPF. Existing accounts only show the new stage.
What happens to new accounts?	No BPF is linked to a new account. The new BPF shows only the new stage for a new account. The new BPF is showing in a new account.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/business-process-flows-overview>

NEW QUESTION: 51

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You administer the Microsoft 365 and Power Platform environments for Contoso, Ltd. The company has a model-driven app that is used to track customer interactions with employees. The app uses standard table types for customers. A user named Elisabeth Rice signs in to the app by using the following sign in name:

Elisabeth.Rice@contoso.com.

After marriage, Elisabeth changes her legal name to Elisabeth Mueller.

You need to update the sign in name for the user without losing any application history.

Solution: Ask the Microsoft 365 administrator to sign in to the admin portal and change the username.

Does the solution meet the goal?

A. No

B. Yes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

You need to embed the check-in solution into the communication solution. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

What must you use to embed the check-in solution?

Where must the check-in solution be available within the communication solution?

Visual Studio
Power Apps Web Studio
AI Builder
Common Data Service

chat section of the solution
Microsoft 365 Apps selection grid
in an embedded webpage
in a tab

Answer:

What must you use to embed the check-in solution?

Where must the check-in solution be available within the communication solution?

Visual Studio
Power Apps Web Studio
AI Builder
Common Data Service

chat section of the solution
Microsoft 365 Apps selection grid
in an embedded webpage
in a tab

Explanation

Graphical user interface, application, Word Description automatically generated

What must you use to embed the check-in solution?

Where must the check-in solution be available within the communication solution?

Visual Studio
Power Apps Web Studio
AI Builder
Common Data Service

chat section of the solution
Microsoft 365 Apps selection grid
in an embedded webpage
in a tab

Box 1: Power Apps Web Studio

Scenario: The check-in solution must continue to function if there are internet issues. If the self-service kiosks are not available, staff must be able to use the check-in solution from within their communication solution.

PowerApps Studio is a browser application used to edit your apps. PowerApps Studio includes a drag-and-drop canvas in the center of the screen and a screen or object list pane on the left.

Properties, Rules, and Advanced Properties for selected screens or controls are displayed in the right pane.

Box 2: in a tab

You can customize the Teams experience by adding Power Apps canvas apps to your channels in Teams using the PowerApps tab.

NEW QUESTION: 53

A company uses Power Apps.

You create a custom phone table that is a child of the contact table.

You need to configure the cascading rules for each action.

Which behavior should you use? To answer, drag the appropriate behaviors to the correct actions. Each behavior may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Behaviors

- Restrict
- Cascade All
- Cascade None

Answer Area

Action

Prevent the contact record from being deleted if associated with a phone record.

Update the owner of the phone records when the contact owner changes.

Behavior

Prevent the contact record from being deleted if associated with a phone record. [Behavior dropdown]

Update the owner of the phone records when the contact owner changes. [Behavior dropdown]

Answer:

Behaviors

- Restrict
- Cascade All
- Cascade None

Answer Area

Action

Prevent the contact record from being deleted if associated with a phone record.

Update the owner of the phone records when the contact owner changes.

Behavior

Prevent the contact record from being deleted if associated with a phone record. Restrict

Update the owner of the phone records when the contact owner changes. Cascade All

NEW QUESTION: 54

A company has employees in France, Mexico, and the United States. You are creating a Power Apps app to allow users to add client records to Microsoft Dataverse. The default language for the company is English.

The company wants the app to display each local language.

You need to add the Spanish and French languages.

Which four actions should you perform in sequence for each language? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Import the solution.

Export translations.

Replace the language code column and translated wording in the CrmTranslations.xml file.

Select an unmanaged solution.

Select a managed solution.

Add a language code column and translated wording in the CrmTranslations.xml file.

Import translations.

Export the solution.

Answer Area**Answer:**

Actions

- Import the solution.
- Export translations.
- Replace the language code column and translated wording in the CrmTranslations.xml file.
- Select an unmanaged solution.
- Select a managed solution.
- Add a language code column and translated wording in the CrmTranslations.xml file.
- Import translations.
- Export the solution.

Answer Area

- Select an unmanaged solution.
- Export translations.

Explanation:

Step 1: Select an unmanaged solution.

Export the localizable text

The scope of the localizable text that will be exported is the unmanaged solution that contains the localizable text.

* From Power Apps, select Solutions.

* In the All Solutions list, select the unmanaged solution that contains the localizable text you want.

* On the command bar, select Translations > Export Translations.

Step 2: Export translations.

Step 3: Add a language code column and a translated wording in the CrmTranslations.xml file.

Get the localizable text translated

You can send this file to a linguistic expert, translation agency, or localization firm.

If you have the knowledge to translate the text, or if you just want to see the format, you can extract the zip file that you exported you will see that it contains two XML files.

[Content_Types].xml

CrmTranslations.xml

You can open the CrmTranslations.xml file with Microsoft Office Excel.

When you view the data in Excel, look at the Localized Labels tab.

Graphical user interface, text, application, table, Excel Description automatically generated

	A	B	C	D	E	F
1	Entity nam	Object ID	Object Column Name	1033	1041	3082
12	account	74a622c0-5193-de11-97d4-00155da3b01e	description	Shows the total number	取引先企業の合計数	Muestra la cantidad total d
13	account	74a622c0-5193-de11-97d4-00155da3b01e	name	Accounts by Industry	業種別取引先企業	Cuentas por sector
14	account	a3a9ee47-5093-de11-97d4-00155da3b01e	description	Shows the total number	取引先企業の合計数	Muestra la cantidad total d
15	account	a3a9ee47-5093-de11-97d4-00155da3b01e	name	Accounts by Owner	所有者別取引先企業	Cuentas por propietario
16	account	5b290fff-355f-df11-ae90-00155d2e3002	description	Shows the number of ne	1か月の新規取引先数	Muestra la cantidad de cue
17	account	5b290fff-355f-df11-ae90-00155d2e3002	name	New Accounts By Month	月別新規取引先企業	Nuevas cuentas por mes
18	cr2b3_car	99a0f788-3f64-e811-a957-000d3af3b3af	Description	A motor vehicle intende		
19	cr2b3_car	99a0f788-3f64-e811-a957-000d3af3b3af	LocalizedCollectionName	Car		
20	cr2b3_car	99a0f788-3f64-e811-a957-000d3af3b3af	LocalizedName	Car		
21	cr2b3_car	b8d1e6ec-cc49-42f1-847e-61245a489f30	Description	Unique identifier for the		
22	cr2b3_car	b8d1e6ec-cc49-42f1-847e-61245a489f30	DisplayName	Owning User		
23	cr2b3_car	d3aa1f9d-5e88-40ec-af8d-0e13efe83eaa	Description	Status of the Car		
24	cr2b3_car	d3aa1f9d-5e88-40ec-af8d-0e13efe83eaa	DisplayName	Status		
25	cr2b3_car	21a1f788-3f64-e811-a957-000d3af3b3af	DisplayName	Status		
26	cr2b3_car	21a1f788-3f64-e811-a957-000d3af3b3af	Description	Status of the Car		
27	cr2b3_car	1da1f788-3f64-e811-a957-000d3af3b3af	DisplayName	Active		

Any custom tables or columns will have empty cells for the localizable text. Add the localized values for those items.

Step 4: Import translations.

Import the localized text

Importing the text requires compressing the files and importing them into the system.

Import the files

From the same unmanaged solution that you exported the translations from, in the menu choose Translations > Import Translations.

Note: If you have customized table or column text, such as column labels or drop-down list values, you can provide the users in your environment who are not working with the base language version of your environment with this customized text in their preferred languages.

The process has the following steps:

- * Enable other languages for your environment
- * Export the localizable text
- * Get the localizable text translated
- * Import the localized text

Reference: <https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/translate-localizable-text>

NEW QUESTION: 55

You create a parent entity and a child entity. The parent entity has a 1:N relationship with the child entity.

You need to ensure that when the owner changes on the parent record that all child records are assigned to the new owner.

You need to configure the relationship behavior type.

What should you use?

- A. Parental
- B. Referential, Restrict Delete
- C. Referential
- D. Restrict

Answer: A (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/dynamics365/customer-engagement/customize/create-and-edit-1n-relationships#relationship-behavior> A parental table relationship is any 1:N table

relationship where one of the cascading options in the Parental column of the following table is true.

Action	Parental	Not Parental
Assign	Cascade All Cascade User-owned Cascade Active	Cascade None
Delete	Cascade All	RemoveLink Restrict
Reparent	Cascade All Cascade User-owned Cascade Active	Cascade None
Share	Cascade All Cascade User-owned Cascade Active	Cascade None
Unshare	Cascade All Cascade User-owned Cascade Active	Cascade None

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships>

NEW QUESTION: 56

A company creates a Power Virtual Agents chatbot.

You need to determine when live agents are engaged to provide support.

Which metrics should you use? To answer, drag the appropriate metrics to the correct processes. Each metric may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Metrics	Answer Area
Engagement over time	
Session outcomes over time	
Escalation rate drivers	
Escalation rate	

Process	Metric
Determine which topics are transferred to live agents most often.	Metric
Determine the number of chats per day that are transferred to live agents.	Metric

Answer:

Metrics	Answer Area
Engagement over time	
Session outcomes over time	
Escalation rate drivers	
Escalation rate	

Process	Metric
Determine which topics are transferred to live agents most often.	Escalation rate drivers
Determine the number of chats per day that are transferred to live agents.	Session outcomes over time

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/teams/analytics-summary-teams>

NEW QUESTION: 57

You are creating a new business process flow to qualify leads.

You create an action. The action is not available inside the Action Step.

You need to make the action available to the Action Step.

Which two steps must you perform? Each correct answer presents part of the solution.

NOTE Each correct selection is worth one point.

- A. Ensure that the entity for the action matches the corresponding entity for the business process flow stage.
- B. Add at least one step to the action.
- C. Activate the action.
- D. Select Run as an on-demand process

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

You plan to create a Power Bi dataflow.

The Power BI dataflow has the following requirements:

- * Be able to create a copy of the dataflow to separate Power BI workspaces-
- * Schedule the dataflow to update every day at 11:00 AW.

You need to configure the dataflow.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Export the JSON file.
	Change the settings.
	Change the properties.
	Add Streaming dataset.
Schedule updates.	Configure the Power BI service.
	Refresh the history.
	Configure the Power BI service.
	Share the dashboards with other users.
	Refresh automatically.

Answer:

Answer Area

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Export the JSON file.
	Change the settings.
	Change the properties.
	Add Streaming dataset.
Schedule updates.	Configure the Power BI service.
	Refresh the history.
	Configure the Power BI service.
	Share the dashboards with other users.
	Refresh automatically.

NEW QUESTION: 59

You are a Dynamics 365 for Customer Service administrator.

You must create a form for team members to use. The form must provide the ability to:

Lock a field on a form.

Trigger business logic based on a field value.

Use existing business information to enhance data entry.

You need to implement business rule components to create the form.

Which components should you use? To answer, drag the appropriate components to the correct requirements.

Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Requirement	Component
Actions	Lock a form field.	
Conditions	Trigger business logic based on a field value.	
Recommendation	Leverage existing business information to enhance data entry.	

Answer:

Components	Requirement	Component
Actions	Lock a form field.	Actions
Conditions	Trigger business logic based on a field value.	Conditions
Recommendation	Leverage existing business information to enhance data entry.	Recommendation

Action

Condition

Recommendation

NEW QUESTION: 60

The business team provides the following list of features that they would like you to implement:

- * Group by or sort columns in the current view.
- * Configure a business rule to show an error message.
- * Edit values in calculated fields.
- * Edit the Address composite field.
- * Use the editable grid on mobile phones.

Which actions can you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Group by or sort columns in the current view.

Yes
No

Configure a business rule to show an error message.

Yes
No

Edit values in calculated fields

Yes
No

Edit the Address composite field.

Yes
No

use the editable grid on mobile phones.

Yes
No

Answer:

The screenshot shows a configuration interface with five questions and their corresponding 'Yes' and 'No' radio button options. The 'No' option is selected for all five questions.

Group by or sort columns in the current view.	☐ Yes ☒ No
Configure a business rule to show an error message.	☐ Yes ☒ No
Edit values in calculated fields	☐ Yes ☒ No
Edit the Address composite field.	☐ Yes ☒ No
use the editable grid on mobile phones.	☐ Yes ☒ No

NEW QUESTION: 61

You are a Dynamics 365 Customer Service administrator.

You need to configure the following automation for the sales team:

- * Send an email when the status changes on an Opportunity.
- * Text the sales manager when an Opportunity is created.
- * Create a Wunderlist task when an Opportunity is open for 30 days.

Which tool should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Automation	Tool
Email when the status changes.	▼ Dynamics 365 workflow Microsoft Flow Business Process Flow
Text when the Opportunity is created.	▼ Dynamics 365 workflow Microsoft Flow Business Process Flow
Create a Wunderlist task.	▼ Dynamics 365 workflow Microsoft Flow Business Process Flow


Answer:

Automation	Tool
Email when the status changes.	▼ Dynamics 365 workflow Microsoft Flow Business Process Flow
Text when the Opportunity is created.	▼ Dynamics 365 workflow Microsoft Flow Business Process Flow
Create a Wunderlist task.	▼ Dynamics 365 workflow Microsoft Flow Business Process Flow



Microsoft

Explanation



Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:
<https://www.braindumpsPASS.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

You modify a model-driven app for a bicycle repair help desk. The model-driven app is for help desk users when customers have an issue with their bicycle.

After you add a custom table named bicycle, you configure the table for Microsoft Dataverse search. The table will contain information from callers about their bicycles. The account table is related to the custom table.

Contact information is brought over to the custom table.

You add the following columns to the table:

- * Bicycle type
- * Tire brand
- * Special equipment

Users must be able to perform the following types of searches:

- * Search for all customers who have a bicycle type of Contoso and live in Florida.

- * Search all tables for any record that contains the word broken.
- * You need to decide which type of search will give you the results desired.

Which search should you configure? To answer, drag the appropriate search types to the correct requirements.

Each search type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Text Description automatically generated

Box 1: Advanced find

Operators for advanced search: Lets you use simple Boolean operators in your search term and craft the query to get the results you want.

Box 2: Dataverse search

Dataverse search helps you quickly find what you're looking for. It delivers fast and comprehensive results across multiple tables in a single list, sorted by relevance.

Reference: <https://docs.microsoft.com/en-us/power-apps/user/quick-find>

<https://docs.microsoft.com/en-us/power-platform/admin/configure-relevance-search-organization>

NEW QUESTION: 63

A company has a Power Apps app.

The app must meet the following requirements:

- * Managers assign lead records to the sales department. A new phone call record must be created if a lead record has no activities.
- * An email must be sent to the manager if the phone call record created is not completed after one day.

A classic workflow must run when a lead record is assigned.

You need to configure the check conditions for the workflow.

NOTE: Each correct selection is worth one point.

Answer Area

Condition	Value
Number of activities for new phone call record.	0
Duration for email sent to manager.	Lead Created On + 1 Day

Answer:

Condition	Value
Number of activities for new phone call record.	0
Duration for email sent to manager.	Lead Created On + 1 Day

Explanation:

Condition	Value
Number of activities for new phone call record.	0
Duration for email sent to manager.	Lead Created On + 1 Day

NEW QUESTION: 64

You use a dataflow to import data into Microsoft Dataverse. The data uses the following schema:

Column name	Data type
accountid	Unique Identifier
accountnumber	Text
createdon	Date and Time
modifiedon	Date and Time
versionnumber	Big Integer

The data must load in the least amount of time.

You need to configure the incremental refresh settings for the dataflow.

Which columns should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Incremental refresh setting

Filter field

Detect data changes

Column name

accountnumber
createdon
accountid
accountnumber
versionnumber

versionnumber
createdon
modifiedon
accountnumber
versionnumber

Microsoft

Answer:

Answer Area

Incremental refresh setting

Filter field

Detect data changes

Column name

accountnumber
createdon
accountid
accountnumber
versionnumber

versionnumber
createdon
modifiedon
accountnumber
versionnumber

Microsoft

NEW QUESTION: 65

You are designing a desktop user interface (UI) flow.

The UI flow automates legacy software.

You need to prepare data for transfer to a Microsoft SharePoint list.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select information to pass to the SharePoint list.

Copy and paste the text in the output definition window.

On the Outputs menu of the UI flow, choose **Select text on screen**.

Enter a name and description for the output.

Start recording the UI flow.

Stop the recording and save the flow.

Answer Area



Answer:

Actions

Select information to pass to the SharePoint list.

Copy and paste the text in the output definition window.

On the Outputs menu of the UI flow, choose **Select text on screen**.

Enter a name and description for the output.

Start recording the UI flow.

Stop the recording and save the flow.

Answer Area

Start recording the UI flow.

On the Outputs menu of the UI flow, choose **Select text on screen**.

Select information to pass to the SharePoint list.

Enter a name and description for the output.

Explanation

Start recording the UI flow.

On the Outputs menu of the UI flow, choose **Select text on screen**.

Select information to pass to the SharePoint list.

Enter a name and description for the output.

Reference:

<https://docs.microsoft.com/en-us/power-automate/ui-flows/inputs-outputs-desktop#use-outputs-to-extract-inform>

NEW QUESTION: 66

You configure an alert in Power BI.

You need to alert users when the value of a tile exceeds a threshold. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Where should you configure the Power BI alert so that it triggers the process?

Who can see alerts configured for Power BI?

Microsoft

Power BI
Common Data Service
Power Automate
Power BI admin portal

The person who created the alert.
The dashboard owner and the person who created the alert.
Everyone who has access to the dashboard.
Everyone who has access to the Power BI instance.

Answer:

Where should you configure the Power BI alert so that it triggers the process?

Who can see alerts configured for Power BI?

Microsoft

Power BI
Common Data Service
Power Automate
Power BI admin portal

The person who created the alert.
The dashboard owner and the person who created the alert.
Everyone who has access to the dashboard.
Everyone who has access to the Power BI instance.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

NEW QUESTION: 67

You are designing a canvas app that connects to Common Data Service.

You need to configure the app to meet the requirements and ensure that the canvas app is available offline.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDateOffline ShowData

Microsoft

Answer:

Requirement



Microsoft

Function

Pass values from the current screen when moving to another screen.

	▼
Navigate	
Back	
MovePrevious	

Display data to a user when the app is offline.

	▼
LoadData	
LoadDateOffline	
ShowData	

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION: 68

On a Contact record, a user creates a Note record that contains the word running.

One week later, the user reports that they cannot find the Contact record associated with the Note record.

You need to find the Note record.

Solution: Use Categorized Search to search for the word run.

Does the solution meet the goal?

A. No

B. Yes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

You set up a new instance of Dynamics 365 for Customer Service.

Users report a variety of issues working with cases on mobile devices.

You need to configure the mobile app to be able to view cases.

NOTE: Each correct selection is worth one point.

Scenario	Action needed
Users cannot see case records on mobile devices.	Microsoft ▼ Configure mobile settings set on the case entity level. Configure mobile settings at the field level within the case form. Configure a security role in the mobile permission set for appropriate users.
Users can open cases but cannot see the subject of the case.	Microsoft ▼ Configure mobile settings set at the case entity level. Configure mobile settings at the field level within the case form. Configure a security role in the mobile permission set for appropriate users.
Users report that they cannot access the system from the Dynamics 365 mobile app.	Microsoft ▼ Configure mobile settings set at the case entity level. Configure mobile settings at the field level within the case form. Configure a security role in the mobile permission set for appropriate users.

Answer:

Scenario	Action needed
Users cannot see case records on mobile devices.	Microsoft ▼ Configure mobile settings set on the case entity level. Configure mobile settings at the field level within the case form. Configure a security role in the mobile permission set for appropriate users.
Users can open cases but cannot see the subject of the case.	Microsoft ▼ Configure mobile settings set at the case entity level. Configure mobile settings at the field level within the case form. Configure a security role in the mobile permission set for appropriate users.
Users report that they cannot access the system from the Dynamics 365 mobile app.	Microsoft ▼ Configure mobile settings set at the case entity level. Configure mobile settings at the field level within the case form. Configure a security role in the mobile permission set for appropriate users.

NEW QUESTION: 70

A company uses Dataverse to store the names of contacts. The company uses a shared Microsoft Excel file to collect the data. The company requires that the contacts be added to Dataverse automatically every day. You need to identify which tools are required to create and perform the import. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 71

You create a Power Apps app.

The app must be able to display a list of records that are sorted by category. The app must also expand or hide the list by subtopics.

You need to configure the app.

Which tool should you use?

- A. card
- B. expression
- C. Power BI dashboard
- D. gallery

Answer: ([SHOW ANSWER](#))

A gallery control in Power Apps allows you to display a list of records, and can be configured to sort the records by a specific field, such as category. Additionally, the gallery control has built-in functionality for expanding or hiding a list of subtopics. This can be done by adding a toggle control within the gallery template to show or hide the subtopics based on user interaction.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-gallery>

NEW QUESTION: 72

A company uses Power Apps.

You create a custom table and configure a child table relationship with the contact table.

You need to configure the cascading rules for each action.

Which behavior should you use? To answer, drag the appropriate behaviors to the correct actions. Each behavior may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows the Power Apps configuration interface for cascading rules. It consists of three main panes: 'Behaviors', 'Action', and 'Behavior'. The 'Behaviors' pane on the left contains three options: 'Restrict', 'Cascade All', and 'Cascade None'. The 'Action' pane in the center lists two actions: 'Custom table record is deleted.' and 'Custom table record is shared.'. The 'Behavior' pane on the right is empty. A watermark 'exam-tests.com' is visible across the interface.

Answer:

The screenshot shows the same Power Apps configuration interface as before, but with selections. In the 'Behaviors' pane, 'Restrict', 'Cascade All', and 'Cascade None' are each enclosed in a green box. In the 'Behavior' pane, 'Restrict' and 'Cascade All' are each enclosed in a red box. The 'Action' pane remains unchanged. A watermark 'exam-tests.com' is visible.

NEW QUESTION: 73

A bank uses Power BI visualizations to help determine whether they should loan money to a customer. The bank has three different visuals that are part of a Power BI report. The bank uses a set of four risk variables that indicate whether the customer is creditworthy.

You must create a mechanism so that bank employees can change the values of the four risk variables. Changes to the value of any variable must cause the three visualizations to update.

You need to create the solution.

Which action should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Update the visualizations when users change the values of the risk variables.	Embed a canvas app in a Power BI report. Embed a Power BI report in a model-driven app. Embed a model-driven app in a Power BI report.
Ensure that users can adjust the values of the four risk variables that contribute to a customer's credit risk.	Use Power BI tiles. Use Power Apps visuals. Use the Power BI service.

Answer:

Requirement	Action
Update the visualizations when users change the values of the risk variables.	Embed a canvas app in a Power BI report. Embed a Power BI report in a model-driven app. Embed a model-driven app in a Power BI report.
Ensure that users can adjust the values of the four risk variables that contribute to a customer's credit risk.	Use Power BI tiles. Use Power Apps visuals. Use the Power BI service.

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/use-power-bi>

NEW QUESTION: 74

You have a model-driven app. You create five Microsoft Excel templates for analyzing customer data.

Four of the templates must be available to all users. The remaining template must be available only to you.

You configure the appropriate security roles for users.

You need to determine how to upload the Excel templates.

Which method should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Answer:

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Explanation

Table Description automatically generated with medium confidence

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Box 1: In the Settings menu, select Document Templates

Templates uploaded from the Settings page are available to all users. You don't need to take any further action.

Administrators can use the Settings page to upload the Excel template. A template uploaded in Settings is available to all users.

For admins: Upload the Excel template

- * Go to Settings > Templates > Document Templates.
- * Click Upload Template.
- * Drag the Excel file into the dialog box or browse to find and upload the file.
- * Upload Template dialog box.
- * Click Upload.

Box 2: In the view for the email records, select Excel templates

Note: For non-admins or admins wanting to create a personal template: Upload the Excel template Open a page with a list of records, for example, the list of Sales Opportunities. Go to Sales > Opportunities > My Open Opportunities.

- * On the menu bar, click Excel Templates > Create Excel Template.
- * Click Excel Template > Upload.
- * Click Upload to add the Excel template.

- * Drag the file into the dialog box or browse to find and upload the file.
- * Click Upload.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/analyze-your-data-with-excel-templates>

NEW QUESTION: 75

You plan to create a canvas app.

The app must meet the following requirements:

- * Send an email after a record is saved.
- * Display the expiration column on a form if the creation date of the record is older than 90 days.

You need to configure the app.

Which features should you use? To answer, select the appropriate options in the answer area.

Answer Area

Requirement

Send an email.

Feature

- Power Automate flow
- Connection
- Collection
- Power Automate flow
- Formula

Display the expiration column.

- Formula
- Formula
- Collection
- Connection

Answer:

Answer Area

Requirement

Send an email.

Feature

- Power Automate flow
- Connection
- Collection
- Power Automate flow
- Formula

Display the expiration column.

- Formula
- Formula
- Collection
- Connection

Explanation:

Answer Area

Requirement	Feature
Send an email.	Power Automate flow
Display the expiration column.	Formula

NEW QUESTION: 76

You create a Power Apps app for Microsoft Teams using Microsoft Dataverse for Teams. Users report that they are unable to view the app in Teams. You need to ensure that users can access the app. What should you do?

- A. Share the app with a security group by using the Maker portal.
- B. Share the app with a security group in Teams.
- C. Request that a tenant administrator pin the app to the app bar in Teams.
- D. Publish the app by using the Maker portal.
- E. Share the app with individual users by using the Maker portal.

Answer: (SHOW ANSWER)

When you create a Power Apps app for Microsoft Teams using Microsoft Dataverse for Teams, the app needs to be added to the app bar in Teams before it can be accessed by users. This can only be done by a tenant administrator. To ensure that users can access the app, you would need to request that the tenant administrator pin the app to the app bar in Teams.

Sharing the app with a security group by using the Maker portal (A) or in Teams (B) would allow users in that group to access the app, but they would still need to be able to find and open the app.

Here are some references from Microsoft that may be helpful in understanding how to make Power Apps app available in Teams:

Microsoft docs: Add a Power Apps app to a Microsoft Teams channel

Microsoft docs: Pin a Power Apps app to the app bar in Microsoft Teams

Microsoft docs: Distribute Power Apps for Microsoft Teams

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:
<https://www.braindumpsPass.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

You are implementing a model-driven app to support a new line of business.

There are several places where automated business logic must be applied.

You need to determine how to apply the business logic.

Which method should you use? To answer, drag the appropriate methods to the appropriate business logic statements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Methods

Business rule

Real-time workflow

Power Automate instant flow

Answer Area**Business logic**

Make a field read only until a predetermined value is exceeded

Automatically send an email when a record's status is changed to deactivated.

Use the previous value of a field when the value is automatically updated as part of the

Method

Method

Method

Method

Answer:

Methods	Answer Area
	Business logic Method
Business rule	Make a field read only until a predetermined value is exceeded. Business rule
Real-time workflow	Automatically send an email when a record's status is changed to deactivated. Real-time workflow
Power Automate instant flow	Use the previous value of a field when the value is automatically updated as part of the Power Automate instant flow

Explanation:

Graphical user interface, text, application Description automatically generated

Business logic	Method
Make a field read only until a predetermined value is exceeded.	Business rule
Automatically send an email when a record's status is changed to deactivated.	Real-time workflow
Use the previous value of a field when the value is automatically updated as part of the	Power Automate instant flow

Box 1: Business rule

By combining conditions and actions, you can do any of the following with business rules:

- * NSE5_FSM-5.2 Set column values
- * Clear column values
- * Set column requirement levels
- * Show or hide columns
- * Enable or disable columns
- * Validate data and show error messages
- * Create business recommendations based on business intelligence.

Box 2: Real-time workflow

Real-time workflows:

Graphical user interface, text, application, email Description automatically generated

Process: Discount for a specific group of accounts - Microsoft Dynamics CRM - Internet Explorer

File Save and Close Activate Convert to a real-time workflow Show Dependencies Actions

Process: Discount for a specific group of accounts Working on solution: Default Solution

Information

Common Information Audit History Process Sessions

General Administration Notes

Hide Process Properties

Process Name: Discount for a specific group of account

Activate As: Process

Available to Run

☒ Run this workflow in the background (recommended)

☐ As an on-demand process

☐ As a child process

Workflow Job Retention

☒ Automatically delete completed workflow jobs (to save disk space)

Entity: Opportunity

Category: Workflow

Options for Automatic Processes

Scope: User

Start when:

☒ Record is created

☐ Record status changes

☐ Record is assigned

☐ Record fields change

☐ Record is deleted

Add Step Insert Delete this step

Discount for the child accounts of the Alpine Ski House account

If Account (Account):Account Under [Alpine Ski House (sample)], then:

Apply 10% discount

Update: Opportunity Set Properties

Discount for the accounts that are not children of the Alpine Ski House account

If Account (Account):Account Not Under [Alpine Ski House (sample)], then:

Apply 5% discount

Update: Opportunity Set Properties

Status: Draft

100%

Box 3: Power Automate instant flow

Instant Flows don't have a trigger in the same way as the Automated flow. Instead, they are triggered manually or on-demand, such as a user clicking a Flow button in the mobile app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-business-rules-recommendations-a>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/configure-workflow-steps>

<https://carldesouza.com/difference-between-instant-automated-and-scheduled-flows-in-power-automate-and-how>

NEW QUESTION: 78

A company's sales staff wants a simplified way to manage their opportunities in Dynamics 365 Sales without adding custom code.

You need to provide a solution for each requirement.

Which solutions should you provide? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Solution
Drag and drop opportunities to change the stage.	Add a Kanban control. Add a Timeline control. Add an Editable Grid control. Add a Calendar control.
Show each salesperson their opportunities in Calendar and Kanban view.	Add both controls to a custom view. Add both controls to the My Opportunities view. Add one control to All Opportunities and a custom view. Add one control to My Opportunities and a custom view.
Show each salesperson the number of open opportunities by stage in a standard view.	Use the List view. Use the Timeline control. Use the Kanban control. Use the chart pane on the view.

Answer:

Requirement	Solution
Drag and drop opportunities to change the stage.	Add a Kanban control. Add a Timeline control. Add an Editable Grid control. Add a Calendar control.
Show each salesperson their opportunities in Calendar and Kanban view.	Add both controls to a custom view. Add both controls to the My Opportunities view. Add one control to All Opportunities and a custom view. Add one control to My Opportunities and a custom view.
Show each salesperson the number of open opportunities by stage in a standard view.	Use the List view. Use the Timeline control. Use the Kanban control. Use the chart pane on the view.

Explanation

Graphical user interface, text, application, email Description automatically generated

Requirement	Solution
Drag and drop opportunities to change the stage.	Add a Kanban control. Add a Timeline control. Add an Editable Grid control. Add a Calendar control.
Show each salesperson their opportunities in Calendar and Kanban view.	Add both controls to a custom view. Add both controls to the My Opportunities view. Add one control to All Opportunities and a custom view. Add one control to My Opportunities and a custom view.
Show each salesperson the number of open opportunities by stage in a standard view.	Use the List view. Use the Timeline control. Use the Kanban control. Use the chart pane on the view.

Box 1: Add a Kanban control.

The Kanban view allows your sales team to move opportunities from one stage to another by simply dragging them.

Box 2: Add both controls to the My Opportunities view.

* Kanban views help salespeople to manage their opportunities and activities effectively. Add the Kanban control to the Opportunity and Activity entity so salespeople can use the Kanban views. The Kanban control works only on the Opportunity and Activity entities.

* If you use unified interface, you can display any record in a calendar view via the calendar control.

- Go to Settings->Customization->Customize the System
- Open the configuration for the entity that you want to use the calendar control (Opportunities in our example)
- Click the View tab
- Click "Add Control" and select the calendar control.
- Click the dot for every interface from which you want the calendar control to be available.

Box 3: Use a List view

opportunities in Dynamics 365 Sales

Reference:

<https://docs.microsoft.com/en-us/dynamics365-release-plan/2020wave1/dynamics365-sales/work-opportunities-k>

<https://crmtipoftheday.com/1206/view-any-dynamics-365-record-on-a-calendar/>

<https://fivep.com.au/how-to-get-visibility-and-report-on-an-opportunities-active-current-sales-stage-without-code>

NEW QUESTION: 79

The business team provides the following list of features that they would like you to implement:

- * Group by or sort columns in the current view.
- * Configure a business rule to show an error message.
- * Edit values in calculated fields.
- * Edit the Address composite field.
- * Use the editable grid on mobile phones.

Which actions can you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Group by or sort columns in the current view.

Yes
No

Configure a business rule to show an error message.

Yes
No

Edit values in calculated fields.

Yes
No

Edit the Address composite field.

Yes
No

use the editable grid on mobile phones.

Yes
No

Answer:

	Yes	No
Group by or sort columns in the current view.	☒	☐
Configure a business rule to show an error message.	☒	☐
Edit values in calculated fields.	☒	☐
Edit the Address composite field.	☒	☐
use the editable grid on mobile phones.	☒	☐

Explanation

Action	Can be performed?
Group by or sort columns in the current view.	☐ Yes ☐ No
Configure a business rule to show an error message.	☐ Yes ☐ No
Edit values in calculated fields.	☐ Yes ☐ No
Edit the Address composite field.	☐ Yes ☐ No
Use the editable grid on mobile phones.	☐ Yes ☐ No

NEW QUESTION: 80

A company uses model-driven apps.

Users in the sales department enter the first name, last name, and phone number of customers in the app. The users request a single screen in the app to enter the customer data.

You need to configure the app.

What should you do?

- A. Create a canvas app.
- B. Modify the site map.
- C. Create a Power Automate flow.
- D. Use a Power Virtual Agents app.

Answer: B ([LEAVE A REPLY](#))

To configure a model-driven app in order to provide a single screen for the sales department users to enter the customer data, you should modify the site map of the app. A site map is a hierarchical representation of the different areas and functionality of the app, and it can be

modified to create a new screen or view that combines the necessary fields for the customer data entry.

Once the site map is modified, you can add the necessary fields (first name, last name, and phone number) to the new screen or view, and make it accessible to the sales department users.

References:

* <https://docs.microsoft.com/en-us/power-platform/admin/model-driven-apps-overview>

* <https://docs.microsoft.com/en-us/power-platform/admin/modify-site-map>

NEW QUESTION: 81

You have a canvas app that allows users to view, select and purchase products. The app uses a Gallery control to display products and checkboxes that allow users to select products.

When users select items from the product catalog, they move to a different screen to complete a purchase.

Users must be able to clear all product selections when they click the button.

You need to configure the button.

What should you do?

- A.** Use the ForAll() function to iterate through each item of the Gallery and clear user selections.
- B.** Use the Reload(control) formula and pass the gallery control as parameter to the Reload formula.
- C.** Set the OnCheck value to populate a collection and the OnUncheck value to remove the item from the collection. Clear the collection when the user selects the button.
- D.** Use the Reset (Control) formula and pass the gallery control as a parameter to the Reset formula.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 82

You are designing a chatbot for a sports outlet.

You need to complete the chatbot.

Which features should you use? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE Each correct selection is worth one point.

Features	Answer Area	Feature
Topics	Requirement Enable the chatbot to relate to a real-world object or topic in a dialog. Define the path and triggers for a chatbot conversation. Implement conditional logic to dynamically route a conversation across different paths.	Feature
Entities		Feature
Variables		Feature
Flows		

Answer:

Features	Answer Area	Feature
Topics	Requirement Enable the chatbot to relate to a real-world object or topic in a dialog. Define the path and triggers for a chatbot conversation. Implement conditional logic to dynamically route a conversation across different paths.	Entities
Entities		Topics
Variables		Variables
Flows		

Explanation

Graphical user interface, text, application, email Description automatically generated

Requirement	Feature
Enable the chatbot to relate to a real-world object or topic in a dialog.	Entities
Define the path and triggers for a chatbot conversation.	Topics
Implement conditional logic to dynamically route a conversation across different paths.	Variables

Box 1: Entities

Out of the box, Power Virtual Agents comes with a set of prebuilt entities, which represent the most commonly used stereotype information in real-world dialogs, such as age, colors, numbers, and names.

With the knowledge granted by entities, a bot can smartly recognize the relevant information from a user input and save it for later use.

Box 2: Topics

In Power Virtual Agents, a topic defines a how a bot conversation plays out.

You can author topics by customizing provided templates, create new topics from scratch, or get suggestions from existing help sites.

A topic has trigger phrases - these are phrases, keywords, or questions that a user is likely to type that is related to a specific issue - and conversation nodes - these are what you use to define how a bot should respond and what it should do.

Box 3: Variables

Variables let you save responses from your customers in a conversation with your bot so that you can reuse them later in the conversation.

For example, you can save a customer's name in a variable called UserName. The bot can then address the customer by name as the conversation continues.

You can use variables to create logical expressions that dynamically route the customer down different conversation paths.

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

<https://docs.microsoft.com/en-us/power-virtual-agents/authoring-create-edit-topics>

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-flow>

<https://docs.microsoft.com/en-us/power-virtual-agents/authoring-variables>

NEW QUESTION: 83

The app needs to store temporary data

* Each screen must maintain a separate copy of data and pass the data to another screen.

* The app must be able to update separate rows of a table independently.

You need to configure variables for the data.

Which variable types should you use? To answer, drag the appropriate variable types to the correct requirements. Each variable type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows the 'Variable types' pane on the left with three options: 'Collection', 'Global variable', and 'Context variable'. The 'Requirement' pane in the center lists two requirements: 'Screens maintain separate data and pass the data to another screen.' and 'Update separate rows of a table independently.' The 'Variable type' pane on the right is empty.

Answer:

The screenshot shows the same interface as before, but with the 'Global variable' and 'Context variable' options in the 'Variable types' pane highlighted with green dashed boxes. In the 'Variable type' pane, 'Global variable' is assigned to the first requirement and 'Context variable' is assigned to the second requirement, both indicated by red dashed boxes.

Explanation

Graphical user interface, text, application Description automatically generated with medium confidence

This screenshot is a clearer view of the interface. The 'Global variable' and 'Context variable' options in the 'Variable types' pane are highlighted with green dashed boxes. In the 'Variable type' pane, 'Global variable' is assigned to the first requirement and 'Context variable' is assigned to the second requirement, both indicated by red dashed boxes.

NEW QUESTION: 84

A company has a model-driven app that uses Microsoft Dataverse.

Users need to add an alternate phone number when entering their account information. The users also require a list that displays the customers that do not have an alternate phone number.

You need to enable the required features.

Which features should you use? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Features

- Table
- View
- Column
- Relationship

Requirement

- Add alternate phone number.
- List of customers without alternate phone number.

Feature

-
-

Answer:

Features

- Table
- View
- Column
- Relationship

Requirement

- Add alternate phone number.
- List of customers without alternate phone number.

Feature

- Column
- View

Explanation:

Features

- Table
- View
- Column
- Relationship

Requirement

- Add alternate phone number.
- List of customers without alternate phone number.

Feature

- Column
- View

NEW QUESTION: 85

You need to design the guest check-in solution.

Which technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

- Develop the base check-in solution.
- Access the check-in solution on the check-in devices.
- Access the check-in solution on the check-in devices.

Technology

- Xamarin app
- Power Apps portal
- Model-driven app
- Canvas app
- Traditional desktop application
- Web browser
- Power Apps mobile app
- Dynamics 365 for phones and tablets

Answer:

Answer Area	
Requirement	Technology
Develop the base check-in solution.	Xamarin app Power App Model-driven app Canvas app
Access the check-in solution on the check-in devices.	
Access the check-in solution on the check-in devices.	
Access the check-in solution on the check-in devices.	
	Traditional desktop application Web browser Power Apps mobile app Dynamics 365 for phones and tablets

NEW QUESTION: 86

A company deploys several model-driven apps. The company uses shared devices in their warehouse. The devices are always powered on. Users log on to the devices and then launch the apps to perform actions.

Unauthorized users recently uploaded several files after another user failed to log out of a device. The company needs to prevent these incidents from occurring in the future.

You need to configure the solution to prevent the reported security incidents.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Prevent unauthorized access to devices.	Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Answer:

Requirement	Action
Prevent unauthorized access to devices.	Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Explanation:

Graphical user interface, text, application Description automatically generated

Requirement	Action
Prevent unauthorized access to devices.	Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Box 1: Set a timeout in the Power Platform admin center.

To enforce users to reauthenticate after a pre-determined period of time, admins can set a session timeout for their individual environments. Users can only remain signed in the application for the duration of session. The application signs out the user when the session expires. Users need to sign in with their credentials to return to customer engagement apps.

Note: Configure session timeout

- * In the Power Platform admin center, select an environment.
- * Select Settings > Product > Privacy + Security.
- * Set Session Expiration and Inactivity timeout. These settings apply to all users.

Incorrect:

Configure inactivity timeout


- * In the Power Platform admin center, select an environment.
- * Select Settings > Product > Privacy + Security.
- * Set Session Expiration and Inactivity timeout. These settings apply to all users.

Box 2: Enter the restricted file types in the SharePoint admin center.

To block uploading of specific file types

- * Go to the Settings page of the new SharePoint admin center,
- * Select Sync.

Graphical user interface, text, application Description automatically generated



- * Select the Block upload of specific file types check box.
- * Enter the file name extensions you want to block, for example: exe or mp3.
- * Select Save.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/user-session-management>

<https://docs.microsoft.com/en-us/onedrive/block-file-types>

NEW QUESTION: 87

A company uses a model-driven Power Apps app in a new environment. The base language is English.

You need to configure French and Spanish.

Which configuration component should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Allow a language to be used within an organization.

Enable the languages.



Microsoft

Answer:

Requirement



Microsoft

Allow a language to be used within an organization.

Enable the languages.

Configuration component

▼
Default language
Language collation
Language packs
LCID

▼
Browser
Environment
Power Apps app
Tenant

Configuration component

▼
Default language
Language collation
Language packs
LCID

▼
Browser
Environment
Power Apps app
Tenant

NEW QUESTION: 88

You are a Dynamics 365 Customer Service administrator.

A user must be able to view system posts and activities in a dashboard.

You need to create the dashboard for the user.

Which components should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Requirement	Component
Display system posts	▼ Timeline Organization insights Iframe Relationship Insights
Display activities	▼ Lists Social Insights Organization Insights Relationship Insights

Answer:

Requirement	Component
Display system posts	▼ Timeline Organization insights Iframe Relationship Insights
Display activities	▼ Lists Social Insights Organization Insights Relationship Insights

Explanation

Graphical user interface, text, application Description automatically generated



Box 1: Timeline

The timeline helps agents see all customer interaction history across channels, personnel, and the support lifecycle. The timeline is used across Dynamics 365 applications to capture activities like notes, appointments, emails, tasks, and more, to ensure that all interactions with the customer are tracked and visible over time.

Agents use the timeline to quickly catch up on all of the latest activity details with the customer to provide the most personalized support experience.

Box 2: Lists

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customer-service/customer-service-hub-user-guide-timeline-admin>

NEW QUESTION: 89

You create a parent entity and a child entity. The parent entity has a 1:N relationship with the child entity.

You need to ensure that when the owner changes on the parent record that all child records are assigned to the new owner.

You need to configure the relationship behavior type.

What should you use?

- A. Parental
- B. Referential, Restrict Delete
- C. Referential
- D. Restrict

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/dynamics365/customer-engagement/customize/create-and-edit-1n-relationships#relationship-behavior> A parental table relationship is any 1:N table

relationship where one of the cascading options in the Parental column of the following table is true.

Action	Parental	Not Parental
Assign	Cascade All Cascade User-owned Cascade Active	Cascade None
Delete	Cascade All	RemoveLink Restrict
Reparent	Cascade All Cascade User-owned Cascade Active	Cascade None
Share	Cascade All Cascade User-owned Cascade Active	Cascade None
Unshare	Cascade All Cascade User-owned Cascade Active	Cascade None

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships>

NEW QUESTION: 90

You are designing a Power Virtual Agents chatbot for a store.

You need to teach the chatbot to acknowledge the store's product categories and the variations within specific categories.

You need to create custom entities to provide the chatbot with the knowledge of the product categories.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Microsoft

Requirement

Analyze misspellings, grammar variations, and semantic

variations

Make the bot smarter by expanding the matching logic.

Extract a category selected by a user during a conversation into a variable for later use.

Feature

Slot filling
Synonyms
Smart matching
Topics
Fuzzy matching

Slot filling
Synonyms
Topics

Slot filling
Synonyms
Smart matching
Topics

Answer:

Answer Area



Microsoft

Requirement

Analyze misspellings, grammar variations, and semantic

variations

Make the bot smarter by expanding the matching logic.

Extract a category selected by a user during a conversation into a variable for later use.

Feature

Slot filling
Synonyms
Smart matching
Topics
Fuzzy matching

Slot filling
Synonyms
Topics

Slot filling
Synonyms
Smart matching
Topics

Explanation:

Smart match

Synonyms

Topic

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION: 91

You are a consultant. A client asks you to remove several solutions in one of their Microsoft Dataverse environments. The client wants to know what effect removing the solutions will have on the rest of the system.

You need to explain the results of removing the solutions.

Which components will be affected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Solution description

An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.

Component or components removed

The solution only.
The solution and the lookup column.
The solution, the table, and any data in the table.

A managed solution patch contains an update to a column label. The column is used in several forms and views.

The solution and the updated column label.
The solution, the column, and any data in the column.
The solution, the table, and the updated column label.

A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.

The solution only.
The solution and the site map.
The solution, the table, and any data in the table.

Answer:

Solution description	Component or components removed
An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.	☐ The solution only. ☐ The solution and the lookup column. ☐ The solution, the table, and any data in the table.
A managed solution patch contains an update to a column label. The column is used in several forms and views.	☐ The solution and the updated column label. ☐ The solution, the column, and any data in the column. ☐ The solution, the table, and the updated column label.
A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.	☐ The solution only. ☐ The solution and the site map. ☐ The solution, the table, and any data in the table.

Explanation:

Graphical user interface, text, application, email Description automatically generated

Solution description

An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.

Component or components removed

☐ The solution only.

A managed solution patch contains an update to a column label. The column is used in several forms and views.

☐ The solution, the table, and the updated column label.

A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.

☐ The solution, the table, and any data in the table.



Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:

NEW QUESTION: 92

A company deploys several model-driven apps. The company uses shared devices in their warehouse. The devices are always powered on. Users log on to the devices and then launch the apps to perform actions.

Unauthorized users recently uploaded several files after another user failed to log out of a device. The company needs to prevent these incidents from occurring in the future.

You need to configure the solution to prevent the reported security incidents.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Prevent unauthorized access to devices.	Microsoft Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Microsoft Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Answer:

Requirement	Action
Prevent unauthorized access to devices.	Microsoft Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Microsoft Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Explanation

Graphical user interface, text, application Description automatically generated

Requirement	Action
Prevent unauthorized access to devices.	▼ Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	▼ Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Box 1: Set a timeout in the Power Platform admin center.

To enforce users to reauthenticate after a pre-determined period of time, admins can set a session timeout for their individual environments. Users can only remain signed in the application for the duration of session. The application signs out the user when the session expires. Users need to sign in with their credentials to return to customer engagement apps.

Note: Configure session timeout

- * In the Power Platform admin center, select an environment.
- * Select Settings > Product > Privacy + Security.
- * Set Session Expiration and Inactivity timeout. These settings apply to all users.

Incorrect:

Configure inactivity timeout


- * In the Power Platform admin center, select an environment.
- * Select Settings > Product > Privacy + Security.
- * Set Session Expiration and Inactivity timeout. These settings apply to all users.

Box 2: Enter the restricted file types in the SharePoint admin center.

To block uploading of specific file types

- * Go to the Settings page of the new SharePoint admin center,
- * Select Sync.

Graphical user interface, text, application Description automatically generated



- * Select the Block upload of specific file types check box.
- * Enter the file name extensions you want to block, for example: exe or mp3.
- * Select Save.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/user-session-management>

<https://docs.microsoft.com/en-us/onedrive/block-file-types>

NEW QUESTION: 93

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating Power Virtual Agents chatbot that captures demographic information about customers.

The chatbot must determine the group a customer belongs to based on their age. The age groups are:

- * 0 - 17
- * 18 - 25
- * 26 - 35
- * 36 - 55
- * 55 - 100

You need to configure the chatbot to ask a question that can be used to determine the correct age group.

Solution: Create a custom Age group entity and synonyms for each individual age in the corresponding item. Use Age group for Identify in the question.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Integrate Power Apps with other apps and services

Question Set 1

NEW QUESTION: 94

You plan to create a Power Virtual Agents bot. The bot has the following requirements:

- * Ensure that user responses are available to any topic.
- * Recognize a list of words from spoken language of users.

You need to configure the bot.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

User responses are available to any topic.

Recognize a list of words from spoken language.

Feature

Global variable ▼

Entity

Bot variable

Global variable

Entity ▼

Topic

Entity

Variable

Answer:

Answer Area

Requirement

User responses are available to any topic.

Recognize a list of words from spoken language.



Microsoft

Feature

Global variable	▼
Entity	
Bot variable	
Global variable	

Entity	▼
Topic	
Entity	
Variable	

NEW QUESTION: 95

You are a Dynamics 365 for Customer Service developer.

You must trigger a mobile notification whenever a specific hashtag is posted from Twitter. The notification will send email to the company's social media teams distribution list.

You need to create a connection to the Twitter service and build a solution.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Sign in to the Business platform admin center and create a new project and connection set.	
Create a trigger to search for the new posts with the hashtag.	
Create an action to send a mobile notification.	
Sign in to Power Automate and create a new blank flow.	
Create a trigger to send a mobile notification.	
Select the social media connector, generate an authentication key from the service, and enter the key for the connection.	
Create an action to search for the new posts with the hashtag.	
Select the social media connector and enter the user credentials for the connection.	

⬅️ ➡️
⬆️ ⬆️

Answer:

Actions	Answer Area
Sign in to the Business platform admin center and create a new project and connection set.	Sign in to Power Automate and create a new blank flow.
Create a trigger to search for the new posts with the hashtag.	Select the social media connector and enter the user credentials for the connection.
Create an action to send a mobile notification.	Create an action to search for the new posts with the hashtag.
Sign in to Power Automate and create a new blank flow.	Create a trigger to send a mobile notification.
Create a trigger to send a mobile notification.	
Select the social media connector, generate an authentication key from the service, and enter the key for the connection.	
Create an action to search for the new posts with the hashtag.	
Select the social media connector and enter the user credentials for the connection.	

Explanation

Sign in to Power Automate and create a new blank flow.
Select the social media connector and enter the user credentials for the connection.
Create an action to search for the new posts with the hashtag.
Create a trigger to send a mobile notification.

NEW QUESTION: 96

A company has a canvas app that includes the following screens: Screen1 and Screen2.

The OnVisible property for Screen1 contains the following expression.

Set(AgeGroups, ["1-25", "26-54", "55+"])

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☐
AgeGroups is a collection.	☐	☐
You can use the Update function to change values in AgeGroups.	☐	☐

Answer:

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☒
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☒	☐

Explanation:

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☒
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☒	☐

NEW QUESTION: 97

You need to design the guest check-in solution.

Which technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Technology
Develop the base check-in solution.	Xamarin app Power Apps portal Model-driven app Canvas app
Access the check-in solution on the check-in devices.	Traditional desktop application Web browser Power Apps mobile app Dynamics 365 for phones and tablets

Answer:

Requirement	Technology
Develop the base check-in solution.	Xamarin app Power Apps portal Model-driven app Canvas app
Access the check-in solution on the check-in devices.	Traditional desktop application Web browser Power Apps mobile app Dynamics 365 for phones and tablets

NEW QUESTION: 98

A company that manufactures medical devices uses Power Apps to manage their sales and device maintenance.

A Table named Devices in Microsoft Dataverse has a column named Status. The Status column must have a new status value of Review added to the existing Choice values of Active and Inactive.

The table must be added to a solution to be promoted once the change is made.

Only this change must be promoted to the test environment. The changes must not be able to be changed once promoted. You need to add the change to a solution for promotion.

Options

- Add column
- Add existing
- Add required components
- Add subcomponent

Answer Area

Action

- Add the Devices table to the solution.
- Add the status column changes only to the solution.

Option

-
-

Answer:

Options

- Add column
- Add existing
- Add required components
- Add subcomponent

Answer Area

Action

- Add the Devices table to the solution.
- Add the status column changes only to the solution.

Option

- Add existing
- Add required components

Explanation

Options

- Add column
- Add existing
- Add required components
- Add subcomponent

Answer Area

Action

- Add the Devices table to the solution.
- Add the status column changes only to the solution.

Option

- Add existing
- Add required components

NEW QUESTION: 99

A company uses a model-driven app. The app uses a Power Virtual Agents chatbot.

The company has two locations in different countries/regions with separate environments for each location. Each location has a development environment, a testing environment, and a production environment. The company uses the Application Lifecycle Management (ALM) process for the environments.

You need to create the different Power Virtual Agents bot environments.

How many Power Virtual Agents bot environments are required?

- A. 1
- B. 2
- C. 3
- D. 6

Answer: ([SHOW ANSWER](#))

When a company uses a model-driven app that incorporates a Power Virtual Agents chatbot, and has multiple locations with different environments for each location, it is necessary to create separate Power Virtual Agents bot environments for each location.

For each location, 3 different environments are required: development, testing, and production. This is in line with the Application Lifecycle Management (ALM) process that the company uses. In total, 6 Power Virtual Agents bot environments are required: 2 locations x 3 environments per location = 6.

It's worth mentioning that Power Virtual Agents allows to export and import the bot, so once you configure the bot in one environment, you can import the bot to the other environments, this way you don't need to start from scratch.

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/create-bot/bot-lifecycle>

<https://docs.microsoft.com/en-us/power-virtual-agents/create-bot/export-import>

NEW QUESTION: 100

A customer tracks events by using a custom entity.

The custom entity includes a custom field for the venue of the events. The customer must be able to display the events by venue in a calendar.

You need to ensure that all events display by venue in the calendar.

To which component should you add a control?

- A. Form
- B. view
- C. Field
- D. Chart

Answer: B ([LEAVE A REPLY](#))

Explanation

If you use unified interface, you can display any record in a calendar view via the calendar control.

- * Go to Settings->Customization->Customize the System
- * Open the configuration for the entity that you want to use the calendar control (Opportunities in our example)
- * Click the View tab
- * Click "Add Control" and select the calendar control.
- * Click the dot for every interface from which you want the calendar control to be available.

Reference:

<https://crmtipoftheday.com/1206/view-any-dynamics-365-record-on-a-calendar/>

NEW QUESTION: 101

You are examining several processes to determine if you can automate the processes by using Power Automate.

The processes must run without human intervention when possible.

You need to determine which flow type should be used for each process.

Which flow type should you use? To answer, drag the appropriate processes to the correct flow types. Each process may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Flow types	Answer Area	Process	Flow type
Scheduled cloud flow		Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request.	
Attended desktop flow			
Unattended desktop flow		Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	

Answer:

Flow types	Answer Area	Process	Flow type
Scheduled cloud flow		Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request.	Attended desktop flow
Attended desktop flow			
Unattended desktop flow		Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	Unattended desktop flow

Explanation

Text Description automatically generated

Process	Flow type
Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request.	Attended desktop flow
Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	Unattended desktop flow

Box 1: Attended desktop flow

Desktop flows are used to automate tasks on the Web or the desktop.

To run an attended desktop flow, you need to have an active Windows user session that matches the name of the user configured for your connection.

Note: Web applications are critical components of most organizations, and they are commonly used to access data from servers.

Most CRM and ERP platforms run through web browsers, while the most popular business productivity tools are web services. Web applications are unquestionably an integral part of the technological infrastructure of most companies.

To provide automation solutions for these applications, Power Automate Desktop supports all major browsers through its web automation actions.

Box 2: Unattended desktop flow.

Unattended desktop flows are best for applications that do not need human supervision.

References:

<https://docs.microsoft.com/en-us/learn/modules/pad-web/1-introduction>

<https://docs.microsoft.com/en-us/power-automate/desktop-flows/run-pad-flow>

NEW QUESTION: 102

You are a Dynamics 365 Customer Service administrator.

Users report that the main form does not display data from other entities or allow them to edit data from other entities.

You need to embed information from other entities in the form and allow users to edit the data.

Which actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement



Edit data

	▼
Add a mobile form	
Add a quick create form	
Add a sub-grid	
Add a virtual entity	

View data

	▼
Add a reference panel	
Add a quick view	

Answer:

Requirement	Action										
Edit data	<table border="1"><thead><tr><th></th><th>▼</th></tr></thead><tbody><tr><td colspan="2">Add a mobile form</td></tr><tr><td colspan="2">Add a quick create form</td></tr><tr><td colspan="2">Add a sub-grid</td></tr><tr><td colspan="2">Add a virtual entity</td></tr></tbody></table>		▼	Add a mobile form		Add a quick create form		Add a sub-grid		Add a virtual entity	
	▼										
Add a mobile form											
Add a quick create form											
Add a sub-grid											
Add a virtual entity											
View data	<table border="1"><thead><tr><th></th><th>▼</th></tr></thead><tbody><tr><td colspan="2">Add a reference panel</td></tr><tr><td colspan="2">Add a quick view</td></tr></tbody></table>		▼	Add a reference panel		Add a quick view					
	▼										
Add a reference panel											
Add a quick view											

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Requirement	Action
Edit data	▼ - Add a mobile form - Add a quick create form - Add a sub-grid - Add a virtual entity
View data	▼ - Add a reference panel - Add a quick view

Box 1: Add a quick create form

With quick create forms, your app can have a streamlined data entry experience with full support for logic defined by form scripts and business rules.

Box 2: Add a quick view

A quick view form can be added to another form as a quick view control. It provides a template to view information about a related entity record within a form for another entity record. This means your app users do not need to navigate to a different record to see the information needed to do their work.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-quick-create-forms>

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/create-edit-quick-vi>

NEW QUESTION: 103

You create a model-driven app for an automobile parts help desk.

A help desk agent uses a form to gather information about customers' automobiles in two custom tables. The names of the tables are Client and Automobile, The form must prepopulate the following information about the customer from the client table:

- * First name
- * Last name

The agent must be able to type the following information about the automobile:

- * Automobile make
- * Automobile model

You need to implement the form.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 104

A company is creating a canvas app and a model-driven app to manage their customer accounts. The canvas app requires a business rule to set the Business Type column to large if the customer size is greater than a specific currency value.

The model-driven app requires a business rule to recommend the account rating be re-evaluated when the account goes on credit hold for this app only.

You need to configure the scope for the business rules.

Which scope should you use? To answer, drag the appropriate scopes to the correct business rules. Each scope may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Scopes

All forms
Specific form
Table

Answer Area

Business rule

Business Type column setting for customer size

Account rating re-evaluation

Scope

Answer:

Scopes <table border="1"><tr><td>All forms</td></tr><tr><td>Specific form</td></tr><tr><td>Table</td></tr></table>	All forms	Specific form	Table	Answer Area Business rule Business Type column setting for customer size Account rating re-evaluation Scope <table border="1"><tr><td>Table</td></tr><tr><td>Specific form</td></tr></table>	Table	Specific form
All forms						
Specific form						
Table						
Table						
Specific form						

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/create-business-rules-recommendations-apply-logic-form>

NEW QUESTION: 105

You create a Power Platform help Desk solution.

You need to create a dashboard that displays information on help desk cases that are handled each week.

Which dashboard components should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Component type

Add a tag chart by using opened cases.

	▼
System chart	
Personal dashboard	
Area chart	

Add a stacked column chart shared with your team.

	▼
System chart	
Personal dashboard	
Area chart	

Add a Microsoft Power BI visualization.

	▼
System chart	
Personal dashboard	
Area chart	

Add a chart from a view that a user creates.

	▼
System chart	
Personal dashboard	
Area chart	

Add a doughnut chart that shows cases by owner.

	▼
System chart	
Personal dashboard	
Area chart	

Answer:

Requirement	Component type
Add a tag chart by using opened cases.	▼ System chart Personal dashboard Area chart
Add a stacked column chart shared with your team.	▼ System chart Personal dashboard Area chart
Add a Microsoft Power BI visualization.	▼ System chart Personal dashboard Area chart
Add a chart from a view that a user creates.	▼ System chart Personal dashboard Area chart
Add a doughnut chart that shows cases by owner.	▼ System chart Personal dashboard Area chart

Reference:

<https://docs.microsoft.com/en-us/powerapps/user/add-powerbi-dashboards>

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-system-chart>

NEW QUESTION: 106

A company creates a Microsoft Power Apps app through the Power Apps designer portal for use in Microsoft Teams.

This app needs to be promoted to the user acceptance testing environment.

You need to complete the Microsoft recommended actions before you export the solution.

Which two actions should you complete? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Write validation tests.
- B. Set the Optimized embedding appearance field to true.
- C. Publish all changes.
- D. Run the solution checker.
- E. Clone a solution.

Answer: D,E (LEAVE A REPLY)

The Power Apps solution checker performs a rich static analysis check on your solutions against a set of best practice rules to quickly identify problematic patterns. After the check completes, you receive a detailed report that lists the issues identified, the components and code affected, and links to documentation that describes how to resolve each issue.

The solution checker analyzes these solution components:

Common Data Service plug-ins

Common Data Service custom workflow activities

Common Data Service web resources (HTML and JavaScript)

Common Data Service configurations, such as SDK message steps

Reference: <https://www.eimagine.com/ui/>

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam!

BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:

<https://www.braindumpsPass.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As

Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

The business team provides the following list of features that they would like you to implement:

- * Group by or sort columns in the current view.
- * Configure a business rule to show an error message.
- * Edit values in calculated fields.
- * Edit the Address composite field.
- * Use the editable grid on mobile phones.

Which actions can you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Group by or sort columns in the current view.

Yes
No

Configure a business rule to show an error message.

Yes
No

Edit values in calculated fields

Yes
No

Edit the Address composite field.

Yes
No

use the editable grid on mobile phones.

Yes
No

Answer:

Group by or sort columns in the current view.

Yes
No

Configure a business rule to show an error message.

Yes
No

Edit values in calculated fields

Yes
No

Edit the Address composite field.

Yes
No

use the editable grid on mobile phones.

Yes
No

NEW QUESTION: 108

A company uses Dataverse to store the names of contacts. The company uses a shared Microsoft Excel file to collect the data. The company requires that the contacts be added to Dataverse automatically every day. You need to identify which tools are required to create and perform the import. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Microsoft

Requirement
Create the import.

Tool

- Import Wizard
- Data map
- Dataflow
- Import from Excel
- Import Wizard

Perform the import.

Power Query

- Connections
- Custom connectors
- Power Apps
- Power Query

Answer:

Answer Area

Microsoft

Requirement
Create the import.

Tool

- Import Wizard
- Data map
- Dataflow
- Import from Excel
- Import Wizard

Perform the import.

Power Query

- Connections
- Custom connectors
- Power Apps
- Power Query

NEW QUESTION: 109

You need to recommend a role for users to perform several required tasks. The solution must use the principle of least privilege.

Which roles should you recommend? To answer, drag the appropriate roles to the correct functions. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Roles

- Office 365 global administrator
- Office 365 service administrator
- Dynamics 365 service administrator
- Dynamics 365 system administrator

Answer Area

Microsoft

Function

- Create new users.
- Assign roles to users.
- Perform backups for an instance.

Role

- Role
- Role
- Role

Answer:

Roles	Answer Area	Function	Role
Office 365 global administrator		Create new users.	Office 365 global administrator
Office 365 service administrator		Assign roles to users.	Dynamics 365 system administrator
Dynamics 365 service administrator		Perform backups for an instance.	Dynamics 365 service administrator
Dynamics 365 system administrator			

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/use-service-admin-role-manage-tenant>

<https://community.dynamics.com/crm/b/govandthecity/posts/understanding-dynamics-365-and-office-365-admin-roles>

NEW QUESTION: 110

You plan to create a Power BI dataflow.

The Power BI dataflow has the following requirements:

- * Be able to create a copy of the dataflow to separate Power BI workspaces-
- * Schedule the dataflow to update every day at 11:00 AW.

You need to configure the dataflow.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Export the JSON file.
	Change the settings.
	Change the properties.
	Add Streaming dataset.
Schedule updates.	Configure the Power BI service.
	Refresh the history.
	Configure the Power BI service.
	Share the dashboards with other users.
	Refresh automatically.

Answer:

Requirement	Action
Copy Power BI dataflow.	Export the JSON file.
Schedule updates.	Export the JSON file.
	Change the settings.
	Change the properties.
	Add Streaming dataset.
Schedule updates.	Configure the Power BI service.
	Refresh the history.
	Configure the Power BI service.
	Share the dashboards with other users.
	Refresh automatically.

NEW QUESTION: 111

You need to embed the check-in solution into the communication solution. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

What must you use to embed the check-in solution?	▼ Visual Studio Power Apps Web Studio AI Builder Common Data Service
Where must the check-in solution be available within the communication solution?	▼ chat section of the solution Microsoft 365 Apps selection grid in an embedded webpage in a tab

Answer:

What must you use to embed the check-in solution?	▼ Visual Studio Power Apps Web Studio AI Builder Common Data Service
Where must the check-in solution be available within the communication solution?	▼ chat section of the solution Microsoft 365 Apps selection grid in an embedded webpage in a tab

Explanation

Graphical user interface, application, Word Description automatically generated

What must you use to embed the check-in solution?	▼ Visual Studio Power Apps Web Studio AI Builder Common Data Service
Where must the check-in solution be available within the communication solution?	▼ chat section of the solution Microsoft 365 Apps selection grid in an embedded webpage in a tab

Box 1: Power Apps Web Studio

Scenario: The check-in solution must continue to function if there are internet issues. If the self-service kiosks are not available, staff must be able to use the check-in solution from within their communication solution.

PowerApps Studio is a browser application used to edit your apps. PowerApps Studio includes a drag-and-drop canvas in the center of the screen and a screen or object list pane on the left.

Properties, Rules, and Advanced Properties for selected screens or controls are displayed in the right pane.

Box 2: in a tab

You can customize the Teams experience by adding Power Apps canvas apps to your channels in Teams using the PowerApps tab.

NEW QUESTION: 112

You set up a new instance of Dynamics 365 for Customer Service.

Users report a variety of issues working with cases on mobile devices.

You need to configure the mobile app to be able to view cases.

NOTE: Each correct selection is worth one point.

Scenario	Action needed
Users cannot see case records on mobile devices.	Microsoft ☐ Configure mobile settings set on the case entity level. ☐ Configure mobile settings at the field level within the case form. ☐ Configure a security role in the mobile permission set for appropriate users.
Users can open cases but cannot see the subject of the case.	☐ Configure mobile settings set at the case entity level. ☐ Configure mobile settings at the field level within the case form. ☐ Configure a security role in the mobile permission set for appropriate users.
Users report that they cannot access the system from the Dynamics 365 mobile app.	☐ Configure mobile settings set at the case entity level. ☐ Configure mobile settings at the field level within the case form. ☐ Configure a security role in the mobile permission set for appropriate users.

Answer:

Scenario	Action needed
Users cannot see case records on mobile devices.	☒ <u>Configure mobile settings set on the case entity level.</u> ☐ Configure mobile settings at the field level within the case form. ☐ Configure a security role in the mobile permission set for appropriate users.
Users can open cases but cannot see the subject of the case.	☒ <u>Configure mobile settings set at the case entity level.</u> ☒ <u>Configure mobile settings at the field level within the case form.</u> ☐ Configure a security role in the mobile permission set for appropriate users.
Users report that they cannot access the system from the Dynamics 365 mobile app.	☐ Configure mobile settings set at the case entity level. ☒ <u>Configure mobile settings at the field level within the case form.</u> ☐ Configure a security role in the mobile permission set for appropriate users.

Explanation

1. User is able to login but can't see Case Records --> "Configure Mobile Settings on Case Entity Level"
2. Users can open cases but cannot see the subject of the case - "configure mobile settings at the field level within the case form"

3. User reports that they cannot access the system from Dynamics 365 mobile app --> Configure a security role in the mobile permission set of the appropriate user
<https://docs.microsoft.com/en-us/dynamics365/customer-engagement/mobile-app/set-up-dynamics-365-for-phon>

NEW QUESTION: 113

A company creates a canvas app.

The company plans to make the app available in Microsoft Teams. Only employees will be allowed to use the app.

You need to add the app to Teams.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

The screenshot shows a list of actions on the left and an empty answer area on the right. The actions are:

- Sign into the Maker portal for Microsoft Power Platform.
- Add the app to Teams.
- Select the required Power Apps app.
- Upload the Power Apps app to the Teams channel Files tab.
- Sign in to the Microsoft Power Platform Admin Center.
- Select and download the Power Apps app.
- Share the app to the Teams channel email address.

The answer area is empty, with a dashed red box indicating where to place the selected actions.

Answer:

The screenshot shows the same list of actions on the left. The answer area on the right now contains three actions in the correct sequence:

1. Sign in to the Microsoft Power Platform Admin Center.
2. Select and download the Power Apps app.
3. Share the app to the Teams channel email address.

Explanation

The screenshot shows the same list of actions on the left. The answer area on the right now contains three actions in the correct sequence:

1. Sign in to the Microsoft Power Platform Admin Center.
2. Select and download the Power Apps app.
3. Share the app to the Teams channel email address.

NEW QUESTION: 114

You need to enable the care staff to update a dog's weight.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Edit the resident form.
- Add a code component.
- Edit the dog form.
- Add a form component.
- Select the lookup.

Form configuration

Answer:

Actions

- Edit the resident form.
- Add a code component.
- Edit the dog form.
- Add a form component.
- Select the lookup.

Form configuration

- Edit the dog form.
- Add a form component.
- Select the lookup.

NEW QUESTION: 115

You need to create a system chart for the Account entity.

The chart must display a count of accounts grouped by owner and then display the accounts by Address 1: State/Province for each owner. You begin to configure chart options as shown in the image below.

Power Apps

File

Home

Save

Save & Close

Save as

Save

Column

Bar

Area

Line

Pie

Funnel

Charts

Tag

Doughnut

Top X Rule

Bottom X Rule

Clear Rules

Top/Bottom Rules

Working on solution: Default Solution

View used for chart preview

Active Accounts

Accounts by Owner and Address 1: State/Province



Legend Entries (Series)

☐

Select Field

Aggregate

+ Add a series

Horizontal {Category} Axis Labels

Select Field

X

Select Field

X

+ Add a category

Description

How should you complete the configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point. The chart must display a count of accounts grouped by owner, and then display the accounts by Address 1 to State/Province for each owner.

Component	Selection
Legend Entries (Series): Select Field	▼ Account Address 1: State/Province Owner
Legend Entries (Series): Aggregate	▼ Avg Count:All Sum
Horizontal (Category) Axis Labels: Select Fields	
First grouping field	▼ Account Address 1: State/Province Owner
Second grouping field	▼ Account Address 1: State/Province Owner

Answer:

Component

Selection

Legend Entries (Series): Select Field

	▼
Account	
Address 1: State/Province	
Owner	

Legend Entries (Series): Aggregate

	▼
Avg	
Count:All	
Sum	

Horizontal (Category) Axis Labels: Select Fields

First grouping field

	▼
Account	
Address 1: State/Province	
Owner	

Second grouping field

	▼
Account	
Address 1: State/Province	
Owner	

NEW QUESTION: 116

You need to design and create the solution for gathering contact information from guests for marketing purposes.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

Answer:

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

NEW QUESTION: 117

A bank uses Power BI visualizations to help determine whether they should loan money to a customer. The bank has three different visuals that are part of a Power BI report. The bank uses a set of four risk variables that indicate whether the customer is creditworthy.

You must create a mechanism so that bank employees can change the values of the four risk variables.

Changes to the value of any variable must cause the three visualizations to update.

You need to create the solution.

Which action should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement**Action**

Update the visualizations when users change the values of the risk variables.

Embed a canvas app in a Power BI report.
Embed a Power BI report in a model-driven app.
Embed a model-driven app in a Power BI report.

Ensure that users can adjust the values of the four risk variables that contribute to a customer's credit risk.

Use Power BI tiles.
Use Power Apps visuals.
Use the Power BI service.

Answer:**Requirement****Action**

Update the visualizations when users change the values of the risk variables.

Embed a canvas app in a Power BI report.
Embed a Power BI report in a model-driven app.
Embed a model-driven app in a Power BI report.

Ensure that users can adjust the values of the four risk variables that contribute to a customer's credit risk.

Use Power BI tiles.
Use Power Apps visuals.
Use the Power BI service.

Explanation

Box 1: Embed a Power BI report in a model-driven app

You can embed a Power BI report in a model-driven app main form.

Box 2: Use the Power BI service.

The Power BI cloud service works with Microsoft Dataverse apps to provide a self-service analytics solution.

Power BI automatically refreshes the app's data displayed. With Power BI Desktop or Microsoft Excel, Power Query for authoring reports and Power BI for sharing dashboards and refreshing data from model-driven apps, your users have a powerful way to work with your app's data.

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/embed-powerbi-report-in-system-form>

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/use-power-bi>

NEW QUESTION: 118

You need to set up the new service request completion process.

Which two components should you include in the solution? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. connection reference
- B. Power Automate flow
- C. connection
- D. business process flow

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 119

You plan to create a Power Virtual Agents bot.

The bot must support single sign-on.

You need to publish the bot.

Which two locations should you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Bot Service channels
- B. Mobile app developed for iOS and Android
- C. Microsoft Teams
- D. Website developed using pro developer tools

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 120

The business team provides the following list of features that they would like you to implement:

- * Group by or sort columns in the current view.
- * Configure a business rule to show an error message.
- * Edit values in calculated fields.
- * Edit the Address composite field.
- * Use the editable grid on mobile phones.

Which actions can you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Group by or sort columns in the current view.	Yes No
Configure a business rule to show an error message.	Yes No
Edit values in calculated fields	Yes No
Edit the Address composite field.	Yes No
use the editable grid on mobile phones.	Yes No

Answer:

Action	Can be performed?
Group by or sort columns in the current view.	☐ Yes ☐ No
Configure a business rule to show an error message.	☐ Yes ☐ No
Edit values in calculated fields.	☐ Yes ☐ No
Edit the Address composite field.	☐ Yes ☐ No
Use the editable grid on mobile phones.	☐ Yes ☐ No

Explanation:

Action	Can be performed?
Group by or sort columns in the current view.	☐ Yes ☐ No
Configure a business rule to show an error message.	☐ Yes ☐ No
Edit values in calculated fields.	☐ Yes ☐ No
Edit the Address composite field.	☐ Yes ☐ No
Use the editable grid on mobile phones.	☐ Yes ☐ No

NEW QUESTION: 121

A company creates a model-driven app.

Users require access to a Power BI report that is embedded in the app.

You need to configure the app.

Where should you add the report?

- A. XML report
- B. Dashboard
- C. Business rule
- D. Power Automate cloud flow

Answer: B ([LEAVE A REPLY](#))

Explanation

To add a Power BI report to a model-driven app, you should add it to a dashboard. Dashboards in model-driven apps provide a way to organize and display information, such as charts, tables, and reports. You can add a Power BI report to a dashboard by creating a new dashboard and then adding a Power BI report component to it. This component allows you to specify the report you want to add and configure its properties, such as size and layout. Users will then have access to the embedded report when they view the dashboard in the app. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/create-model-driven-app-dashboards>

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam!

BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:

<https://www.braindumpsPASS.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 122

You need to design and create the solution for gathering contact information from guests for marketing purposes.

What should you use? To answer, select the appropriate options In the answer area.

NOTE: Each correct selection is worth one point.

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

Answer:

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

Explanation

Action	Solution
Extract business card data.	AI Builder Common Data Service Power Virtual Agents Power Automate
Implement the contact gathering solution.	Create a new entity extraction component. Integrate the solution with Azure Cognitive Services. Use a prebuilt AI model.

NEW QUESTION: 123

You are configuring Microsoft Dataverse security. You plan to assign users to teams. Record ownership and permissions will differ based on business requirements. You need to determine which team types meet the requirements.

Which team type should you use? To answer, drag the appropriate team types to the correct requirements.

Each team type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Team types	Requirement	Team Type
Access team	Ability to own records in Dataverse	
Azure Active Directory group team	Provides permissions without a security role assigned	
Microsoft Teams team		

Answer:

Team types	Requirement	Team Type
Access team	Ability to own records in Dataverse	Microsoft Teams team
Azure Active Directory group team	Provides permissions without a security role assigned	Access team
Microsoft Teams team		

Explanation

Box 1: Microsoft Teams team

Dataverse supports two types of record ownership. Organization owned, and User or Team owned. This is a choice that happens at the time the table is created and can't be changed. For security purposes, records that are organization owned, the only access level choices is either the user can do the operation or can't.

For user and team owned records, the access level choices for most privileges are tiered Organization, Business Unit, Business Unit and Child Business Unit or only the user's own records. That means for read privilege on contact, I could set user owned, and the user would only see their own records.

Box 2: Access team

An access team doesn't own records and doesn't have security roles assigned to the team. The team members have privileges defined by their individual security roles and by roles from the teams in which they are members. The records are shared with an access team and the team is granted access rights on the records, such as Read, Write or Append.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/wp-security-cds>

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/use-access-teams-owner-teams-collaborate>

NEW QUESTION: 124

A company uses Dataverse to store the names of contacts. The company uses a shared Microsoft Excel file to collect the data. The company requires that the contacts be added to Dataverse automatically every day. You need to identify which tools are required to create and perform the import. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Create the import

Perform the import

Tool

Import Wizard

Data map

Dataflow

Import from Excel

Import Wizard

Power Query

Connections

Custom connectors

Power Apps

Power Query

Answer:

Answer Area

Requirement

Create the import

Perform the import

Tool

Import Wizard

Data map

Dataflow

Import from Excel

Import Wizard

Power Query

Connections

Custom connectors

Power Apps

Power Query

NEW QUESTION: 125

You are a Dynamics 365 Customer Service developer.

A salesperson creates a chart.

You need to ensure that the chart is available to all users on the team.

Which actions should the salesperson perform? To answer, drag the appropriate actions to the correct users.

Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions

Share the chart with the team.

Assign the chart to each person on the team.

Export the user chart to Microsoft Power BI. Import it as a Power BI visualization.

Export the user chart for import as a user chart.

Export the user chart for import as a system chart.

Answer Area

Step	Action
1	Action
2	Action

Answer:

Actions

Share the chart with the team.

Assign the chart to each person on the team.

Export the user chart to Microsoft Power BI. Import it as a Power BI visualization.

Export the user chart for import as a user chart.

Export the user chart for import as a system chart.

Answer Area

Step	Action
1	Export the user chart for import as a user chart.
2	Share the chart with the team.

Explanation

Step	Action
1	Export the user chart for import as a user chart.
2	Share the chart with the team.

NEW QUESTION: 126

A company has a Power Apps app.

The app must meet the following requirements:

- * Managers assign lead records to the sales department. A new phone call record must be created if a lead record has no activities.
- * An email must be sent to the manager if the phone call record created is not completed after one day.

Answer Area

Answer:

NEW QUESTION: 127

The company wants the app to display each local language.

You need to add the Spanish and French languages.

Which four actions should you perform in sequence for each language? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Import the solution.	 Microsoft
Export translations.	
Replace the language code column and translated wording in the CrmTranslations.xml file.	
Select an unmanaged solution.	
Select a managed solution.	
Add a language code column and translated wording in the CrmTranslations.xml file.	
Import translations.	
Export the solution.	

Answer:

Actions

Import the solution.
Export translations.
Replace the language code column and translated wording in the CrmTranslations.xml file.
Select an unmanaged solution.
Select a managed solution.
Add a language code column and translated wording in the CrmTranslations.xml file.
Import translations.
Export the solution.

Answer Area

Select an unmanaged solution.
Export translations.
Add a language code column and translated wording in the CrmTranslations.xml file.
Import translations.



Explanation:

Step 1: Select an unmanaged solution.

Export the localizable text

The scope of the localizable text that will be exported is the unmanaged solution that contains the localizable text.

* From Power Apps, select Solutions.

* In the All Solutions list, select the unmanaged solution that contains the localizable text you want.

* On the command bar, select Translations > Export Translations.

Step 2: Export translations.

Step 3: Add a language code column and a translated wording in the CrmTranslations.xml file.

Get the localizable text translated

You can send this file to a linguistic expert, translation agency, or localization firm.

If you have the knowledge to translate the text, or if you just want to see the format, you can extract the zip file that you exported you will see that it contains two XML files.

[Content_Types].xml

CrmTranslations.xml

You can open the CrmTranslations.xml file with Microsoft Office Excel.

When you view the data in Excel, look at the Localized Labels tab.

	A	B	C	D	E	F
1	Entity nam	Object ID	Object Column Name	1033	1041	3082
42	account	74a622c0-5193-de11-97d4-00155da3b01e	description	Shows the total number	取引先企業の合計数	Muestra la cantidad total d
43	account	74a622c0-5193-de11-97d4-00155da3b01e	name	Accounts by Industry	業種別取引先企業	Cuentas por sector
44	account	a3a9ee47-5093-de11-97d4-00155da3b01e	description	Shows the total number	取引先企業の合計数	Muestra la cantidad total d
45	account	a3a9ee47-5093-de11-97d4-00155da3b01e	name	Accounts by Owner	所有者別取引先企業	Cuentas por propietario
46	account	5b290fff-355f-df11-ae90-00155d2e3002	description	Shows the number of ne	1か月の新規取引先数	Muestra la cantidad de cue
47	account	5b290fff-355f-df11-ae90-00155d2e3002	name	New Accounts By Month	月別新規取引先企業	Nuevas cuentas por mes
48	cr2b3_car	99a0f788-3f64-e811-a957-000d3af3b3af	Description	A motor vehicle intende		
49	cr2b3_car	99a0f788-3f64-e811-a957-000d3af3b3af	LocalizedCollectionNa	Cars		
50	cr2b3_car	99a0f788-3f64-e811-a957-000d3af3b3af	LocalizedName	Car		
51	cr2b3_car	b8d1e6ec-cc49-42f1-847e-61245a489f30	Description	Unique identifier for the		
52	cr2b3_car	b8d1e6ec-cc49-42f1-847e-61245a489f30	DisplayName	Owning User		
53	cr2b3_car	d3aa1f9d-5e88-40ec-af8d-0e13efe83eaa	Description	Status of the Car		
54	cr2b3_car	d3aa1f9d-5e88-40ec-af8d-0e13efe83eaa	DisplayName	Status		
55	cr2b3_car	21a1f788-3f64-e811-a957-000d3af3b3af	DisplayName	Status		
56	cr2b3_car	21a1f788-3f64-e811-a957-000d3af3b3af	Description	Status of the Car		
57	cr2b3_car	1da1f788-3f64-e811-a957-000d3af3b3af	DisplayName	Active		

Any custom tables or columns will have empty cells for the localizable text. Add the localized values for those items.

Step 4: Import translations.

Import the localized text

Importing the text requires compressing the files and importing them into the system.

Import the files

From the same unmanaged solution that you exported the translations from, in the menu choose Translations

> Import Translations.

Note: If you have customized table or column text, such as column labels or drop-down list values, you can provide the users in your environment who are not working with the base language version of your environment with this customized text in their preferred languages.

The process has the following steps:

- * Enable other languages for your environment
- * Export the localizable text
- * Get the localizable text translated
- * Import the localized text

Reference: <https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/translate-localizable-text>

NEW QUESTION: 128

You are customizing a model-driven app for a company. You create a Theme template to ensure the company logo and colors are properly used within these apps.

The theme must meet the following requirements:

- * Updated to add the logo
- * Downloaded by the makers to create the app

You need to configure the assets. To answer, drag the appropriate configurations to the correct requirements.

Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations	Requirement	Configuration
Edit the theme in System settings and upload a jpg file.	Update logo.	
Replace an existing UI item's hexadecimal number.	Change model-driven app colors.	
Upload the theme elements as new web resources.		
Use the component library.		

Answer:

Configurations	Requirement	Configuration
Edit the theme in System settings and upload a jpg file.	Update logo.	Upload the theme elements as new web resources.
Replace an existing UI item's hexadecimal number.	Change model-driven app colors.	Replace an existing UI item's hexadecimal number.
Upload the theme elements as new web resources.		
Use the component library.		

Explanation

Box 1: Upload the theme elements as new web resources.

Each type of icon is stored as a web resource. Create a web resource first and then set the icons to use them.

Alternatively, you can add the icon by creating a new web resource when you define the table properties.

Box 2: Replace an existing UI item's hexadecimal number.

Copy and alter the existing theme

The easiest and quickest way to create a new theme is to clone and alter an existing theme. Then save, preview, and publish it.

* Sign in to Power Apps, select Settings icon (upper right), and then select Advanced settings.

* Select Customizations, and then select Themes.

* Under All themes, select the theme you want to clone, such as the CRM Default Theme. Select Clone on the command bar.

* Replace an existing UI item's hexadecimal number, such as the Title Text Color, with the hexadecimal value that represents the color you want.

For example, the CRM Default Theme was cloned and changed using mostly varying shades of green color.

The following screenshots show the new colors for navigation and highlighting. A custom logo was also added that will appear in the upper left corner of an app.

THEME

Gentle Green Theme

Theme Name

Theme Name *

Gentle Green Theme

Navigation Bar

Logo

new_defaultlogo

Logo Tooltip

MS Green


Navigation Bar Fill Color

#415C55



Navigation Bar Shelf Fill Color

#79AB9E



Title Text Color

#358717



Main Color

#65825C



Accent Color

#A4D194



UI Elements		
Link and Button Text Color	#415C55	
Selected Link Color	#65825C	
Hover Link Color	#A4D194	
Legacy Accent Color	#358717	
Default Entity Color	#666666	
Default Custom Entity Color	#00CCA3	
Control Hover Fill Color	#FFFFFF	
Control Hover Border Color	#BDC3C7	
Page Header Fill Color	#E0E0E0	
Panel Header Fill Color	#F3F3F3	

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/create-themes-organization-branding>

NEW QUESTION: 129

You are examining several processes to determine if you can automate the processes by using Power Automate.

The processes must run without human intervention when possible.

You need to determine which flow type should be used for each process.

Which flow type should you use? To answer, drag the appropriate processes to the correct flow types. Each process may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Flow types	Answer Area	Flow type
Scheduled cloud flow	Process Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request. Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	
Attended desktop flow		
Unattended desktop flow		

Answer:

Flow types	Answer Area	Flow type
Scheduled cloud flow	Process Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request. Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	Attended desktop flow
Attended desktop flow		Unattended desktop flow
Unattended desktop flow		

Explanation

Text Description automatically generated

Process	Flow type
Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request.	Attended desktop flow
Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	Unattended desktop flow

Box 1: Attended desktop flow

Desktop flows are used to automate tasks on the Web or the desktop.

To run an attended desktop flow, you need to have an active Windows user session that matches the name of the user configured for your connection.

Note: Web applications are critical components of most organizations, and they are commonly used to access data from servers.

Most CRM and ERP platforms run through web browsers, while the most popular business productivity tools are web services. Web applications are unquestionably an integral part of the technological infrastructure of most companies.

To provide automation solutions for these applications, Power Automate Desktop supports all major browsers through its web automation actions.

Box 2: Unattended desktop flow.

Unattended desktop flows are best for applications that do not need human supervision.

References:

<https://docs.microsoft.com/en-us/learn/modules/pad-web/1-introduction>

<https://docs.microsoft.com/en-us/power-automate/desktop-flows/run-pad-flow>

NEW QUESTION: 130

You are a Dynamics 365 Customer Service developer.

A salesperson creates a chart.

You need to ensure that the chart is available to all users on the team.

Which actions should the salesperson perform? To answer, drag the appropriate actions to the correct users. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions	Answer Area
Share the chart with the team.	Step 1 Action
Assign the chart to each person on the team.	Step 2 Action
Export the user chart to Microsoft Power BI. Import it as a Power BI visualization.	
Export the user chart for import as a user chart.	
Export the user chart for import as a system chart.	

Answer:

Actions	Answer Area
Share the chart with the team.	Step 1 Export the user chart for import as a user chart.
Assign the chart to each person on the team.	Step 2 Share the chart with the team.
Export the user chart to Microsoft Power BI. Import it as a Power BI visualization.	
Export the user chart for import as a user chart.	
Export the user chart for import as a system chart.	

NEW QUESTION: 131

You are designing a canvas app that connects to Common Data Service.

You need to configure the app to meet the requirements and ensure that the canvas app is available offline.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDateOffline ShowData

Answer:

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDateOffline ShowData

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION: 132

You plan to create a Power Virtual Agents bot. The bot has the following requirements:

- * Ensure that user responses are available to any topic.
- * Recognize a list of words from spoken language of users.

You need to configure the bot.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

 **Requirement**

User responses are available to any topic.

Recognize a list of words from spoken language.

Feature

Global variable	▼
Entity	
Bot variable	
Global variable	

Entity	▼
Topic	
Entity	
Variable	

Answer:

Answer Area

 **Requirement**

User responses are available to any topic.

Recognize a list of words from spoken language.

Feature

Global variable	▼
Entity	
Bot variable	
Global variable	

Entity	▼
Topic	
Entity	
Variable	

NEW QUESTION: 133

You are creating a Power Virtual Agents chatbot for a Microsoft Power Platform power apps portal app.

The job title of users must be stored automatically when users log in. The job title must always appear in the chatbot.

You need to configure the job title functionality.

Which mechanism should you use?

- A. artificial intelligence
- B. variable
- C. entity
- D. topic

Answer: ([SHOW ANSWER](#))

After enabling the Authentication, you will now have access to Two variables, bot.UserDisplayName bot.UserId Reference:<https://powerusers.microsoft.com/t5/Power-Virtual-Agents-Community/Getting-User-Details-To-Use>

NEW QUESTION: 134

You have a business process flow.

You need to update the business process flow while minimizing administrative and maintenance efforts.

What should you implement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Requirement	Feature
Action step	Allow users to navigate to the previous stage only from specific stages.	Feature
Classic workflow	Create checklist records in specific stages on demand.	Feature
Power Automate flow		

Answer:

Features	Requirement	Feature
Action step	Allow users to navigate to the previous stage only from specific stages.	Power Automate flow
Classic workflow	Create checklist records in specific stages on demand.	Action step
Power Automate flow		

NEW QUESTION: 135

A company deploys several model-driven apps. The company uses shared devices in their warehouse. The devices are always powered on. Users log on to the devices and then launch the apps to perform actions.

Unauthorized users recently uploaded several files after another user failed to log out of a device. The company needs to prevent these incidents from occurring in the future.

You need to configure the solution to prevent the reported security incidents.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Prevent unauthorized access to devices.	- Set an inactivity limit in the user's group policy. - Set a timeout in the Power Platform admin center. - Configure access controls in Azure Active Directory. - Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	- Enter the restricted file types in the SharePoint admin center. - Enter the allowed file types in the Power Platform admin center. - Enter the restricted file types in the Power Platform admin center.

Answer:

Requirement	Action
Prevent unauthorized access to devices.	Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/user-session-management>

<https://docs.microsoft.com/en-us/onedrive/block-file-types>

NEW QUESTION: 136

A company uses Common Data Service to store sales data.

For the past few quarters, the company has experienced a decrease in sales revenue. The company wants to improve sales forecasting.

The company plans to use AI Builder to implement the solution. You select fields that will be used for prediction.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions**Answer Area**

Export data from Common Data Service into Microsoft Excel

Train the category classification AI model by using Common Data Service data

Train the AI model by using data exported to Microsoft Excel

Publish the AI model

Use the model with Power Apps

Import the AI model analysis into Common Data Service

Train the prediction AI model by using Common Data Service data



Answer:

Actions

Export data from Common Data Service into Microsoft Excel

Train the category classification AI model by using Common Data Service data

Train the AI model by using data exported to Microsoft Excel

Publish the AI model

Use the model with Power Apps

Import the AI model analysis into Common Data Service

Train the prediction AI model by using Common Data Service data

Answer Area

Train the prediction AI model by using Common Data Service data

Publish the AI model

Use the model with Power Apps



Explanation:

Train the prediction AI model by using Common Data Service data

Publish the AI model



Use the model with Power Apps

Step 1:

Before you can use your prediction model, you have to train it to perform the way you want.

Step 2:

After you train your model, publish it to make it available.

Publish your model when you want to make it available to users in your Power Apps environment.

Step 3: Use the model with Power Apps

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-train-model>

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:

<https://www.braindumpsPass.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 137

You have a model-driven app. You create five Microsoft Excel templates for analyzing customer data.

Four of the templates must be available to all users. The remaining template must be available only to you.

You configure the appropriate security roles for users.

You need to determine how to upload the Excel templates.

Which method should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Answer:

Availability

Method

Available to everyone

- In the Settings menu, select Document Templates.
- In the view for the email records, select Excel Templates.
- In the Settings menu, select Email Templates.

Available only to yourself

- In the Settings menu, select Document Templates.
- In the view for the email records, select Excel Templates.
- In the Settings menu, select Email Templates.

Explanation:

Availability	Method
Available to everyone	- In the Settings menu, select Document Templates. - In the view for the email records, select Excel Templates. - In the Settings menu, select Email Templates.
Available only to yourself	- In the Settings menu, select Document Templates. - In the view for the email records, select Excel Templates. - In the Settings menu, select Email Templates.

Box 1: In the Settings menu, select Document Templates

Templates uploaded from the Settings page are available to all users. You don't need to take any further action.

Administrators can use the Settings page to upload the Excel template. A template uploaded in Settings is available to all users.

For admins: Upload the Excel template

- * Go to Settings > Templates > Document Templates.
- * Click Upload Template.
- * Drag the Excel file into the dialog box or browse to find and upload the file.
- * Upload Template dialog box.
- * Click Upload.

Box 2: In the view for the email records, select Excel templates

Note: For non-admins or admins wanting to create a personal template: Upload the Excel template Open a page with a list of records, for example, the list of Sales Opportunities. Go to Sales > Opportunities > My Open Opportunities.

- * On the menu bar, click Excel Templates > Create Excel Template.

- * Click Excel Template > Upload.
- * Click Upload to add the Excel template.
- * Drag the file into the dialog box or browse to find and upload the file.
- * Click Upload.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/analyze-your-data-with-excel-templates>

NEW QUESTION: 138

A company uses a model-driven app with Microsoft Dataverse in a single environment. The company requires a canvas app that includes the same data as the model-driven app.

You need to create the canvas app.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select the **Excel** option.

Sign into the Microsoft Power Platform admin portal.

Sign into the Power Apps Maker portal.

Select the **Dataverse** option.

Select the data source and tables to include in the canvas app and then save the app.

>

<

Answer area

^

v

Answer:

Answer Area

Sign into the Power Apps Maker portal.

Select the Dataverse option.

Select the data source and tables to include in the ...

- 1 - Sign into the Power Apps Maker portal.
- 2 - Select the Dataverse option.
- 3 - Select the data source and tables to include in the ...

NEW QUESTION: 139

You must create a new table to support a new feature for an app. Records for the table must be associated with a business unit and specify security roles for the business unit. You need to configure table ownership. Which table ownership type should you use?

- A.** organization-owned
- B.** none

- C. business-owned
- D. user or team owned

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 140

You need to design the FAQ solution to handle unknown responses.

Which component should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Component
Handle an unknown question from a guest in a conversation.	Escalate Fallback topic Failure path
Redirect a guest with an unknown question to a live staff member.	Power Apps Power Virtual Agents web application Microsoft Teams Omnichannel for Dynamics 365 Customer Service

Answer:

Requirement	Component
Handle an unknown question from a guest in a conversation.	Escalate Fallback topic Failure path
Redirect a guest with an unknown question to a live staff member.	Power Apps Power Virtual Agents web application Microsoft Teams Omnichannel for Dynamics 365 Customer Service

Explanation:

Requirement	Component
Handle an unknown question from a guest in a conversation.	Escalate Fallback topic Failure path
Redirect a quest with an unknown question to a live staff member.	Power Apps Power Virtual Agents web application Microsoft Teams Omnichannel for Dynamics 365 Customer Service

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-hand-off>

NEW QUESTION: 141

A company uses Power Apps.

You create a custom table and configure a child table relationship with the contact table.

You need to configure the cascading rules for each action.

Which behavior should you use? To answer, drag the appropriate behaviors to the correct actions. Each behavior may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Behaviors	Answer Area	Action	Behavior
Restrict		Custom table record is deleted.	
Cascade All		Custom table record is shared.	
Cascade None			

Answer:

Behaviors	Answer Area	Action	Behavior
Restrict		Custom table record is deleted.	Restrict
Cascade All		Custom table record is shared.	Cascade All
Cascade None			

Explanation

Behaviors	Answer Area	Action	Behavior
Restrict		Custom table record is deleted.	Restrict
Cascade All		Custom table record is shared.	Cascade All
Cascade None			

NEW QUESTION: 142

You have a model-driven app. You create five Microsoft Excel templates for analyzing customer data.

Four of the templates must be available to all users. The remaining template must be available only to you. You configure the appropriate security roles for users.

You need to determine how to upload the Excel templates.

Which method should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Answer:

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/analyze-your-data-with-excel-templates>

NEW QUESTION: 143

You create a Power Virtual Agents chatbot to reduce the number of incoming support calls that require a live person.

The chatbot does not direct users to the correct information. You determine that this is because the chatbot is not able to identify which product a user is referring to in a conversation.

You need to present a list of products so that users can select the correct product.

What should you create?

- A. Table
- B. Variable
- C. Slot filling
- D. Entity

Answer: ([SHOW ANSWER](#))

Explanation

Slot filling is a natural language understanding concept that means saving an extracted entity to an object.

However, in Power Virtual Agents, slot filling means placing the extracted entity value into a variable.

Reference: <https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION: 144

A company creates a Power Virtual Agents chatbot.

You need to determine when live agents are engaged to provide support.

Which metrics should you use? To answer, drag the appropriate metrics to the correct processes. Each metric may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Metrics	Answer Area	
	Process	Metric
Engagement over time	Determine which topics are transferred to live agents most often.	Metric
Session outcomes over time	Determine the number of chats per day that are transferred to live agents.	Metric
Escalation rate drivers		
Escalation rate		

Answer:
metrics

metrics
Engagement over time
Session outcomes over time
Escalation rate drivers
Escalation rate

Answer Area

Process	Metric
Determine which topics are transferred to live agents most often.	Escalation rate drivers
Determine the number of chats per day that are transferred to live agents.	Session outcomes over time

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/teams/analytics-summary-teams>

NEW QUESTION: 145

A company plans to implement a voice-enabled Power Virtual Agents bot. The company has the following requirements for the bot:

- * Recognize when a caller states Tennis or any variation of the word.
- * Provide options when a caller states the name of a sport.

You need to configure the bot.

Requirement

Recognize when caller states **Tennis**.

Provide options when caller states name of sport.

Provide options when caller states name of sport.

Feature

Entity

Entity

Topic

Variable

Topic

Entity

Topic

Variable

Answer:

Answer Area

Requirement

Recognize when caller states **Tennis**.

Provide options when caller states name of sport.

Provide options when caller states name of sport.

Feature

Entity

Entity

Topic

Variable

Topic

Entity

Topic

Variable

Explanation:

Requirement

Recognize when caller states **Tennis**.

Provide options when caller states name of sport.

Feature

Entity

Topic

NEW QUESTION: 146

You are a consultant. A client asks you to remove several solutions in one of their Microsoft Dataverse environments. The client wants to know what effect removing the solutions will have on the rest of the system.

You need to explain the results of removing the solutions.

Which components will be affected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Solution description	Component or components removed
An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.	The solution only. The solution and the lookup column. The solution, the table, and any data in the table.
A managed solution patch contains an update to a column label. The column is used in several forms and views.	The solution and the updated column label. The solution, the column, and any data in the column. The solution, the table, and the updated column label.
A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.	The solution only. The solution and the site map. The solution, the table, and any data in the table.

Answer:

Solution description	Component or components removed
An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.	The solution only. The solution and the lookup column. The solution, the table, and any data in the table.
A managed solution patch contains an update to a column label. The column is used in several forms and views.	The solution and the updated column label. The solution, the column, and any data in the column. The solution, the table, and the updated column label.
A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.	The solution only. The solution and the site map. The solution, the table, and any data in the table.

NEW QUESTION: 147

You are designing a Power Virtual Agents chatbot for a store.

You need to teach the chatbot to acknowledge the store's product categories and the variations within specific categories.

You need to create custom entities to provide the chatbot with the knowledge of the product categories.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Feature
Analyze misspellings, grammar variations, and semantic variations.	Slot filling Synonyms Smart matching Topics Fuzzy matching
Make the bot smarter by expanding the matching logic.	Slot filling Synonyms Topics
Extract a category selected by a user during a conversation into a variable for later use.	Slot filling Synonyms Smart matching Topics

Answer:

Explanation

Smart match

Synonyms

Topic

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION: 148

You have a business process flow.

You need to update the business process flow while minimizing administrative and maintenance efforts.

What should you implement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Requirement	Feature
Action step	Allow users to navigate to the previous stage only from specific stages.	Feature
Classic workflow	Create checklist records in specific stages on demand.	Feature
Power Automate flow		

Answer:

Features	Requirement	Feature
Action step	Allow users to navigate to the previous stage only from specific stages.	Power Automate flow
Classic workflow	Create checklist records in specific stages on demand.	Action step

Explanation:

Requirement	Feature
Allow users to navigate to the previous stage only from specific stages.	Power Automate flow
Create checklist records in specific stages on demand.	Action step

NEW QUESTION: 149

A company deploys several model-driven apps. The company uses shared devices in their warehouse. The devices are always powered on. Users log on to the devices and then launch the apps to perform actions.

Unauthorized users recently uploaded several files after another user failed to log out of a device. The company needs to prevent these incidents from occurring in the future.

You need to configure the solution to prevent the reported security incidents.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Prevent unauthorized access to devices.	- Set an inactivity limit in the user's group policy. - Set a timeout in the Power Platform admin center. - Configure access controls in Azure Active Directory. - Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	- Enter the restricted file types in the SharePoint admin center. - Enter the allowed file types in the Power Platform admin center. - Enter the restricted file types in the Power Platform admin center.

Answer:

Requirement	Action
 Prevent unauthorized access to devices.	▼ Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	▼ Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Explanation

Graphical user interface, text, application Description automatically generated

Requirement	Action
Prevent unauthorized access to devices.	▼ Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	▼ Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Box 1: Set a timeout in the Power Platform admin center.

To enforce users to reauthenticate after a pre-determined period of time, admins can set a session timeout for their individual environments. Users can only remain signed in the application for the duration of session. The application signs out the user when the session expires. Users need to sign in with their credentials to return to customer engagement apps.

Note: Configure session timeout

- * In the Power Platform admin center, select an environment.
- * Select Settings > Product > Privacy + Security.
- * Set Session Expiration and Inactivity timeout. These settings apply to all users.

Incorrect:

Configure inactivity timeout


- * In the Power Platform admin center, select an environment.
- * Select Settings > Product > Privacy + Security.
- * Set Session Expiration and Inactivity timeout. These settings apply to all users.

Box 2: Enter the restricted file types in the SharePoint admin center.

To block uploading of specific file types

- * Go to the Settings page of the new SharePoint admin center,
- * Select Sync.

Graphical user interface, text, application Description automatically generated



- * Select the Block upload of specific file types check box.
- * Enter the file name extensions you want to block, for example: exe or mp3.
- * Select Save.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/user-session-management>

<https://docs.microsoft.com/en-us/onedrive/block-file-types>

NEW QUESTION: 150

You need to embed the check-in solution into the communication solution. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

What must you use to embed the check-in solution?

Visual Studio
Power Apps Web Studio
AI Builder
Common Data Service

chat section of the solution
Microsoft 365 Apps selection grid
in an embedded webpage
in a tab

Where must the check-in solution be available within the communication solution?

Answer:

What must you use to embed the check-in solution?

Visual Studio
Power Apps Web Studio
AI Builder
Common Data Service

Where must the check-in solution be available within the communication solution?

chat section of the solution
Microsoft 365 Apps selection grid
in an embedded webpage
in a tab

NEW QUESTION: 151

A company is updating a Power Apps solution that contains two tables named Sen/ices and Equipment. The company is creating a new solution to update the current solution for the following requirements:

- * The Services table must be updated to include change tracking.
- * The Equipment table must be updated to include four new columns.
- * The solution must update only the components that need to be added or changed.

You need to create the solution.

Which table option should you use? To answer, drag the appropriate options to the correct tables. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Options	Answer Area
Include all components	
Include entity metadata	
Select components	

Table	Option
Services	
Equipment	

Answer:

Options	Answer Area
Include all components	
Include entity metadata	
Select components	

Table	Option
Services	Include entity metadata
Equipment	Select components

Explanation

The screenshot shows a Microsoft exam interface. On the left, under 'Options', there are three buttons: 'Include all components', 'Include entity metadata', and 'Select components'. On the right, under 'Answer Area', there is a table with three rows: 'Table', 'Services', and 'Equipment'. To the right of the table, there is a Microsoft logo and an 'Option' section with two buttons: 'Include entity metadata' and 'Select components'.

Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam! BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com PL-200 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com PL-200 dumps with Test Engine here:
<https://www.braindumpsPASS.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 152

You create a new solution for a business process.

The business process includes uploading specific file types to a web service.

You need to ensure that the business process works the same way anywhere the solution is deployed.

Which option should you use? To answer, drag the appropriate options to the correct configurations. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows a Microsoft exam interface. On the left, under 'Options', there are three buttons: 'Connection reference', 'Environment variable', and 'Solution system settings'. On the right, under 'Answer Area', there is a table with three rows: 'Configuration', 'Blocked file types', and 'URL to a web service'. To the right of the table, there is a Microsoft logo and an 'Option' section with two buttons: 'Option' and 'Option'.

Answer:

Options

Connection reference

Environment variable

Solution system settings

Configuration

Blocked file types

URL to a web service

Option

Solution system settings

Environment variable

Explanation:

Box 1: Solution system settings

For Power Apps in Settings > Customizations > Customize the System you can configure email and document management, activate or deactivate processes, and more.

Box 2: Environment variable

When should Environment variables be used?

Some examples include:

When an input parameter needs to change across environments and should not be hard-coded. For example, a URL that points to a different resource in development and production environments.

If you're building a solution where your customer is required to provide an input value. Application setup pages.

Incorrect:

A connection reference is a solution component that contains information about a connector.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/advanced-navigation>

<https://powerapps.microsoft.com/en-us/blog/environment-variables-available-in-preview/>

NEW QUESTION: 153

You are modifying a model-driven app. You set up a customer table in Microsoft Power Platform to retrieve user data. You set up a form with the following columns for users to enter their data. The form includes the following columns:

Column	Data type
Country/region	Choices (multi-select)
Passport ownership	Choice (yes /no)
Passport expiration date	Text

The form must do the following:

* The Country/region column must automatically populate with US when English is chosen as a language. If the user selects Other for this column, the column must remain blank so that user can enter a value.

* The Passport expiration date column must appear only if the user selects Yes in the Passport ownership column.

You need to configure the app with the least amount of effort.

What should you configure? To answer, drag the appropriate solution component to the correct requirements. Each solution component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows a configuration interface with two main panes. The left pane, titled 'Solution components', contains a list of components: 'Power Automate flow', 'Business rule', 'Business process flow', and 'Formula'. The right pane, titled 'Answer Area', contains a table with two columns: 'Requirement' and 'Solution component'. The 'Requirement' column lists 'Country/region' and 'Passport expiration date column appears'. The 'Solution component' column is empty.

Answer:

The screenshot shows the same configuration interface as before, but with selections. In the 'Solution components' list, 'Power Automate flow', 'Business rule', 'Business process flow', and 'Formula' are all highlighted with green boxes. In the 'Answer Area' table, the 'Solution component' column now contains 'Business rule' for the 'Country/region' requirement and 'Formula' for the 'Passport expiration date column appears' requirement. These selections are highlighted with red boxes.

NEW QUESTION: 154

You need to implement the requirement for the VP of sales.

What should you do?

- A. Use a test account with a base security role with QV security added.
- B. Add the System Administrator security role to your user account.
- C. Use a test account with only QV security added.
- D. Add QV security to your user account.

Answer: A ([LEAVE A REPLY](#))

A VP of sales requires a test environment to demonstrate to potential clients the security policies that are included in their initial offering.

Currently, testing the new QV functionality outside the development environment is not possible due to corporate security policies requiring the same security role across all environments.

Note: One of the security best practices in Dynamics 365 is to use the base security role as a baseline and apply that role to all Users. The base security role will include all the common/basic permissions that are required to have access to the system.

To set up the base security role for the first time
create a new empty security role.

add the minimum privileges required to access the system.

add the privileges required for the basic functionalities.

test the role with the test user account.

add the permissions to the entities that all users can access (e.g. reference data).

Topic 2, Alpine SKi House

Background

Alpine SKi House is a boutique mountain resort that offers year-round spa and outdoor activities such as snow sports, hiking, mountain biking, and more. The resort has been family owned and operated for more than 50 years. The company has been able to remain profitable while not needing to adopt new technologies.

General

Booking at the resort have decreased. The company has decided to focus on creating a tailored, first-class experience for guest. The company also plans to target corporate meetings and events. The company recently purchased a chatbot named FAQbot from AppSoure. The chatbot uses the resort's existing FAQs Communication

- * Communication between staff members is primarily conducted through email and SMS text messages.

- * Conversations between staff members and guest often lost.

- * Conference calls are used for all group meeting

Event Registration

- * Corporate customers can reserve a meeting room at the resort to host meetings. The meetings will include lunch and choice of either an inside-spa experience or a seasonally appropriate outdoor activity.

- * Event registration is conducted three weeks prior to start of the event. It is assumed that all event attendees will attend the meeting Check-in process

- * Guests wait in lines to check in and obtain name badges. At this time, guests can specify any dietary restrictions and select their activity preference. This can result in long wait times and crowding at the front desk.

- * For health and compliance reasons, guests must answer a series of questions with a yes or no answer during check-in. The front desk will ask and record these answers for the resort's records.

Marketing

At the check-in counter, the guests can drop their business cards into a bowl for a chance to win an all-inclusive weekend stay at the resort. The resort uses the business card information to send announcements about promotions and upcoming events.

Resort policies and event inquiries

- * A guest can call or send an email to the event coordinator at the resort to get information about hotel policies, snow conditions, or to pre-select their after-meeting event;

- * Guests can also go to the website to view the extensive list of frequently asked questions (FAQ) compiled over the years. Many of the answers to the FAQ's are out of date.

General

Alpine Ski House does not employ technical staff and does not have the budget to hire an external firm to develop solutions. There are two team members who are proficient at Microsoft Excel formulas. Any solution created must use the capabilities of current team members.

All solutions must be simple to use, easy to maintain, and represent the brand of the resort.

You must implement the following solutions:

- * a centrally managed communication solution
- * a customer service solution
- * a resort portal
- * a chat solution
- * a check-in solution

Communication

- * Communication between team members must be centrally managed and unified in Microsoft Teams.
- * When the company confirms an event they, must provide a list of guest's names and email addresses.
- * You must send guests a welcome email that includes a unique registration number for authentication with the resort's portal.
- * Guests must receive a separate email to verify proof of ownership for their registration.

Event attendance

- * Guests must create an account and sign into a resort portal to confirm their attendance to an event and pre-select an after-meeting event
- * Prior to the event, guests must be able to identify any personal dietary restrictions.

Check-in processes

- * Check-in processes must be self-service. Each screen must ask for specific data from the guest. The check-in solution will use some data that is stored in Microsoft Excel.
- * The check-in solution must continue to function if there are internet issues. If the self-service kiosks are not available, staff must be able to use the check-in solution from within their communication solution.
- * The check-in solution must have a screen where the guest will select either yes or no to health and wellness questions.
- * Guests must physically interact with each answer before proceeding to the next screen. Guests must be able to confirm any dietary restrictions they may have entered from the portal or add new ones at this time.
- * Data must be entered in each screen before users move on to the next screen.

Marketing

- * To eliminate the handling of business cards, the check-in solution must be able to translate the contents of the business cards into Alpine Ski House's marketing system.
- * The solution must not require any effort or manual entry from the guest to prevent any mistyped information and to make it more appealing to the guest to participate.

Hotel policies and event inquiries

The portal must allow the guest to ask questions about hotel policies, event information, weather reports, and current weather condition at the resort.

Chat solution

The chat solution must specifically address the following key words. No additional key words will be added until a later implementation phase:

- * Snow reports

- * Weather conditions
- * Start time
- * End time
- * Event date
- * Outdoor activities
- * Indoor activities
- * Most popular

The chat solution must be available always and not require staff to answer all of the questions. If a question does require a staff member's attention, the solution must determine which staff member is best to assist the customer with the question.

The information in the FAQ on the legacy website must be used in the chat solution but retyping all the data from the website should not be required. If guests ask about topics that are not listed in the FAQ, the chat solution must identify the issue and escalate to a staff member.

Team members must be able to ask their own questions through a centrally managed communication solution instead of using the guest portal. Team members must be able to access the same FAQ across multiple solutions.

Issue

Guest1 inquires about snow conditions several times each day of their stay.

NEW QUESTION: 155

You create a canvas app that uses data from a Microsoft SQL Server database.

You use a dataflow to move some of the data from the database to Microsoft Dataverse. Users will filter the data by using the app.

You need to filter data in the dataflow and in the canvas app.

Which tools should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Tools	Requirement	Tool
Power Fx	Filter data in the dataflow.	
Power Query	Filter data in the canvas app.	
T-SQL		
Kusto		

Answer:

Tools	Requirement	Tool
Power Fx	Filter data in the dataflow.	Power Query
Power Query	Filter data in the canvas app.	Power Fx
T-SQL		
Kusto		

NEW QUESTION: 156

A company uses Common Data Service to manage account and contact information.

The company plans to use the AI Builder model to make key business decision.

You need to integrate prebuilt AI Builder models with Power Automate.

Which models should you use? To answer, select the appropriate option the answer area.

NOTE Each correct selection is worth one point.

Scenario	Model
Extract specific text from a PDF document.	▼ Text recognition model Key phrase extraction model Text recognition model and key phrase extraction model
Determine the likelihood that customers will purchase additional products.	▼ Sentiment analysis model Category classification model Entity extraction model Prediction model

Answer:

Scenario	Model
Extract specific text from a PDF document.	▼ Text recognition model Key phrase extraction model Text recognition model and key phrase extraction model
Determine the likelihood that customers will purchase additional products.	▼ Sentiment analysis model Category classification model Entity extraction model Prediction model

Explanation:

Scenario	Model
Extract specific text from a PDF document.	▼ Text recognition model Key phrase extraction model Text recognition model and key phrase extraction model
Determine the likelihood that customers will purchase additional products.	▼ Sentiment analysis model Category classification model Entity extraction model Prediction model

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-sentiment-analysis>

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-key-phrase>

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognition>

NEW QUESTION: 157

You create a Power Apps app.

The app must be able to display a list of records that are sorted by category. The app must also expand or hide the list by subtopics.

You need to configure the app.

Which tool should you use?

- A. expression
- B. Power BI dashboard
- C. card
- D. gallery

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 158

A company has a portal. Users sign into the portal by using a social media account.

The company wants to replace the existing portal with a Power Apps portal. users must sign up for access to the portal by using a Microsoft account and a unique invitation code that will be provided to the users.

You need to configure authentication for the home page.

Which values should you use? To answer, drag the appropriate values to the appropriate authentication settings. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Authentication setting	Value
External sign in	Value
Open registration	Value

Answer:

Authentication setting	Value
External sign in	No
Open registration	No

Explanation

NO

NO

NEW QUESTION: 159

A company has a canvas app that includes the following screens: Screen1 and Screen2.

The OnVisible property for Screen1 contains the following expression.

Set(AgeGroups, ["1-25", "26-54", "55+"])

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☐
AgeGroups is a collection.	☐	☐
You can use the Update function to change values in AgeGroups.	☐	☐

Answer:

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☒
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☒	☐

Explanation:

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☒
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☒	☐

NEW QUESTION: 160

You are a Dynamics 365 Customer Service administrator.

Users report that the main form does not display data from other entities or allow them to edit data from other entities.

You need to embed information from other entities in the form and allow users to edit the data.

Which actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Edit data	▼ - Add a mobile form - Add a quick create form - Add a sub-grid - Add a virtual entity
View data	▼ - Add a reference panel - Add a quick view

Answer:

Explanation

Graphical user interface, text, application, chat or text message Description automatically generated

Requirement

Action

Edit data

View data

▼ - Add a mobile form - Add a quick create form - Add a sub-grid - Add a virtual entity
▼ - Add a reference panel - Add a quick view

Box 1: Add a quick create form

With quick create forms, your app can have a streamlined data entry experience with full support for logic defined by form scripts and business rules.

Box 2: Add a quick view

A quick view form can be added to another form as a quick view control. It provides a template to view information about a related entity record within a form for another entity record. This means your app users do not need to navigate to a different record to see the information needed to do their work.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-quick-create-forms>


<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/create-edit-quick-vi>

NEW QUESTION: 161

You need to create a system chart for the Account entity.

The chart must display a count of accounts grouped by owner and then display the accounts by Address 1:

State/Province for each owner. You begin to configure chart options as shown in the image below.



How should you complete the configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point. The chart must display a count of accounts grouped by owner, and then display the accounts by Address 1 to State/Province for each owner.

Component	Selection
Legend Entries (Series): Select Field	▼ Account Address 1: State/Province Owner
Legend Entries (Series): Aggregate	▼ Avg Count:All Sum
Horizontal (Category) Axis Labels: Select Fields	
First grouping field	▼ Account Address 1: State/Province Owner
Second grouping field	▼ Account Address 1: State/Province Owner

Answer:

Component

Selection

Legend Entries (Series): Select Field

	▼
Account	
Address 1: State/Province	
Owner	

Legend Entries (Series): Aggregate

	▼
Avg	
Count:All	
Sum	

Horizontal (Category) Axis Labels: Select Fields

First grouping field

	▼
Account	
Address 1: State/Province	
Owner	

Second grouping field

	▼
Account	
Address 1: State/Province	
Owner	

Explanation

Graphical user interface, text, application Description automatically generated

Component	Selection
Legend Entries (Series): Select Field	▼ Account Address 1: State/Province Owner
Legend Entries (Series): Aggregate	▼ Avg Count:All Sum

Graphical user interface, text, application Description automatically generated
Horizontal (Category) AXIS Labels: Select Fields

First grouping field

▼

Account

Address 1: State/Province

Owner

Second grouping field

▼

Account

Address 1: State/Province

Owner



Valid PL-200 Dumps shared by BraindumpsPass.com for Helping Passing PL-200 Exam!
BraindumpsPass.com now offer the **newest PL-200 exam dumps**, the BraindumpsPass.com
PL-200 exam **questions have been updated** and **answers have been corrected** get the
newest BraindumpsPass.com PL-200 dumps with Test Engine here:
<https://www.braindumpsPASS.com/Microsoft/PL-200-practice-exam-dumps.html> (292 Q&As
Dumps, **40%OFF** Special Discount: **Exam-Tests**)