

Nutanix.NCP-MCA.v2022-08-15.q25

Exam Code:	NCP-MCA
Exam Name:	Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10)
Certification Provider:	Nutanix
Free Question Number:	25
Version:	v2022-08-15
# of views:	1132
# of Questions views:	250
https://www.exam-tests.com/NCP-MCA-exam/Nutanix.NCP-MCA.v2022-08-15.q25.html	

NEW QUESTION: 1

An administrator has been asked to review and clean up all existing categories within the Nutanix environment.

What information should the administrator filter on to organize the findings and eliminate unused categories?

- A. Policies, Triggers, Categories, and Entities
- B. Name, Value, Entities, and Policies
- C. Blueprint, Policies, Value, and Entities
- D. Blueprint, Triggers, Categories, and Policies

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

An administrator creates a blueprint to deploy VMs to multiple clouds, so that business will remain functional in the event of a disaster.

What component describes this feature?

- A. Service
- B. Profile Actions
- C. Package
- D. Substrates

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 3

Which method will result in unique names per VM when scaling out a Service in a Calm Blueprint?

- A. Call an external Python eScript that uses an IPAM API to register the VM name in DNS.

B. Guest OS customization using sysprep contains

<ComputerName>@@{name}@@</ComputerName>.

C. Service VM Name field contains the macro variable @@{calm_array_index}@@.

D. Set the VM Name field to allow user edits at launch so the user can enter a custom value at launch.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

An administrator has a vendor-provided script that must be run at 9 am every Saturday on a Linux application VM.

The administrator currently has a playbook that has a Time trigger and a VM SSH action to execute the script. However, the administrator has received a request to have the output of the script emailed to the application team when it is executed.

What is the easiest way to satisfy this request?

A. Modify the script to include a function to format the output of the script and email the output to the desired address.

B. Add an Email action to the end of the existing playbook and use the {{action[index] .stdout}} parameter in the Message field.

C. Direct the output of the script to a file and use the Send Email with Payload action at the end of your existing playbook.

D. Add an Email action to the end of the existing playbook and use the {{action [index].response_body}} parameter in the Message field.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

A blueprint was developed for deploying a standard 3-tier hosting environment for a company's applications. The blueprint includes a load balancer, multiple web servers, a database server, and a small test application.

During testing of the blueprint, the application fails to connect to the database. The cause is found to be the database software is still installing when the application starts.

Which method most efficiently prevents the application from starting before the database?

A. Create a service dependency

B. Use a local install instead of downloading

C. Use a sleep statement in a start script

D. Create a loop to retry connection

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

Refer to the exhibit.

NUTANIX
Authentication by <credential_type> failed

A Blueprint fails on executing a check-login task against a Windows 2016 VM and displays the error shown in the exhibit. The administrator is using a SSH key-based credential to authenticate the task.

What should the administrator change to resolve the issue?

- A. Ensure the private key for the credential is correct.
- B. Change to password authentication credential.
- C. Increase the retries to allow for the task to complete.
- D. Modify the timeout to give the task longer to complete.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Refer to the exhibit.

```
Directory: C:\

Mode                LastWriteTime         Length Name
----                -
d-----          8/31/2019   12:40 AM                MSSQLSVR_Essentials

A specified logon session does not exist. It may already have been terminated
At C:\Users\Administrator\AppData\Local\Temp\karan\746f3c9-330a-4583-a26d-4fa8079d4012\2745f3c9-330a-4583-a26d-4fa8079d4012-503653a3-6879-4bfa-b209-286d052c362d.ps1:13 char:1
+ ~~~~~
+ New-PSDrive -Name "T" -PSProvider "FileSystem" -Root "\\anitafileserv ...
+ ~~~~~
+ CategoryInfo          : InvalidOperation: (T:PSDriveInfo) [New-PSDrive], Win32Exception
+ FullyQualifiedErrorId : CouldNotMapNetworkDrive,Microsoft.PowerShell.Commands.NewPSDriveCommand
```

Calm encountered the error shown in the exhibit when importing a script that maps a network drive.

Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- A. Enable-WSManCredSSP -Role Server
- B. Enable-WSManCredSSP -Role Server -Force
- C. Disable-WSManCredSSP -Role Server -Force
- D. Enable-WSManCredSSP -Role Client

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Within a Calm blueprint, which two actions can an administrator apply to a Service under the Guest Customization section? (Choose two.)

- A. Apply a Sysprep file
- B. Choose UEFI or Legacy BIOS
- C. Apply a Cloudinit Script
- D. Modify the base OS image

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which two features does the Calm Marketplace provide? (Choose two.)

- A. Set of pre-seeded application Blueprints
- B. Published and versioned Blueprints
- C. Store of all Blueprints created in Calm
- D. Library of executable tasks

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

A company's NOC personnel have a custom Python script they run manually by logging into each VM to fix a common issue across all of the corporate VMs. Management has no audit history of who is running the script or when it is occurring. The company has recently implemented Calm and management has asked its administrators to accomplish these tasks:

Reduce the manual effort for the NOC personnel.

Ensure the process is repeatable across all applications.

Provide audit history for management of the actions.

Which two actions should the administrators take to accomplish these tasks? (Choose two.)

- A. View the Execution History tab under the Runbook page for audit purposes
- B. View the Audit tab under the Application view for audit purposes
- C. Create a new Action, Add an Execute task with a script type of EScript, paste the custom script into the action
- D. Create a new Runbook Add an Execute task with a script type of EScript paste the custom script into the action

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

An administrator had provided Linux VM console access to the OS Team. However, the team is unable to access one of the newly-created Linux VMs.

How can the administrator resolve this issue?

- A. Assign new VMs to a category and provide category access to the OS Team.
- B. Provide Prism Admin access to the OS Team Active Directory Group.
- C. Create a role for the OS Team Active Directory Group and add the VMs to it.
- D. Create a local user in Linux OS and provide access to the OS Team.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which two groups of operations can a Prism Admin or Super Admin role perform? (Choose two.)

- A. Create, read, update, or delete an action template in the action gallery
- B. Create, read, update, delete, enable, and run playbooks
- C. Create, read, automate, or delete an action template in the action gallery
- D. Create, read, automate, delete, enable, and run playbooks

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 13

An administrator at a busy software development company is looking to roll out Calm for automation and estimates they will be creating 200 Projects, 500 Runbooks, 1500 Blueprints and automating the deployment of 7500 VMs for their development teams.

What size of Prism Central VM(s) is recommended to host the Calm environment?

- A. 1 node Small - 6vCPU and 30GB Memory per node.
- B. 3 nodes Small - 6vCPU and 30GB Memory per node.
- C. 1 node Large - 10vCPU and 52GB Memory per node.
- D. 3 nodes Large - 10vCPU and 52GB Memory per node.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

An administrator is trying to delete a category, but the option is greyed out.

Which two conditions could be causing this issue? (Choose two.)

- A. The category is system defined.
- B. The category is assigned to powered-on VMs.
- C. The category is user defined.
- D. The category is part of a flow policy.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Refer to the exhibit.



An administrator created the Playbook shown in the exhibit to allow for manual reduction of vCPU count on any selected VM within their environment. During a test run of the play on one of the VMs running in development, the administrator ran into an error that the Playbook cannot be completed against the selected VM.

Here are the details of the affected VM:

VM Name: VM2

vCPU: 4

RAM: 8 GB

OS: Windows 2016

Hypervisor: AHV

What caused this Playbook to fail?

- A. Reduction of vCPU cannot be done on a VM with a running snapshot.
- B. This play cannot be executed against a VM on AHV.
- C. The play will cause the VM to go below the minimum vCPU.
- D. The VM needs to be powered off before vCPU can be reduced.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

A customer is trying to deploy an application with Calm and receives this error for a Linux VM:

```
script execution has failed with error dial tcp: lookup dummy on <dns_ip_in_pc>:53: server misbehaving
```

What is the cause of this error within the blueprint?

- A. Connection Type has no protocol selected.
- B. Connection Type has a protocol selected.
- C. Connection section has no network adapters selected for the Address box in Connection section.
- D. Connection section has a network adapter selected for the Address box in Connection section.

Answer: A ([LEAVE A REPLY](#))

Valid NCP-MCA Dumps shared by BraindumpsPass.com for Helping Passing NCP-MCA Exam! BraindumpsPass.com now offer the **newest NCP-MCA exam dumps**, the BraindumpsPass.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com NCP-MCA dumps with Test Engine here: <https://www.braindumpsPASS.com/Nutanix/NCP-MCA-practice-exam-dumps.html> (102 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

What is the correct syntax for using a macro within a Calm blueprint?

- A. \$_calm.object_\$
- B. {{calm.object}}
- C. @@{calm.object}(@@
- D. %calm.object%

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

A developer updated a blueprint to ensure that the IP address of the VM is reserved in IPAM as part of the deployment process. The developer noticed that when new VMs are created, they still get a DHCP IP address and not a reserved IP address.

What is the most likely reason for this behavior?

- A. Developer created a post-create task for reserving the IP address
- B. Developer created a pre-create task for reserving the IP address
- C. Developer forgot to save the updated blueprint
- D. Developer forgot to publish the updated blueprint

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

An administrator receives the following error while running a script through Calm on VM:

Connection refused

Which two conditions could cause this issue? (Choose two.)

- A. The VM is still in the boot process.
- B. The credentials have insufficient permissions.
- C. There is an error in the script.
- D. The VM port is not allowed by the firewall.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which are valid entity types to be associated with a playbook using a manual trigger?

- A. VM, Host, Cluster
- B. VM, Host, Prism Central
- C. VM, Category, Prism Element
- D. VM, Category, Cluster

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

Refer to the exhibit.

Service Name

MyApp

VM Package Service

Name

MyAppVM

Cloud

Nutanix

AWS

Azure

Existing Machine

GCP

Nutanix



What needs to be done in order to enable the developer to complete this requested task?
(Choose two.)

- A. Add the Providers to the Project
- B. Enable Environment for AWS and Azure
- C. Upgrade Calm to version 3.2.x
- D. Create AWS and Azure Providers

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which feature of Calm allows for the creation of task-based automation against dynamic lists of Windows or Linux VMs?

- A. Playbooks
- B. Runbooks
- C. Blueprints
- D. Projects

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

What two pieces of information can an administrator obtain from Plays? (Choose two.)

- A. Execution result status
- B. Host where the action runs

- C. CVM IP where the alert was triggered
- D. Start time and end time of each action

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 24

An administrator manages two Nutanix clusters: Cluster01 and Cluster02 and has needs to automate similar workload types using these images that are located on Cluster01:

ImageA

ImageB

ImageC

The administrator needs to deploy ImageA and ImageC within the Cluster02 environment. How this can be achieved?

- A. All images are available to all clusters managed by a single Prism Central.
- B. Configure a Protection Domain to replicate images.
- C. Utilize Prism Central image placement policies.
- D. Clone the images from the Cluster01 to Cluster02.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 25

Which Calm feature enables the ability to enforce project quotas for the ESXi hypervisor?

- A. Project Quotas
- B. Runbooks
- C. Project Environments
- D. Policy Engine

Answer: A (LEAVE A REPLY)

Valid NCP-MCA Dumps shared by BraindumpsPass.com for Helping Passing NCP-MCA Exam! BraindumpsPass.com now offer the **newest NCP-MCA exam dumps**, the BraindumpsPass.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com NCP-MCA dumps with Test Engine here: <https://www.braindumpsPass.com/Nutanix/NCP-MCA-practice-exam-dumps.html> (102 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)