

# Oracle.1z0-1042-22.v2023-06-24.q44

<b>Exam Code:</b>	1z0-1042-22
<b>Exam Name:</b>	Oracle Cloud Platform Application Integration 2022 Professional
<b>Certification Provider:</b>	Oracle
<b>Free Question Number:</b>	44
<b>Version:</b>	v2023-06-24
<b># of views:</b>	671
<b># of Questions views:</b>	440
<a href="https://www.exam-tests.com/1z0-1042-22-exam/Oracle.1z0-1042-22.v2023-06-24.q44.html">https://www.exam-tests.com/1z0-1042-22-exam/Oracle.1z0-1042-22.v2023-06-24.q44.html</a>	

## NEW QUESTION: 1

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. OracleBusiness Rules
- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

**Answer: A,B,C (LEAVE A REPLY)**

Explanation

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbcs/components-oracle-soa-cloud-service.html>

## NEW QUESTION: 2

Which feature flag lifecycle stage includes OIC features that you can request from Oracle to be disabled within your OIC instance environment?

- A. General Availability
- B. Feature Controlled
- C. Internal Only
- D. Feature Controlled General Availability

**Answer: B (LEAVE A REPLY)**

## NEW QUESTION: 3

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

**Answer: (SHOW ANSWER)**

Explanation

<https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

#### **NEW QUESTION: 4**

What are the three threshold values for Database space?

- A. Warning Threshold
- B. Un-Quiesce Threshold
- C. Error Threshold
- D. Quiesced Mode Threshold

**Answer: A,B,D (LEAVE A REPLY)**

#### **NEW QUESTION: 5**

Which expression can you use to schedule integration runs?

- A. a XPATH
- B. an iCal
- C. a JavaScript
- D. a XSLT

**Answer: (SHOW ANSWER)**

Explanation

[https://docs.oracle.com/cloud/previous/intcs\\_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.h](https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.h)

#### **NEW QUESTION: 6**

You receive an exception message: "java.security.cert.CertPathValidatorException: Path does not chain with any of the trust anchors' What needs to be verified when this exception message is received?

**A.** Run this command to verify code.certstore has system certificates:

keytool -list -storetype JKS -keystore config\code.certstore

**B.** Run this command to verify cacerts has system certificates:

keytool -list -storetype JKS -keystore security\cacerts

**C.** Run this command to verify code.keystore has system certificates:

keytool -list -storetype JKS -keystore config\code.keystore

**D.** Run this command to verify code.truststore has system certificates:

keytool -list -storetype JKS -keystore config\code.truststore

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 7

Which four are valid for integration using Service Oriented Architecture Cloud Service (SOACS)?

- A. Create Files in the required format and Orchestrate HDL data loads into the HCM/ERP Cloud.
- B. SOACS has read access to HCM and ERP Cloud (SaaS) Applications data.
- C. Retrieve/Update supported data elements on the SaaS applications using REST Services in real time.
- D. Create Files in the required format and Orchestrate FBDL data loads into the HCM/ERP Cloud.
- E. Create Files in the required format and Orchestrate PBL data loads into the HCM/ERP Cloud.
- F. Create Files in the required format and Orchestrate ADFDi data loads into the HCM/ERP Cloud.

**Answer: A,B,C,F (LEAVE A REPLY)**

### NEW QUESTION: 8

During a design review of your OIC orchestration-style integration, it has been recommended that you refactor it into smaller integrations.

Which two things should you do in order to invoke the multiple integrations without needing to create explicit connections for each endpoint?

- A. Request the enablement of the oic.ics.console.integration.local.integration feature flag.
- B. Use the local integration wizard to define each integration to be invoked.
- C. Import each local integration you wish to invoke into your calling integration environment.
- D. Add the local-enabled flag for each integration you wish to invoke.
- E. Build each smaller integration as a local-only integration interface.

**Answer: B,E (LEAVE A REPLY)**

### NEW QUESTION: 9

Oracle Integration Cloud (OIC) provides the File Server component - an embedded SFTP server that enables organizations to focus on building integrations without needing to host and maintain separate SFTP server.

Which statement is NOT true about the OIC File Server component?

- A. To access File Server from an internal OIC integration flow, a Connection resource of FTP adapter type or rest adapter type is used.
- B. Access to the File Server REST APIs is limited to only users with the ServiceAdministrator role.

**C.** The File Server component is a feature that is disabled by default into newly provisioned OIC instance

**D.** Any external SFTP client can access file Server as long as an OIC administrator has configured specific folder access permission for those clients.

**Answer: B (LEAVE A REPLY)**

### **NEW QUESTION: 10**

Your design of an asynchronous OIC integration flow includes the requirement for additional processing logic that is conditionally based on the results returned to the integration instance from earlier external service invocations. You have decided to leverage the Switch action to facilitate this implementation.

Which is a valid consideration concerning the configuration and capabilities of the Switch action?

**A.** Any data objects returned within a branch of a Switch action will only be visible within the implicit scope of that branch and not visible in the main flow of the integration outside of the Switch action.

**B.** You may need to create conditional expressions for each branch with greater complexity because nested Switch actions are not supported.

**C.** All branches within the Switch action must have a conditional expression defined.

**D.** XPath version 2.0 functions can be used to create more complex conditional expressions for a branch.

**Answer: D (LEAVE A REPLY)**

Explanation

"Define a routing expression, then click Close. XPath version 2.0 functions are supported. Base 64 encode and decode functions that process data confidentially across layers and functions that return boolean results are also supported. Functions that return nonboolean values are not supported."

### **NEW QUESTION: 11**

Which three are characteristics of Device Virtualization?

**A.** You can monitor each device endpoint's health, performance, and location via the client software library API or with REST calls made to those devices.

**B.** Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.

**C.** The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.

**D.** Devices used are not real. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

**E.** You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 12

As an Integration developer, you have been tasked with integrating Oracle Content and Experience Cloud with a process application. Because this is a document-centric process that will involve collaboration with process participants, it has been determined that the document and conversation functionality should be used.

Which task is NOT required?

- A. You will need to assign conversation viewers to either an Oracle Content and Experience user role or Oracle Documents Cloud Service user role.
- B. You must manually enable the document and conversation features for your process application.
- C. You will need to have the administrator configure the connection between Oracle Integration Cloud (Processes) and Oracle Content and Experience Cloud because developers do not have those permissions.
- D. You will need to create a new process application because the conversation functionality cannot be enabled for pre-existing applications.

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 13

Which REST API can be used for registering a device as third party device?

- A. CREATE /iot/api/v2/private/partners
- B. POST /iot/api/v2/private/partners
- C. REGISTER /iot/api/v2/private/partners
- D. PUT /iot/api/v2/private/partners
- E. GET /iot/api/v2/private/partners

**Answer: B (LEAVE A REPLY)**

Explanation

You can register all devices in Oracle IoT Cloud as third party partner devices by using this REST API: POST

/iot/api/v2/private/partners.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/develop/specifying-devices-third-party-partner-devices-oracle-io>

### NEW QUESTION: 14

In Oracle Integration Cloud (OIC) Process web forms editor, which three background colors are displayed?

- A. Orange for unmatched binding names
- B. Blue for complex binding names (their children may contain valid binding names)
- C. Yellow for matched binding names
- D. Green for valid binding names
- E. Red for invalid binding names

**Answer: B,D,E (LEAVE A REPLY)**

Explanation

The background colors displayed for the autocomplete options are:

\* Green for valid binding names

\* Red for invalid binding names

\* Blue for complex binding names (their children may contain valid binding names)

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/bind-form-data-controls.html#GUID-CEC>

### **NEW QUESTION: 15**

What is the "Decision Table" in Business Rules in Process Cloud Service?

**A.** a value set in a spreadsheet-like format that defines a list of allowed values for the input and output data objects of a decision

**B.** a decision matrix that organizes if/then rules into a spreadsheet-like format, where rows represent conditions and actions, and columns match condition values to action alternatives

**C.** a range value set in a spreadsheet-like format that defines a list of allowed value ranges for the input and output data objects of a decision

**D.** an if/then rule that has one or more conditions (if statements) that together are true or false, and one or more actions (then statements) that are applied if the conditions are true

**Answer: (SHOW ANSWER)**

### **NEW QUESTION: 16**

Which three are created and managed using the Integration page in Process Cloud Service (PCS)?

**A.** Rest Connectors

**B.** ICS Integrations

**C.** Java Cloud Services

**D.** WebService Connectors

**Answer: A,B,D (LEAVE A REPLY)**

**Valid 1z0-1042-22 Dumps** shared by BraindumpsPass.com for Helping Passing 1z0-1042-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1042-22 exam dumps**, the BraindumpsPass.com 1z0-1042-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1042-22 dumps with Test Engine here: <https://www.braindumpsPASS.com/Oracle/1z0-1042-22-practice-exam-dumps.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

What Expression Language does Decision Modeling and Notation (DMN) use?

- A. RegEx
- B. Groovy
- C. Friendly Enough Expression Language (FEEL)
- D. Process Expression Language (PEL)

**Answer: C (LEAVE A REPLY)**

Explanation

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/understanding-feel-friendly-enough-expression-language> Decision Modeling and Notation (DMN) defines Friendly Enough Expression Language (FEEL) to provide standard executable semantics to all expressions used within a decision model.

In Process, you use FEEL to define expressions within all notations of decision logic, including decision tables.

**NEW QUESTION: 18**

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

- A. Native Spark Java APIs
- B. SQL Queries
- C. JavaScript APIs
- D. Big Data APIs

**Answer: A (LEAVE A REPLY)**

Explanation

Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and Streaming spark APIs to write the analytics processing logic. Developers can also import external APIs and use them in their application.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html>

**NEW QUESTION: 19**

In Oracle Integration Cloud (OIC) Process, You can use human tasks to model user interaction with the application. You can assign the human task to a specific user, to a group of users, to users with a certain role, or to the same user that already acted on the instance for a certain role.

When assigning the human task based on a dynamic expression, which is a valid option ?

- A. You can use an expression to calculate a shared role, but not users or groups.
- B. You can use an expression to calculate a specific user, but not a group or shared role.
- C. You can use an expression to calculate the user or group. But not a shared role
- D. You can use an expression to calculate the user, group, or a shared role.
- E. You can use an expression to calculate the group or shared role, but not specific users.

**Answer: D (LEAVE A REPLY)**

Explanation

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/configure-human-tasks.html#GUID-DCF>

### **NEW QUESTION: 20**

Which two statements are true about implementing an API-First strategy?

- A.** It generally is assumed that SOAP/WSDL are the key specifications for defining the API.
- B.** The API is to be developed first before any UI or new business logic are created.
- C.** The code to execute business logic needs to exist and be exposed as an API first before you build a strategy around it.
- D.** You define the API definition/contract first before any work on its implementation or any applications that use it, allowing to work in parallel.

**Answer: A,B (LEAVE A REPLY)**

### **NEW QUESTION: 21**

You have use case requiring the design of a synchronous OIC integration flow that will return a custom business fault message to the client if processing files due to an external runtime fault encountered during the integration instance execution

- A.** Implement a scope fault handler to catch the runtime fault, and then use the Fault Return action providing mapped data for the custom fault.
- B.** Implement the Global fault handler to catch the runtime fault, and then use the Re-Throw fault action to send the custom fault to the client
- C.** Implement a scope fault handler to catch the runtime fault, then allow the Global fault handler to automatically send the runtime fault to the error hospital
- D.** Create a custom scope fault handler to catch the runtime fault, and then use the Re-Throw fault action to send the fault to the error hospital

**Answer: (SHOW ANSWER)**

### **NEW QUESTION: 22**

Which two are ways Business Rules can be modeled in Process Cloud Service (PCS)?

- A.** using Oracle Business Rules Editor
- B.** using OIC Rule Editor
- C.** using BPM Rule Editor
- D.** using Decision Model Editor

**Answer: (SHOW ANSWER)**

Explanation

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-business-rules.html>

### **NEW QUESTION: 23**

As a Process Cloud developer, you have been tasked with integrating Oracle Content and Experience Cloud with a process application. Since this is a document-centric process that

will involve collaboration with process participants, it has been determined that the document and conversation functionality should be used.

Which task is NOT required?

- A.** You must manually enable the document and conversation features for your process application.
- B.** You will need to have the administrator configure the connection between Oracle Process Cloud and Oracle Content and Experience Cloud since developers do not have those permissions.
- C.** You will need to create a new process application since conversation functionality cannot be enabled for pre-existing applications.
- D.** You will need to assign conversation viewers to either an Oracle Content and Experience user role or Oracle Documents Cloud Service user role.

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 24**

OIC integrations can be exported so that they can later be imported into another OIC instance environment.

Which statement is NOT true about the import and export of OIC integrations?

- A.** Imported integration can be reconfigured to use different connection resources by using the OIC REST API
- B.** Imported integrations cannot be immediately activated if their dependent connection resources are not already present in
- C.** Integrations must be exported as package if you want to import them into another OIC environment.
- D.** Exported integrations will include all of their dependent connection resource information with the exception of URL and credentials.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 25**

You have been tasked with provisioning a Managed File Transfer (MFT) Cloud Service on Oracle Cloud Infrastructure (OCI).

Which of provisioning requirement is NOT valid?

- A.** Provisioning MFT requires creating a SOA Cloud Service instance in OCI choosing "MFTCluster" as a service type.
- B.** You can use any Oracle Database instance running in either OCI or OCI Classic.
- C.** You are required to obtain an authentication token for an Object Storage bucket within an accessible OCI compartment.
- D.** You must create a Virtual Cloud Network in OCI with at least two subnets.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 26**

Which statement is valid regarding Connection components in OIC Service?

- A.** All Connection components must be associated with an adapter type regardless of role configuration.
- B.** All connection component configurations require the association of an active OIC Connectivity agent group.
- C.** Connection components can be configured with either a Trigger role or Invoke role, but not both.
- D.** Each Connection component associated with a SaaS adapter type will also require a Lookup Component configuration.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 27**

You have a single synchronous integration flow updating systems with several external invocations within multiple loops. Several client applications are experiencing blocking timeouts waiting for confirmation of the complex processing logic.

Which is a legitimate strategy to mitigate this issue?

- A.** Change to an asynchronous flow that provides a notification when processing is complete.
- B.** Change the implementation logic to invoke multiple fine-grained external API calls within a single loop.
- C.** Split into smaller integration flows that can be orchestrated sequentially from a master synchronous flow.
- D.** Increase the blocking timeout within the OIC integration settings to allow for extended time.

**Answer:** **B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 28**

Which two are types of style patterns available while creating integration with Oracle Integration Cloud (OIC)?

- A.** Notification
- B.** Metadata
- C.** Orchestration
- D.** Map Data

**Answer:** ([SHOW ANSWER](#))

Explanation

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-integrations.html#GUID-FC613C>

#### **NEW QUESTION: 29**

OIC is a fully managed cloud service that provides many components and use case capabilities when an OIC Enterprise Edition instance is provisioned.

Which three capabilities does OIC Enterprise Edition provide?

- A. Leverage an embedded continuous integration server to automate CI/CD workflow.
- B. Deploy SOA composite Applications(SCA) developed with Jdeveloper Extensions and BPEL constructs.
- C. Leverage an embedded SFTP-compliant repository for storing and retrieving files
- D. Create digital assistants (Chatbots) and skills using natural language conversations to facilitate integration with Oracle SaaS applications
- E. Model and extract business metrics in real time and gain insight into business processes by using dashboards
- F. Create blockchain networks and deploy blockchain integrations applications.
- G. Create integrations that use B2B e-commerce, which support the EDI X12 business protocol

**Answer: B,E,G (LEAVE A REPLY)**

Explanation

<https://docs.oracle.com/en/cloud/paas/integration-cloud/integration-cloud-auton/oracle-integration-editions.html#>

### NEW QUESTION: 30

You are developing orchestration-style integrations in the OIC Designer Portal and have discovered that the Outline View is not available in your OIC instance environment.

What is the name of the feature flag you will need to request to be enabled by raising a Service Request from My Oracle Support?

- A. oic.ics.console.integration.layout
- B. oic.console.integration.outlineview
- C. oic.console.integration.pseudoviewl
- D. oic.console.integration.outline

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 31

What are the two types of analytics processors in Oracle Internet of Things (IoT) Cloud Service?

- A. Batch Analytics Processors
- B. Natural Analytics Processors
- C. Static Analytics Processors
- D. streaming Analytics Processors

**Answer: A,D (LEAVE A REPLY)**

Explanation

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/understanding-analytics-processors.html> he type of analytics processor to use depends on the nature of your data:

\* Streaming Analytics Processors

Use streaming analytics processors to analyze high volumes of rapidly changing data streamed from your sensors and devices. Streaming analytics processors are continuously running from the moment you deploy them, waiting for your devices to stream data.

See [Creating Streaming Analytics Processors](#).

#### \* Batch Analytics Processors

Use batch analytics processors to analyze large volumes of batch data. Typically, batch analytics processors process data stored in the Oracle NoSQL or other data sources.

Unlike streaming analytics processors they are not continuously running, they only run when you call them using the REST API they expose.

**Valid 1z0-1042-22 Dumps** shared by BraindumpsPass.com for Helping Passing 1z0-1042-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1042-22 exam dumps**, the BraindumpsPass.com 1z0-1042-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1042-22 dumps with Test Engine here: <https://www.braindumps.com/Oracle/1z0-1042-22-practice-exam-dumps.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 32

Which two statements correctly define the use cases for Business Process Execution Language(BPEL) vs.

Business Process Modeling Notation (BPMN) vs. Enterprise Service Bus (ESB)?

**A.** BPEL is inherently better than BPMN in managing orchestrations that involve people, because BPEL can also interact with systems.

**B.** BPEL and ESB are both good technologies for doing heavy transformations of data before sending the data to a back-end system or database.

**C.** An ESB is used primarily for stateless messages and service mediation. The ESB construct is being replaced by API's and API Gateways in modern Cloud architectures.

**D.** All are part of a typical/traditional on-premise enterprise integration strategy and can also be an important part of a hybrid on-premises/Cloud architecture.

**E.** Decision Model and Notation (DMN) replaces BPMN in modern Cloud Architectures.

**Answer: B,C (LEAVE A REPLY)**

#### NEW QUESTION: 33

You are tasked with creating an OIC orchestrated integration flow that supports a B2B document exchange. When configuring the B2B action (formerly known as the EDI Translate action), there are several capabilities as well as limitations.

Which statement is NOT true about OIC B2B capabilities?

**A.** When defining the EDI message type, both the document version and document type must always be explicitly selected.

**B.** A previously created Trading Partner Agreement is optional when configuring the inbound or outbound translation

**C.** Performing validations on EDI document is required for inbound translations, but optional for output translations.

**D.** You can customize standard EDI documents by adding new schema constructs or by editing existing constructs.

**Answer: D (LEAVE A REPLY)**

Explanation

<https://docs.oracle.com/en/cloud/paas/integration-cloud/integration-b2b/generate-outbound-edi-application-mess>

### **NEW QUESTION: 34**

Which two are ways the Oracle Internet of Things (IoT) CloudService environment can be accessed?

**A.** using REST Interface

**B.** using Web Browser

**C.** using SOAP Interface

**D.** Using a desktop client

**Answer: A,B (LEAVE A REPLY)**

### **NEW QUESTION: 35**

You can recover unsaved changes in an OIC integration that crashes during design time because of a browser crash, loss of network connectivity, or a server going down.

Which statement is NOT true about this unsaved changes feature in OIC?

**A.** Changes made while working inside the data mapper cannot be recovered.

**B.** Changes made while editing a Connections page cannot be recovered.

**C.** Only the person with the ServiceDeveloper role that made the changes or an admin with the Service Administrator role can recover the unsaved changes.

**D.** An OIC administrator with the ServiceAdministrator role can unlock an integration that has unsaved changes.

**E.** Because a backup copy is created after each completed task, there is no time limit in which you need to log back in and recover your changes

**Answer: C (LEAVE A REPLY)**

### **NEW QUESTION: 36**

What are the four steps required to complete the task 'create a connection'?

**A.** Select an Adapter

**B.** Import SSL Certificate

**C.** Configure Lookup

- D. Test Connection
- E. Configure Connection Security
- F. Configure Connection Properties

**Answer: A,D,E,F ([LEAVE A REPLY](#))**

**NEW QUESTION: 37**

When defining the frequency or schedule orchestration style integration runs you can choose either Basic or Advance option? Which expression language is used for defining advanced schedule runs?

- A. an iCal
- B. a JavaScript
- C. a XSLT
- D. XPATH

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 38**

Which Process type should you choose to model non-sequential process type in Oracle Integration Cloud (OIC)?

- A. Adaptive Case Management process
- B. Structured Process
- C. Dynamic process
- D. Unstructured Process

**Answer: ([SHOW ANSWER](#))**

Explanation

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/using-processes-oracle-integration-cloud>.

**NEW QUESTION: 39**

Which three are valid Oracle Integration Cloud (OIC) Roles ?

- A. ServiceDeployer
- B. ServiceImplementor
- C. ServiceUser
- D. ServiceAdministrator

**Answer: A,C,D ([LEAVE A REPLY](#))**

Explanation

Oracle Integration Cloud Roles Oracle Integration Cloud predefined roles govern access to various Oracle Integration Cloud features: Integrations, Processes, Visual Builder, Integration Insight, and Stream Analytics .

Oracle Integration Cloud predefined roles include ServiceAdministrator, ServiceDeveloper, ServiceMonitor, ServiceDeployer, and ServiceUser.

<https://docs.oracle.com/en/cloud/paas/integration-cloud-um/integration-cloud-user-um/administering-oracle-integ>

**NEW QUESTION: 40**

What two tasks can a user with the Application Developer role perform?

- A. Subscribe to a Plan.
- B. Deploy to a Gateway.
- C. Create an API.
- D. Create an Application.

**Answer: (SHOW ANSWER)**

Explanation

[https://docs.oracle.com/cd/A58617\\_01/server.804/a58241/ch2.htm](https://docs.oracle.com/cd/A58617_01/server.804/a58241/ch2.htm)

**NEW QUESTION: 41**

You are assigned to review the specifications of the SOA composite applications that have been deployed to your SOA Cloud Service instance. Part of this analysis requires you to catalog the Service Component Architecture (SCA) components that are implemented within each composite application.

Which is a valid SCA component in an Oracle SOA composite application?

- A. Mediator
- B. MFT Adapter
- C. Split-Join
- D. B2B Agreement
- E. BAM Adapter

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 42**

OIC is available in two editions - Standard and Enterprise.

Which OIC Enterprise Edition capabilities are ALSO available in the OIC Standard edition?

(Select two)

- A. Visual Builder
- B. Enterprise application Adapters (such as EBS, JDE, SAP, and Siebel)
- C. B2B Trading Partner Agreements
- D. Integration Insight
- E. File server
- F. Process Applications

**Answer: A,E (LEAVE A REPLY)**

**NEW QUESTION: 43**

Which fields are used to define static or dynamic list of values in web forms of process application?

- A. Checklists, Radio button, or Select controls
- B. Text Input and Area Fields
- C. Date, Time, and Number Fields
- D. Links, Email, and Message Fields

**Answer: (SHOW ANSWER)**

Explanation

[https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-advanced\\*controls.html#GUID-0A790FE5](https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-advanced*controls.html#GUID-0A790FE5) To configure static and dynamic list of values (for checklist, radio button and select controls):

- \* From the Basic Palette, drag and drop a checklist, radio button or select control onto the canvas.
- \* Select the control and configure its static list of values on the Properties pane General tab.
- \* Go to Option Source
- \* In the Option Names field, enter a label to display for each option.
- \* In the Option Values field, enter an internal value for each option.
- \* Specify a default value from the option values available in the Default Value field.
- \* Select an option in the Autofocus field to make that option the selected option when the form loads.
- \* Optionally, configure dynamic list of values for the checklist, radio button or select control. There are two options to configure dynamic list of values.
- \* Specify that the control's options should come from a list of value data attributes defined in the Data definition pane.
- \* Click From Data.
- \* Select the list of values options source from available attributes in the Options List field.
- \* Specify a default value from the options available in the Default Value field.
- \* Select an option in the Autofocus field to make that option the selected option when the form loads.
- \* Specify that the control's options should come from a REST connector created for the application.
- \* Click Connector.
- \* Specify the connector settings in the Connector, Resource and Operation fields and map response settings. See Populating Controls Using REST Calls.
- \* Select an option in the field to make that option the selected option when the form loads.
- \* Click Preview to try out using the control.

#### **NEW QUESTION: 44**

Which JNDI name value must be provided when configuring the properties of a new database adapter outbound connection pool to support dependent SOA composite applications?

- A.** The defined XA database adapter connection factory configured for this WebLogic domain.
- B.** The corresponding XA datasource configuration deployed to the same WebLogic cluster.
- C.** The associated XA database adapter plan deployed with this database adapter outbound connection pool.
- D.** The corresponding XA enterprise resource adapter application deployed to the same WebLogic cluster.

**Answer:** ([SHOW ANSWER](#))

**Valid 1z0-1042-22 Dumps** shared by BraindumpsPass.com for Helping Passing 1z0-1042-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1042-22 exam dumps**, the BraindumpsPass.com 1z0-1042-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1042-22 dumps with Test Engine here: <https://www.braindumps.com/Oracle/1z0-1042-22-practice-exam-dumps.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)