

Oracle.1z0-1068-22.v2022-12-23.q24

Exam Code:	1z0-1068-22
Exam Name:	Oracle CX Commerce 2022 Implementation Essentials
Certification Provider:	Oracle
Free Question Number:	24
Version:	v2022-12-23
# of views:	641
# of Questions views:	240
https://www.exam-tests.com/1z0-1068-22-exam/Oracle.1z0-1068-22.v2022-12-23.q24.html	

NEW QUESTION: 1

Given the example custom widget JavaScript:

```
define(  
  //-----  
  // DEPENDENCIES  
  //-----  
  ['knockout', 'jquery', 'ccLogger', 'CCILen', 'notifier'],  
  //-----  
  // MODULE DEFINITION  
  //-----  
  function (one, $, three, four, five) {  
    ...  
  }  
);
```

In this example, what does \$ represent?

- A. Local function referring to the ccLogger library
- B. Placeholder for anonymous Require.js content
- C. Local function referring to the JQuery library
- D. Null value until it is initialized

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

A company is setting up multiple country-specific sites that have unique emails, separate payment gateways and shipping methods by country, and other site-specific settings. They share Oracle integrations (e.g. Oracle Retail Order Management System Cloud, Oracle Loyalty Cloud, Oracle Customer Experience Cloud). They plan to add sites in the Administration UI.

Based on their use case, when should they create the additional sites to minimize the changes they need to make?

- A. Configure the Oracle integrations for the default site and then create additional sites.
- B. Create the additional sites before configuring anything on the default site.
- C. Configure the default site fully and then add the additional sites.
- D. At any time, because updates to shared configuration to the default site alter the child sites.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Given the example snippet of custom widget JavaScript:

```
$.Topic(pubsub.topicNames.PAGE_CHANGED).subscribe(  
  function(value) {  
    widget.isDisplayErrorPins(false);  
  }  
);
```

What are two correct statements about this code? (Choose two.)

- A. Uses the PubSub library to publish to a topic
- B. Runs the inline function when the subscribed event fires
- C. Uses the PubSub library to subscribe to a topic
- D. Creates a new PAGE_CHANGED topic available for subscription
- E. Changes the page when the inline function runs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Consider the following code from the widget.json for a sample custom widget:

```

{
  "global": false,
  "availableToAllPages": true,
  "javascript": "myCustomWidget",
  "jsEditable": true,
  "i18nresources": "myCustomWidget",
  "config": {},
  "imports": [],
  "minWidth": 4,
  "hiddenFromSiteStudio": false,
  "translations": [
    {
      "language": "en",
      "name": "My Custom Widget"
    }
  ],
  "version": 1
}

```

For which pages will the widget appear in the Component library in the Design page in the Administration UI?

- A. The widget will appear for all global pages only
- B. The widget will appear for all pages
- C. The widget will appear for all product pages only
- D. The widget will not appear for any pages

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

An account buyer logs into the storefront, but does not see the addresses associated with their account on the My Account page.

What is the reason for this behavior?

- A. The Profile Navigation - Account Shoppers widget instance settings was not configured to include an option for Account Address Book
- B. The account buyer did not have the correct storefront role to access the Account Address Book
- C. By default, the account buyer needs to create an order before the Account Address Book is displayed
- D. The Contact Login (for Managed Accounts) element is configured on the header widget which only supports B2C login

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

A storefront developer is configuring page layouts of type Shopper Profile for a B2B storefront implementation.

Which two items must be considered when configuring the Profile Navigation - Account Shoppers widget instance on each layout? (Choose two.)

- A.** Each entry in the Profile Navigation - Account Shoppers widget instance settings can only have one corresponding layout specified by the URL
- B.** Each Shopper Profile layout should contain a shared Profile Navigation - Account Shoppers widget instance
- C.** If displayed using a vertical orientation, the Profile Navigation - Account Shoppers widget instance should be configured to take up the same number of columns on each layout
- D.** On the My Account page, account contacts will always see all options defined in the Profile Navigation

- Account Shoppers widget instance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Given the example custom widget Javascript:

```
widget.cartMsg = ko.computed(function() {  
    return widget.translate('cartMsg',  
        {currencySymbol: widget.site().currency.symbol,  
        cartTotal: widget.cart().subTotal(), minSpend: minSpend,  
        coupon: coupon});  
});
```

In order to employ the Cart view model, what should the custom widget's widget.json descriptor contain for the imports attribute?

- A.** The imports attribute should contain the value "cart"
- B.** The imports attribute should contain the value "user" because the cart view model belongs to the user
- C.** The imports attribute can be empty because the Cart view model is global
- D.** The imports attribute is only valid for global widgets and is not relevant

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 8

What are two types of assets that can be included in a storefront extension? (Choose two.)

- A.** REST endpoint specifications
- B.** Locale strings
- C.** Images
- D.** Java code

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which two statements describe the gateway configuration definition in the config.json file?
(Choose two.)

- A.** No additional properties are needed to enable a payment method for scheduled orders
- B.** TheconfigTypeproperty must beset to the value payment
- C.** The configuration must include a property with the IDpaymentMethodTypes
- D.** Valid values for theinstancesproperty areagent,preview,test, andstorefront

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Your customer has a B2B Storefront instance designed to have three English language sites: North America, European Union, and Asia.

What two components will the storefront developersneed to configure to support one or more sites? (Choose two.)

- A.** The settings for each layout to specify one or more sites valid for that layout
- B.** The profile Navigation - Account Shoppers widget instance settings to specify a URL entry for each layout per site
- C.** The layout components to include branding, images, and page content that are specific for the site
- D.** Associated component text snippets that are valid for each site

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

A merchant has two country sites, US and France. The Site Base URL for the US site iswww.example.com.

They plan to use a subfolder to differentiate the French site's URL. For example, they could set it to www.example.com/france.

What is a potential consequence of using thefrlocale code as the subfolder for the French site's URL, such aswww.example.com/fr, instead?

- A.** You receive an error message on the Settings page when setting the Site Base URL to a recognized locale, preventing you from using it as the subfolder.
- B.** If the US site is configured to have French as an additional language, the systemcannot tell if www.example.com/fris the French site or the French translation of the English site.
- C.** Commerce Cloud does not understand locale codes when used as a subfolder, leading to 404 not found messages in the shopper browser.
- D.** Commerce Cloud has logic built in to avoid any confusion between subfolders and locales, editing the URL when generating the page to differentiate between the locale and the subfolder name.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which two describe the assets contained in a storefront extension .zip archive? (Choose two.)

- A. a hierarchy of folders and files that are specific to the extension type
- B. configurations for function and event webhooks related to the extension
- C. language translation resources for each language used on the storefront
- D. the defined format of expected JSON request and response payloads

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 13

Consider the widget template snippet, which uses Knockout's containerless control flow syntax based on comment tags:

```
<ul>
  <li>Item #1</li>
  <!--ko if: product -->
  <li>Item #2</li>
  <!-- /ko -->
</ul>
```

Under what condition will Item #2 be displayed?

- A. if the Product view model is available on the page
- B. Item #2 will never be displayed
- C. Item #2 will always be displayed
- D. If the shopper has a product in his/her cart

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 14

Why is it a best practice to use the ccLink binding in your custom widgets?

- A. for ensuring a link does not cause a full page reload
- B. for ensuring the correct layout is displayed
- C. for ensuring that your URL is correctly formatted
- D. for ensuring images are sized for the current viewport

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 15

What is the Commerce Cloud ccResizeImage custom binding used for?

- A. crop the image based on specified top, bottom, left and right parameters
- B. alter image proportions after download so that it fits on the screen
- C. size image to the current viewport before it is downloaded
- D. update image borders and colors before download

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 16

An account buyer receives an email notification that their order has been approved and they can pay for the order. Once they click the associated link, it brings them to the B2B Checkout Payment After Approval layout.

Which two are valid statements regarding the B2B Checkout Payment After Approval layout? (Choose two.)

- A. This is an out-of-the-box layout that provides payment options for orders requiring approval
- B. The layout is of type Checkout and is displayed to account shoppers only
- C. The layout allows the buyer to modify the order details and input payment information
- D. The layout is only displayed when the order status is PENDING_PAYMENT

Answer: ([SHOW ANSWER](#))

Explanation

Orders that meet the criteria for requiring approval are sent back to OCC and put into the out-of-the-box order approvals workflow. Set the layout to be displayed when the Order Status is PENDING_PAYMENT

Valid 1z0-1068-22 Dumps shared by BraindumpsPass.com for Helping Passing 1z0-1068-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1068-22 exam dumps**, the BraindumpsPass.com 1z0-1068-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1068-22 dumps with Test Engine here: <https://www.braindumpsPass.com/Oracle/1z0-1068-22-practice-exam-dumps.html> (72 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

You need to display a message to a logged in shopper about a relevant promotion, based on the number of products in the cart and the total value of the items. You develop a custom widget that uses the User, Cart and Site view models as displayed in this example Javascript:


```
function (ko) {
    ...
    widget.showCartMsg = ko.computed(function() {
        return (widget.user().loggedIn() &&
            widget.cart().numberOfItems() > 0 &&
            widget.cart().subTotal() < minSpend);
    });
    widget.cartMsg = ko.computed(function() {
        return widget.translate('cartMsg',
            {currencySymbol: widget.site().currency.symbol,
            cartTotal: widget.cart().subTotal(), minSpend: minSpend,
            coupon: coupon});
    });
    ...
}
```

Under what condition is the showCartMsg() function true?

- A. Only when there is at least one item in the cart and the cart subtotal is less than the value of minSpend
- B. As long as the user is logged in; the status of the cart does not matter
- C. When a user is logged in and there is at least one item in the cart and the cart subtotal is less than the value of minSpend
- D. If either a user is logged in or there is at least one item in the cart or the cart subtotal is less than the value of minSpend

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Given the example custom widget template code:

```
<!-- ko with: product -->
  <!-- ko if: $data.hasOwnProperty("videoURL") && videoURL -->
    <h4 data-bind="widgetLocaleText: {value: 'videoHeading',
    attr: 'innerText', params:
    {productTitle: displayName()}}"></h4>
  <!-- /ko -->
<!-- /ko -->
```

Where will the value of displayName be read from?

- A. The widget \$data variable
- B. The widget locale resources
- C. Product view model
- D. Widget observable attributes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

The Payment Processing menu on the Settings page of the Administration UI has a Payment Options property with two choices: Full Payment Required and Allow Partial Payment.

When should the Allow Partial Payment option be selected?

- A. If one payment of a partial payment fails, the successful payments are voided immediately and the order stays incomplete
- B. All payment methods used on the order can be processed at the same time
- C. The storefront uses standard payment widgets
- D. One of the supported payment methods used on the order requires shopper action during payment processing

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

A developer would like to pass two custom properties called `interestRate` and `remainingPayments` from the custom payment integration service to Commerce Cloud in the JSON response payload. The `remainingPayments` property should be returned to the storefront to be used in a custom widget.

Which code snippet included in the JSON response accomplishes this?

```
A. "customProperties" : {  
    "interestRate" : "0.05",  
    "remainingPayments" : " 3 "  
  },  
  "customPaymentProperties" :  
    ["remainingPayments",  
     "latePayment"]  
B. "additionalProperties" : {  
    "interestRate" : "0.05",  
    "remainingPayments" : " 3 "  
  },  
  "externalProperties" :  
    ["remainingPayments",  
     "latePayment"]  
C. "customProperties" : {  
    "interestRate" : "0.05",  
    "remainingPayments" : " 3 "  
  },  
  "externalProperties" :  
    ["remainingPayments",  
     "latePayment"]
```

- A. Option B
- B. Option C
- C. Option A

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

What does a slot component reserve space in a layout to display?

- A. a group of related widgets that constitute a composite shopper-based function
- B. a widget determined in real-time based on variable criteria

- C. an ordered set of widgets specified in a tabular format
- D. the header or footer of a page that contains configurable elements

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

A storefront developer has just logged into the Commerce Cloud Administration UI and selects the Design page to begin configuring layouts and components for their account-based implementation.

What two key concepts must they understand? (Choose two.)

- A. "Display layout to account shoppers only" must be selected in the layout settings in order to restrict the layout to account-based shoppers only.
- B. A B2B Storefront implementation can include B2B-specific widgets as well as standard widgets that support both B2B and B2C implementations.
- C. Out-of-the-box B2B-specific storefront layouts and associated components must be used for the account-based implementation and cannot be customized.
- D. A B2B storefront implementation can only support one site per Account.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which four statements describe the Commerce Cloud payment webhooks? (Choose four.)

- A. Webhooks can be configured in the Administration UI or using REST APIs
- B. The Custom Currency Payment webhook is used for loyalty points
- C. The Secure Credit Card Payment webhook is used for 3D Secure cards and stored cards
- D. The Credit Card Payment webhook is used for most credit cards, except 3D Secure cards and stored cards
- E. The Generic Payment webhook is used for most payment types
- F. Webhooks can be created for your custom integration

Answer: (SHOW ANSWER)

NEW QUESTION: 24

The Profile Navigation - Account Shoppers widget instance settings specifies the storefront role of buyer for the Account Address Book.

accountAddressBookText	/accountaddressbook	buyer
------------------------	---------------------	-------

Note that the storefront role for the /accountaddressbook URL is specified as buyer.

Which configuration step is needed to allow a delegated administrator the privilege to create, edit, and delete account addresses?

- A. The Account Addresses widget will need to be customized to perform this functionality.
- B. Nothing needs to be configured. The account Addresses widget will automatically provide additional create, edit, and delete privileges for delegated administrators.

C. Create an additional Account Address Book layout that allows delegated administrators the privilege to perform the tasks.

D. Modify the settings for the Account Address Book and specify the storefront role of admin.

Answer: ([SHOW ANSWER](#))

Valid 1z0-1068-22 Dumps shared by BraindumpsPass.com for Helping Passing 1z0-1068-22 Exam! BraindumpsPass.com now offer the **newest 1z0-1068-22 exam dumps**, the BraindumpsPass.com 1z0-1068-22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 1z0-1068-22 dumps with Test Engine here: <https://www.braindumpspass.com/Oracle/1z0-1068-22-practice-exam-dumps.html> (72 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)