

SAP.C-CPE-13.v2023-05-02.q29

Exam Code:	C-CPE-13
Exam Name:	Certified Development Associate - SAP Extension Suite
Certification Provider:	SAP
Free Question Number:	29
Version:	v2023-05-02
# of views:	1103
# of Questions views:	290
https://www.exam-tests.com/C-CPE-13-exam/SAP.C-CPE-13.v2023-05-02.q29.html	

NEW QUESTION: 1

You have configured an approuter by creating the xs-app.json file in the approuter folder with the following content: { ...
"authenticationMethod": "route", ... }, "routes": [{ "source": "^/app/(.*)\$", "target": "\$1", "localDir": "resources", "authenticationType":
"xsuaa" }, { "source": "^/service/(.*)\$", "destination": "srv-binding", "authenticationType": "xsuaa" }] } What does this routes array tell the
approuter? Note: There are 2 correct answers to this question.

- A. All requests starting with /service will be targeted to the folder resources.
- B. The files in the resources folder will be served for all requests to /app.
- C. The files requested for /app will be put to the resources folder.
- D. All requests starting with /service will be forwarded to the CAP service.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

You have implemented a simple bookshop CAP application for the purpose of selling books. You want to implement an event handler
in the bookshop-service, that calculates a discount of 10 % on the price of books written in English ("en"). In all other cases, you want
to calculate a discount of 5 %. The price should be calculated after books are read from the service. Drag the code snippets from
below into the correct parts of the event handler implementation. Drag the key and value items from below into the correct parts of the
descriptor file.



```

cds.serve([ ]) .with (function(){
  this.[ ]( [ ], 'books', (books)=>{
    books.[ ]((book) =>{
      if ( [ ]) {
        [ ]
      } else {
        [ ]
      }
    })
  });
})

'bookshop-service' book.price = book.price * 0.95
book.price = book.price * 0.9 [ ] [ ] 'READ' book.language == 'en'

```

Answer:



```

cds.serve('bookshop-service') .with (function(){
  this.[ ]('READ', 'books', (books)=>{
    books.[ ]((book) =>{
      if ( [ ]) {
        [ ]
      } else {
        [ ]
      }
    })
  });
})

'bookshop-service' book.price = book.price * 0.95
[ ] book.price = book.price * 0.9 [ ] [ ] 'READ' book.language == 'en'

```

NEW QUESTION: 3

Which are standard build packs provided by SAP to develop applications in the SAP BTP, Cloud Foundry environment? Note: There are 3 to choose.

- A. Python
- B. HTML5
- C. Node.js
- D. Docker
- E. Java

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 4


You have set up a pipeline in the SAP Continuous Integration and Delivery service with automated deployment. A build was initiated and failed. What do you check to find out which step of the pipeline failed?

- A. The stages of the failed job run
- B. The stages in the config.yml in the .pipeline folder
- C. The webhook of your version control system
- D. The webhook event receiver


Answer: (SHOW ANSWER)

NEW QUESTION: 5

A global account has a relationship with entitlements. The cardinality of this relationship is "0-n" as shown in the graphic. What are the cardinalities for the other relationships in the attached diagram? (Drag and drop the labels at the bottom onto the framed locations of the image above.)



Answer:



NEW QUESTION: 6

Which of the following dev space types contains the Java extension by default? Note: There are 2 to choose.

- A. Full Stack Cloud Application
- B. SAP HANA Native Application
- C. SAP Mobile Application
- D. SAP Fiori

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

According to SAP CAP best practices, which error types should you NOT catch? Note: There are 2 to choose.

- A. Rejections of promises
- B. Unexpected errors
- C. Programming errors
- D. Runtime errors

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 8

What are some principles of continuous integration? Note: There are 2 to choose.

- A. Automated tests
- B. Automated deployment to the productive system
- C. Automated builds
- D. Automated code change pushes

Answer: A,C ([LEAVE A REPLY](#))

In recent years CI has become a best practice for software development and is guided by a set of key principles. Among them are revision control, build automation and automated testing.

<https://www.cloudbees.com/continuous-delivery/continuous-integration#:~:text=In%20recent%20years%20CI%20has,build%20automation%20and%20automated%20testing.>

https://help.sap.com/doc/79ca8e0d124746d482b77e832205a437/Cloud/en-US/CICD_Best_Practices.pdf

NEW QUESTION: 9

You want to connect an SAP backend system to the SAP BTP using the SAP Cloud Connector. Which additional SAP BTP services are required for the connection? Note: There are 2 to choose.

- A. SAP Cloud Transport Management service
- B. SAP Connectivity service
- C. SAP Destination service
- D. SAP Keystore service

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

On SAP BTP, what request rate limit tries to protect the Cloud Foundry API against misuse?

- A. 10k requests per hour per user
- B. 50k requests per hour for all users
- C. 1k requests per hour for all users
- D. 100k requests per hour per user

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which of the following are benefits of SAP Business Application Studio? Note: There are 3 to choose.

- A. Browser-based access
- B. Central administration
- C. Access to Visual Studio Code-compatible extensions
- D. Desktop client-based access
- E. Maintenance of all development projects in one central dev space

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Your customer presents you with the following UI requirements: The same visualizations for all users. Extraction of key information to identify a root cause. Searching, filtering, and sorting of items. Which SAP Fiori elements floorplan do you recommend they use?

- A. List report
- B. Worklist
- C. Analytical list page
- D. Object page

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

Your customer presents you with the following UI requirements: Users work on different kinds of items. Different visualizations without interactions between the visualizations. No drilldown.

Which SAP Fiori elements floorplan do you recommend they use?

- A. List report
- B. Analytical list page
- C. Worklist
- D. Object page

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14


Which event phases can you use with CAP event handlers by default? Note: There are 3 to choose.

- A. on
- B. between
- C. after
- D. before
- E. while


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What are the relationships? (Drag and drop the labels at the bottom onto the framed locations of the image above.)



Answer:



NEW QUESTION: 16

Your CAP project contains an entity called Books. You want to extend the Books entity with the managed aspect. You have already imported the aspect from the '@sap/cds/common' package (see attached graphic).

```
using {managed} from '@sap/cds/common';

entity Books {
  key ID : UUID @(Core.Computed : true);
  title : String;
  author : String;
}
```

Which is a valid way to extend the entity with the aspect?

```
☒ entity Books : managed {
  key ID : UUID @(Core.Computed : true);
  title : String;
  author : String;
}

☐ entity Books {
  key ID : UUID @(Core.Computed : true);
  title : String;
  author : String;
}
aspect managed : Books {}

☐ entity Books {
  key ID : UUID @(Core.Computed : true);
  title : String;
  author : String;
  aspect : managed;
}
```

A. Option A

B. Option C

C. Option B

Answer: A ([LEAVE A REPLY](#))

Valid C-CPE-13 Dumps shared by BraindumpsPass.com for Helping Passing C-CPE-13 Exam! BraindumpsPass.com now offer the **newest C-CPE-13 exam dumps**, the BraindumpsPass.com C-CPE-13 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-CPE-13 dumps with Test Engine here:

NEW QUESTION: 17

You initialize a new CAP project with initial project structure using a generator in SAP Business Application Studio. What are some of the default elements being created? Note: There are 2 to choose.

- A. folder /approuter
- B. file package.json
- C. folder /app
- D. file manifest.yml

Answer: (SHOW ANSWER)

NEW QUESTION: 18

What are some characteristics of YAML files? Note: There are 2 to choose.

- A. YAML files are based on XML.
- B. YAML files rely on correct indentation.
- C. YAML files can be used as configuration files.
- D. YAML files are also valid JSON files.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 19

What are standard events that CAP handles by default? Note: There are 3 to choose.

- A. READ
- B. CREATE
- C. UPDATE
- D. REFRESH
- E. WRITE

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 20

You have created an SAP BTP subaccount and want to use Cloud Foundry. What is the correct order of next steps?

- A. Enable Cloud Foundry. Create org. Create space. Create quota plan
- B. Create quota plan. Enable Cloud Foundry. Create space. Create org
- C. Create quota plan. Create org. Create space. Enable Cloud Foundry
- D. Enable Cloud Foundry. Create space . Create org. Create quota plan

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

What do you need to consider when working with subaccounts in SAP BTP? Note: There are 2 to choose.

- A. The subdomain of a subaccount must be unique within a region.
- B. A service must be entitled to the subaccount before you can subscribe to it.

- C. The subdomain is the unique identifier of a subaccount.
- D. A subaccount must be registered through a booster.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You want to register custom event handlers using instances of CAP Node.js SDK classes. Which one do you use?

- A. cds.Event
- B. cds.Request
- C. cds.Service

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

When using namespaces, what does SAP recommend you use to construct names for namespaces?

- A. Your organization's name
- B. Cascades of acronyms
- C. Reverse domain names

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following environments run on the SAP multi-cloud foundation? Note: There are 2 to choose.

- A. Kyma environment
- B. Cloud Foundry environment
- C. Netweaver environment
- D. Neo environment

Answer: ([SHOW ANSWER](#))

The multi-cloud foundation is the basis of SAP BTP, which through its multi-cloud compatibility, lets you choose from different infrastructures, environments, and runtimes.

It comprises three different environments: The Cloud Foundry environment, the Kyma environment, and the ABAP environment.

<https://help.sap.com/viewer/b017fc4f944e4eb5b31501b3d1b6a1f0/Cloud/en-US/06b6fb3d45d040429e36f0359d2fe1f2.html?q=SAP%20Cloud%20Platform%20Functions%20FaaS%20Serverless>

NEW QUESTION: 25

What information does the SAP Destination service provide to your applications to connect to a remote service or system?

- A. Connectivity proxy information for the target resource
- B. Technical information about the target resource
- C. Semantic information about the target resource

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which dev space type in SAP Business Application Studio do you need when you want to create a CAP project?

- A. Basic

- B. Full Stack Cloud Application
 - C. SAP Fiori
 - D. SAP Mobile Application
- Answer: B** ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which files are added to your CAP project when you run the "cds add pipeline" command in an SAP Business Application Studio terminal? Note: There are 2 to choose.

- A. A Jenkins folder with a manifest.yml file
- B. A .pipeline folder with a manifest.yml file
- C. A .pipeline folder with a config.yml file
- D. A file named Jenkinsfile

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 28

In the SAP BTP, what is the correct order of entities?

- A. Global account. Directory. Subaccount. Environment
- B. Environment. Global account. Directory. Subaccount
- C. Global account. Subaccount. Directory. Environment
- D. Directory. Global account. Subaccount. Environment

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

In SAP Business Application Studio, what is a dev space?

- A. A pre-configured shared virtual machine
- B. A pre-configured private virtual machine
- C. A pre-configured shared development environment
- D. A pre-configured private development environment

Answer: ([SHOW ANSWER](#)**)**

Valid C-CPE-13 Dumps shared by BraindumpsPass.com for Helping Passing C-CPE-13 Exam! BraindumpsPass.com now offer the **newest C-CPE-13 exam dumps**, the BraindumpsPass.com C-CPE-13 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-CPE-13 dumps with Test Engine here:
<https://www.braindumpsPass.com/SAP/C-CPE-13-practice-exam-dumps.html> (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)