

SAP.C-TAW12-750.v2023-10-26.q77

Exam Code:	C-TAW12-750
Exam Name:	SAP Certified Development Associate - ABAP with SAP NetWeaver 7.50
Certification Provider:	SAP
Free Question Number:	77
Version:	v2023-10-26
# of views:	932
# of Questions views:	770
https://www.exam-tests.com/C-TAW12-750-exam/SAP.C-TAW12-750.v2023-10-26.q77.html	

NEW QUESTION: 1

What is the Web Dynpro programming model is based on?

- A. Business Server Pages (BSPs)
- B. Model View Controller (MVC)
- C. Classic Dynpro programming
- D. Internet Transaction Server (ITS)

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

You have the following class definition: CLASS ICL_airplane DEFINITION PUBLIC SECTION.

METHODS: set_passengers. PROTECTED SECTION CONSTANTS c_pos type i.methods get_passengers PRIVATE SECTION DATA mv_passengers TYPE I, METHODS set_attributes ENDCALSS. Which components can be addressed directly from a subclass of class ICL_airplane?

- A. SET_PASSENGER
- B. SET_ATTRIBUTES
- C. Pos
- D. GET_PASSENGER

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 3

Which of the following function types in a GUI status are reserved for internal use?

There are 2 correct answers to this question.

Response:

- A. S- SYSTEM
- B. H-HELP REQUEST
- C. E-EXIT
- D. T-TRANSACTION

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which statements are considered obsolete and cannot be used in ABAP Objects? Select all that apply. (S. 556)

{9 Richtig}

- A. LEAVE
- B. INFOTYPES s/ TABLES
- C. SEARCH
- D. DATA - BEGIN OF ... OCCURS
- E. GE OF
- F. LOOPATdbtab
- G. RANGES
- H. DATA - 1YPE - OCCURS

Answer: [A,B,C,D,E,F,G,H \(LEAVE A REPLY\)](#)

NEW QUESTION: 5

Your program performs a database update by calling function modules in an update task. Which ABAP statement can be used in the program to discard all update request for the current SAP Logical unit of work (LUW)?

Note: There are 3 correct answers to this question

- A. MESSAGE TYPE K
- B. MESSAGE TYPE E
- C. MESSAGE TYPE W
- D. MESSAGE TYPE X
- E. MESSAGE TYPE A

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

What must you specify in a Unicode system when opening a file in TEXT MODE?

- A. The byte order
- B. The code page
- C. The ENCODING addition

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 7

Which of the following features does the ABAP Test Cockpit offer that the ABAP code Inspector does NOT Offer? There are 2 correct answers to this question.

- A. Enhanced distribution of results
- B. Flexible schedule of check runs
- C. Configuration of check variants
- D. Documented checks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

An internal table can have primary keys as well as secondary keys.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

What is variable-length structure called?

- A. Flat structure
- B. Deep structure
- C. Nested structure

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which of the following data types are predefined ABAP data types?

There are 3 correct answers to this question.

Response:

- A. DECIMALS
- B. DECFLOAT34
- C. STRING
- D. FLOAT
- E. XSTRING

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 11

Is it possible to have multiple active implementations of business add-ins at a time? Select all that apply

- A. It can have multiple active implementations if the Multiple use checkbox is '-' selected.
- B. It can have multiple implementations if the Filter-Depend, checkbox is '-' selected.
- C. It cannot have a multiple active implementation.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 12

The FIELD statement with the ON INPUT addition is used to conditionally call the ABAP dialog module. The ABAP dialog module is called if the value of the screen field is other than the initial value. (S. 411) {1 Richtig}

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 13

You want to add a field ZZPRICE to the SAP standard transparent table EKKO. Which of the following actions result in an enhancement of the SAP standard?

There are 2 correct answers to this question.

Response:

- A. Add ZZPRICE to the customizing include for the table
- B. Insert ZZPRICE at the end of the table
- C. Create an append structure and add ZZPRICE to it.
- D. Insert ZZPRICE into an SAP structure for the table

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 14

When included in a structure, which elementary field types allow the structure to be considered a character-type data object? Select all that apply. (S. 365) {4 Richtig}

- A. I
- B. X
- C. T
- D. N
- E. STRING
- F. C
- G. D
- H. XSTRING
- I. F

Answer: C,D,F,G (LEAVE A REPLY)

NEW QUESTION: 15

You have 2 objects: O1 of type class C1 and O2 of type class C2.

Class C2 is a subclass of class C1. Which of the following statements implements an up cast?

Please choose the correct answer.

Response:

- A. MOVE O1 ?TO O2.
- B. O2 ?= O1.

C. O1 = O2.

D. MOVE O1 TO O2.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

It is possible to use both buffering and secondary indexes to improve performance of a search help.

A. False

B. True

Answer: ([SHOW ANSWER](#))

Valid C-TAW12-750 Dumps shared by BraindumpsPass.com for Helping Passing C-TAW12-750 Exam! BraindumpsPass.com now offer the **newest C-TAW12-750 exam dumps**, the BraindumpsPass.com C-TAW12-750 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-TAW12-750 dumps with Test Engine here: <https://www.braindumps.com/SAP/C-TAW12-750-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

A transport company keeps track of this availability in two tables, table VEHICLES and table TRANSPORT.

To accept a new transport of a certain capacity must be found in table VEHICLES. If a record is found, a record is created in table TRANSPORT. The capacity is then adjusted in table VEHICLES. You have four function modules at your disposal.

UPD_VEH_A and UPD_VEH_B update a matching report in table VEHICLES. If an error occurs both issue a message of type X.

If no error occurs only UPD_VEH_A issues a message of type X.

If no error occurs UPD_VEH_A issues a message of type I.

UPD_TRAN_A and UPD_TRAN_B create a single record in table TRANSPORT. If an error occurs both issues a message of type X.

If no error occurs only UPD_TRAN_A issues a message of type I.

Which of the following function module calls ensures a single logical unit of work?

Please choose the correct answer.

Response:

A. 1.UPD_VEH_A

2.UPD_TRAN_A

B. 1. UPD_TRAN_B

2. UPD_VEH_B

- C. 1. UPD_TRAN_A
2. UPD_VEH_B

- D. 1. UPD_VEH_A
2. UPD_TRAN_B

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

What is the ALV Object Model? Please choose the correct answer.

- A. A group of classes that describe the BDC Grid as a whole and inherit from a single class
- B. A group of hierarchal classes that describe the ALV Grid as a whole but do not inherit from a single class
- C. A group of classes that describe the ALV Grid as a whole and inherit from a single class
- D. A group of classes that apply Grid as a whole and inherit from a multiple class

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which of the following statement create a data object? Note: There are 3 correct answers to this question.

- A. parameters
- B. type
- C. class-data
- D. CLASS
- E. CONSTANT

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 20

You have written a method implementation containing the following access to an internal table defined as a changing parameter of the method. READ TABLE ct_struct INDEX 1.

What are the possible type definitions for parameter ct_itab?

Note: There are 2 correct answers to this question.

- A. Any Table
- B. Standard Table O Index Table
- C. Sorted Table
- D. Hashed Table

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

What is the event block that all of your code changes belongs to if you do not explicitly code any event blocks in an executable program? Please choose the correct answer.

- A. INITIALIZATION

- B. START-OF-SELECTION
- C. AT SELECTION-SCREEN OUTPUT
- D. LOAD-OF-PROGRAM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

A transparent table can include a deep structure

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Subclasses inherit all the components of the parent class.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

When starting the Debugger, what circumstance causes the runtime error DEBUGGING_NOT_POSSIBLE?

Please choose the correct answer.

Response:

- A. When the number of debugging sessions on the server exceeds the value defined by the profile parameter rdisp/wpdbug_max_no
- B. When more than five sessions are already associated with this login user
- C. Starting a non-exclusive mode in a productive system
- D. When more than six sessions are already associated with this login user

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

When to use Enhanced Open SQL?

There are 2 correct answers to this question.

- A. To view scalar components
- B. At the time of Dictionary Views
- C. Need the query in one piece of code only
- D. To access system fields

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which of the following statements are true? Select all that apply. (S.596) {3 Richtig}

- A.** An implicit enhancement point can be used to insert code in an SAP program and is always available to the customer.
- B.** Implicit enhancement can be used to enhance SAP objects developed prior to SAP NetWeaver 7.0.
- C.** Implicit enhancement options allow you to enhance interface parameters for function modules and methods without modifying the repository object.
- D.** None of the above.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 27

Which of the following statements are correct? Select all that apply.

- A.** You can use the addition NO-DISPLAY to hide the input field on the selection '-' screen
- B.** The SELECT-OPTIONS statement creates an internal table with a header line. '-' The internal table is also known as the selection table.
- C.** You can only specify default values for the LOW and HIGH fields of the *-I SELECT-OPTIONS input field.
- D.** The structure of the selection table created with SELECT-OPTIONS has four *-I components: SIGN, OPTION, LOW, and HIGH

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 28

A transport company keeps track of this availability in two tables, table VEHICLES and table TRANSPORT.

To accept a new transport of a certain capacity must be found in table VEHICLES. If a record is found, a record is created in table TRANSPORT. The capacity is then adjusted in table VEHICLES. You have four function modules at your disposal.

UPD_VEH_A and UPD_VEH_B update a matching report in table VEHICLES. If an error occurs both issue a message of type X. If no error occurs only UPD_VEH_A issues a message of type X. If no error occurs UPD_VEH_A issues a message of type I.

UPD_TRAN_A and UPD_TRAN_B create a single record in table TRANSPORT. If an error occurs both issues a message of type X. If no error occurs only UPD_TRAN_A issues a message of type I.

Which of the following function module calls ensures a single logical unit of work? Please choose the correct answer.

- A.** 1. UPD_TRAN_B
2. UPD_VEH_B
- B.** 1. UPD_VEH_A
2. UPD_TRAN_A
- C.** 1. UPD_VEH_A
2. UPD_TRAN_B
- D.** 1. UPD_TRAN_A

2. UPD_VEH1_B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which ABAP statement can make an element visible that you statically defined as invisible?

Please choose the correct answer.

Response:

- A. SCREEN-ACTIVE = 1
- B. SCREEN-INVISIBLE = 0
- C. SCREEN-INVISIBLE = 1
- D. SCREEN-ACTIVE = 0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which of the following incomplete ABAP pre-defined data types? Note: There are 3 correct answers to this question

- A. P
- B. D
- C. N
- D. T
- E. X

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 31

The Repository Information System is a useful tool to search for customer exits/function exits and BADIs in the SAP system.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid C-TAW12-750 Dumps shared by BraindumpsPass.com for Helping Passing C-TAW12-750 Exam! BraindumpsPass.com now offer the **newest C-TAW12-750 exam dumps**, the BraindumpsPass.com C-TAW12-750 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-TAW12-750 dumps with Test Engine here: <https://www.braindumps.com/SAP/C-TAW12-750-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

How many work areas are available in the Debugger?

Please choose the correct answer.

Response:

- A. 12
- B. 15
- C. 9
- D. 7

Answer: (SHOW ANSWER)

NEW QUESTION: 33

Which of the following tasks does the BADI implementing class perform?

Please choose the correct answer.

Response:

- A. Inserting
- B. Deleting
- C. Sequencing
- D. Filtering

Answer: D (LEAVE A REPLY)

NEW QUESTION: 34

List down the elements involved in User Management and Security in SAP HANA? There are 3 correct answers to this question

- A. Assign security
- B. Manage users
- C. Work management
- D. Assign job security
- E. Create users

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 35

Which database objects can you create in the ABAP Dictionary?

There are 2 correct answers to this question

Response:

- A. Foreign key relationships
- B. Indexes
- C. Projection views
- D. Logical databases

Answer: (SHOW ANSWER)

NEW QUESTION: 36

The statements CALL BADI and GET BADI are used for which type of BAdIs?

- A. New BAdI
- B. Classical BAdI
- C. None of the above

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

Authorizations are handled automatically during access to the database interface to restrict data access of the user.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

If an error or warning message is sent from the ABAP dialog module for the FIELD statement within the CHAIN and ENDCHAIN statements, then all of the fields within CHAIN and ENDCHAIN are ready for user input again. (S. 411) {1 Richtig}

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Under which circumstances will the classic Debugger start as the Debugger?

There are 2 correct answers to this question.

Response:

- A. When five modes already exist for this logon session.
- B. When the number of debugging sessions exceeds half the number of dialog sessions.
- C. None; the new Debugger will always start as the Debugger.
- D. If you manually switched to the classic Debugger during your last session.
- E. When you specify the default as the classic Debugger in the settings of the Object Navigator.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

The READ-ONLY addition for the attribute declaration can be used in the private and public visibility section.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Which statement ends a screen sequence and starts from initial screen?

Please choose the correct answer.

Response:

- A. LEAVE TO SCREEN
- B. CALL SCREEN
- C. LEAVE SCREEN
- D. SET SCREEN 0

Answer: D (LEAVE A REPLY)

NEW QUESTION: 42

The code of an executable program does NOT contain any event keywords. What event block does the code belong to?

- A. INITIALIZATION
- B. AT SELECTION-SCREEN
- C. LOAD-OF-PROGRAM
- D. START-OF-SELECTION

Answer: D (LEAVE A REPLY)

NEW QUESTION: 43

You can maintain SAPscript forms and SAP Smart Forms within the ABAP Workbench.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 44

Which does the field catalog allow you to do? Select all that apply. (S. 503) {3 Richtig}

- A. Change the title of a column
- B. Specify the sort order of the display table
- C. Add a field to the display
- D. Produce a striped pattern for the display lines
- E. Change the display order of a column

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 45

Which steps do you have to perform when defining a view using core data services (CDS)?

There are 3 correct answers to this question.

- A. Use the DDL statement DEFINE VIEW and SQL like Syntax
- B. Specify the name of the SQL view in ABAP Dictionary
- C. Define the type mapping between ABAP and SAP HANA
- D. Create a data definition in your ABAP package
- E. Create a proxy object for the defined view.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Global data types defined in SAP systems are...

- A. Data defined in the program that is visible to all the routines/statements '-' within the ABAP program.
- B. ABAP Dictionary types.
- C. Date types defined in the program using ABAP Dictionary types.

Answer: B ([LEAVE A REPLY](#))

Valid C-TAW12-750 Dumps shared by BraindumpsPass.com for Helping Passing C-TAW12-750 Exam! BraindumpsPass.com now offer the **newest C-TAW12-750 exam dumps**, the BraindumpsPass.com C-TAW12-750 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-TAW12-750 dumps with Test Engine here: <https://www.braindumpsPass.com/SAP/C-TAW12-750-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

You have been asked by a customer to develop open SQL code to convert the value of argument "arg" into the ABAP Dictionary type specified, which SQL syntax do you use to meet this requirement?

- A. CAST (arg AS type)
- B. CASTING (arg FOR type)
- C. CASTING (arg AS type)
- D. CAST (arg FOR type)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

What do global types and local types have in common?

Please choose the correct answer.

Response:

- A. Search help
- B. Documentation
- C. Field labels
- D. Technical information

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 49

Local update tasks are quicker because they stay within the same work process.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

For which of the following purposes can you use the ABAP dictionary?

There are 2 correct answers to this question.

Response:

A. To activate logging for transparent tables

B. To create lock objects

C. To maintain program translations

D. To create development classes

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 51

Public methods can access the private attributes of the same class.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Where can you define data types that can be used throughout the system? Note: There are 3 correct answers to this question.

A. In a global interface

B. In a method

C. In the ABAP Dictionary

D. In a function module

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 53

You are writing a program that uses ABAP class.

Which components of the class can you create directly from the program?

Please choose the correct answer.

Response:

A. Only private components

B. Only protected components

C. Only public components

D. All components

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Identify the types of layout managers. Select all that apply.

- A. GridLayout
- B. reeLayout
- C. FlowLayout
- D. MatrixLayout
- E. RowLayout
- F. ColumnLayout

Answer: (SHOW ANSWER)

NEW QUESTION: 55

What does a view do?

There are 4 correct answers to this question.

Response:

- A. If entered by an inbound plug, can cause an event handler method to be called
- B. Contains windows
- C. Contains a view controller
- D. Contains other views
- E. Can be contained in a window

Answer: A,B,C,E (LEAVE A REPLY)

NEW QUESTION: 56

Subroutines provide which types of parameters? Select all that apply.

- A. Exceptions
- B. Input/output (changing)
- C. Input
- D. Output
- E. Return values

Answer: (SHOW ANSWER)

NEW QUESTION: 57

One of the prerequisites for the replacement object is that the structure type defined for the CDS view should match the structure of the database table

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 58

Which of the following statements about the Object Navigator are true? Select all that apply. (S 105.) {4 Richtig}

- A. The ABAP Dictionary can be maintained in the Object Navigator

- B. ABAP programs can be displayed and edited in the Object Navigator.
- C. You can create customer projects (Transaction CMOD) in the Object Navigator.
- D. Screens can be displayed and edited in the Object Navigator.
- E. You can create BAdI implementations in the Object Navigator.
- F. Menus can be displayed and edited in the Object Navigator.

Answer: A,B,D,F (LEAVE A REPLY)

NEW QUESTION: 59

Each work process... (select all that apply.)

- A. Is independent of other work processes
- B. Can make database changes spanning multiple database LUWs
- C. Uses a database connection to a work process established when the SAP NetWeaver AS for ABAP started.
- D. Uses a pool of database connections established when the SAP NetWeaver AS for ABAP started.
- E. Can only make database changes within a single database LUW.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 60

Name the views that are available to administer and monitor one or several SAP HANA systems? There are 2 correct answers to this question

- A. The Administration view
- B. The System Monitor view
- C. The Security view
- D. The Landscape view

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 61

An SAP LUW differs from a database LUW in that it allows for multiple screens to be processed.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

Valid C-TAW12-750 Dumps shared by BraindumpsPass.com for Helping Passing C-TAW12-750 Exam! BraindumpsPass.com now offer the **newest C-TAW12-750 exam dumps**, the BraindumpsPass.com C-TAW12-750 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-TAW12-750 dumps with Test Engine here: <https://www.braindumps.com/SAP/C->

NEW QUESTION: 62

What is the correct order for using a lock object?

- A. Set the lock, read the data, change the data, release the lock
- B. Set the lock, read the data, release the lock, change the data
- C. Read the data, set the lock, change the data, release the lock

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 63

You want to select all the records from a database table where field CITY contains substring 'BU' in any position. Which WHERE clause can you use in an Open SQL select statement?

Please choose the correct answer.

Response:

- A. WHERE city LIKE '%BU*'
- B. WHERE city LIKE '*BU*'
- C. WHERE city LIKE '_BU'
- D. WHERE city LIKE '%BU%'

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

The user interface consists of the GUI status and GUI title.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

Your code contains the following statement:

```
READ TABLE gt_itab INTO gs_struct INDEX 1.
```

When defining gt_itab, which internal table types can you use?

Please choose the correct answer.

Response:

- A. Standard and sorted
- B. Standard and hashed
- C. Standard, sorted, and hashed
- D. Sorted and hashed

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

When does the lifetime of a component controller begin and end? (S. 530) {1 Richtig}

- A. It begins with the Web Dynpro component and ends with the Web Dynpro application that called it
- B. It begins the first time the Web Dynpro application is called at runtime and ends when the Web Dynpro application that called and instantiated the component ends.
- C. It lasts from creating data within the controller to cover the whole period' during which the component is in use.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which components of the class can be accessed in the implementation of a static method in that class?

There are 2 correct answers to this question

Response:

- A. Constants
- B. Instance attributes
- C. Types
- D. All events

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

What is the difference between a Unicode and non-Unicode program? Select all that apply

- A. Offset positioning in a Unicode structure is restricted to flat data objects.
- B. Offset positioning in a Unicode structure is restricted to character data ^ *-l objects.
- C. Byte-type data objects cannot be compared to character-type data objects.
- D. Byte-type data objects cannot be assigned to character-type data objects.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

How do you define an internal table in a private method of a class? There are 3 correct answers to this question.

- A. DATA It_itabTYPE <Table Type>
- B. DATA It_itab TYPE TABLE OF < Dictionary Table >
- C. DATA It_itab TYPE <Dictionary Table>
- D. DATA It_itab TYPE TABLE OF <Dictionary Table > WITH HEADER LINE
- E. DATA It_itab TYPE TABLE OF <Structure Type>

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

You can define search helps and parameter IDs for a data element.

- A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

What is the default selection screen number for the ABAP program?

A. 1000

B. 100

C. None of the above

D. 1100

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

What type of ABAP Dictionary view is implemented as an INNER JOIN?

A. Help views

B. Database view

C. Maintenance view

D. Projection view

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which of the following can you define in the technical settings of a transparent table?

There are 3 correct answers to this question.

Response:

A. Delivery class

B. Data class

C. Buffering type

D. Size category

E. Table name

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

You use the addition OBLIGATORY to define the input field of a parameter as a required field.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

How can you declare an internal table using the transparent table A as its line type?

Please choose the correct answer.

Response:

- A. DATA gt_itab TYPE TABLE OF a.
- B. DATA gt_itab TYPE REF TO a.
- C. DATA gt_itab TYPE a.
- D. DATA gt_itab TYPE LINE OF a.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

You enhance an SAP standard global class by defining a post-method for an SAP method, the original SAP method has an EXPORTING parameter named PARI. What type of parameters is PARI in the post-method?

- A. CHANGING
- B. IMPORTING
- C. RETURNING
- D. EXPORTING

Answer: ([SHOW ANSWER](#))

Valid C-TAW12-750 Dumps shared by BraindumpsPass.com for Helping Passing C-TAW12-750 Exam! BraindumpsPass.com now offer the **newest C-TAW12-750 exam dumps**, the BraindumpsPass.com C-TAW12-750 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C-TAW12-750 dumps with Test Engine here: <https://www.braindumps.com/SAP/C-TAW12-750-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

What must you specify in a Unicode system when opening a file in TEXT MODE?

Please choose the correct answer.

Response:

- A. The code page
- B. The ENCODING addition
- C. The byte order
- D. The Layer page

Answer: ([SHOW ANSWER](#))

Valid C-TAW12-750 Dumps shared by BraindumpsPass.com for Helping Passing C-TAW12-750 Exam! BraindumpsPass.com now offer the **newest C-TAW12-750 exam dumps**, the BraindumpsPass.com C-TAW12-750 exam **questions have been updated**

and **answers have been corrected** get the **newest** BraindumpsPass.com C-TAW12-750 dumps with Test Engine here: <https://www.braindumps.com/SAP/C-TAW12-750-practice-exam-dumps.html> (80 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)