

SAP.C_FIORDEV_21.v2022-08-09.q82

Exam Code:	C_FIORDEV_21
Exam Name:	SAP Certified Development Associate - SAP Fiori Application Developer
Certification Provider:	SAP
Free Question Number:	82
Version:	v2022-08-09
# of views:	1506
# of Questions views:	820
https://www.exam-tests.com/C_FIORDEV_21-exam/SAP.C_FIORDEV_21.v2022-08-09.q82.html	

NEW QUESTION: 1

What are the goals of the SAPUI5 framework?

- A. Provide an extensible framework for building desktop and mobile applications.
- B. Provide a user interface technology for building and adapting client applications.
- C. Provide a lightweight programming model for desktop only applications.
- D. Provide a user interface technology for building and adapting server-based applications.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 2

What is the correct HTTP request method that is required to modify an ODATA resource?

- A. Update
- B. Post
- C. Change
- D. Put

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

Your customer wants to enable the SAP Fiori app to be accessed in multiple languages.

Which of the following activities do you perform? (3 answers)

- A. Create a view file and a controller file for each language
- B. Create a resource file containing key/value pairs
- C. Create a resource file with a .props extension
- D. HTML -enable the special characters in the resource file

E. Create a resource file for each language

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 4

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question

- A. /regions/0/companies/O/city
- B. /regions/companies/O/city
- C. /region [OJ/companies[0]/city
- D. /regions/1/companies//city

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

In the source code below, which of the following locations must reference the extension point?

- A. EmployeeDate.controllers
- B. Neo-app.json
- C. EmployeeData.view.xml
- D. Components

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

When do you use deep insert?

- A. When working with hierarchical data where the data can only be stored in the full hierarchy.
- B. When adding a new entity to an entity set.
- C. When working with aggregation binding to update / insert an entity in the bound complex structure.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which file of the SAP HAT Connector stores the WebIDEHosts URL and can be used for troubleshooting?

- A. Config.json
- B. appConfig.js
- C. Assistmsg.json
- D. Package.json

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which features of the SAP Web IDE help you extend a standard SAP Fiori app? (2 answers)

- A. The Extensibility Pane to extend the control
- B. An editor to modify the data model in the extended project
- C. The Descriptor Editor to choose elements for extension
- D. A wizard to generate the files for each extension possibility

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 9

Which dependent plugin must you enable to include the Push plugin when you create a hybrid mobile app?

- A. Network Connection
- B. Logon Manager
- C. App Update
- D. Dialog Notification

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 10

Which activities does the the OData Model Editor support? Note: There are 2 correct answers to this question.

- A. Create ODataModels
- B. Deploy OData Models
- C. Test DataModels
- D. Edit ODataModels

Answer: C,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 11

Where are the themes saved for the SAP Fiori launchpad?

- A. In the theme data center
- B. In the bootstrap
- C. In the theme repository
- D. In the UI theme designer tool

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 12

While testing an SAP Fiori app you discover that a button on the page delivers no response. Which of the following agile pyramid options do you use?

- A. Sinon
- B. QUnit
- C. Mock server
- D. OPA

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

When do you select the custom plugins to build and package a hybrid app using the SAP HAT?

- A. During the Configure Path for Custom Plugins step of installing the SAP HAT
- B. While creating a new project using the Hybrid Mobile Enablement feature
- C. While configuring the app properties on the Hybrid App Configuration tab of the Web IDE Plugin
- D. During the Build the Hybrid Companion App step of installing the SAP HAT

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which function do you call on the ODataModel to trigger a deep insert?

- A. createDeep
- B. updateDeep
- C. insertDeep
- D. create

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What is the required content of the Components file of an extension project? (2 answers)

- A. The link to the parent app
- B. The controller IDs
- C. The namespace of the parent app
- D. The customizing section

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

You want to define a property with the name width to enhance a standard UI5 control. The property should hold the current width of the UI control. What is the best approach to defining the type of such a property?

- A. Define the property width of the type sap.ui.core.type.CSSSize.
- B. Define the property width of the type sap.ui.core.CSSSize.
- C. Define the property width of the type sap.ui.core.Integer.
- D. Define the property width of the type string.

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_21 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_21 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_21 exam dumps**, the BraindumpsPass.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/C_FIORDEV_21-practice-exam-dumps.html

(195 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

What result do you expect from the de-composition and re-composition phases? (3 answers)

- A. A responsive de-composed design
- B. An adaptive and coherent app
- C. The prevention of irrelevant data being shown to the user
- D. A purpose-built app to support personas
- E. The break-down of a large transaction

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct answers to this question

- A. Interdependent targets must be deployed in a single transport request.
- B. Apps can be developed and deployed in parallel.
- C. To support Cross-app navigation
- D. The concrete app targets can be deployed separately

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19



In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question

- A. /regions/companies/O/city
- B. /regions/1/companies//city
- C. /region [OJ/companies[0]/city
- D. /regions/0/companies/O/city

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Is it true to say that the sap.m.App control does not provide responsive behavior?

- A. It depends on the SAPUI5 version. From version 1.30 and later, the sap.m.App control provides responsive behavior.
- B. No, that is not true. The sap.m.App control provides responsive behavior.
- C. That is true, the sap.m.App control does not provide responsive behavior.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

You are extending an SAP Fiori app. Which of the extension properties are defined in the manifest.json? (2 answers)

- A. sap.ui.i18nModifications
- B. sap.ui.controllerExtensions
- C. sap.ui.viewModifications
- D. sap.ui.modelModifications

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 22

When SAP Web IDE deploys an SAPUI5 app to the ABAP server, which type of app is it deployed as?

- A. ABAP
- B. HTML5
- C. OpenUI5
- D. BSP

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Is it possible to add an extension point in the component implementation?

- A. It depends on the type of component.
- B. Yes
- C. No

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Why do you use the Cordova and SAP Kapsel plug-ins when using the SAP Web IDE, SAP HAT add-on? (2 answers)

- A. To use offline OData
- B. To integrate device APIs
- C. To use X.509 client certificates
- D. To enable multiple SAPUI5 apps

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

How do you access the MessageManager?

- A.** Each UI control provides a function to access the MessageManager.
- B.** You have to instantiate the MessageManager using the constructor function.
- C.** It is a singleton and can be accessed by the getMessageManager function on the core object.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What are the different content densities provided by SAPUI5?

- A.** large
- B.** cozy
- C.** condensed
- D.** strict
- E.** compact

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Which SAP Fiori application is launched by using the search functionality instead of using a tile?

- A.** Transactional
- B.** Analytical
- C.** Factsheet
- D.** Legacy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Your customer requires that the SAPUI5 design of all apps reference a specific and consistent look and feel.

What do you create? (3 answers)

- A.** Create a model using the Web IDE implementing the specific look and feel and reference this model in the bootstrap of all apps
- B.** Create a module using the Web IDE implementing the specific look and feel and reference this module in the bootstrap of all apps
- C.** Create a global JavaScript file using the Web IDE implementing the specific look and feel and reference this file in the bootstrap of all apps
- D.** Create a theme using the Theme Designer implementing the specific look and feel and reference this theme in the bootstrap of all apps

E. Create a sass file using the Web IDE implementing the specific look and feel and reference this sass in the bootstrap of all apps

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 29

In the design thinking phase of your customer project, one design is accepted as viable. What other attributes need to be valid for this design to be considered? (2 answers)

- A. Usable
- B. Achievable
- C. Desirable
- D. Feasible

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Your customer requires an app to display flight information on a mobile device as detailed in the following screenshot for details.

Which options can you use to display the same data in a readable format on a mobile device?

Note: There are 2 correct answers to this question.

- A. SAPUI5 Foundations_04_answ1.PNG
- B. SAPUI5 Foundations_04_answ4.PNG
- C. SAPUI5 Foundations_04_answ3.PNG
- D. SAPUI5 Foundations_04_answ2.PNG

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

You want to use transaction /U12/FLP to start the SAP Fiori Launchpad using the Web Dispatcher. Which database table do you use to configure this?

- A. HTTP_MADMIM
- B. HTTPURLLOC
- C. HTTP_WHITELIST

Answer: B ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_21 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_21 exam dumps**, the BraindumpsPass.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_21 dumps with Test Engine here:

NEW QUESTION: 32

In the source code below, which of the following locations must reference the extension point?

- A. EmployeeDate.controllers
- B. EmployeeData.view.xml
- C. Component.js
- D. Neo-app.json

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

What options can you use to add UI annotations to a SAP Fiori Element Page? Note: There are 3 correct answers to this question.

- A. Add Annotation to the underlying Database Table
- B. Add Annotation with the help of a Metadata Extension
- C. Add Annotation to the Annotation file present as a part of WebIDE project using Annotation modeler
- D. Add Annotations to the underlying CDS view

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

What result do you expect from the de-composition and re-composition phases? (3 answers)

- A. A responsive de-composed design
- B. The break-down of a large transaction
- C. The prevention of irrelevant data being shown to the user
- D. A purpose-built app to support personas
- E. An adaptive and coherent app

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

You need to consume the ODATA service from the gateway to create a new SAP Fiori App in the SAP WEB IDE. What value do you configure in the WebIDEUsage property by the destination in the SAP?

- A. odata_xs
- B. odata_gen
- C. dev_abap
- D. odata_abap

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

What are the advantages of the Sinon.JS framework? (2 answers)

- A. It provides support for Spies, stubs and mocks
- B. It supplies higher level test doubles for timers and AJAX requests
- C. It can be used with any JavaScript unit test framework
- D. It enables test-driven development

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

For which operations will the SAP Gateway server compute and return a new ETag in a response header? (2 answers)

- A. DELETE
- B. POST
- C. GET
- D. PUT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

What is the relation between the model and the controller in the standard MVC implementation?

- A. The controller modifies the model.
- B. The model updates the controller.
- C. The controller sets the model visibility.
- D. The model notifies the controller about changes.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

Your customer asks you for the advantages of the Model View Controller (MVC) design pattern. Which of the following answers do you provide? (2 answers)

- A. The project team members that have extensive UI skills can concentrate in that area
- B. MVC artifacts can be transported and debugged separately
- C. The data that the models work with can be reused by several different applications
- D. MVC is easy to implement for the project team members and supports quick coding

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 40

To what namespace is the ExtensionPoint class assigned?

- A. sap.ui.core
- B. sap.ui.core.extension
- C. sap.m

D. sap.ui.extension

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

In the data in the screenshot, you want to display the List of Companies in the Americas region which binding option do you use for the X Y and Z values in the view?



A. X: /regions/companies Y: name Z:city

B. X: /regions/companies Y companies/name Z companies/city

C. X: /regions/O/companies Y: name Z: city

D. X: /regions/u/companies Y companies/u/name L companies/u/city

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

When is the use of a master-detail pattern not recommended?

A. When you want to display different facets of the same object, data, or both.

B. You need to offer complex filters for the master list of items.

C. You want to display a single object.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

When do you need to work with local data?

A. When you want to reduce the complexity of your application.

B. To perform a quick test without creating live entities on the back-end server.

C. When performance is poor in the productive system.

D. When working with static data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

What type of concurrency control is offered by OData?

A. No concurrency control

B. Optimistic concurrency control

C. Pessimistic concurrency control

D. Exclusive concurrency control

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

What parameter is needed when instantiating a MockServer object?

- A. url
- B. rootUri
- C. uri
- D. rootUrl

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

What is meant by the phrase "SAPUI5 supports modification free enhancements"?

- A. SAP provides a service in the cloud to generate an enhanced application using aspect-oriented programming.
- B. The delivered standard application remains unchanged and hence the extension is considered to be modification free.
- C. The developer must create a copy of the application that should be enhanced and the enhancement is done in the copy.

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_21 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_21 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_21 exam dumps**, the BraindumpsPass.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/C_FIORDEV_21-practice-exam-dumps.html

(195 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

A business user is unable to find an application on the SAP Fiori Launchpad or on the App Finder. Which of the following options could explain why the tile is unavailable? Note:

There are 3 correct answers to this question

- A. The OData service authorization is missing
- B. The end user is missing the required group containing the tile.
- C. The user does not have the proper PFCG role assigned to see the application or tile.
- D. The catalogs assigned to the user do not contain the relevant application or tile.
- E. The target mapping for the tile is missing in the catalog

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 48

To perform a QUnit test, what do you include in a test page under your webapp folder?

- A. SAPUI5 bootstrap code
- B. Mock code
- C. OPA function
- D. Stub code

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which tile types can you use to display real-time data values that are read from an OData service? Note: There are 2 correct answers to this question

- A. News tile
- B. App Launcher-Dynamic tile
- C. App Launcher - Static tile
- D. KPI-based tile

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

What is the best approach to show a UI control on a desktop only, and not on a mobile device?

- A. Use the standard CSS class sapUiVisibleOnlyOnDesktop.
- B. Use the Device API to check the environment and call setVisible on the UI control.
- C. Use the UI control from sap.ui.commons. These UI controls can handle this automatically.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

What happens when you use the SAP Web IDE console during a deployment? (2 answers)

- A. You can debug the error messages in the console
- B. You can archive the success messages in the console
- C. You can view error messages when a deployment is successful
- D. You can view error messages when a deployment is NOT successful

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which of the following are best practices when developing a SAPUI5 app?

- A. Make use of patterns.
- B. Describe your app using a set of metadata.
- C. Use an asynchronous model definition in your JavaScript code.
- D. Use the Synchronous Model Definition (SMD) syntax.
- E. Minimize the code in the index.html file.

Answer: A,B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following are the main states of a file in GIT?

- A. Committed
- B. Released
- C. Changed
- D. Modified

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

What is the base class for all UI controls in SAPUI5?

- A. sap.ui.Element
- B. sap.ui.Control
- C. sap.ui.base.Control
- D. sap.ui.core.Control

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- A. Use @UI.selectionField annotation to define a fuzzy search field
- B. Use @UI.lineitem importance annotation to determine in which devices the field is displayed
- C. Use @Search.defaultSearchElement annotation to define input fields with value help
- D. Use @UI.hidden annotation to hide the fields that are not to be displayed on a list report

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 56

What message types are known to SAPUI5?

- A. UI message
- B. Control message
- C. Log message
- D. Server message

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which aggregation is used to overwrite the standard behavior of a SmartField control.

- A. configure
- B. overwrite
- C. extension

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which OData versions are currently supported by SAPUI5?

- A. OData V2
- B. OData V4
- C. OData V7
- D. OData V5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system. What do you create to implement a deep insert? (2 answers)

- A. Create a nested structure for Sales Order and Sales Order Items
- B. Create a flat structure with Sales Order and Sales Order Items, and then add an expand command
- C. Create individual structures for both Sales Order and Sales Order Items, and then batch them
- D. Create an object structure that defines the hierarchy

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which technologies are used to create Hybrid apps and SAPUI5 apps?

- A. HTML5, JavaScript and CSS
- B. XML, JavaScript and CSS3
- C. XML, JSON and CSS
- D. HTML, JSON and CSS3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

- A. `this.calculator.press("1")`
- B. `QUnit.test`
- C. `teardown : function() {}`
- D. `QUnit.module`

Answer: A ([LEAVE A REPLY](#))

exam dumps, the BraindumpsPass.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/C_FIORDEV_21-practice-exam-dumps.html

(195 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

- A. QUnit.test
- B. teardown : function() {}
- C. QUnit.module
- D. this.calculator.press("1")

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 63

What activity does the QUnit Stub functionality perform?

- A. Returns values for method calls
- B. Verifies that expected methods are called correctly
- C. Provides parameters and return values for method calls
- D. Supplies parameter for method calls

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

What happens if you execute an app that contains the following bootstrap file? (to jest to bootstrapowanie z pliku index.html wtagach <script> i nie bylo zadeklarowanego data-sap-ui-theme)

- A. The bootstrap will load and the application will run successfully but without a theme
- B. The bootstrap will load and the SAP default theme will be used
- C. The bootstrap will load and the customer-defined default theme will be used
- D. The bootstrap will NOT load and the application will produce an error message that the theme is missing

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 65

What are the SAP Fiori principles?

- A. Creative
- B. Role-based
- C. Complex
- D. Adaptive
- E. Coherent

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 66

What are the advantages of Local Annotations Over SADL-based Annotations? Note:
There are 2 correct answers to this question

- A.** Local Annotations are more reusable as compared to SADL based annotations
- B.** Can handle Complex annotations which is not a bound to a single field or entity
- C.** Can Override the CDS based Annotations
- D.** All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 67

What configuration steps are necessary to define a navigation route?

- A.** Activate routing in the sap.app.
- B.** Assign at least one target to the route.
- C.** Configure a route in the manifest.json file.
- D.** Configure a target.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which application types can you develop and deploy on the SAP HANA Cloud platform? (3 answers)

- A.** HANA XS apps
- B.** Objective-C apps
- C.** Java apps
- D.** HTML apps
- E.** ABAP apps

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

You need to explain the core functions of OPA5 for testing SAPUI5 apps. Which test options are offered by OPA5? (2 answers)

- A.** Development tests
- B.** Load tests
- C.** Navigation tests
- D.** User interaction tests

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which UI annotation is used to declare a field for the smart filter template?

- A. UI.filterField
- B. UI.searchField
- C. UI.selectionField
- D. UI.finderField

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 71

In the data in the screenshot, you need to display the List of Companies in the Americas region. Which binding option do you use for the values X, Y, and Z in the view?

- A. X: /region/0/companies Y: name Z: city
- B. X: /region/0/companies Y: companies/0/name Z: companies/0/city
- C. X: /region/companies Y: companies/name Z: companies/city
- D. X: /region/companies Y: name Z: city

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

What happens if you execute an app that contains the following bootstrap file? (to jest o bootstrapowanie z pliku index.html wtagach <script> i nie bylo zadeklarowanego data-sap-ui-theme)

- A. The bootstrap will load and the customer-defined default theme will be used
- B. The bootstrap will load and the SAP default theme will be used
- C. The bootstrap will load and the application will run successfully but without a theme
- D. The bootstrap will NOT load and the application will produce an error message that the theme is missing

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

You need the server to sort and filter the data used in your customers app. Which SAPUI5-supported data model must you use?

- A. JSONModel
- B. ResourceModel
- C. XMLModel
- D. ODataModel

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

SAP Fiori Elements utilizes a metadata-driven approach for SAP Fiori app development. What are the implications of this?

- A. SAPUI5 Smart Controls must be created by developers to utilize the Data annotations and metadata of SAP Fiori Elements templates

- B.** App developers must use JavaScript to allow their applications to read OData annotations and metadata
- C.** The SAPUI5 runtime interprets metadata and annotations of the OData service and uses the corresponding views for the Fiori app at startup
- D.** Smart Templates must be used by the developer to consume OData annotations and metadata so the SAPUI5 runtime can use the corresponding view

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which HTTP request methods does the SAP Gateway server use to compute and return a new ETag in a response header? Note: There are 2 correct answers to this question.

- A.** Get
- B.** Post
- C.** Put
- D.** Delete

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 76

Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- A.** Adobe Flash
- B.** SAP WEB IDE
- C.** OUI Theme Designer
- D.** SAP Build

Answer: B ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_21 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_21 exam dumps**, the BraindumpsPass.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/C_FIORDEV_21-practice-exam-dumps.html

(195 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

What is the result of a GIT Clean?

- A.** Reverts back to the previous state of the project.
- B.** Undoes a committed snapshot.
- C.** Removes all untracked files from the working directory.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which of the following are the current SAP UI Tools?

- A. SAP NetWeaver Portal
- B. SAP NetWeaver Gateway
- C. SAPUI5 Application Development Tools
- D. Flexible UI Designer
- E. SAP Screen Personas

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

Which of the following sequences is the correct sequence for the Problem Space phase in a Design Thinking workshop?

- A. 360° Research, Scoping, Synthesis
- B. Scoping, Synthesis, Ideation
- C. Scoping, 360° Research, Synthesis
- D. Scoping, 360° Research, Ideation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Which SAP Fiori app types require the SAP HANA database? (2 answers)

- A. Analytical
- B. Transactional
- C. Factsheet
- D. Legacy

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 81

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? (2 answers)

- A. oninit
- B. confirm
- C. reset
- D. listFilter

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 82

In a standard SAPUI5 project, which file is the Application Descriptor that contains the metadata description of the application?

- A. Index.html
- B. Components

C. Neo-app.json

D. Manifest.json

Answer: D ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_21 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_21 exam dumps**, the BraindumpsPass.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/C_FIORDEV_21-practice-exam-dumps.html

(195 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)