

SAP.C_FIORDEV_22.v2023-08-02.q49

Exam Code:	C_FIORDEV_22
Exam Name:	SAP Certified Development Associate - SAP Fiori Application Developer
Certification Provider:	SAP
Free Question Number:	49
Version:	v2023-08-02
# of views:	885
# of Questions views:	490
https://www.exam-tests.com/C_FIORDEV_22-exam/SAP.C_FIORDEV_22.v2023-08-02.q49.html	

NEW QUESTION: 1

Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct Answers to this question.

- A. The concrete app targets can be deployed separately
- B. Interdependent targets must be deployed in a single transport request
- C. To support cross-app navigation
- D. To provide different results to different users with the same intent

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 2

Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- A. SAP Business Application Studio
- B. SAP Build
- C. UI Theme Designer
- D. Adobe Flash

Answer: B (LEAVE A REPLY)

NEW QUESTION: 3

You need to configure an SAP Destination service to enable SAP Business Application Studio to extend an existing SAP Fiori app. Which configuration setting for the WebIDE Usage property is required?

- A. dev_abap
- B. odata_abap
- C. ui5_execute_abap
- D. extend_abap

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

What does coherence refer to in the SAP Fiori design principles? Note: There are 2 correct answers to this question.

- A. A consistent interaction and visual design language
- B. The same intuitive experience across the whole enterprise
- C. Design for business users needs and their work
- D. Solves multiple use cases

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What are Technical Catalogs used for? Note: There are 2 correct Answers to this question.

- A. As a reference for Business Catalogs
- B. To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- C. As a reference for Business Groups
- D. To store tiles and target mappings by technology per solution area

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- A. SAP Back-End Server (BES)
- B. SAP Web Dispatcher
- C. SAP HANA XS Engine
- D. SAP Front-End Server (FES)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following can you use to extend an SAP Fiori Elements application? Note: There are 2 correct Answers to this question.

- A. Adaption extensions
- B. App extension
- C. ABAP extension
- D. CDS extension

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

What are catalog types in SAP Fiori? Note: There are 3 correct Answers to this question.

- A. Tile

- B. None-typed
- C. Standard
- D. System
- E. Replicable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

What are the advantages of the Sinon.JS framework?Note: There are 2 correct Answers to this question.

- A. It supplies higher level test doubles for timers and AJAX requests.
- B. It is included in the SAP UI5 libraries.
- C. It supports only synchronous requests.
- D. It enables test-driven development.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 10

You need the backend server to sort and filter the data used in your customer's app.Which SAPUI5- supported data model must you use?

- A. ODataModel
- B. ResourceModel
- C. JSONModel
- D. XMLModel

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Why do you explore the Problem Space in detail during a Design Thinking workshop?

- A. To understand user needs
- B. To create desirable solutions
- C. To save costs in the evaluation phase
- D. To validate solution ideas

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following sequences is the correct sequence for the Problem Space phase in a Design Thinking workshop?

- A. Scoping, Synthesis, Ideation
- B. 360° Research, Scoping, Synthesis
- C. Scoping, 360° Research, Ideation
- D. Scoping, 360° Research, Synthesis

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

- A. View Replacement
- B. View Visibility
- C. View Modification
- D. View Extension

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct answers to this question.

- A. Reference the relevant artifacts in the bootstrap of the app.
- B. Create a theme using the Theme Designer implementing the theme.
- C. Create a sass file using the Web IDE implementing the theme.
- D. Create a module using the Web IDE implementing the theme.
- E. Create a model using the Web IDE implementing the theme

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 15

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? _ Note: There are 2 correct answers to this question.



```
1 var data = {
2     regions: [
3         {
4             name: "Americas",
5             companies : [
6                 {
7                     name : "Acme Inc.",
8                     city: "Belmont"
9                 },
10                {
11                    name : "Bean Hdq.",
12                    city: "Hancock"
13                }
14            ]
15        },
16        {
17            name: "Bean Hdq.",
18            companies : [
19                {
20                    name : "Acme Inc.",
21                    city: "Belmont"
22                }
23            ]
24        }
25    ]
26 }
```

var ui.model.json.JSONModel();
oModel.setData(data);
oModel.getProperty("<Absolute Path>")

- A. /regions/0/companies/0/city
- B. /regions/1/companies//city

- C. /regions/companies/O/city
 - D. /region[0]/companies[O]/city
- Answer: A,C ([LEAVE A REPLY](#))**

NEW QUESTION: 16

You are developing SAP Fiori Elements applications
Which of the following actions are available in SAP Web IDE?
Note: There are 2 correct answers to this question.

- A. Create an annotation file associated with the OData service and add annotations
- B. Choose the OData service as data provider for the project
- C. Add catalog to user menu in a PFCG role and grant the role to user
- D. Create a catalog, target mapping, and tiles

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_22 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_22 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_22 exam dumps**, the BraindumpsPass.com C_FIORDEV_22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_22 dumps with Test Engine here: https://www.braindumpsPass.com/SAP/C_FIORDEV_22-practice-exam-dumps.html (85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Your customer asks you to demonstrate their app with localization changes. Which activity do you perform?

- A. Show the il8n properties file translations.
- B. Configure the run configuration file in the app.
- C. Use the preview frame in the run configuration.
- D. Configure the supported Languages settings in the Project.json file.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

What is the required content in the Component.js file for an extension project?Note: There are 2 correct Answers to this question.

- A. The link to the parent app
- B. The customizing section
- C. The namespace of the parent app
- D. The controller IDs

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which control can you use to create responsive table-free layouts?

- A. sap.ui.layout.HorizontalLayout
- B. sap.ui.layout.Grid
- C. sap.ui.layout.ResponsiveFlowLayout
- D. sap.ui.layout.VerticalLayout

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

You created a new catalog that contains some apps. You want to assign these apps to an existing role to provide authorization for the business users.

How can you do this using the PFCG transaction?

- A. By assigning the authorization profile for the catalog in the authorization tab
- B. By adding the tile and target mapping to the group
- C. By adding the catalog to the menu tab of the role
- D. By adding the semantic object to the catalog and group

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 21

How can you extend an SAP Fiori app?

Note: There are 3 correct answers to this question.

- A. Modify the properties of the view control
- B. Enable merging of the standard and the custom controller at runtime.
- C. Modify the data model to merge data at runtime.
- D. Add custom view content in a predefined extension point.
- E. Modify the runtime libraries that are to be loaded

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct answers to this question.

- A. Interdependent targets must be deployed in a single transport request
- B. To support cross-app navigation.
- C. The concrete app targets can be deployed separately.
- D. Apps can be developed and deployed in parallel

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 23

You are extending an SAP Fiori app. Which of the extension properties are defined in the manifest.json? Note: There are 2 correct Answers to this question.

- A. sap.ui.modelModifications

- B. sap.ui.viewModifications
- C. sap.ui.i18nModifications
- D. sap.ui.controllerExtensions

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct answers to this question.

- A. Execute the Refresh method for an expired token.
- B. Retrieve the token and send it with each write request
- C. Generate a token on each read and write request
- D. Include the token in the HTTP request body of each write request

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

What are some of the core design principles of SAP Fiori? Note: There are 2 correct Answers to this question.

- A. Multi-device support
- B. Role-based
- C. Accessibility
- D. Adaptive

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which HTTP request method can you use to create an OData resource?

- A. UPDATE
- B. POST
- C. CHANGE
- D. PUT

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Where are the themes saved for the SAP Fiori launchpad?

- A. In the theme tool
- B. In the theme repository in front-end server
- C. In the theme repository in back-end server
- D. In the UI theme designer tool

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which SAP Fiori application can you launch using the search function instead of a tile?

- A. Transactional
- B. Analytical
- C. Legacy
- D. Factsheet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

An administrator wants to configure the SAP Fiori Launchpad for all users in one client for your S/4HANA 1809 landscape.

- A. Which of the following options represents the best way for the administrator to do this?
- B. Use the configuration file to define URL parameters to enable/disable features when starting the SAP Fiori Launchpad.
- C. Define settings using transaction /UI2/FLP_SYS_CONF.
- D. Create a target mapping in a catalog and assign the catalog to all users using roles. Define settings using transaction /UI2/FLP_CUS_CONF.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Which features of the SAP Business Application Studio help you extend a standard SAP Fiori app? Note:

There are 2 correct Answers to this question.

- A. An editor to modify the data model in the extended project
- B. The Extensibility Pane to choose extension points
- C. A wizard to generate the files for each extension possibility
- D. The Descriptor Editor to choose elements for extension

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- A. Reference the tile from Odata metadata
- B. Reference the tile from a Technical Catalog provided by SAP
- C. Reference the tile from a SAP Business Catalog
- D. Reference the tile from a SAP Business Group

Answer: D ([LEAVE A REPLY](#))

dumps, the BraindumpsPass.com C_FIORDEV_22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_22 dumps with Test Engine here: https://www.braindumps.com/SAP/C_FIORDEV_22-practice-exam-dumps.html (85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Your customer extends an SAP Fiori app with View Replacement. Which activities do you perform? Note:

There are 2 correct Answers to this question.

- A. Verify that adding custom content in the Extension Points is NOT sufficient.
- B. Create an SAPUI5 view that replaces the complete view.
- C. Identify a specific SAPUI5 control to be replaced.
- D. Create an SAPUI5 control that replaces the original control.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 33

In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

```
1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10      {
11        name: "Americas",
12        companies : [
13          {
14            name : "Aeme Inc.",
15            city: "Belmont"
16          },
17          {
18            name : "Beam Hdg.",
19            city: "Hancock"
20          }
21        ]
22      }
23    ]
24  };
```



- A. X:/regions/companies Y: companies/name Z: companies/city
- B. X:/regions/companies Y: name Z: city
- C. X:/regions/0/companies Y: companies/0/name Z: companies/0/city
- D. X:/regions/0/companies Y: name Z: city

Answer: D (LEAVE A REPLY)

NEW QUESTION: 34

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.?Note: There are 2 correct Answers to this question.

```
1  var data = {
2      regions: [
3          {
4              name: "Americas",
5              companies : [
6                  {
7                      name : "Acme Inc.",
8                      city: "Belmont"
9                  },
10                 {
11                     name : "Beam Hdg.",
12                     city: "Hancock"
13                 }
14             ]
15         }
16     ];
17
18
19  var oModel = new sap.ui.model.json.JSONModel();
20  oModel.setData(data);
21  oModel.getProperty("<Absolute Path>")
```



- A. /regions/companies/0/city
- B. /region[0]/companies[0]/city
- C. /regions/1/companies/1/city
- D. /regions/0/companies/0/city

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which file can you use to configure internal navigation for List Report and Object Page templates?

- A. vocabulary.xml file
- B. manifest.json file
- C. index.html file
- D. OData annotation file

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system.What do you create to implement a deep insert?Note: There are 2 correct Answers to this question.

- A. A nested structure for Sales Order and Sales Order Items.
- B. An object structure that defines the hierarchy.
- C. A flat structure with Sales Order and Sales Order Items, and then add an expand command.
- D. An individual structures for both Sales Order and Sales Order Items, and then batch them.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

In the source code below, which of the following locations must reference the extension point?

```
1- <core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"
2-   controllerName="appextension.EmployeeData" xmlns:html="http://www.w3.org/1999/xhtml">
3-   <page title="Title">
4-     <content>
5-       <label text="First name:">
6-         <input>
7-         <core:extensionpoint name="forMiddleName">
8-         <label text="Last name:">
9-           <input>
10-          <button text="Get Info" press="doGetInfo"></button>
11-        </core:extensionpoint>
12-      </input>
13-    </label>
14-  </content>
15- </page>
16- </core:view>
```



- A. Neo-app.json
- B. EmployeeData.controller.js
- C. EmployeeData.view.xml
- D. Componente.js

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

You develop an SAPUI5 app that can be extended. To allow your customer to customize notifications, you set up a hook method. What activities are required to implement a hook method? Note: There are 3 correct answers to this question.

- A. Define a new function name ensuring it is reserved for the extension.
- B. Modify the bootstrap option to allow multi-layer extensions of the custom code.
- C. Create a file in the Util folder to allow the customer to add custom code.
- D. Identify a strategic location in the controller for the customized code
- E. Add a code snippet to check if the method exists and execute it

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 39

What are Smart Controls?

- A. SAPUI5 controls that can be rendered dynamically according to OData service annotations
- B. Application templates for SAPUI5 applications to optimize development
- C. The predecessor of Smart Templates
- D. Basic SAPUI5 controls recommended for standalone usage

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

What is the purpose of the SAP Cloud Connector?

- A. It allows the SAP Web IDE to connect to the on-premise system's Cordova development environment
- B. It connects the services of the SAP Cloud Platform and on-premise systems in the customers' network.
- C. It lists the search components and corresponding search models needed for the app.
- D. It connects the services of the SAP Cloud Platform and SAP Web IDE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Which activities does the the OData Model Editor support?Note: There are 2 correct Answers to this question.

- A. Create ODataModels
- B. Test ODataModels
- C. Edit ODataModels
- D. Deploy ODataModels

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 42

Your customer asks you to add text for a new language to an app. Which file do you send to the translator?

- A. Manifest.json
- B. Component.js
- C. Master.view.xml
- D. 18n.properties

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Your customer requires that the SAPUI5 design of all apps matches their corporate theme.Which of the following actions do you perform?Note: There are 3 correct Answers to this question.

- A. Create a model using the SAP Business Application Studio implementing the theme.
- B. Create a module using the Web IDE implementing the theme.
- C. Create a css file using the SAP Business Application Studio implementing the theme.
- D. Create a theme using the Theme Designer implementing the theme.
- E. Reference the relevant artifacts in the bootstrap of the app.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

You need to securely connect the SAP BTP to an on-premise system.How does the SAP Cloud Connector help do this?Note: There are 2 correct Answers to this question.

- A. It secures an SSL tunnel between the SAP BTP and the on-premise system.
- B. It initiates a cloud-based reverse-invoke process.
- C. It supports custom destination API configuration and certificate inspection.
- D. It creates connectivity by a reverse-invoke process on the on-premise system

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 45


Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct Answers to this question.

- A. Wizard
- B. List Report
- C. Initial Page
- D. Overview Page
- E. Analytical List Page

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 46

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?



```
1 QUnit.module("Calculator", {
2   setup: function() {
3     this.calculator = new Calculator();
4   },
5   teardown: function() {}
6 });
7 QUnit.test("show zero initially", function(assert) {
8   assert.equal(this.calculator.display(), 0);
9 });
10 QUnit.test("display entered digit", function(assert) {
11   this.calculator.press("1");
12   assert.equal(this.calculator.display(), 1);
13 });
14 });
```

- A. this.calculator.press("1");
- B. teardown : function() {}
- C. QUnit.test
- D. QUnit.module

Answer: ([SHOW ANSWER](#)**)**

dumps, the BraindumpsPass.com C_FIORDEV_22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_22 dumps with Test Engine here: https://www.braindumpsPass.com/SAP/C_FIORDEV_22-practice-exam-dumps.html (85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which annotations are needed in a CDS View to create an Analytic Card in an Overview Page?

Note:

There are 2 correct Answers to this question.

- A. @UI.identification
- B. @UI.Chart
- C. @UI.dataPoint.responsible
- D. @UI.lineltem

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- A. All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible
- B. Local Annotations are more reusable as compared to SADL based annotations
- C. Can handle Complex annotations which is not a bound to a single field or entity
- D. Can Override the CDS based Annotations

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which of the following activities allows you to send commits from your local branch in your Git repository to the remote repository?

- A. Clone
- B. Save
- C. Push
- D. Commit

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_22 Dumps shared by BraindumpsPass.com for Helping Passing C_FIORDEV_22 Exam! BraindumpsPass.com now offer the **newest C_FIORDEV_22 exam dumps**, the BraindumpsPass.com C_FIORDEV_22 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_FIORDEV_22 dumps

with Test Engine here: https://www.braindumpspass.com/SAP/C_FIORDEV_22-practice-exam-dumps.html (85 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)