

SAP.C_HANAIMP_17.v2023-06-09.q80

Exam Code:	C_HANAIMP_17
Exam Name:	SAP Certified Application Associate - SAP HANA 2.0 (SPS05)
Certification Provider:	SAP
Free Question Number:	80
Version:	v2023-06-09
# of views:	1366
# of Questions views:	800
https://www.exam-tests.com/C_HANAIMP_17-exam/SAP.C_HANAIMP_17.v2023-06-09.q80.html	

NEW QUESTION: 1

Which of the following approaches improve the performance of joins in a cube calculation view?

Note: There are 2 correct answers to this question.

- A. Limit the number of joined columns.
- B. Implement pruning rules.
- C. Use an inner join.
- D. Specify the join cardinality.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Which join type makes use of date ranges?

Please choose the correct answer.

Response:

- A. Inner join
- B. Temporal join
- C. Spatial join
- D. Text join

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Why do you use the debug query mode in a calculation view?

- A. To check which database engines will be invoked by each node
- B. To highlight potential performance issues at design-time
- C. To measure the overall run-time of the query
- D. To observe the generated SQL for each node

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

What performance technique should you implement to improve the performance of SAP HANA information views that include SQLScript?

Please choose the correct answer.

Response:

- A. Use dynamic SQL.
- B. Break large statements into smaller steps.
- C. Use imperative logic.
- D. Use SELECT *.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What is the preferred way to create a procedure?

Please choose the correct answer.

Response:

- A. Create a .hdbprocedure file.
- B. Use the Import menu in the SAP Web IDE for SAP HANA.
- C. Create a .procedure file.
- D. Use the CREATE PROCEDURE statement in the SQL console.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

You join two tables using a referential join and set the cardinality to 1...n What type of join is executed at runtime if your query does not request columns from the right table?

Please choose the correct answer.

Response:

- A. Full outer join
- B. left outer join
- C. Right outer join
- D. Inner join

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

In SAP Web IDE, you rename a dimension calculation view that is used by a cube calculation view.

Afterwards, you perform the following build operations.

- Build the dimension calculation view as a single object
- Build the entire SAP HANA database module.

What is the outcome of the build operations?

Please choose the correct answer.

Response:

A. The first build fails

The second build fails

B. The first build is successful

The second build is successful

C. The first build fails

The second build is successful

D. The first build is successful.

The second build fails.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

What restrictions apply to a graph node that you include in a calculation view?

Please choose the correct answer.

Response:

A. It cannot be included in a calculation view of type dimension

B. It must be the final node in the data flow

C. Its data sources must be provided by a projection node

D. It must be the first node in the data flow.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

Which scenario is supported to base an analytic privilege on a hierarchy defined on an attribute column?

Please choose the correct answer.

Response:

A. Create an SQL analytic privilege based on a level hierarchy

B. Create a classical analytic privilege based on a level hierarchy

C. Create an SQL analytic privilege based on a parent-child hierarchy

D. Create a classical analytic privilege based on a parent-child hierarchy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following are warm tier Solutions Note: There are 3 correct answers?

A. Extension Node

B. Native Storage Extension

C. Persistent Memory

D. Active / active read-enabled mode

E. Dynamic Tiering

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 11

You want to read a table from an SAP HANA classical schema. What do you need to do to get it working?

There are 3 correct answers to this question.

Response:

- A. Create a synonym
- B. Make use of a user-provided service
- C. Make use of the built-in HDI service
- D. Use an explicit reference to the schema
- E. Assign the provided ::access role to your container's technical user

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

When we refer to mixed modeling, what do we mean?

Please choose the correct answer.

Response:

- A. NetWeaver models combined with native SAP HANA models
- B. BW models combined with native SAP HANA models
- C. Classic BW models combined with SAP HANA optimized BW models
- D. Models from BW on anyDB combined with models from BW on HANA

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

In SAP Web IDE, you rename a dimension calculation view that is used by a cube calculation view.

Afterward, you perform the following build operations:

*Build the dimension calculation view as a single object.

*Build the entire SAP HANA database module. What is the outcome of the build operations?

A. The first build is successful.

The second build fails.

B. The first build fails.

The second build fails.

C. The first build fails.

The second build is successful.

D. The first build is successful.

The second build is successful.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

What is the disk storage layer used for?

Note: There are 2 correct answers to this question.

- A. To store the data primarily used for transactional processing
- B. To enable data to be recovered if hardware fails
- C. To improve the parallel processing of queries
- D. To unload the least-used data when the memory is full

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

You have Model B that is based on Model A.

You have NOT built any of the models yet.

You delete Model A.

What happens during the build?

There are 2 correct answers to this question.

Response:

- A. The build of Model B is successful
- B. You get a build error when you build Model B
- C. The build of the entire HDB module is successful
- D. You get an error when you build the entire HDB module

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

What are the advantages of columnar storage?

There are 2 correct answers to this question.

Response:

- A. Improved performance when all fields are selected
- B. Improved data reading performance
- C. Improved data writing performance
- D. Improved compression

Answer: B,D ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by BraindumpsPass.com for Helping Passing C_HANAIMP_17 Exam! BraindumpsPass.com now offer the **newest C_HANAIMP_17 exam dumps**, the BraindumpsPass.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_HANAIMP_17 dumps with Test Engine here: https://www.braindumpsPASS.com/SAP/C_HANAIMP_17-practice-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Why would you create a procedure?

There are 2 correct answers to this question.

Response:

- A. If you need a mixture of scalar and tabular output parameters
- B. If you need to provide a data source to a graphical calculation view
- C. If you need to insert records into a table
- D. If you need to define a calculated column expression

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 18

Using SAP Analysis for Microsoft Office, your calculation view on SAP application data returns data from two clients. In SAP Web IDE, you have identified the column to be used as the client column.

Which of the following approaches will return data from only one client?

Please choose the correct answer.

Response:

- A. Create a variable on the client column in the properties of the Star join node.
Set flexible default values set for each user.
- B. Set the default client property of the Semantic node to Session Client Set the preferred client in the user settings of SAP HANA.
- C. Create a Union node with two sources.
Filter one source on client 001 and the other source on client 002.
- D. Create a Context for each client.
Assign the relevant Context to each user.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which version of CDS is used by S/4HANA?

Please choose the correct answer.

Response:

- A. HANA CDS
- B. Both ABAP CDS and HANA CDS
- C. None of these
- D. ABAP CDS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

A company sends out a lot of quotes. Some customers accept the quotes, and they're invoiced. The company asks you to find a list of the customers that did NOT accept the quotes.

How do you find the customers that received quotes but did NOT receive invoices?

Please choose the correct answer.

Quote ID	...	Customer ID

Left Table—Quotes

What join should you use here?

Invoice ID	Customer ID	...	...

Right Table—Invoices

Response:

A. Use a left outer join.

Filter to show only customers on the right table.

B. Use a left outer join.

Filter to show only the NULL values on the right table.

C. Use a right outer join.

Filter to show only the NULL values on the right table.

D. Use a right outer join.

Filter to show only customers on the left table.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which of the following would you create to build a predictive model?

Please choose the correct answer.

Response:

A. A decision tree

B. A flowgraph

C. A function

D. A procedure

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

What does SAP HANA load when starting up and before indicating that it's ready?

There are 3 correct answers to this question.

Response:

- A. Some column tables
- B. All partitions
- C. All row tables
- D. All system tables
- E. Some row tables

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

What is the persistent storage layer used for?

There are 2 correct answers to this question.

Response:

- A. TO improve the parallel processing of queries
- B. To store the data primarily used for transaction processing
- C. To enable data to be recovered if hardware fails
- D. To unload the least-used data when the memory is full

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

What should you use to create tables in an HDI container?

There are 2 correct answers to this question.

Response:

- A. Database Explorer
- B. SAP Enterprise Architecture Designer
- C. SQL Console
- D. Core Data Services (CDS)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

If we change the transaction "Laura buys 10 apples" to "Laura buys 10 green apples," how would we store the color green?

Please choose the correct answer.

Response:

- A. Store green as a CDS view.
- B. Store green as a spatial data type.
- C. Store green as an attribute.
- D. Store green as a measure.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which of the following techniques can you use to improve the performance of calculation views?

Note: There are 2 correct answers to this question.

- A. Implement union pruning
- B. Limit the number of stacked calculation views
- C. Avoid aggregating data early in the dataflow
- D. Partition large tables

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

What are the components of a graph workspace?

Note: There are 2 correct answers to this question.

- A. Edge
- B. Association
- C. Dimension
- D. Vertex

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which technologies does SAP HANA use to load more data into memory?

There are 3 correct answers to this question.

Response:

- A. Use multicore CPU parallelism
- B. Store data in column tables
- C. Use dictionary compression
- D. Eliminate indices
- E. Use ZIP compression

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Using a calculation view containing the projections shown in the graphic, how would you identify which companies sold products in January 2018 AND February 2018?

Please choose the correct answer.

Projection Sales January 2018

Projection Sales February 2018

Company	Product	Quantity	Company	Product	Quantity
001	X	10	001	X	10
002	Y	7	002	Y	7
003	X	10	004	X	10
005	Y	8	006	Y	8

Response:

- A. User an intersect node
- B. Use a union node
- C. Use a left outer join
- D. Use a full outer join

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

What conditions must be met before you can implement time dependency on a hierarchy in a calculation view?

There are 2 correct answers to this question.

Response:

- A. The hierarchy must be a parent-child hierarchy.
- B. The key date parameter must be derived from an input parameter
- C. The hierarchy must be enabled for SQL access
- D. The hierarchy must be a level hierarchy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

In a calculation view, what should you consider when you create an input parameter that derives its value from a user-defined function?

There are 2 correct answers to this question.

Response:

- A. The input parameter must be set to mandatory.
- B. The function can return multiple values.
- C. The generated value can be overwritten at runtime.
- D. The function must be of the type scalar.

Answer: C,D ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by BraindumpsPass.com for Helping Passing C_HANAIMP_17 Exam! BraindumpsPass.com now offer the **newest C_HANAIMP_17 exam dumps**, the BraindumpsPass.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_HANAIMP_17 dumps with Test Engine here: https://www.braindumpsPASS.com/SAP/C_HANAIMP_17-practice-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

Which tables do you need for currency conversion?

Please choose the correct answer.

Response:

- A. TCUR*
- B. BICS*
- C. SHINE*
- D. DD07*

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

Your calculation view presents employee names which must only be seen by managers. Which steps are required to implement this?

There are 2 correct answers to this question.

Response:

- A. Set the column to hidden in the calculation view
- B. Include an anonymization node in the calculation view
- C. Create SQL expression to define the concealing logic for the column
- D. Assign the UNMASK privilege to the managers for the calculation view

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 34

In text processing, where do you use the Term Document Matrix?

- A. Fact and entity extraction
- B. Linguistic extraction
- C. Text mining
- D. Fuzzy text search

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

You want to call a procedure in a SELECT statement (e.g., a table function). Which clauses do you have to specify?

There are 2 correct answers to this question.

Response:

- A. WITH RESULTS VIEW
- B. LANGUAGE SQLSCRIPT
- C. READS SQL DATA
- D. SEQUENTIAL EXECUTION

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 36

For what type of data are SAP HANA calculation views of type dimension used?

Please choose the correct answer.

Response:

- A. Calculated data
- B. Master data
- C. Transactional data
- D. Materialized cube data

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

What does SQLScript provide to extend standard SQL?

There are 2 correct answers to this question.

Response:

- A. Features to push processing to the database
- B. Support for ABAP syntax
- C. Integrated source code version management
- D. Additional data types for the definition of text and spatial data

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 38

In which programming languages can you create procedures in SAP HANA?

There are 2 correct answers to this question.

Response:

- A. JavaScript
- B. R
- C. SQLScript
- D. L

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Why should you use variables in SQL Script?

There are 2 correct answers to this question.

Response:

- A. To support processing push-down
- B. To improve code readability
- C. To increase parallelization opportunities
- D. To implement flow control logic

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

You are a data analyst working with medical records that contain confidential patient information.

Why do you use the anonymization node in a calculation view?

There are 2 correct answers to this question.

Response:

- A. To provide partial values such as #3434 3#34##
- B. To restrict data access for specific users or roles
- C. To hide individual patients in groups of similar records
- D. To add noise to the data to hide the actual values

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

You have a cube calculation view that consumes a dimension view. You suspect some dimension columns have been renamed in the cube calculation view.

Which function of SAP Web IDE for SAP HANA do you use to check where the output columns originate from?

Please choose the correct answer.

Response:

- A. Show lineage
- B. Impact Analysis
- C. Database explorer
- D. Where used

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

Identify the features and benefits of a calculation view.

There are 3 correct answers to this question.

Response:

- A. It can be defined as a graphical view or a scripted view.
- B. It can contain calculated attributes.
- C. It is not possible to join several fact tables in a calculation view.
- D. It supports you to include more advanced calculations.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

In which package in SAP HANA will you find the SAP HANA Live views?

Please choose the correct answer.

Response:

- A. /sap/hba
- B. /sap/bc
- C. /sap/hana/democontent
- D. /public

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

How does SQL Script extend SQL?

There are 3 correct answers to this question.

Response:

- A. It adds imperative expressions to control data flow.
- B. It improves push-down opportunities.
- C. It provides the data definition language (DDL) to create column tables.
- D. It enables usage of variables to break up complex code.
- E. It allows an alternative syntax to simplify expressions.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

What can be used to return multiple result sets?

Please choose the correct answer.

Response:

- A. Table function
- B. Scalar function
- C. View
- D. Procedure

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which of following are features associated with SAP HANA Live?

There are 2 correct answers to this question.

Response:

- A. Hundreds of predeveloped views
- B. Precalculated aggregates stored in cubes
- C. Web-based tools
- D. A new data warehouse

Answer: A,C ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by BraindumpsPass.com for Helping Passing C_HANAIMP_17 Exam! BraindumpsPass.com now offer the **newest C_HANAIMP_17 exam dumps**, the BraindumpsPass.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_HANAIMP_17 dumps with Test Engine here: https://www.braindumpsPASS.com/SAP/C_HANAIMP_17-practice-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Why do you use parameter mapping in a calculation view?

Note: There are 2 correct answers to this question.

- A. To pass variable values to external value help views
- B. To push down filters to the lowest level calculation views
- C. To convert the data types of input parameters
- D. To enable an input parameter in a calculation view

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 48

What are the database query languages used by SAP HANA?

There are 2 correct answers to this question.

Response:

- A. ABAP
- B. SQL
- C. JDBC
- D. MDX
- E. ODBC

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

For which deployment scenario does SAP deliver prebuilt data models?

Please choose the correct answer.

Response:

- A. SAP HANA as an SQL Data Warehouse
- B. SAP HANA on the cloud
- C. SAP HANA as a platform
- D. SAP HANA as a side-by-side accelerator

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

When can you use the referential join?

Please choose the correct answer.

Response:

- A. When you have to report on facts with matching dimensions
- B. When you have to report on all posted facts
- C. When referential integrity is assured
- D. When you have to report on all dimensions to confirm if there are matching facts or not.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Your newly created analytic privilege does NOT want to build. What must you do?

Please choose the correct answer.

Response:

- A. Change the Apply Privileges property of the view.
- B. Grant rights to the _SYS_REPO user.
- C. Change the analytic privilege to use an SQL Expression.
- D. Assign the ::access role to the HDI container user.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

What can you extract using the standard text analysis configuration: Voice of the Customer?

There are 2 correct answers to this question.

Response:

- A. Requests
- B. Recommendations
- C. Suggestions
- D. Sentiments

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following are reasons you should use Core Data Services (CDS) to create a schema?

There are 2 correct answers to this question.

Response:

- A. The focus is on the database administration requirements.
- B. The database administrator should not get those privileges in the production system.
- C. The focus is on the business requirements.
- D. The database administrator might type the name wrong.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which words are associated with the log volume?

There are 2 correct answers to this question.

Response:

- A. Synchronous
- B. Transaction manager
- C. Page manager
- D. Savepoint

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

What PAL algorithm category can you use for supervised learning?

Please choose the correct answer.

Response:

- A. Association
- B. Clustering
- C. Social network analysis
- D. Classification

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 56

In which of the following scenarios would you benefit from enabling table partitioning in SAP HANA?

- A. You have a large row store table that is consumed in a view with a variable on COUNTRY column.
- B. You have a large column store table that is consumed in a view with a variable on COUNTRY column.
- C. Your stacked model consists of multiple calculation views.
- D. You have a dedicated table to generate the lists of help values for an input parameter.

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 57

What data source is available for Join nodes in calculation views?

Please choose the correct answer.

Response:

- A. Web services from the Internet
- B. Calculation views from other tenants in an MDC system
- C. All procedures in the current SAP HANA system
- D. Scalar functions from all SAP HANA systems

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 58

Which of the following are usually no longer required in the architecture of SAPS/4HANA? Note:

There are 2 correct answers to this question.

- A. Indexes
- B. Synonyms
- C. ABAP CDS
- D. Aggregates

Answer: B,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 59

Why do you build a calculation view of type SQL Access only?

- A. To provide a high-performance model when only attributes are required
- B. To provide a data source that can only be consumed by a function or procedure
- C. To enable SQL access to your hierarchies

D. To provide a data source that is only consumed by other calculation views

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

What can you extract using the standard text analysis configuration: Voice of the Customer?

Note: There are 2 correct answers to this question.

- A.** Sentiments
- B.** Recommendations
- C.** Suggestions
- D.** Requests

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 61

You combine two customer master data tables with a union node in a calculation view. Both master data tables include the same customer name. The same customer can exist in both tables. How do you ensure that each customer appears only once in the results?

- A.** Include an aggregation node above the union node.
- B.** Add a minus node above the union node.
- C.** In the union node, map both source customer name columns to one target column.
- D.** Add an intersect node above the union node.

Answer: A ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by BraindumpsPass.com for Helping Passing C_HANAIMP_17 Exam! BraindumpsPass.com now offer the **newest C_HANAIMP_17 exam dumps**, the BraindumpsPass.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_HANAIMP_17 dumps with Test Engine here: https://www.braindumpsPass.com/SAP/C_HANAIMP_17-practice-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Which variable type would you define if you want to use operators such as Greater Than or Less Than?

Please choose the correct answer.

Response:

- A.** Multiple Entries
- B.** Expression
- C.** Interval
- D.** Range

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

What character is prepended to a SQLScript variable when it's used as an input variable?

Please choose the correct answer.

Response:

- A. ! (exclamation mark)
- B. _ (underscore)
- C. : (colon)
- D. & (ampersand)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

You want to star schema using calculating view. The measure are based on columns from two transaction table dimension calculation views provide the attributes.

What is the correct approach?

Please choose the correct answer.

Response:

- A. 1. Combine the transaction table using a join node in a calculation view of cube with star join
2. Use a star join node to join the dimensions to the fact table
- B. 1. Combine the transaction table using an aggregation node in a calculation view of cube with star join
2. Use a star join node to join the dimensions to the fact table
- C. 1. Combine the transaction table using a star join node in a calculation view of cube with star join
2. Use a star node to join the dimensions to the fact table
- D. 1. Combine the transaction table using a star join node in a calculation view of cube with star join
2. Use an aggregation node to join the dimensions to the fact table

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

What are features of SAP S/4HANA?

There are 2 correct answers to this question.

Response:

- A. SAP HANA Live provides real time operational analytics
- B. Rewritten ABAP code optimized for SAP HANA
- C. Embedded Analytics
- D. Optimized for SAP HANA but maintains compatibility with other platforms

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

You want to ignore columns defined in the Rank node that aren't included in the query. What setting do you set?

Please choose the correct answer.

Response:

- A. Hidden
- B. Keep Flag
- C. Dynamic Partition Elements
- D. Default Client

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

What does SAP HANA provide to support native application development

Note: There are 3 correct answers.

- A. Multiple development languages
- B. Project management tools
- C. Built- in application server
- D. Choice of deployment to cloud or on-premise
- E. Embedded SAP Business Warehouse(BW)

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 68

In SAP Web IDE for SAP HANA, which of the following tasks do you need to complete before you can build the SAP HANA database (HDB) module successfully?

There are 2 correct answers to this question.

Response:

- A. Explicitly build the HDB module instead of the project
- B. Ensure that you have only one HDB module in your project
- C. Ensure that the name of your HDB module is included in the corresponding schema names
- D. Assign the project to a space to which you have developer authorizations

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which of the following features of an XS Advanced application are provided by an HDB module?

There are 2 correct answers to this question.

Response:

- A. User interface
- B. Virtual data modeling
- C. Business logic
- D. Persistence layer

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 70

Which of the following database terms are used when providing OLAP data with hierarchies?

There are 3 correct answers to this question.

Response:

- A. JDBC
- B. ODBC
- C. MDX
- D. BICS
- E. ODBO

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Which of the following benefits characterize the use of a design time filter?

There are 3 correct answers to this question.

Response:

- A. The filter is applied on the table before the query is executed.
- B. The filter is applied on the result set of a query.
- C. It is defined on the runtime in the SQL query.
- D. It is applied before a table join is executed.
- E. It reduces the result set of data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which are views of the SAP supplied virtual data model of Embedded Analytics?

There are 2 correct answers to this question.

Response:

- A. Calculation
- B. Basic
- C. Composite
- D. Attribute

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 73

You have successfully built a project you imported in the Web IDE workspace, but you cannot see the corresponding runtime database objects.

What could be the reason?

Please choose the correct answer.

Response:

- A. The project is not assigned to a space
- B. You have the Developer role in the assigned space
- C. You do not have the Developer role in the assigned space.

D. Building a project does not generate the database content of its HDB modules

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which of the following techniques can you use to improve the performance of calculation views?

There are 2 correct answers to this question.

Response:

- A.** Partition large tables
- B.** Avoid aggregating data early in the data flow
- C.** Implement union pruning
- D.** Minimize layering of calculation views

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which of the following data sources can you include in a graphical calculation view?

There are 2 correct answers to this question.

Response:

- A.** Scalar function
- B.** Procedure
- C.** SQL VIEW
- D.** Table function

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Which of the following are types of calculation view?

There are 2 correct answers to this question.

Response:

- A.** Virtual
- B.** Cube
- C.** Dimension
- D.** Composite

Answer: B,C ([LEAVE A REPLY](#))

Valid C_HANAIMP_17 Dumps shared by BraindumpsPass.com for Helping Passing C_HANAIMP_17 Exam! BraindumpsPass.com now offer the **newest C_HANAIMP_17 exam dumps**, the BraindumpsPass.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_HANAIMP_17

dumps with Test Engine here: https://www.braindumps.com/SAP/C_HANAIMP_17-practice-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

What should you keep in mind when using dynamic SQL?

There are 2 correct answers to this question.

Response:

- A. It could be used for SQL injection.
- B. It's always bad for security.
- C. It delivers the best possible performance.
- D. You can dynamically change your data sources.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 78

What enables the delta buffer technique to speed up both reads and inserts in SAP HANA?

Please choose the correct answer.

Response:

- A. Using both row-based and column-based tables
- B. Using row-based tables only
- C. Using column-based tables only
- D. Using only the insert-only technique

Answer: A (LEAVE A REPLY)

NEW QUESTION: 79

Which types of data are used to represent spatial information?

Note: There are 2 correct answers to this question.

- A. Vector data
- B. Graph data
- C. Column data
- D. Raster data

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 80

You're selling books that have been translated into various languages. What join type should you use?

Please choose the correct answer.

Response:

- A. Text join
- B. Temporal join
- C. Left outer join
- D. Referential join

Answer: ([SHOW ANSWER](#))

Valid C_HANAIMP_17 Dumps shared by BraindumpsPass.com for Helping Passing C_HANAIMP_17 Exam! BraindumpsPass.com now offer the **newest C_HANAIMP_17 exam dumps**, the BraindumpsPass.com C_HANAIMP_17 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C_HANAIMP_17 dumps with Test Engine here: https://www.braindumpsPass.com/SAP/C_HANAIMP_17-practice-exam-dumps.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)