

## SAP.C\_SECAUTH\_20.v2023-06-12.q56

<b>Exam Code:</b>	C_SECAUTH_20
<b>Exam Name:</b>	SAP Certified Technology Associate - SAP System Security and Authorizations
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	56
<b>Version:</b>	v2023-06-12
<b># of views:</b>	887
<b># of Questions views:</b>	560
<a href="https://www.exam-tests.com/C_SECAUTH_20-exam/SAP.C_SECAUTH_20.v2023-06-12.q56.html">https://www.exam-tests.com/C_SECAUTH_20-exam/SAP.C_SECAUTH_20.v2023-06-12.q56.html</a>	

### NEW QUESTION: 1

Which is the frequency of SAP Patch day?

- A. Weekly
- B. Yearly
- C. Monthly
- D. Quarterly

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 2

Which of the following technical capabilities does SAP Code Vulnerability Analysis provide? Note: There are 2 correct answer to this question.

- A. Deprovisioning of problematic ABAP code
- B. Capture of manual and automated check execution
- C. Direct integration with Root Cause Analysis
- D. Static and Dynamic Application Security Testing

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 3

Which of the following transaction allows you to define role assignments for O Data Services that are available on multiple back-end systems?

Note: There are 2 correct answer to this question.

- A. /IWFND/GW\_CLIENT

- B. /UI2/GW\_MAINT\_SRV
- C. /IWFND/MAINT\_SERVICE
- D. /IWFND/GW\_SYS\_ALIAS

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 4**

Which application allows a role developer to perform the mass maintenance of menu options from selected SAP Fiori Title Catalogs?

- A. PRGN\_CREATE\_FIORI\_FRONTENDROLE
- B. PRGN\_COMPARE\_ROLE\_MENU
- C. PRGN\_PRINT\_AGR\_MENU
- D. PRGN\_CREATE\_FIORI\_BACKENDROLES

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 5**

Which of the following allows you to improve the quality of your enterprise data assets with consistent data validation rules, data profiling and metadata management?

- A. SAP Data Services
- B. SAP Process Control
- C. SAP Information Lifecycle Management
- D. SAP Information Steward

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 6**

Which of the various protocols can be used to establish secure communication? Note: There are 3 correct Answers to this question.

- A. From Secure Login Client to Secure Login Server: DIAG/RFC (SNC), HTTPS, RADIUS
- B. From Secure Login Server to LDAP Server: HTTPS (SSL)
- C. From Business Explorer to SAP Netweaver: DIAG/RFC (SNC), HTTPS (SSL)
- D. From SAP GUI to SAP Netweaver: DIAG/RFC (SNC)
- E. From Secure Login Server to SAP Netweaver: RFC (SNC)

**Answer: B,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 7**

Which of the following accurately describes the role/profile SAP\_NEW? Note: There are 2 correct answer to this question.

- A. Organizational levels to be maintained in profile SAP\_NEW
- B. The role SAP\_NEW does not guarantee backward capability for all scenarios
- C. The SAP\_NEW must be generated in accordance with the system environment using the report REGENERATE\_SAP\_NEW

D. The profile SAP\_NEW provides authorizations to all new objects and objects change by release

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 8**

What is the purpose of SAP Notes listed by SAP Solution Manager System Recommendations? Note: There are 2 correct answer to this question.

- A. To recommend Legal Change Notes related to SAP innovations
- B. To recommend SAP Hot News Notes (priority 1 and 2)
- C. To recommend Performance Notes to improve system response
- D. To recommend SAP security Notes for evaluation

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 9**

Which of the following are core principles of GDPR? Note: There are 3 correct Answers to this question.

- A. Lawfulness, Fairness and Transparency
- B. Data Archiving
- C. Data Quality
- D. Storage Limitations
- E. Data Minimization

**Answer: A,D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 10**

Which of the following tables contain transport request object lists and table entry keys? Note: There are 2 correct Answers to this question.

- A. E071
- B. E071K
- C. E070
- D. E070L

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

Which of the following authorization objects would be required to allow back-end server access to a Web Dynpro application using the SAP Fiori Launchpad?

- A. S\_PERSONAS
- B. S\_TCODE
- C. S\_SERVICE
- D. S\_START

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 12**

When you are troubleshooting an application start issue, what does the Search for Startable Applications in Roles report help you determine? Note: There are 2 correct Answers to this question.

- A. If the PFCG role menu contains SAP Fiori Tile Groups
- B. If the PFCG roles are assigned to end users
- C. If the PFCG roles contain all of the start authorizations required for the application
- D. If there is an application start lock

**Answer: C,D (LEAVE A REPLY)**

**NEW QUESTION: 13**

Which of the following parameters must be configured to capture log data in the Security Audit Log?

- A. rsau/enable
- B. rec/client
- C. rdisp/TRACE
- D. dir\_logging

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 14**

Which of the following are used in SAP Enterprise Threat Detection (ETD) architecture? Note: There are 2 correct answer to this question.

- A. SAP HANA Smart Data Streaming
- B. SAP ASE
- C. Forensic Lab
- D. SAP IQ

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 15**

Which of the following conditions apply when merging authorizations for the same object? Note: There are 2 correct answer to this question.

- A. Changed authorizations can be merged with manual authorizations, even if the activation status is different
- B. Changed authorizations can be merged with manual authorizations, as long as the activation status is the same
- C. Both activation status and maintenance status of the authorizations do not match
- D. Both activation status and maintenance status of the authorizations match

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 16**

Which transaction allows a user to change the authorization values of multiple roles at the same time?

- A. PFCGMASVAL
- B. PFCG
- C. SUPC
- D. PFCGROLEDIST

Answer: ([SHOW ANSWER](#))

**Valid C\_SECAUTH\_20 Dumps** shared by BraindumpsPass.com for Helping Passing C\_SECAUTH\_20 Exam! BraindumpsPass.com now offer the **newest C\_SECAUTH\_20 exam dumps**, the BraindumpsPass.com C\_SECAUTH\_20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C\_SECAUTH\_20 dumps with Test Engine here:

[https://www.braindumpsPass.com/SAP/C\\_SECAUTH\\_20-practice-exam-dumps.html](https://www.braindumpsPass.com/SAP/C_SECAUTH_20-practice-exam-dumps.html)

(85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 17

Which of the following conditions apply when merging authorizations for the same object?

Note: There are 2 correct Answers to this question.

- A. Changed authorizations can be merged with manual authorizations, as long as the activation status is the same.
- B. Both the activation status and the maintenance status of the authorizations match.
- C. Changed authorizations can be merged with manual authorizations, even if the activation status is different.
- D. Both the activation status and the maintenance status of the authorizations do not match.

Answer: A,B ([LEAVE A REPLY](#))

#### NEW QUESTION: 18

Which transaction code allows you to configure the SAP System Audit Log?

- A. SM20
- B. SM19
- C. SM18
- D. SUIM

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 19

Which of the following actions correctly describes the usage of Back Channel Single Sign-On based on (SAML) 2.0?

- A. The service provider get the authentication request from the identity provider over a SOAP channel.
- B. The service provider redirects the user to an identity provider and includes a SAML artifact referring to authentication request.
- C. The identity provider get the authentication response from the service provider over a SOAP channel.
- D. The service provider queries the user for authentication credentials.

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 20**

You are configuring authorizations to secure access to table data using transaction SM31 and you encounter authorization object S\_TABU\_DIS and field DICBERCLS. How can this field be used to secure access?

- A. It allows you to specify access to tables referenced by a specific program group.
- B. It allows you to specify access to tables associated with a specific authorization group.
- C. It allows you to specify access to a specific client-independent table.
- D. It allows you to specify access to a specific client-dependent table.

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 21**

In the case of missing OData authorizations, why is it not recommended to maintain S\_SERVICE manually within an SAP Fiori authorization role? Note: There are 2 correct Answers to this question.

- A. Both front-end and back-end entries are generating the same S\_SERVICE authorization object with the same authorization values.
- B. The SRV\_NAME value of the S\_SERVICE authorization object is the hash value of an OData service.
- C. Both front-end and back-end entries are generating the same S\_SERVICE authorization object with different authorization values.
- D. The SRV\_NAME value of the S\_SERVICE authorization object is the name of an OData service.

**Answer: B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 22**

What information can be provided by an Audit Class? Note: There are 3 correct answer to this question.

- A. User Roles
- B. RFC/CPIC Logon
- C. User Authorizations
- D. Dialog Logon
- E. Transaction Start

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 23**

Which of the following describe SAP Fiori Tile Target Mapping? Note: There are 2 correct Answers to this question.

- A. It defines the target application which is launched.
- B. It is defined within an SAP Tile Group.
- C. It is part of the SAP Fiori Launchpad configuration.
- D. It represents the visual part of a tile.

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 24**

Your company uses derived roles. During maintenance of the Plant Manager imparting role, you add a new transaction to the Menu tab which introduces a new organizational level that will be unique for each of your 150 plants. How will the new organization level be maintained in the derived roles?

- A. Manually by maintaining each derived role individually
- B. Automatically using the Copy Data button during maintenance of the imparting role
- C. All at once using transaction PFCGMASVAL
- D. Automatically after generating the profiles of the imparting role and adjusting the derived roles

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 25**

Which of the following user types are precluded from logging onto the system directly?  
Note: There are

3 correct Answers to this question.

- A. Communication
- B. System
- C. Reference
- D. Dialog
- E. Service

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 26**

Your system is configured to prohibit a user from logging on multiple times to the system with the same User ID in violation of your SAP licensing agreement. However, certain users need to be exempt from this limitation. Which instance profile parameter can you configure to allow a small group of users to bypass the limitation of multiple logins?

- A. login/disable\_multi\_rfc\_login
- B. login/disable\_multi\_gui\_login

- C. login/server\_logon\_restriction
- D. login/multi\_login\_users

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 27**

What information can be provided by an Audit Class? Note: There are 3 correct Answers to this question.

- A. Dialog Logon
- B. RFC/CPIC Logon
- C. Transaction Start
- D. User Roles
- E. User Authorizations

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 28**

Which of the following items are addressed by Configuration Validation? Note: There are 3 correct answer to this question.

- A. Software Packages
- B. RFC Logins
- C. Critical Roles
- D. Database Parameters
- E. Failed Transport

**Answer: A,B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 29**

What content can be shared between the SAP Access Control and SAP Cloud Identity and Access Governance products? Note: There are 3 correct Answers to this question.

- A. Emergency access
- B. Mitigations
- C. Mitigation controls
- D. Process hierarchy
- E. Risk library

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 30**

You want to limit an authorization administrator so that they can only assign certain authorizations. Which authorization object should you use?

- A. S\_USER\_ADM
- B. S\_USER\_AGR
- C. S\_USER\_TCD
- D. S\_USER\_VAL

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 31**

SAP Cloud Identity and Access Governance consists of which of the following software services? Note:

There are 3 correct Answers to this question.

- A. Emergency Access Management
- B. User Access Certification
- C. Role Design
- D. Access Analysis
- E. Access Request

**Answer: C,D,E ([LEAVE A REPLY](#))**

**Valid C\_SECAUTH\_20 Dumps** shared by BraindumpsPass.com for Helping Passing C\_SECAUTH\_20 Exam! BraindumpsPass.com now offer the **newest C\_SECAUTH\_20 exam dumps**, the BraindumpsPass.com C\_SECAUTH\_20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C\_SECAUTH\_20 dumps with Test Engine here:

[https://www.braindumpsPass.com/SAP/C\\_SECAUTH\\_20-practice-exam-dumps.html](https://www.braindumpsPass.com/SAP/C_SECAUTH_20-practice-exam-dumps.html)

(85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

The report "Search for Application in Role Menu" can be called via which of the following options? Note:

There are 2 correct answer to this question.

- A. Transaction SUIM (menu node "Roles")
- B. Transaction RSUSR\_START\_APPL
- C. Transaction RSUSR\_ROLE\_MENU
- D. Transaction SUIM, (Menu node " Change Documents")

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 33**

Which of the following checks performed for SAProuter by the SAP security optimization service (SOS)?

Note: There are 3 correct answer to this question.

- A. Saprountab Check
- B. User Management Check
- C. Operating System Access Check
- D. Password Check

E. Secure Network Communication Check

**Answer: A,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 34**

Which values are permitted for the S\_BTCH\_JOB authorization object? Note: There are 3 correct answer to this question.

- A. DELE
- B. 02 (Change)
- C. RELE
- D. 01 (Create)
- E. SHOW

**Answer: A,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 35**

Which of the following actions correctly describes the usage of Back Channel Single Sign-On based on (SAML) 2.0?

- A. The service provider queries the user for authentication credentials.
- B. The identity provider gets the authentication response from the service provider over a SOAP channel.
- C. The service provider redirects the user to an identity provider and includes a SAML artifact referring to the authentication request.
- D. The service provider gets the authentication request from the identity provider over a SOAP channel.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 36**

You want to limit an authorization administrator so that they can only assign certain authorizations.

Which authorization object should you use?

- A. S\_USER\_ADM
- B. S\_USER\_VAL
- C. S\_USER\_TCD
- D. S\_USER\_AGR

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 37**

Which of the following technical capabilities does SAP Code Vulnerability Analysis provide? Note: There are 2 correct Answers to this question.

- A. Deprovisioning of problematic ABAP code
- B. Static and Dynamic Application Security Testing
- C. Capture of manual and automated check executions

D. Direct integration with Root Cause Analysis

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 38**

Which of the following accurately describes the role/profile SAP\_NEW? Note: There are 2 correct Answers to this question.

A. The profile SAP\_NEW provides authorization for all new objects and objects changed by release.

B. The role SAP\_NEW does not guarantee backward compatibility for all scenarios.

C. Organizational levels need to be maintained in profile SAP\_NEW.

D. The role SAP\_NEW must be generated in accordance with the system environment using the report REGENERATE\_SAP\_NEW.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 39**

During maintenance of a role you notice that the status text for an authorization object indicates status

"Changed New". What does this status text mean?

A. The authorization object has been flagged as a critical object.

B. The authorization object must be maintained again.

C. The authorization object was used to create a new authorization because the values contained in SU24 differ from the SAP Standard contained in SU25.

D. The authorization object was used to create a new authorization because the initial configuration of the role changed a default value maintained in SU24.

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 40**

Which of the following Correctly describe the SAP Security Optimization Service (SOS) Offering? There are

3 correct answer to this question.

A. Remote Service : Part of CQC service offering

B. Onsite Service: Performed by Specialist

C. Self Service: Perform by experienced service engineers

D. Self Service : All Completely Automated checks in all SAP system

E. Onsite Service: Available with additional Cost

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 41**

Which of the following transactions allow you to customize or configure SAP Fiori Catalogs and Groups?

Note: There are 2 correct

- A. /UI2/FLPD\_CUST
- B. /UI2/FLPCM\_CUST
- C. /UI2/FLPCM\_CONF
- D. /UI2/FLPD\_CONF

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 42**

Your company uses derived roles. During maintenance of the Plant Manager imparting role, you add a new transaction to the Menu tab which introduces a new organizational level that will be unique for each of your

150

plants. How will the new organization level be maintained in the derived roles?

- A. Automatically after generating the profiles of the imparting role and adjusting the derived roles
- B. All at once using transaction PFCGMASVAL
- C. Manually by maintaining each derived role individually
- D. Automatically using the Copy Data button during maintenance of the imparting role

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 43**

Which of the following are SAP UI5 Fiori application types? Note: There are 2 correct answer to this question.

- A. Analytical
- B. Legacy
- C. Transactional
- D. Web Dynpro

**Answer: A,C (LEAVE A REPLY)**

#### **NEW QUESTION: 44**

Which of the following describes an Authorization Object class?

- A. It defines authorizations for different authorization objects.
- B. It defines the smallest unit against which an authorization check can be run.
- C. It defines a group of 1 to 10 authorization fields together.
- D. It defines a logical grouping of authorization objects.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 45**

You are responsible for determining the reason why you need personal data and how this data is processed or stored. What key role do you play under GDPR in relation to personal data?

- A. Data Steward

- B. Data Controller
- C. Data Subject
- D. Data Processor

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 46**

Which of the following describes an Authorization Object Class?

- A. It defines smallest unit against which an authorization check can be run
- B. It defines a logical grouping of authorization objects
- C. It defines a group of 1 to 10 authorization field together
- D. It defines authorizations for different authorization objects

**Answer: B (LEAVE A REPLY)**

**Valid C\_SECAUTH\_20 Dumps** shared by BraindumpsPass.com for Helping Passing C\_SECAUTH\_20 Exam! BraindumpsPass.com now offer the **newest C\_SECAUTH\_20 exam dumps**, the BraindumpsPass.com C\_SECAUTH\_20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C\_SECAUTH\_20 dumps with Test Engine here:

[https://www.braindumpsPass.com/SAP/C\\_SECAUTH\\_20-practice-exam-dumps.html](https://www.braindumpsPass.com/SAP/C_SECAUTH_20-practice-exam-dumps.html)

(85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

Which of the following actions are required to ensure complete logging of table data changes? Note:

There are 3 correct Answers to this question.

- A. Log data changes must be enabled at the table level in transaction SE13.
- B. Client change options must be set to Automatic Recording of Changes.
- C. Parameter RECCLIENT must be maintained in transaction STMS.
- D. Instance profile parameter rec/client must be maintained for client.
- E. The security audit log must be activated using transaction SM19.

**Answer: A,C,D (LEAVE A REPLY)**

**NEW QUESTION: 48**

Which of the following SUIM report can you use to determine if a user has segregation of duty violation?

Note: There are 2 correct answer to this question.

- A. User with Critical Authorizations
- B. User Comparision
- C. User by Complex Search

**D. User Level Access Risk Analysis**

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 49**

Which of the various protocols can be used to establish secure communication? Note:  
There are 3 correct answer to this question.

**A. From Secure Login Client to Secure Login Server: DIAG/RFC (SNC), HTTPS, RADIUS**

**B. From Secure Login Server to SAP Netweaver : RFC (SNC)**

**C. From SAP GUI to SAP Netweaver : DIAG/RFC (SNC)**

**D. From Secure Login Server to LDAP Server : HTTPS (SSL)**

**E. From Business Explorer to SAP Netweaver : DIAG/RFC (SNC), HTTPS (SSL)**

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 50**

In the case of missing OData authorizations, why is it not recommended to maintained S\_SERVICE manually within an SAP Fiori Authorization Role?

Note: There are 2 correct answer to this question.

**A. The SRV\_NAME Value of the S\_SERVICE authorization object is the name of an OData service**

**B. Both front-end and back-end entries are generating the same S\_SERVICE authorization object with different authorization values**

**C. The SRV\_NAME Value of the S\_SERVICE authorization object is the hash value of an OData service**

**D. Both front-end and back-end entries are generating the same S\_SERVICE authorization object with same authorization values**

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 51**

Which of the following are phases in the SAP Audit Management auditing process? Note:  
There are 3 correct Answers to this question.

**A. Mitigation Review**

**B. Remediation Analysis**

**C. Communicating Results**

**D. Engagement Planning**

**E. Monitoring Progress**

**Answer: C,D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 52**

Which values are permitted for the S\_BTCH\_JOB authorization object? Note: There are 3 correct Answers to this question.

**A. DELE**

- B. SHOW
- C. 02 (Change)
- D. RELE
- E. 01 (Create)

**Answer: A,B,D (LEAVE A REPLY)**

**NEW QUESTION: 53**

Which of the following accurately describe Solution Manager Functionality? Note: There are 3 correct answer to this question.

- A. SAP EWA provides the most comprehensive security check.
- B. Configuration validation helps to standardize and harmonize security related configuration items for ABAP systems only.
- C. Configuration validation can check if security policies were applied.
- D. A system recommendation provide a worklist of potentially relevant security notes.
- E. SAP SOS self-service is a convenient entry point to introduce security monitoring.

**Answer: A,D,E (LEAVE A REPLY)**

**NEW QUESTION: 54**

Which of the following are prerequisites for using transaction PFCG? Note: There are 2 correct Answers to this question.

- A. Fill in initials values for customer tables using transaction SU25
- B. Maintain parameter auth/no\_check\_in\_some\_cases = Y
- C. Maintain the Check Indicators for Critical Authorization objects
- D. Generate Standard Role SAP\_NEW using transaction SU25

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 55**

Which of the following actions are correctly describes the usage of Front Channel Single Sign-On based on (SAML) 2.0?

Note: There are 2 correct answer to this question.

- A. The identity provider queries the user for authentication credentials
- B. The identity provider returns the user to service providers with an authentication request
- C. The service provider queries the user for authentication credentials
- D. The identity provider presents the requested resource to the user

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 56**

During maintenance of role you notice that the status text for an authorization object indicates status "Changed New" What does this status text mean?

- A. The authorization object was used to create a new authorization because the value contained in SU24 differ from the SAP standard contained in SU25

- B. This authorization object has been flagged as critical object
- C. The authorization object must be maintained again
- D. The authorization object was used to create a new authorization because the initial configuration of the role change a default value maintained in SU24

**Answer: D (LEAVE A REPLY)**

**Valid C\_SECAUTH\_20 Dumps** shared by BraindumpsPass.com for Helping Passing C\_SECAUTH\_20 Exam! BraindumpsPass.com now offer the **newest C\_SECAUTH\_20 exam dumps**, the BraindumpsPass.com C\_SECAUTH\_20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com C\_SECAUTH\_20 dumps with Test Engine here:

[https://www.braindumps.com/SAP/C\\_SECAUTH\\_20-practice-exam-dumps.html](https://www.braindumps.com/SAP/C_SECAUTH_20-practice-exam-dumps.html)

(85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)