

SAP.P_SECAUTH_21.v2023-04-12.q51

Exam Code:	P_SECAUTH_21
Exam Name:	Certified Technology Professional - System Security Architect
Certification Provider:	SAP
Free Question Number:	51
Version:	v2023-04-12
# of views:	1866
# of Questions views:	510
https://www.exam-tests.com/P_SECAUTH_21-exam/SAP.P_SECAUTH_21.v2023-04-12.q51.html	

NEW QUESTION: 1

You are evaluating the "Cross-client object change" option using transact on SCC4 for your Unit Test Client in the development environment. Which setting do you recommend?

- A. No changes to repository and cross-client customizing objects
- B. Changes to repository and cross-client customizing allowed
- C. No changes to cross-client customizing objects
- D. No changes to repository objects

Answer: A (LEAVE A REPLY)

NEW QUESTION: 2

Where can you store Security Audit Log Events? Note: There are 2 correct answers to this question.

- A. In the database table RSAU_BUF_DATA
- B. In the file system of the application servers
- C. In the kernel trace
- D. In the Linux system log

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 3

Which tool do you use to customize the SAP HANA default password policy? Note: There are 2 correct answers to this question.

- A. SAP HANA Studio
- B. SAP HANA Lifecycle Manager
- C. SAP Web IDE
- D. SAP HANA Cockpit

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 4

Which data source needs to be integrated into SAP Identity Management via the Virtual Directory Server (VOS)?

- A. AS Java
- B. LDAP
- C. SAP HCM
- D. AS ABAP

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

You want to configure SNC in a newly-installed AS ABAP based SAP system. Besides running SNCWIZARD, what else do you need to perform for this scenario?

Note: There are 2 correct answers to this question

- A. Restart the SAP system
- B. Manage the PSE
- C. Enable encrypted HTTP service
- D. Set the parameters using sapgenpse

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 6

Which tools can you use to troubleshoot an authorization issue with a Fiori application?

Note: There are 2 correct answers to this question

- A. /IWBEP/ERROR_LOG
- B. /IWFND/ERROR_LOG
- C. /UI2/GW_APPS_LOG
- D. /UI2/FLC

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 7

Why do you use table logging in AS ABAP?

- A. To log changes in master data
- B. To log changes in table technical settings
- C. To log changes in customizing tables
- D. To log changes in application data

Answer: C (LEAVE A REPLY)

NEW QUESTION: 8

The security administrator is troubleshooting authorization errors using transaction SU53. While running transaction MM50, the user received the following error.

"You are not authorized to use transaction MM01"

The user's position in the organization makes it inappropriate for them to have direct access to transaction MM01 because it creates a Segregation of Duties conflict. How can the security administrator resolve the issue and still provide the user with the needed access to MM50?

- A. Remove transaction MM01 as a CALLING transaction from table TCDCOUPLES.
- B. Set the value form instance parameter auth/no_check_in_some_cases to N.
- C. Set the check indicator (for the transaction authorization called by the MM01 transaction) to NO, using transaction SE97 for transaction MM50.
- D. Set the check indicator value for object S_TCODE in the SU24 data for transaction MM01 to Do Not Check.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 9

What are characteristic of the SAP_INTERNAL_HANA_SUPPORT catalog role? Note: there are 2 correct answers to this question.

- A. No role can be granted to it
- B. It has full access to all metadata
- C. Object privileges can be granted to the role
- D. System privileges can be granted to the role

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 10

You are running a 3-tier SAP system landscape. Each time you are accessing STMS_IMPORT on any of these systems, you are prompted for a TMSADM password. How can you stop this prompt from appearing?

- A. Run the report RSUSR405 on the domain controller.
- B. Run the report TMS_UPDATE_PWD_OF_TMSADM on the domain controller.
- C. Reset the TMSADM user's password on the system you are trying to access STMS_IMPORT.
- D. Change the TMSADM user's password directly in the TMS RFC destination in transaction SM59.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 11

Based on your company guidelines you have set the password expiration to 60 days. Unfortunately, there is an RFC user on your SAP system which must not have a password change for 180 days. Which option would you recommend to accomplish such a request?

- A. Change profile parameter login/password_expiration_time to 180
- B. Create a security policy via SECPOL and assign it to the RFC users
- C. Create additional authorizations for RFC users and assign it to them
- D. Create enhancement spot I user-exit

Answer: (SHOW ANSWER)

NEW QUESTION: 12

Which of the objects do you assign to an SAP Fiori tile to make it visible in the SAP Fiori Launchpad? Note: There are 2 correct answers to this question.

- A. Catalog
- B. Role
- C. Group
- D. User

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 13

A user reports an issue with data not showing up in the visualization of the SAP Fiori tiles. You want to verify the target mapping. At what level are you going to check the target mapping?

- A. At the group level in the SAP Fiori front-end server
- B. At the application level in the Web IDE
- C. At the catalog level in the SAP Fiori front-end server
- D. At the group level in the SAP Fiori Launchpad

Answer: C (LEAVE A REPLY)

NEW QUESTION: 14

How is the role concept applied for modeled authorizations based on Core Data Services (CDS) views?

- A. CDS roles are defined for CDS views in Object Navigator
- B. CDS roles are mapped to the CDS view in the access rules
- C. CDS roles are defined for the CDS views and implicitly applied to each user
- D. CDS roles are defined in the WHERE clause when calling a CDS view in Open SQL

Answer: B (LEAVE A REPLY)

NEW QUESTION: 15

The SSO authentication using X.509 client certificates is configured. Users complain that they can't log in to the back-end system. The trace file shows the following error message: "HTTP request [2/5/9] Reject untrusted forwarded certificate". What is missing in the configuration? Note: There are 2 correct answers to this question.

- A. On the back-end, the profile parameter icm/HTTPS/verify_client must NOT be set to 0
- B. The web dispatcher's SAPSSLC.PSE certificate must be added to the trusted reverse proxies list in icm/trusted_reverse_proxy_<xx>
- C. On the web-dispatcher, the SAPSSLS.pse must be signed by a trusted certification authority
- D. On the web-dispatcher, the profile parameter icm/HTTPS/verify_client must be set to 0

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

You have implemented CUA in your organization and you want to set the field distribution attribute as follows: Maintain a default value in the central system that is automatically distributed to the child systems when you create a user. After distribution, the data is maintained only locally and is no longer distributed if you change it in the central or child system. Which field distribution parameter do you maintain?

- A. Proposal
- B. Global
- C. Redistribution
- D. Local

Answer: ([SHOW ANSWER](#))

Valid P_SECAUTH_21 Dumps shared by BraindumpsPass.com for Helping Passing P_SECAUTH_21 Exam! BraindumpsPass.com now offer the **newest P_SECAUTH_21 exam dumps**, the BraindumpsPass.com P_SECAUTH_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com P_SECAUTH_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/P_SECAUTH_21-practice-exam-dumps.html

(80 Q&As Dumps, 40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 17

What does the SAP Security Optimization Service provide? Note: There are 2 correct answers to this question.

- A. Results with recommendations on how to resolve identified vulnerabilities without prioritization
- B. Configuration check of the SAP systems and the SAP middleware components against defined configurations
- C. Analysis of security vulnerabilities within an enterprise's SAP landscape to ensure optimal protection against intrusions
- D. Analysis of your operating system, database, and entire SAP system to ensure optimal performance and reliability

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 18

You have created an RFC destination with a registered external RFC server program. When you try to connect to the external RFC destination you receive a

"SERVER_NOT_REGISTERED" error message. Note: There are 2 correct answers to this question How can you resolve the issue?

- A. Maintain the access list in the transaction SMMS
- B. Maintain the entries in the SECINFO file
- C. Maintain the entries in the REGINFO file
- D. Maintain the profile parameter gw/acl_mode = 0

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 19

You have delimited a single role that is part of a composite role, and a user comparison for the composite role has been performed. You notice that the comparison did NOT.... profile assignments for that single role. What program would you run to resolve this situation?

- A. PRGN_MERGE_PREVIEW
- B. PRGN_COMPARE_ROLE_MENU
- C. PRGN_DELETE_ACTIVITY_GROUPS
- D. PRGN_COMPRESS_TIMES

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 20

Which communication protocols are supported by the SAP Cloud Connector? Note: There are 2 correct answers to this question

- A. SNA
- B. NNTP
- C. LDAP
- D. RFC

Answer: [C,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 21

Insufficient authorization checks might allow A BAP programs to access the PSE files. Which authorization objects should we check to protect the PSEs? Note: There are 2 correct answers to this question.

- A. S_DATASET
- B. S_DEVELOP
- C. S_RZL_ADM
- D. S_ADMI_FCD

Answer: [A,C \(LEAVE A REPLY\)](#)

NEW QUESTION: 22

Which OData authorizations are required for a user to see business data in the SAP Fiori Launchpad? Note: There are 2 correct answers to this question.

- A. Access authorization in the SAP S/4HANA back-end system

- B. Start authorization in the SAP Fiori front-end system
- C. Access authorization in the SAP Fiori front-end system
- D. Start authorization in the SAP S/4HANA back-end system

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 23

How can you protect a table containing sensitive data using the authorization object S_TABU_DIS?

- A. The tables containing sensitive data must be associated with table groups in table TBRG.
- B. The field DICBERCLS of the authorization object must enumerate all table names of the tables containing sensitive data.
- C. The tables containing sensitive data must be named using the authorization object S_TABU_NAM for all responsible administrator employees. The fields DICBERCLS of the object S_TABU_DIS can then be filled with *.
- D. Authorization table groups containing tables with sensitive data must be defined in table TDDAT and these must be omitted for all employees who do not need access to these tables

Answer: (SHOW ANSWER)

NEW QUESTION: 24

Which SAP tool provides functions to support Data Destruction, Business Rules Maintenance, and Processing of Audit Areas?

- A. SAP Business Rule Framework Plus
- B. SAP Information Lifecycle Management
- C. SAP Information Retrieval Framework
- D. SAP Data Controller Rule Framework

Answer: D (LEAVE A REPLY)

NEW QUESTION: 25

How can you register an SAP Gateway service? Note: There are 2 correct answers to this question.

- A. Use SAP_GATEWAY_ACTIVATE_ODATA_SERV in transact on STC01 on the front-end server
- B. Use transaction SEGW on the back-end server
- C. Use SAP_GATEWAY_BASIC_CONFIG in transact on STCO 1 on the frontend server
- D. Use transaction /IWFND/MAINT_SERVICE on the front-end server

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 26

What benefits does the SAP Cloud Connector have compared to a 3rd party reverse proxy solution, when connecting your SAP Cloud Platform with your SAP backend systems?

Note: There are 2 correct answers to this question.

- A. It can cache SAP proprietary OData packets to improve the response times
- B. It allows for remote invocation by the SAP Cloud Platform only
- C. It establishes an SSL VPN tunnel to SAP Cloud Platform
- D. It supports multiple application protocols, such as HTTP and RFC

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which authorization object controls access to the trusting system between the managed system and SAP Solution Manager?

- A. S_RFC
- B. S_ICM
- C. S_RFCACL
- D. S_SERVICE

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

What authorization object is checked when a user selects an A BAP Web Dynpro application to execute?

- A. S_START
- B. S_PROGRAM
- C. S_SERVICE
- D. S_TCODE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

What are some characteristics of an SAP HANA multitenant database system (MDC) running in high isolation mode? Note: there are 2 correct answers to this question.

- A. The <sid>adm user can access the tenant-specific configuration and trace files.
- B. All tenant-specific permissions to access files and directories are revoked from the <sid>adm user.
- C. All tenant-specific file and directory permissions are managed by the SAP HANA system.
- D. All tenant databases will share the operating system user and group.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

In your system, you have a program which calls transaction A. Users with access to this program can still execute transaction A without explicit authorizations given to this

transaction. How do you prevent the access of users to the transaction A from within the program?

- A. Maintain SE93 with authorization objects for transact on A.
- B. Maintain the check indicator in table TCDCOUPLES
- C. Ensure that transact on A is NOT assigned into the same program authorization group
- D. Make sure you do NOT assign transact on A to the authorization object S_TCODE in the role that you assign to the unauthorized users.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 31

Which basis transaction provides an optimized user interface for evaluating authorization checks only?

- A. ST01
- B. STAUTHTRACE
- C. ABAP_TRACE
- D. RSECADMIN

Answer: B (LEAVE A REPLY)

Valid P_SECAUTH_21 Dumps shared by BraindumpsPass.com for Helping Passing P_SECAUTH_21 Exam! BraindumpsPass.com now offer the **newest P_SECAUTH_21 exam dumps**, the BraindumpsPass.com P_SECAUTH_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com P_SECAUTH_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/P_SECAUTH_21-practice-exam-dumps.html

(80 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You want to launch classic SAP GUI transactions directly from the SAP Fiori Launchpad. Which of the following scenarios do you choose?

- A. Internet Explorer, SAP Business Client, SAP GUI for Windows
- B. Chrome, SAP Cloud Platform, SAP GUI for Java
- C. Internet Explorer, ABAP front-end server, SAP GUI for Windows
- D. Chrome, SAP Enterprise Portal, SAP GUI for Java

Answer: (SHOW ANSWER)

NEW QUESTION: 33

You want to use Configuration Validation functionality in SAP Solution Manager to check the consistency of settings across your SAP environment. What serves as the reference basis for Configuration Validation? Note: There are 2 correct answers to this question.

- A. A target system in your system landscape
- B. A result list of configuration items from SAP Early Watch Alert (EWA)
- C. A list of recommended settings attached to a specific SAP Note
- D. A virtual set of manually maintained configuration items

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 34

For which purpose do you use instance Secure Storage File System (SSFS) in an SAP HANA system? Note: There are 2 correct answers to this question.

- A. To store the secure single sign-on configuration
- B. To store root keys for data volume encryption
- C. To protect the password of the root key backup
- D. To protect the X.509 public key infrastructure certificates

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 35

Which SAP product supports General Data Privacy Regulation (GDPR) compliance through mitigating control testing and validation

- A. SAP Process Control
- B. SAP Solution Manager
- C. SAP Identify Access Governance
- D. SAP Access Control

Answer: A (LEAVE A REPLY)

NEW QUESTION: 36

What are the requirements of SPNego SSO configuration in an SAP Fiori front-end system? Note: There are 2 correct answers to this question.

- A. The system's users in the ABAP system must have the same user names as the database users in SAP HANA
- B. The system should typically be located within the corporate network.
- C. The system requires an identity provider as an issuing system to enable single sign-on with SPNego in an internet-facing deployment scenario.
- D. The system requires Microsoft Active Directory infrastructure in place.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 37

Which authorizations should you restrict when you create a developer role in an AS ABAP production system? Note: There are 2 correct answers to this question.

- A. The ability to execute function modules through authorization object S_DEVELOP
- B. The ability to use the ABAP Debugger through authorization object S_DEVELOP
- C. The ability to execute queries through authorization object S_OUERY

D. The ability to execute class methods through authorization object S_PROGRAM

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 38

You want to create an SAP Fiori app for multiple users and multiple back-end systems. To support this, you create different roles for the different back-end systems in the SAP Fiori front-end system (central hub). What transaction do you have to use to map a back-end system to one of those roles?

- A. /UI2/GW_SYS_ALIAS
- B. /IWFND/MAINT_SERVICE
- C. SM59
- D. PFCG

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

SNC is configured in the production system. For emergency purposes, you want to allow certain accounts to be able to access the system with password logon. What do you need to set up for this purpose? Note: There are 2 correct answers to this question.

- A. Use the 'Unsecure communication permitted option' In SU01 for specific users
- B. Maintain the user access control list in table USRACLEXT
- C. Use profile parameter SNC/ACCEPT_INSECURE_GUI with value 'U'
- D. Use profile parameter SNC/ONLY_ENCRYPTED_GUI with value 'O'

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

What is required when you configure the PFCG role for an end-user on the front-end server? Note: There are 2 correct answers to this question.

- A. The group assignment to display it in the Fiori Launchpad
- B. The catalog assignment for the start authorization
- C. The Fiori Launchpad designer assignment
- D. The S RFC authorization object for the OData access

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

You are using the SAP Web Dispatcher for load-balancing purposes. Which actions are performed by the SAP Web Dispatcher in this scenario? Note: There are 2 correct answers to this question.

- A. Uses SAP logon groups to determine which requests are directed to which server
- B. Authenticates the user's credentials
- C. Checks current state of the message server
- D. Decrypts the HTTPS request and then selects the server

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 42

What does the SAP Security Optimization Service provide? Note: There are 2 correct answers to this question.

- A. Analysis of the security vulnerabilities within an SAP landscape
- B. Configuration checks of SAP systems
- C. Results containing the list of patches that have to be applied.
- D. Analysis of the network configuration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Which of the following user types can be used to log on interactively? Note: There are 2 correct answers to this question

- A. Communication
- B. Service
- C. Dialog
- D. System

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Which characteristics apply to the SAP ID Service? Note: There are 2 correct answers to this question

- A. Non-configurable MFA for SAP BTP Cockpit
- B. Configurable password policy
- C. User base owned and managed by SAP
- D. Customizable user interface

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

What are the key capabilities of Enterprise Threat Detection? Note: There are 2 correct answers to this question

- A. Real time capture of abnormal user activities
- B. Blocking user access
- C. Predictive threat notification
- D. Dashboard-based analysis for security risks

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Your company is running SAP S/4HANA on premise, with the requirement to run the SAP Fiori Launchpad in the SAP Cloud Platform. What would be the recommended scenario for user authentication for internet browser access to the SAP Fiori Launchpad?

- A. SAP Logon Tickets
- B. X.509 Client Certificates
- C. Principal Propagation
- D. SAML2 and OData Provisioning

Answer: B (LEAVE A REPLY)

Valid P_SECAUTH_21 Dumps shared by BraindumpsPass.com for Helping Passing P_SECAUTH_21 Exam! BraindumpsPass.com now offer the **newest P_SECAUTH_21 exam dumps**, the BraindumpsPass.com P_SECAUTH_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com P_SECAUTH_21 dumps with Test Engine here:

https://www.braindumps.com/SAP/P_SECAUTH_21-practice-exam-dumps.html

(80 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

To which services packages does SAP Security Optimization Services (SOS) belong?

- A. System Administration Optimization
- B. Application Integration Optimization
- C. EarlyWatch Reporting
- D. Performance Optimization

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

User1 grants role 1 to user2. Who can revoke role 1 role from user2?

- A. Any user with the 'ROLE ADMIN' database role
- B. The owner of role 1
- C. The system OBA user
- D. Only User1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 49

Which features do SAP HANA SQL-based analytic privileges offer compared to classic XML-based ones? Note: there are 2 correct answers to this question.

- A. Control of read-only access to SQL views
- B. Transportable
- C. Control of read-only SAP HANA procedures

D. Complex filtering

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 50

You have a load balancer in a DMZ network zone (called natl.mydomain.com) in front of 2 SAP NetWeaver AS systems (host1.mydomain.com, host2.mydomain.com). What is the recommended common name part of the distinguished name on the SSL Server's PSE?

- A. It should be host 1.mydomain.com, host2.mydomain.com individually for each PSE
- B. It should be a combined DNS alias for host 1.mydomain.com and host2.mydomain.com and nat1.mydomain.com
- C. It should be natl.mydomain.com
- D. It should be *.mydomain.com (wildcard) names

Answer: D (LEAVE A REPLY)

NEW QUESTION: 51

You have implemented CUA in your organization and you only want to compare the company address data between the central system and child systems to perform the synchronization activities. Which transaction do you use for comparing the company address between these systems?

- A. SCUC
- B. SCUG
- C. SUCOMP
- D. SCUM

Answer: C (LEAVE A REPLY)

Valid P_SECAUTH_21 Dumps shared by BraindumpsPass.com for Helping Passing P_SECAUTH_21 Exam! BraindumpsPass.com now offer the **newest P_SECAUTH_21 exam dumps**, the BraindumpsPass.com P_SECAUTH_21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com P_SECAUTH_21 dumps with Test Engine here:

https://www.braindumpsPass.com/SAP/P_SECAUTH_21-practice-exam-dumps.html

(80 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)