

## Salesforce.CCM-101.v2023-06-08.q104

<b>Exam Code:</b>	CCM-101
<b>Exam Name:</b>	Manage and Merchandise a B2C Commerce Cloud Store - Extended
<b>Certification Provider:</b>	Salesforce
<b>Free Question Number:</b>	104
<b>Version:</b>	v2023-06-08
<b># of views:</b>	1585
<b># of Questions views:</b>	1040
<a href="https://www.exam-tests.com/CCM-101-exam/Salesforce.CCM-101.v2023-06-08.q104.html">https://www.exam-tests.com/CCM-101-exam/Salesforce.CCM-101.v2023-06-08.q104.html</a>	

### NEW QUESTION: 1

An Architect is configuring a data replication schedule.

Which task(s) can be removed In order to reduce replication times?

- A. Storefront URLs
- B. Campaign
- C. Search Indexes
- D. Static content

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 2

A new product has been added to the Storefront catalog that 15 assigned to a site Which configuration does a developer need to ensure to have a new product visible in the Storefor

- A. The search index is built AND the product is online and searchable.
- B. The product has a price AND the product rs online and searchable.
- C. The product has a master product AND the search index is built.

**Answer: (**[SHOW ANSWER](#)**)**

### NEW QUESTION: 3

A controller route in the SFRA base looks as follows:

```

server.get('Show', consentTracking.consent,
cache.applyDefaultCache, function (req, res, next) {

    ... base code omitted for purpose ...

    next();

}, pageMetaData.computedPageMetaData);

```

In order to extend this route using prepared ( ), what should the developer consider?

- A. Remove next ( ); on the new route so only the route's middleware functions execute.
- B. Specify any middleware functions needed for the new functionality using only those called by the base route.
- C. Specify any middleware functions needed for the new functionality.

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 4

An existing B2C Commerce site has the following aliases configuration:

```

"www.example.com": [
  {
    "locale": "en_US",
  },
  {
    "locale": "de_DE",
    "if-site-path": "de"
  },
  {
    "locale": "en_US",
    "if-site-path": "us"
  },
  {
    "locale": "en_GB",
    "if-site-path": "uk"
  }
],
"www.example.de": [{
  "host": "www.example.com",
  "path": "de"
}],
"www.example.co.uk": [{
  "host": "www.example.com",
  "path": "uk"
}]

```

Which statement related to this configuration is incorrect?

- A. Hostname www.example.co.uk will redirect to www.example.com/uk.
- B. Site supports multiple hostnames and locales.
- C. Hostname www.example.com will redirect to www.example.com/us
- D. Hostname www.example.de will redirect to www.example.com/de.

Answer: [\(SHOW ANSWER\)](#)

#### NEW QUESTION: 5

A developer needs to update the package.json file so that it points to the hock file for a cartridge, using the hooks keyword. Which snippets work correctly when added to the file?:

- A. { hooks: "./cartridge/scripts/hooks.json" }
- B. { hooks: ./scripts/hooks.json }
- C. { "hooks": "./cartridge/scripts/hooks.json" }
- D. { "hooks": "./scripts/hooks.json" }

Answer: [C \(LEAVE A REPLY\)](#)

#### NEW QUESTION: 6

Which three operations should be done in a controller?

Choose 3 answers

- A. Use the Script API to generate data for the view.
- B. Generate the response as JSON or HTML
- C. Create a plain JavaScript object representing a system object
- D. Use the model needed for the view.
- E. Use middleware functions when applicable

Answer: [B,D,E \(LEAVE A REPLY\)](#)

#### NEW QUESTION: 7

During the testing of the login form, QA finds out that the first time the user can log in, but every other login attempt from another computer leads to the homepage and the basket being emptied. Developers tried to debug the issue, but when they add a breakpoint to the login action, it is not hit by the debugger.

What should the Architect recommend developers to check?

- A. Remove CSRF protection from Login Form Action.
- B. Add remote include for the login page
- C. Check Login Form and any included templates for includes that enable page caching.
- D. Add disable cache page in the template ISML - <iscache status--off"/>.

Answer: [B \(LEAVE A REPLY\)](#)

#### NEW QUESTION: 8

Given a file in a plug-in cartridge with the following code:

```
'use strict':
```

```
Var base = module.superModule;
```

```

Function applyCustomCache (req,res,next){
res.CachePeriod = 6; //eslint-disable-line no-param-reassign
res.cachePeriodUnit = 'hours') //eslint-disable-line no-param-reassign
next();
}
Module.exports = base;
Module.exports.applyCustomCache = applyCustomCache;

```

What does this code extend?

- A. A decorator
- B. A middleware script
- C. A controller
- D. A model

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 9

A developer wants to create in Business Manager extension with the cartridge named plugin\_vm\_extension.

Which two steps should the developer take for the extension option to show up in Business Manager? Choose 2 answers:

- A. Add plugin\_bm\_extension to the cartridge path under business manager cartridge site
- B. Add the appropriate roles and permission to the user to view the business manager extension.
- C. Add plugin\_bm\_extension to the cartridge path under Storefront cartridge site path.
- D. Activate a new code version for the Business Manager Site.

**Answer: A,D (LEAVE A REPLY)**

Updating the Cartridge Path

If you are using controllers, you must upload the app\_storefront\_controller cartridge, but you don't need to add it to the cartridge path.

- In **Business Manager**, select **Administration > Sites > Manage Sites**.
- Select **SiteGenesis** or your **site** and click the **Settings** tab.
- Add the Commerce Cloud Endless Aisle cartridges to the list of cartridges:
  - If you are using Endless Aisle pipelines add the following to the beginning of your path: int\_ocapi\_ext\_core:int\_ocapi\_ext\_pipelines
  - If you are using Endless Aisle controllers add the following to the beginning of your path: int\_ocapi\_ext\_core:int\_ocapi\_ext\_controllers
  - If you are using the SiteGenesis with Salesforce B2C Commerce storefront cartridge add the following to your path: ea\_sitegenesis\_storefront\_rchUI:ea\_sitegenesis\_storefront
- Add the Verifone cartridges to the list of cartridges if using Verifone devices.
  - If you are using Endless Aisle pipelines and Verifone devices add the following to the beginning of your path: int\_verifone\_dss\_core:int\_verifone\_dss\_pipelines
  - If you are using Endless Aisle controllers and Verifone devices add the following to the beginning of your path: int\_verifone\_dss\_core:int\_verifone\_dss\_controllers
- Click **Apply**.
- Add bm\_instore to the Business Manager cartridge path.
  - Click the **Business Manager** link below the site table.
  - Add :bm\_instore to the end of the cartridge path.
  - If you plan to use Endless Aisle Sales Reports in Business Manager, add int\_ocapi\_ext\_pipelines:int\_ocapi\_ext\_core: to the cartridge path.

### NEW QUESTION: 10

Reference the following code snippets that allow a form to function correctly.

**Form definition (newsletter.xml):**

```
<?xml version="1.0"?>
<form xmlns="http://www.demandware.com/xml/form/2008-04-19">
  <field formid="email" label="Email:" type="string"
mandatory="true" max-length="50" />
</form>
```

**Controller snippet:**

```
var newsletterForm =
server.forms.getForm('newsletter');
res.render('NewsletterTemplate', (newsletterForm,
newsletterForm));
```

**Template snippet:**

```
<form action="{URLUtils.url('Newsletter-Submit')}"
method="POST"
<isprint value="{EXPRESSION.attributes}"
encoding="off" />>
  <input type="input" id="email" <isprint
value="{EXPRESSION.email.attributes}" encoding="off"
/>>
  <button type="submit">Submit</button>
</form>
```

Which code should a developer insert at the EXPRESSION placeholder in the ISML template snippet above to have the form work as expected?

- A. pdict.newslettersFrom
- B. sowslettersform
- C. Pdicit, newsletter

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 11**

A merchant has reported that customers are seeing low stock items at the top of their search results, giving them a subpar customer experience and impacting conversion.

How might this issue be resolved to ensure a better customer journey?

- A. In Business Manager, enter a higher boost factor for availability in Searchable Attributes.
- B. In Business Manager, set an availability low ranking threshold in Search Preferences.
- C. In Business Manager, select Show Orderable Products Only at the root level to hide any products that are currently out of stock.
- D. Create a job that sets all unavailable products to be hidden. Schedule the job to run hourly to clean up the catalog on a regular basis.

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 12**

An ecommerce site has dynamic shipping cost calculation. it allows the customers to see their potential shipping costs on the Product Detail Page before adding an item to the cart.

For this feature, shipping costs are calculated using the following logic:

- \* Set the shipping method on the Basket
- \* Add the item to the basket, calculate the basket total and get the shipping cost for this method
- \* Remove the item from the Basket to restore the original state
- \* The above process is repeated for each shipping method

During the testing it was discovered that the above code violates the `spi.basket.addResolveInSameRequest` quota.

What should the Architect do to resolve this issue and maintain the business requirement?

- A.** Omit the calculation of shipping cost until the customer is ready to check out and has chosen the shipping method they want to
- B.** Omit the removal of the Item and speed up the process for the customer by adding the product to the basket for them.
- C.** Wrap each Individual step of the process its own transaction Instead of using one transaction for all steps.
- D.** Wrap the adding of product and shipping cost calculation in a transaction which is then rolled back to restore the original state

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 13

A developer working on a multi country site is asked to store country specific data that drives the creation of a country selector. Examples of the data stored are:

- \* Pricebook to be used
- \* Image URL for country flag

The data used in staging also applies in production, but only for this site.

Which approach should the developer take to implement these requirements?

- A.** Extend the Locale System Object to contain the custom data for each country.
- B.** Create a replicable, site-specific Custom Object with the custom data for each country.
- C.** Create site-specific content assets to store the data for each country.

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 14

A client has a single site with multiple domains, locales, and languages. After launch, there is a need for the client to perform offline maintenance. The client would like to show the same maintenance page for each locale.

Which version of aliases,Json file below will accomplish this task?

A)

```
{  
  "nto.net": "www.nto.net",  
  "nto.eu": "www.nto.eu",  
  "nto.event.eu": "www.nto.eu"  
}
```

B)

```
{  
  "www.nto.eu": "www.nto.eu"  
}
```

```
{  
  "nto.eu": "www.nto.eu",  
  "nto.at": "www.nto.at",  
  "nto.de": "www.nto.de"  
}
```

D)

```
{  
  "nto.eu": "www.nto.eu",  
  "nto.at": "www.nto.eu",  
  "nto.de": "www.nto.eu"  
}
```

A. Option A

B. Option B

C. Option D

D. Option C

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 15

Which three configuration does a developer need to ensure to have a new product visible in the Storefront?

Choose 3 answers

A. The product has a Price

B. The Storefront catalog that contains the product is assigned to a site

C. The product has a master product

D. The product is online and searchable

E. The search index is built.

**Answer: B,D,E (LEAVE A REPLY)**

Tengo dudas con el A. REVISAR

### NEW QUESTION: 16

Given a NewsletterSubscription custom object that has a key attribute named email of type String, what is the correct syntax to create the NewsletterSubscription custom object and persist it to the database?

A. Var customobject = dw.object.CustomObjectMgr.createNewsletterSubscription('email', newsletterForm.email.value);

- B.** Var customobject = dw.object.CustomObjectMgr. createCustomObject ('NewsletterSubscription', newsletterForm.email.value);
- C.** Var customobject = dw.object.CustomObjectMgr.createCustomObject(newsletterForm.email.value, 'NewsletterSubscription');
- D.** Var customobject = dw.object.CustomObjectMgr. createCustomObject ('NewsletterSubscription','email', newsletterForm.email.value);

**Answer: B (LEAVE A REPLY)**

**Valid CCM-101 Dumps** shared by BraindumpsPass.com for Helping Passing CCM-101 Exam! BraindumpsPass.com now offer the **newest CCM-101 exam dumps**, the BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 17**

A Digital Developer wants to selectively retrieve products and process them from an iPhone. Which action should the Developer take, given that JavaScript controllers CANNOT be used?

- A.** Use import/export in Business Manager.
- B.** Use OCAPI and invoke it in native language.
- C.** Create a webservice to retrieve products.
- D.** Use WebDAV Client to retrieve products.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 18**

A client has a requirement to render different content on the homepage based on if the customer is logged in or guest user.

What should a developer implement to achieve this requirement?

- A.** Set the Content Slot configuration so it is based on the system customer group registered, versus unregistered.
- B.** Set the Content Asset configuration for a customer that is a registered, versus unregistered, user.
- C.** Add specific custom messages in Page Designer for a customer that is a registered, versus unregistered, user.
- D.** Write specific custom code in the Content Asset for a customer that is a registered, versus unregistered, user.

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 19

A Digital Developer has been given a specification to integrate with a REST API for retrieving weather conditions. The service expects parameters to be form encoded.

Which service type should the Developer register?

- A. SOAP
- B. FTP
- C. WebDAV
- D. HTTP Form

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 20

An Architect is documenting the technical design for a single B2C Commerce storefront. The Client has a business requirement to provide pricing that is customized to specific groups:

- \* 50 different pricing groups of customers
- \* 30 different pricing groups of employees
- \* 10 different pricing groups of vendors

Which items should the Architect include in the design in order to set applicable price books based on these requirements" Choose 2 answers

- A. - One promotion and 50 campaigns for customers
- One promotion and 30 campaigns for employees
- One promotion and 10 campaigns for vendors
- B. - One customer group and SO subgroups for customers
- One customer group and 30 subgroups for employees
- One customer group and 10 subgroups for vendors
- C. - 50 customer groups for customers
- 30 customer groups for employees
- 10 customer groups for vendors
- D. - One campaign and multiple promotions for each customer group

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 21

```
Server.get('Show', consentTracking.consent, cache.applyDefaultCache, function (req,res,next)
{ Var Site = require('dw/system/Syte"); Var pageMetaHelpter =
require('*/cartridge/scripts/helpers/pageMetaHelper');
pageMetaHelpter.setPageMetaTags(req.pageMetaData, Site.current);
res.render('/home/homePage'); Missing code here
}, pageMetadata.computedPageMetadata);
```

The controller endpoint code snippet above does not work.

Which line of code should the developer use to replace line 6 and correct the problem?

- A. return res;C. res.next();
- B. req.next();

C. next();

**Answer: C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 22**

A developer has custom debug statements in a script, but the messages are not showing up in the Storefront Toolkit Request Log.

Which step needs to be completed to get the messages to appear in the Request Log?

- A. In Global preferences, check the box for Enable custom logging in Request Log.
- B. In custom Log Settings, activate the logging category at DEBUG level.
- C. In Custom Log Settings, check the DEBUG box for Select Log Levels Written to Files.
- D. In Site Preferences, check the box for Enable custom Logging in Request Log

**Answer: C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 23**

Given the following conditions:

- \* Site export file with a copy of the Storefront data for a custom site
- \* Sandbox with the custom site code, but no Storefront data
- \* Requirement for a working copy of SFRA for development reference

A developer is assigned the following Business manager tasks:

- A) Import the custom Site using Site Import/Export
- B) Import the SFRA Demo Sites using Site Import/Export
- C) Rebuild the custom Site search indexes

In what sequence should the developer perform the tasks, so that the custom Site displays the products as intended?

- A. Task B, then C, then A
- B. Task B, then A, then C
- C. Task A, then C, then B
- D. Task A, then B, then C

**Answer: B ([LEAVE A REPLY](#))**

### **NEW QUESTION: 24**

A merchant asks a developer to create a Cache Partition for the home page, so that when the home page is edited, only the home page is cleaned.

Given the above requirement, where should the developer create that partition in Business Manager?

- A. Operations > Cache > Site
- B. Administration > Sites > Manage Sites > Site > Cache
- C. Site > Site Preferences > Cache
- D. Operations > Site > Manage Sites > Cache

**Answer: D ([LEAVE A REPLY](#))**

### NEW QUESTION: 25

A Digital Developer needs to check for product inventory in a specific inventory list using the Open Commerce API.

An example request URL is:

```
http://sitegenesis.demandware.net/dw/data/v18_3/inventory_lists/  
ecom-inventory/product_inventory_records/00883408601
```

Which resource\_id value enables the appropriate resource?

- A. /inventory\_list\_search
- B. /inventory\_lists/\*\*
- C. /inventory\_lists/\*
- D. /products/\*

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 26

A Digital Developer is working in a sandbox on a site named test-site using the domain test.demandware.net. The Developer needs to compile a url to make an Open Commerce API (OCAPI) request that returns product information.

By default, which URL format is a proper Open Commerce API for Sandbox?

- A. https://www.test.com/s/test-site/sfc/shop/products/M1355?client\_id=aaa...
- B. https://www.test.com/dw/shop/v18\_3/products/M1355?client\_id=aaa...
- C. https://test.demandware.net/s/test-site/dw/shop/v18\_3/products/M1355?client\_id=aaa...
- D. https://test.demandware.com/dw/shop/products/M1355?client\_id=aaa...

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 27

The Home-Show route uses this middleware chain:

```
server.get('Show', consentTracking.consent, cache.applyDefaultCache, function (req, res, next) {  
    // base code here  
});
```

The developer added Home.;s in another cartridge, which is before the original cartridge in the cartridge path, to extend that route but it does not have the middleware chain:

```
server.append('Show', function (req, res, next) {  
    // custom code here  
});
```

Assuming the code is correct on both functions, what is the expected result?

- A. The base code executes, but the custom code is ignored because the signature lines do not match.
- B. The custom code executes and then the base code executes.
- C. A RunTime error is thrown, "Error: Params do not match route".

D. The base code executes and then the custom code executes.

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 28

A retailer notices that the Account Addresses page is showing the wrong shopper's address. Which tool should the developer start with to identify the issue?

- A. Pipeline profiler
- B. Storefront Toolkit
- C. Reports and Dashboards Module
- D. Code Profiler

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 29

What happens if the log file size limit is reached in custom logging?

- A. Logging is suspended for the day.
- B. Logging is suspended for two hours.
- C. The log file rolls over and the last used log is overwritten.
- D. The log file is deleted and recreated from scratch.

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 30

There is an issue with the site when the domain is opened from Google search results. After researching the problem, it turns out that the site returns a 404 page error when accessed with a parameter in the URL.

What should the Architect recommend to fix that issue?

- A. Add dynamic catch-all rule to redirect to home page.
- B. Add dynamic redirect if the URL contains parameter to Home Show.

Add this snippet to the aliases configuration for the domain

- C. Add this snippet to the aliases configuration for the domain:

```
{
  "pipeline": "Home-Show",
  "apply-to-host-only-request-with-params": "true"
}
```

- D. Add this snippet to the aliases configuration for the domain

```
{
  "controller": "Home-Show",
  "apply-to-host-only-request-with-params": "true"
}
```

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 31

A client sells its product in single-brand stores as well as in multi-brand stores. When shown in the store locator list, the client wants the single-brand stores to have a particular background color to highlight them.

Which Business Manager action should be completed to allow the developer to apply different styling to the single-brand stores?

- A. Create a new SingleBrandStore custom object configuration.
- B. Configure the existing Store custom object type definition
- C. Add a Boolean custom attribute to the Store system object
- D. Adjust the relevant Site Preference in the Stores group

**Answer: A** ([LEAVE A REPLY](#))

**Valid CCM-101 Dumps** shared by BraindumpsPass.com for Helping Passing CCM-101 Exam! BraindumpsPass.com now offer the **newest CCM-101 exam dumps**, the BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 32**

A developer is given the requirement to add a step to the existing business logic of the registration process. How should the developer modify the route that handles the customer registration?

- A. Change the controller route with new functionality.
- B. Copy the code from the original route to a new controller route, and change it.
- C. Override the route with new functionality.
- D. Extend the route with new functionality.

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 33**

A merchant has asked their development team to add a new site.

Which two tasks are essential for correct site configuration prior to launch?

Choose 2 answers

- A. Assign a default payment type.
- B. Assign the appropriate taxation type.
- C. Assign a default currency.
- D. Assign a default payment processor.
- E. Assign a default payment method.

**Answer: B,C** ([LEAVE A REPLY](#))

### NEW QUESTION: 34

Universal Containers requires that a new order comments attribute is added to the existing SiteGenesis checkout flow. This new attribute needs to be included as part of the standard order export.

Aside from updating the HTML markup and form definition, which option contains all necessary steps to achieve this task?

**A.** \* Modify the "COPlaceOrder" controller to update a CSV file in the IMPEX WebDAV directory with the order ID and comments.

\* Modify the order export process to read information in the CSV file and include it as part of the export.

**B.** \* Add the new attribute to the "Order" system object.

\* Modify the "COPlaceOrder" controller to add this new attribute to the current session's "Order" object.

**C.** \* Add the new attribute to the "Customer" system object.

\* Modify the "COPlaceOrder" controller to add this new attribute to the current session's "Customer" object.

**D.** \* Create a new custom object type for order comments that contains the attributes: order ID and comments.

\* Modify the "COPlaceOrder" controller to create a new order comments custom object upon order completion.

**Answer: A** ([LEAVE A REPLY](#))

### NEW QUESTION: 35

Given the code snippet above, what should be added after this code so it can be used for page component display?

**A.** `Module.exports.render = render;`

**B.** `Base.render = render;`

**C.** `Module.exports = server.exports();`

**D.** `Module.exports = render;`

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 36

A client has three different sites with three locales. Two of the sites share a library and one site has a private library.

What does the shared library allow in this context?

**A.** Sharing content slots among locales

**B.** Sharing content slots between sites

**C.** Sharing content assets among locales

**D.** A Sharing content assets between sites

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 37**

Multiple shoppers report slow performance on the Product Details Page.

Which tool can a developer use to view average response times for the Product-Detail controller route?

- A. Request Logs
- B. Pipeline Profiler
- C. URL Request Analyzer

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 38**

A developer is given a task to implement a new Page Designer layout component that doesn't accept certain asset components.

How should the developer achieve the above task?

- A. Add component\_type\_Exclusions in the layout json configuration
- B. Add layout\_type\_inclusion in the target components json configurations.
- C. Add layout\_type\_exclusion in the other asset components json configuration.
- D. Add component\_type\_inclusion in the layout json configuration

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

What is accomplished by the code below?

```
<isinclude url="{URLUtils.url('Account-Header', 'mobile', true)}" />
```

- A. Performs a remote include from the Account-Header endpoint.
- B. Creates a link to the Account-Header end point that allows mobile navigation.
- C. Performs a local include from the Account-Header endpoint.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

A developer has a sandbox configured with a service and its profile and credential. Now there is a requirement to allow changes to the service URL manually from the sandbox.

Which B2C feature should the developer use to achieve the request?

- A. Use a Sitepreference dedicated for the service URL
- B. Use a Globalpreference dedicated for the service URL
- C. Use the service status area, set the override URL checkbox, and then populate the URL field with the required one.
- D. Use the service credential URL field

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 41**

A developer is remotely fetching the reviews for a product.

Assume that it's an HTTP GET request and caching needs to be implemented, what consideration should the developer keep in mind for building the caching strategy?

- A. Use custom cache
- B. Remote include with caching only the reviews
- C. Cache the HTTP service request
- D. Cached remote include with cache of the HTTP service

**Answer: C (LEAVE A REPLY)**

#### NEW QUESTION: 42

Given a job step configured in the steptype.json, a developer needs to add a custom status code "No\_FILES\_FOUND".

Which code snippet will complete the requirement?

- A. 

```
var status = {success: 'OK', Message: 'NO_FILES_FOUND'};
return status;
```
- B. 

```
var status = require('dw/system/status');
return new Status(Status.OK, 'NO_FILES_FOUND');
```
- C. 

```
this.status = 'NO_FILES_FOUND'
return this;
```
- D. 

```
return 'NO_FILES_FOUND'
```

**Answer: B (LEAVE A REPLY)**



#### NEW QUESTION: 43

During load testing, a third party service is constantly failing to respond in a timely manner on the Product Listing Page. The page is not affected as it is collecting data with the server side call, however the loading time is increasing.

Which two recommendations should the developer take in order to minimize the risk and improve the loading time?

Choose 2 answers

- A. Load the data asynchronously after the page is loaded
- B. Remove the service.
- C. Enable the Circuit Breaker.
- D. Ask the third party to improve the reliability of the service.

E. Decrease the service timeout.

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 44**

An Architect to notify by the Business that order conversion dramatically dropped a few hours after go live. Further investigation points out that customers cannot proceed to checkout anymore. The Architect is aware that a custom inventory checks with a third-party API is enforced at the beginning of checkout, and that customers are redirected to the basket page when items are no longer in stock Which tool can clearly confirm that the problem is indeed caused by the inventory check?

- A. Service Status from Business Manager
- B. Realtime Report from Reports and Dashboards
- C. Sales Dashboard from Reports and Dashboards
- D. Pipeline Profiler from Business Manager

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 45**

Which three object types can a developer import using the Merchant Tools > Content > Import & Export module in Business Manager? (Choose three.)

- A. Images and other static assets
- B. Folders
- C. Content slots
- D. Content assets
- E. Products

**Answer: B,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 46**

Given the above OCAPI definitions, which permission or permissions apply?

```

{
  "resource": "/sites/*/coupons/*",
  "methods": {
    "put": true
  },
  "read_attributes": "(*)",
  "write_attributes": "(*)"
}

```

- A. Allow external applications to create, update, and delete both coupons and coupon codes
- B. Allows external applications to create coupons
- C. Allows external applications to create, update, and delete coupons
- D. Allows external applications to update coupons

**Answer: D** ([LEAVE A REPLY](#))

**Valid CCM-101 Dumps** shared by BraindumpsPass.com for Helping Passing CCM-101 Exam! BraindumpsPass.com now offer the **newest CCM-101 exam dumps**, the BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### NEW QUESTION: 47

A Digital Developer selects "Show Orderable Products Only" in the Search > Search Preferences Business Manager module.

Which business goal does this accomplish?

- A. Exclude products from search results if Available to Sell (ATS) = 0.
- B. Exclude pre-order products from search results.
- C. Exclude back-ordered products from showing on the website.
- D. Block displaying the product detail page if Available to Sell (ATS) = 0.

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 48

A developer uses the call() instance method of dw.svc.Service to invoke a web service and implemented the callback methods defined by the dw.avc.ServiceCallback class.

Which callback method is required only when invoking a SOAP service?

- A. mockCall
- B. createRequeat
- C. parseResponse
- D. initServiceClient

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 49**

A Digital Developer is tasked with setting up a new Digital Server Connection using UX Studio in their sandbox.

Which three items are required to accomplish this task? (Choose three.)

- A. Instance Version
- B. Instance Hostname
- C. Business Manager Password
- D. Keystore Password
- E. Business Manager Username

**Answer:** A,B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 50**

A B2C Commerce developer has recently completed a tax service link cartridge integration into a new SHU site. During review, the Architect notices the basket calculation hook is being run multiple times during a single tax call.

What is the reason for the duplicate calculations being run?

- A. The tax cat is being called multiple times.
- B. There are multiple hook.js Wes referring to the same hook.
- C. The LINK cartridge Is Included multiple times in the cartridge path.
- D. The checkout is designed to recursively refer to the same hook.

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 51**

Given the following ISML example, how should a developer reference the product object in the current iteration of the basket?

```
<isloop items ="${pdict.Basket.products}" var="product" status= "loopstatus">
```

...

```
</isloop>
```

- A. product
- B. pdict.Basket.products{loopstatus}
- C. loopstatus.product
- D. pdict.product

**Answer:** B ([LEAVE A REPLY](#))

```
<isloop iterator = "${pdict.Basket.products}" alias = "product">
<isprint value = "${product.name}" <BR>
</isloop>
```

### NEW QUESTION: 52

A merchant uploads an image using the Content Image Upload module of Business Manager. Which three modules can the merchant or developer use to display the image on the Storefront?

Choose 3 answers

- A. Payment types
- B. ISML templates
- C. Content slots
- D. Content assets
- E. Storefront catalogs

**Answer: C,D,E (LEAVE A REPLY)**

### NEW QUESTION: 53

In order to implement site custom functionality, a developer creates a new cartridge. Which step should the developer take to ensure their cartridge changes take effect?

- A. Add the new cartridge to the cartridge path for the relevant Storefront site.
- B. Add the new cartridge to the cartridge path for the business Manager site.
- C. Rebuild the site indexes to capture incremental changes.

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 54

A developer needs to check for product inventory in all inventory lists using the Open Commerce API.

An example request URL is:

```
http://refarch.demandware.net/dw/data/v18_3/inventory_lists/ecom-inventory/product_inventory_records/00883408601
```

Which property should the developer check in the OCAPI settings to confirm the appropriate resource is enabled?

- A. Client\_id
- B. Ecom-inventory
- C. Inventory\_list

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 55

A developer is importing edits for two different sites into the same sandbox, and is provided with four different files.

Which two XML files should the developer import using the site-specific Merchant Tools import modules, instead of the Administration section import modules?

Choose 2 answers.

- A. Site Jobs (sites)
- B. Search Settings En (search y en Sites)
- C. Promotions ( en sites y en online marketing)
- D. System type extensions (solo en Sites)

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 56**

A Digital Developer noticed that cartridges in their workspace are NOT executing. The Developer confirms that the cartridges are uploaded to the B2C Commerce server connection's target version directory.

Which action potentially solves this problem?

- A. Set the active code version to use the latest compatibility mode.
- B. Remove invalid characters from the code version's name.
- C. Remove invalid characters from cartridge file and folder names.
- D. Set the server connection's target version directory to the active code version.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 57**

a client uses an external marketing tool to manage promotions and coupons for its multiple brands. They currently have only one brand on B2C Commerce and they get Import-ready feeds created by this tool on an SFTP location.

The marketing team completes the data preparation by the end of the work day.

How should the Architect handle this import?

- A. Create a Job and define three steps: one step uses ExecuteScriptModule to download the files from SFTP, and two standard steps to Import the promotion and coupons.
- B. Create a Job and define three steps: one standard step to download files from sftp and two steps that use Execute Script Module to import the promotion and coupons.
- C. Create a Job and define three custom steps: download the files from SFTP, import promotions, import coupons
- D. Create a job and define three steps: one custom step to download the files from SFTP, and two standard steps to import the promotion and coupons.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 58**

A developer is asked to periodically create a CSB file in a WebDAV folder to hold the orders information of the last 30 days.

What are the appropriate actions to implement such a requirement?

- A. Configure a new custom OCAPI endpoint and use the Customers resource type.
- B. Implement and configure a recurring task using the cron command in Business Manager.
- C. Develop and configure a steptype and corresponding CommonJS job step script.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 59**

Universal Containers specifies a new category hierarchy for navigating the digital commerce storefront. A Digital Developer uses Business Manager to manually create a catalog with the specified category hierarchy, then uses the Products & Catalogs > Import & Export module to export the catalog as a file.

How can other Developers with sandboxes on the same realm create the same catalog in their own sandboxes?

- A.** Use the remote upload capability of the Site Import & Export module of Business Manager.
- B.** Use the Business Manager Data Replication module to replicate the catalog from the original Developer's sandbox.
- C.** Use the import capability of the Site Import & Export module of Business Manager.
- D.** Use Business Manager to upload and import a copy of the export file obtained from the original Developer.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 60**

A client uses tax tables in Business Manager to calculate tax. They recently started shipping to a new country, Italy, and the tax is not being calculated correctly on the Storefront. What is the likely problem?

- A.** Tax Jurisdiction is missing
- B.** Tax Locale is configured wrong
- C.** Tax Region is configured wrong.
- D.** Tax Country is missing

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 61**

A developer has a B2C site and a merchant requirement to add a new locale to it.

What are the steps to enable the locale in the Storefront?

- A.** Create, configure, and activate the locale under Global Preferences section.
- B.** Create and configure the locale under Global Preferences section and activate it in Site Preferences.
- C.** Add an alias for the new locale and then create and configure the locale itself under Global Preferences section.

**Answer: ([SHOW ANSWER](#))**

BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 62**

A Digital Developer is working on a multi-site realm. A new site requires a different layout for the account landing page. The business logic and data model remain the same. The existing code is in AccountControl.js and accountlanding.isml in the app\_storefront cartridge. The app\_storefront cartridge contains code for all other business functions. The cartridge path for the new site is currently int\_cybersource:int\_paypal:app\_storefront.

The Developer creates a new cartridge named app\_newsite that contains only the accountlanding.isml template for the new site.

Which modification should be made to the new cartridge path?

- A. Set the cartridge path so that app\_storefront is before int\_cybersource.
- B. Set the cartridge path so that app\_newsite is before app\_storefront.
- C. Set the cartridge path to include only app\_newsite.
- D. Set the cartridge path so that app\_newsite is after app\_storefront.

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 63**

A Retailer has a single storefront site and a Product Management System (PIM). The PIM is generating the master catalog and storefront categorization catalog every day and it is uploading them to SFTP. How should the Architect configure the import job flows following the best practices?

- A. 1st flow is global to download the files from SFTP. 2nd flow is global to import the storefront catalog. 3rd flow is global to import the master catalog.
- B. 1st flow is assigned to the site to download the files from SFTP. 2nd flow is assigned to the site to import the storefront catalog. 3rd flow is global to import the master catalog.
- C. 1st flow is assigned to the site to download the files from SFTP. 2nd flow is assigned to the site to import the master catalog. 3rd flow is global to import the storefront catalog.
- D. 1st flow is global to download the files from SFTP. 2nd flow is global to import the master catalog. 3rd flow is global to import the storefront catalog.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 64**

The storefront integrates with a REST based Address verification service (AVS) that uses token based security. The sequence of calls in the API documentation for this AVS looks like the following

1. Client authentication call, which contains the merchantId and secret in a GET request and returns a token in the response.

2. Address verification call, which contains the token and the address to verify in a POST request. Once the token is obtained, it is valid for hours and it is not needed to request a new one for subsequent address verification calls, the AVS charges for every request made no matter if it is client authentication call or address verification call.

Which three strategies could be applied to allow for efficient use of the service without compromising security? Choose 3 answers

- A. Use a job to store and update the token in a custom object that is used from the storefront code
- B. Apply page caching to the client authentication controller that is used with AJAX.
- C. Use HTTPService caching for the client authentication call.
- D. Obtain the token from local storage of the browser and update it once it expires.
- E. Obtain the token from a custom cache before making the client authentication call.

**Answer: B,C,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 65**

A merchant requires that an existing section of the Site become editable from the Business Manager, so that they can modify it independently of the developer.

Which of these is an important factor for a developer to consider when choosing the appropriate solution between a content slot and a Page Designer component?

- A. Only page Designer components can be tied to campaigns.
- B. Only content slot configurations can be localized for different languages.
- C. Only Page Designer Components can be localized for different languages.
- D. Only content slot configurations can be tied to campaigns.

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 66**

A developer is configuring Payment Methods on a storefront. Which of the following considerations should be kept in mind while configuring payment methods,

- A. You can add only up to 5 payment methods
- B. You can't drag and drop the column headers to change the sort order.
- C. You can't delete a default payment method. You can only disable it.

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 67**

A developer is working on a new site for the U.S based on an existing Canadian site. One of the requirements is a change to the address form. The current Canadian form has an <options> list with the correct two-letter abbreviation for the provinces.

The U.S. requirements are to:

- \* Have an <options> list with the correct two-letter abbreviation for the states in place of the province field.
- \* Set the U.S site locale.

\* Add the options list field definition to the XML file.

How should the developer set up the files before making the required edits?

- A. Create a new sub-folder in the forms folder. Name it en\_US. Copy existing address.xml file in the new folder.
- B. Create a new sub-folder in the forms folder. Name it US. Copy existing address.xml file in the new folder.
- C. Create a copy of existing address.xml file in the default folder. Rename that file to address\_en\_US.xml
- D. Create a copy of existing address.xml file in the default folder. Rename that file to adres\_US.xml

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 68**

A developer is implementing new Page Designer content on a merchant's Storefront and adds the line shown below to the setupCsntentSearch function in the searchHelpers.js file.

What does this achieve?

- A. Allows Page Designer pages and components to be searchable
- B. Allows filtering Page Designer pages by folder
- C. Prevents Page Designer pages from being searchable

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 69**

The developer created a new Storefront category in storefront-catalog-m-en, but when viewing the Storefront site, the category is not visible.

What are two possible reasons?

- A. The category is not sorted
- B. The Storefront catalog is offline
- C. The category does not contain available products
- D. The category is offline.

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 70**

The developer is asked to enhance the functionality of an existing controller route by adding information to the response's viewData.

How should the developer approach this task while following SFRA best practices?

- A. Replace the callback function of the existing route using superModule.
- B. Use the "extend" method of the server module for the existing route.
- C. Copy the existing route in a new cartridge and modify where necessary.
- D. Use the "append" method of the server module for the existing route.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 71**

A developer has a sandbox with code to log a message during execution, and the following code:

```
var Logger = require('dw/system/Logger');  
Logger.info(message);
```

After the code executes, the developer does not see any log file with the message in the WebDAV folder. Which two tasks does the developer need to perform to correct this issue?

Choose 2 answers

- A. Check the box for Info under Log Files.
- B. Request that the developer's account be given permission to the Log Center of the current realm.
- C. Set the logging global preference to true.
- D. Set the root log level to debug.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 72**

Refer to the screen shot below:


Administration > Sites > Manage Sites > RefArch - General

General Settings Cache Site Status Page Meta Tag Rules

## RefArch - General

Fields with a red asterisk (\*) are mandatory. Click **Apply** to save the details. Click **Reset** to revert to the last saved state.

ID:	RefArch
Name:*	RefArch
Time Zone:*	Etc/UTC
Default Currency:*	US Dollar
Taxation:*	Net
Customer List:*	RefArch
Brand:	
Billing Entity:	
Description:	



exam-tests.com

Given a site called RefArch that has the settings shown, what must be done for RefArch to use the same customer list as RefArchGlobal?

- A. Import the RefArchGlobal customer list into the RefArch site.
- B. Select RefArchGlobal in the dropdown for Customer List.
- C. Enable "Customer List Sharing" in Global Preferences.
- D. Enable "Customer List Sharing" in Site Preferences.

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 73

A client receives multiple feeds from third parties on the same SFTP location:

- \* Product prices (sftp: prod/prices)
- \* Stores information (sftp: prod/stores;
- \* Product information (sftp: prod/catalog)
- \* Categories information (sftp: prod/marketing)
- \* Content (sftp: prod/marketing)

Some of the feeds are placed on sftp multiple times a day, as the information is updated in the source system.

The Architect decides to have only two jobs:

- \* One that checks and downloads available feeds every hour
- \* One that imports the files from Webdav once a day before the data replication, using the standards steps available in the Job Framework Which design is correct for the import Job, taking the steps scope in consideration?

- A. - four sibling flows execute steps in parallel: import products, stores, prices, content  
- fifth flow executes: import categories  
- last flow executes steps in sequence: reindex
- B. -Four sibling flows execute steps in parallel: import products, stores, price, content  
-last flow executes steps in sequence: import:categories, reindex
- C. - four sibling flows execute steps in parallel: import products, stores, prices, content  
- last flow executes steps in sequence import categories, reindex
- D. - three sibling flows Import steps in parallel: import products, stores, prices  
- fourth flow executes: import categories  
- last flow executes steps in sequence: reindex, Import content

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 74

A new version of the Page Show controller is required for implementation of Page Designer specific look. It requires implementation of a specific, cache period for Page Designer pages, which is not currently available in the base Storefront Reference Architecture (SFRA) cache.js module What two steps should the Architect instruct the developer to implement?

Choose 2 answers

- A. Create new Page.js controller in client's cartridge. Extend the code from base and prepend the new cache middleware function to Page-Show route.
- B. Create new Page.js controller in client's cartridge. Copy code from base and modify the Page-Show route to include the new cache middleware function.
- C. Create new cache.js in client's cartridge. Copy cache.js from app\_storefront\_base and add a function for the Page Designer caching.
- D. Create new cache.js in client's cartridge. Extend cache.js from app\_storefront\_base and add a function for the Page Designer caching.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 75**

In the SFRA Page controller, the following route exists:

```
server.get('Include', server.middleware.include,
cache.applyDefaultCache,
function (req, res, next) {
... assume original code here ...
next();
}
);
```

The result of navigating to the address below is an error page.

```
https://yourinstance/on/demandware.store/Sites-RefArch-Site/en_US/Page-Include?cid=about-us
```

What is the correct way to use this controller route in an ISML template?

A)

```
<a href="{URLUtils.url('Page-Include', 'cid', 'about-us')}">${Resource.msg('aboutus', 'content', null)}</a>
```

B)

```
<isinclude url="{URLUtils.url('Page-Include', 'cid', 'about-us')}">
```

C)


```
<iscontent url="{URLUtils.url('Page-Include', 'cid', 'about-us')}">
```

- A. Option C
- B. Option A
- C. Option B

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 76**

The Client currently manages Customers, Inventory, and Product Information with dedicated backend systems as shown in the Systems Diagram below. There is also an external Email Marketing System (EMS) in place. The EMS needs order data to email recommendations to customers using an existing email campaign. These recommendations should be to only send for products that are in stock. The EMS has no access to the backend systems so this data should come from the Salesforce B2C Commerce site.



Which relationships should be added to the Systems Diagram to complete it and fulfill the chart requirements necessary for the email campaign?

- A. Order, Customer, and Product data should be exported from Staging. Inventory data should be exported from Production.
- B. Order, Customer, and Inventory data should be exported from Production. Product data should be exported from staging.
- C. Order and Customer data should be exported from Production. Product and Inventory data should be exported from Staging.
- D. Order and Inventory should be exported from Production. Products should be exported from Staging. Customers should be exported from the external Customer Management System.

**Answer: C (LEAVE A REPLY)**

**Valid CCM-101 Dumps** shared by BraindumpsPass.com for Helping Passing CCM-101 Exam! BraindumpsPass.com now offer the **newest CCM-101 exam dumps**, the BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 77**

Universal Containers created a site export file from staging in the global export directory.

How should the Digital Developer update their sandbox using this staging site export file?

- A. Use the Site Development > Import & Export Business Manager module.
- B. Use the Site Development > Site Import & Export Business Manager module.
- C. Perform a data replication from staging.
- D. Download the site export file and use UX Studio to transfer the data to the sandbox.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 78**

A merchant wants to obtain an export file that contains all the products assigned to their Storefront catalog. They do not know how to achieve this easily without manual processing, so asked their developer to help Generate this. The merchant's Instance setup is as follows:

- \* They have one Master catalog and one storefront catalog.
- \* Some, but not all, of the products in the Master catalog are assigned to categories within the Storefront catalog.

Which method allows the developer to generate the export for the merchant?

- A. Using the Site Import and Export module, export the Master catalog filtered by the site catalog categories to export specific products.
- B. Using the Site Import and Export module, export both the Site catalog and the Master catalog in a single archive.
- C. Using the Catalog Import and Export module, export the Master catalog with a category-assignment search to export specific

**Answer:** A ([LEAVE A REPLY](#))

#### **NEW QUESTION: 79**

Universal Containers has expanded its implementation to support German with a locale code of de. The current resource bundle is checkout.properties.

To which file should the developer add German string values?

- A. checkout.properties in the default locale folder
- B. de\_checkout.properties in resources folder
- C. checkout\_de.properties in resources folder
- D. checkout.properties in the de locale folder

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 80**

A developer must configure permissions for an Open Commerce API resource on a sandbox instance that currently does not have any permissions configured.

Which two configuration properties are required to enable Access to the resource?

Choose 2 answers

- A. Version\_range
- B. Resource\_id
- C. Read\_attributes

D. Client\_id

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 81**

A developer wants to import the data on different instances.

Which two types of data should the developer consider importing?

Choose 2 answers

A. Sites configurations

B. Customers

C. Catalog

D. Services

E. Metadata

**Answer: A,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 82**

The developer wants to be able to view DEBUG

The developer wants to be able to view DEBUG level messages for myLogCategory in the Request Log tool. Given the custom log configurations in the image above, what does the developer need to do to accomplish this?

A. Change the Log Level for myLogCategory to DEBUG.

B. Change the Log Level for myLogCategory to DEBUG and check the DEBUG box in the Log Files section.

C. Check the DEBUG box in the Log Files section.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 83**

A developer is asked to create a new service instance that will call a remote web service.

Which method should the developer use to create the service instance?

A)

```
dw.svc.LocalServiceRegistry.createService()
```

B)

```
dw.svc.LocalServiceInstance.createService()
```

C)

```
dw.svc.LocalServiceRegistry.getDefaultService()
```

A. Option C

B. Option B

C. Option A

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 84**

A developer cannot create a custom object in Business Manager because the attributes do not show. The developer can view the object but not the attributes.

Which action should the developer take to resolve the problem?

- A. Create an Attribute Group with the desired attributes in it.
- B. Change the data type of the attributes.
- C. Set the attributes to site-specific replicable.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 85**

Given the above OCAPI definitions, which permission or permissions apply?

- A. Allow external applications to create, update, and delete both coupons and coupon codes
- B. Allows external applications to create coupons
- C. Allows external applications to create, update, and delete coupons
- D. Allows external applications to update coupons

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 86**

Given the SFRA Controller below:

```
1  var server = require('server');
2  var cache = require('salesforce/cartridge/scripts/middleware/cache');
3
4  server.get('Show', cache.applyDefaultCache, function (req, res, next) {
5      viewData = {name: 'my string'};
6      res.render('/pages/mypage', viewData);
7      next();
8  });
9
10 module.exports = server.exports();
```

Why would a JavaScript debugger, that is stopped at line 06, fail to show the viewdata variable in the inspection tool?

- A. viewdata is assigned but not declared.
- B. cache. applyDefaultCache is not a valid middleware.
- C. viewdata is a B2C Script reserved name.
- D. viewdata is declared but not assigned.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 87**

The Client is Crowing and decided to migrate its ecommerce website to B2C Commerce. The Client provided the Architect with the f metrics for its existing website over the past 12 months and forecasted into the next year:

Average visits per hour	500
Peak visits per hour	1000
Average page views per hour	10000
Peak page views per hour	20000
Average orders per hour	100
Peak orders per hour	250
Average items per order	2.1
Average order value	100 USD
Expected growth percentage	300

Noting these historical metrics and the forecasted growth of 300%, which load test targets meet best practices for testing the new B2C Commerce site?

- A. 15000 visits per hour, 300000 page views per hour, and 3750 orders per hour
- B. 1500 visits per hour, 30000 page views per hour, and 375 orders per hour
- C. 150000 visits per hour, 3000000 page views per hour, and 37500 orders per hour
- D. 3000 visits per hour, 60000 page views per hour, and 750 orders per hour

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 88

A client that sells to multiple countries in Europe needs to disable Apple Pay for Denmark. Which Business Manager module is used to achieve this requirement?

- A. Locale Payments
- B. Payment Processors
- C. Apple Pay
- D. Payment Methods

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 89

Business Manager has the configuration:

- \* Active Log category is "root"
- \* Log level of WARN

The code below is executing:

```
var log = Logger.getLogger("products");
```

Using this information, which two logs will be written?

Choose 2 answers

- A. `log.debug("This is a debug message");`
- B. `log.warn("This is a warn message");`
- C. `log.error("This is an error message");`
- D. `log.info("This is an info message");`

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 90

Given the requirements:

- \* To show the washing instructions for a clothing product on a dedicated section the detail page

\* Washing instructions come from the product information manager(PIM)

\* To have this attribute available to localize in the Storefront.

Which action meets these requirements?

- A. Set the product system object type as localizable
- B. Set the custom attribute as localizable
- C. Add a custom attribute for each locale
- D. Add a resource file for every locale for which the attribute needs to be translated.

**Answer: (**[\*\*SHOW ANSWER\*\*](#)**)**

### **NEW QUESTION: 91**

A Digital Developer has a site export file on their computer that needs to be imported into their sandbox.

How should the developer update their sandbox with the data in this file?

- A. Upload the file to the Impex WebDAV directory and import using the Site Import tool within UX Studio.
- B. Connect and import the file using the remote option within the Site Import & Export Business Manager module.
- C. Upload and import the file using the local option within the Site Import & Export Business Manager module.
- D. Upload the file to the Static WebDAV directory and import using the Import & Export Business Manager module.

**Answer: C (**[\*\*LEAVE A REPLY\*\*](#)**)**


**Valid CCM-101 Dumps** shared by BraindumpsPass.com for Helping Passing CCM-101 Exam! BraindumpsPass.com now offer the **newest CCM-101 exam dumps**, the BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

### **NEW QUESTION: 92**

There is a business requirement to allow a third-party warehouse management system to update the MySampte.com storefront product inventory in real time. The architect decided that this is most easily accomplished by using the Open Commerce API (OCAPI). The developer needs to test the OCAPI settings in their sandbox. Assume the client ID for testing is

"aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa'. What is the correct GCAPI setting for this?

A)



A. Option A

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 93

When exporting a price book from an external system, which file format or formats should a developer use so it can be imported into a B2C Commerce site?

- A. JSON only
- B. XML only
- C. CSV only
- D. XML and CSV

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 94

Northern Trail Outfitters (NTO) operate 200 physical stores. NTO has products that are available in some of the physical stores and not available in others. The closest physical store is determined based on customer's post zip code when they are shopping online. Only the products that are available in the customer's closest physical store should be presented to the customer to the search results.

What are the two feasible technical approaches to meet these requirements?

Choose 2 answers

- A. Create a separate shipping method per physical store. Use post/zip code to determine the applicable shipping method. Show only the products that are not excluded from the shipping method.
- B. Create a separate pricebook per physical store. Use post/zip code to activate this pricebook through a customer group. Show only the products with price by applying price refinement.

C. Create a separate category per physical store use post/Tip code with a mapping to determine the relevant category. Show only the products from this category.

D. Create a separate site per physical store. Use post/zip code to redirect the customer to the relevant site. Show the products from the site navigation catalog.

Answer: ([SHOW ANSWER](#))


### NEW QUESTION: 95

The Client wants to offer custom made container products on its new B2C Commerce storefront. The Client provided two business requirements.

\* Customer can specify container length, width, and height.

\* Customer can specify the material that the container is made of.

The Client also provided the Architect a current data schema (shown below) for reference while preparing the technical documentation.



Which two gaps between the requirements and the data schema should the Architect discuss with the Client?

Choose 2 answers

- A. The data schema includes a Color\_ID field, but there isn't a business requirement to allow the customer to specify container color.
- B. The data schema includes unique identifiers for material and color fields, but neither are reflected in the business requirements.
- C. The data schema includes an implied structure that the customer's choices should be captured as custom objects, but there isn't a business requirement to do so
- D. The data schema includes a material Price\_Markup field, but there isn't a business requirement to factor the material cost into the final price calculation.

**Answer: A,D ([LEAVE A REPLY](#))**

### **NEW QUESTION: 96**

The Client has just acquired a new brand and wants to Integrate the new brand s current ecommerce site into a current realm as a new site. The acquisition has its own Enterprise Resource Planning (ERP) system for product data and inventory. The new site will use the existing realm's Order Management System (OHS) and Customer Relationship Management (CRM) system.

What two requirements does the Architect need to keep in mind when creating the technical specification document?

Choose 2 answers

- A. A new product Import Job must be created to manage products.
- B. A new order export job must be created to export orders.
- C. A new inventory Import Job must be created to manage inventory.
- D. A new customer export Job must be created to export customers.

**Answer: A,C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 97**

A developer has a sandbox with code to log a message during execution, and the following code:

```
var Logger = require('dw/system/Logger');  
Logger.info(message);
```

After the code executes, the developer does not see any log file with the message in the WebDAV folder.

What could the developer do to correct this issue?

- A. Set the logging global preference to true AND set the root log level to debug.
- B. Set the logging global preference to true AND check the box for Info under Log Files
- C. Set the root log level to debug AND check the box for info under Log Files.

**Answer: B ([LEAVE A REPLY](#))**

### **NEW QUESTION: 98**

A merchant has a new requirement to accept American Express credit cards on its Storefront. A credit card payment method already exists.

Which step must a developer take in Business Manager to achieve this?

- A. In Payment Processor, create American Express as a payment type.
- B. Add American Express as a Payment Preference in Site Preferences.
- C. Add American Express into the Order settings in Site Preferences.
- D. In Payment Methods, enable American Express as a credit card type.

**Answer: ([SHOW ANSWER](#))**

### **NEW QUESTION: 99**

A developer set up a new site with Taxation: Net. However, the business requirements changed and the site now needs to be Taxation:Gross. The Business Manager interface does not give this option.

Which sequence of steps is necessary to change the site to gross taxation?

- A. Make sure that the developer has "Administrator" Access, then change the Taxation setting to Gross
- B. Unlock the site preferences and then change the Taxation setting to Gross
- C. Change the global setting, "Enable Taxation Methods" to true, then change the Taxation setting to Gross
- D. Create a new site with Taxation set to Gross, then delete the old site.

**Answer: D (LEAVE A REPLY)**

Option	Description
Taxation Policy	Determines whether product and service prices are treated as gross or net prices for the site. This policy is configured at site creation and can only be changed by Commerce Cloud Support.

### NEW QUESTION: 100

A developer working on a simple web service integration is asked to add appropriate logging to allow future troubleshooting.

According to logging best practices, which code should the developer write to log when an operation succeeds, but has an unexpected outcome that may produce side effects?

- A. `Logger.error('Unexpected service response')`
- B. `Logger.warn('Unexpected service response')`
- C. `Logger.info('Unexpected service response')`
- D. `Logger.debug('Unexpected service response')`

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 101

A developer is using logging in scripts to troubleshoot an issue. They are using the `dw.system.Log` class to write to specific log levels and categories. Which log level is always enabled by default?

- A. ERROR
- B. FATAL
- C. INFO

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 102

A Digital Developer has a new requirement to disable the "Discover" credit card type for all checkouts.

What does the Developer need to change in Business Manager to fulfill this requirement?

- A. Credit card exclusion rules in the `CreditCardType.json` configuration file.

- B. Credit cards in the Merchant Tools > Ordering > Payment Methods module.
- C. Credit card exclusion rules in the Merchant Tools > Site Preferences > Payment Preferences module.
- D. Checkout exclusion rules in the Merchant Tools > Site Preferences > Checkout Preferences module.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 103**

Which two items are appropriate content of custom logs implemented at checkout?

Choose 2 answers:

- A. Transaction's credit card information
- B. Payment gateway service response code
- C. Order failure information
- D. Customer's password at post-checkout sign up

**Answer:** B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 104**

A Digital Developer needs to add a new form to the shopping cart page to allow customers to enter their rewards pass ID. There is already an existing Cart.js controller that handles processing of the other cart forms. In addition, a form field node is in the form XML and the necessary form input is present in the ISML template.

The code below is the submit button for the ISML markup.

```
<button type="submit" value="{pdict.CurrentForms.cart.addRewardPass.htmlName}"
name="{pdict.CurrentForms.cart.addRewardPass.htmlName}">
  {Resource.msg('rewards.apply','locale',null)}
</button>
```

What additional steps must occur before the Digital Developer can begin writing the processing code for this request?

The screenshot shows a question with four options (A, B, C, D) and a Salesforce logo watermark. The options are:

- A**
  - Add an <action /> node to the form definition XML with the attribute formid="addRewardPass"
  - Add the key addRewardPass, with a processing function as a value, to the object passed to the Form.handleAction() method in the Cart.js controller
- B**
  - Add a <submit /> node to the form definition XML with the attribute formid="addRewardPass"
  - Add the key addRewardPass, with a processing function as a value, to the object passed to the Form.handleAction() method in the Cart.js controller
- C**
  - Add the attribute addtl-form-action="addRewardPass" to the ISML form
  - Add the key addRewardPass, with a processing function as a value, to the object passed to the Form.handleAction() method in the Cart.js controller
- D**
  - Add an <action /> node to the form definition XML with the attribute formid="addRewardPass"
  - No change to Cart.js controller required

- A. Option D
- B. Option B
- C. Option A
- D. Option C

Answer: ([SHOW ANSWER](#))

**Valid CCM-101 Dumps** shared by BraindumpsPass.com for Helping Passing CCM-101 Exam! BraindumpsPass.com now offer the **newest CCM-101 exam dumps**, the BraindumpsPass.com CCM-101 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CCM-101 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CCM-101-practice-exam-dumps.html> (208 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)