

Salesforce.CRT-450.v2022-11-14.q252

Exam Code:	CRT-450
Exam Name:	Salesforce Certified Platform Developer I
Certification Provider:	Salesforce
Free Question Number:	252
Version:	v2022-11-14
# of views:	5625
# of Questions views:	2520
https://www.exam-tests.com/CRT-450-exam/Salesforce.CRT-450.v2022-11-14.q252.html	

NEW QUESTION: 1

What is a valid statement about Apex classes and interfaces? Choose 2 answers:

- A. A class can have multiple levels of inner classes.
- B. Exception classes must end with the word exception.
- C. The default modifier for a class is private.
- D. The default modifier for an interface is private.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 2

An Approval Process is defined in the Expense_Item__c. A business rule dictates that whenever a user changes the Status to 'Submitted' on an Expense_Report__c record, all the Expense_Item__c records related to the expense report must enter the approval process individually. Which approach should be used to ensure the business requirement is met?

- A. Create a Process Builder on Expense_Report__c with an 'Apex' action type to submit all related Expense_Item__c records when the criteria is met.
- B. Create two Process Builder, one on Expense_Report__c to mark the related Expense_Item__c as submittable and the second on Expense_Item__c to submit the records for approval.
- C. Create a Process Builder on Expense_Report__c with a 'Submit for Approval' action type to submit all related Expense_Item__c records when the criteria is met.
- D. Create a Process Builder on Expense_Report__c to mark the related Expense_Item__c as submittable and trigger on Expense_item__c to submit the records for approval.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 3

What is the result of the following code snippet?

- A. 1 Account is inserted.
- B. 201 Accounts are inserted.

- C. 0 Accounts are inserted.
- D. 200 Accounts are inserted.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

A company has a custom object named Region. Each account in salesforce can only be related to one region at a time, but this relationship is optional. Which type of relationship should a developer use to relate an account to a region?

- A. Hierarchical
- B. Lookup
- C. Parent-child
- D. Master-detail

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which type of information is provided by the Checkpoints tab in the Developer Console? (Choose 2)

- A. Time
- B. Debug Statement
- C. Namespace
- D. Exception

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which tool allows a developer to send requests to the Salesforce REST APIs and view the responses?

- A. Workbench REST Explorer
- B. Force.com IDE REST Explorer tab
- C. Developer Console REST tab
- D. REST resource path URL

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

A developer needs to create a custom visualforce button for the opportunity object page layout that will cause a web service to be called and redirect the user to a new page when clicked.

Which three attributes need to be defined in the <apx:page> tag of the visualforce page to enable this functionality?

- A. Standardcontroller
- B. Rendas
- C. Readonly
- D. AcTion

E. Extensions

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 8

What is a good practice for a developer to follow when writing a trigger? (Choose 2)

- A. Using @future methods to perform DML operations.
- B. Using synchronous callouts to call external systems.
- C. Using the Map data structure to hold query results by ID.
- D. Using the Set data structure to ensure distinct records.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To run a batch Apex class to update all Contacts
- B. To delete 15,000 inactive Accounts In a single transaction after a deployment
- C. To schedule an Apex class to run periodically
- D. To add unit test code coverage to an org

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

A developer needs to find information about @futuremethods that were invoked. From which system monitoring feature can the developer see this information?

- A. Asynchronous Jobs
- B. Scheduled Jobs
- C. Background Jobs
- D. Apex Jobs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 12

What must the Controller for a Visualforce page utilize to override the Standard Opportunity view button?

- A. The StandardSetController to support related lists for pagination.
- B. A callback constructor to reference the StandardController.

- C. A constructor that initializes a private Opportunity variable.
- D. The Opportunity StandardController for pre -built functionality.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

A Visualforce page is required for displaying and editing Case records that includes both standard and custom functionality defined in an Apex class called myControllerExtension.

The Visualforce page should include which <apex:page> attribute(s) to correctly implement controller functionality?

- A. standardController="Case" and extensions="myControllerExtension"
- B. extensions="myControllerExtension"
- C. controller="myControllerExtension"
- D. controller="Case" and extensions="myControllerExtension"

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Universal Containers (UC) decided it will not send emails to support personnel directly from Salesforce in the event that an unhandled exception occurs. Instead, UC wants an external system be notified of the error.

What is the appropriate publish/subscribe logic to meet these requirements?

- A. Publish the error event using the addError()method and have the external system subscribe to the event using CometD.
- B. Have the external system subscribe to the BatchApexErrorevent, no publishing is necessary.
- C. Publish the error event using the addError()method and write a trigger to subscribe to the event and notify the external system.
- D. Publish the error event using the EventBus.publish()method and have the external system subscribe to the event using CometD.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or update.

The field update in the workflow rule is configured to not re-evaluate workflow rules. What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 2
- C. 4
- D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Given the code below, which three statements can be used to create the controller variable?

```
Public class accountlistcontroller{ public list<account>getaccounts(){ return controller.getrecords(); } }
```

Choose 3 answers

A. `Apexpages.standardcontroller controller= new apexpages.standardcontroller([select id from account]);`

B. `Apexpages.standardcontroller controller= new apexpages.standardcontroller(database.getquerylocator('select id from account'));`

C. `Apexpages.standardsetcontroller controller=new apexpages.standardsetcontroller(database.getquerylocator('select id from account'));`

D. `Apexpages.standardsetcontroller controller = new apexpages.standardsetcontroller (database.getquerylocator([select id from account]));`

E. `Apexpages.standardsetcontroller controller = new apexpages.standardsetcontroller (database.query('select id from account'));`

Answer: A,D,E (LEAVE A REPLY)

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumpspass.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

What is a characteristic of the Lightning Component Framework? Choose 2 answers:

A. It uses XML as its data format.

B. It includes responsive components.

C. It has an event-driven architecture.

D. It works with existing Visualforce pages.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

What are two benefits of using declarative customizations over code? Choose 2 answers What are two benefits of using declarative customizations over code?

A. Declarative customizations automatically update with each Salesforce release.

B. Declarative customizations automatically generate test classes.

C. Declarative customizations generally require less maintenance.

D. Declarative customizations automatically generate test classes.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 19

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A.** Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- B.** Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- C.** Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- D.** Create a lookup relationship in the Applications custom object to the Job Postings custom object

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

A developer created a Visualforce page with a custom controller to show a list of accounts. The page uses the <apex:SelectList> component, with a variable called "selection", to show the valid values for Account.Type.

The page uses an <apex:pageBlockTable> component to display the list of accounts, where the iteration variable is "acct". The developer wants to ensure that when a user selects a type on the <apex : selectList> component, only accounts with that type are shown on the page. What should the developer do to accomplish this?

- A.** Use the onChange event to update the list of accounts in the controller when the value changes, and then re-render the pageBlockTable.
- B.** Create a component for each option and use a variable with hide parameter on the element.
- C.** Add the Rendered={!Acct.type==selection} attribute to the pageBlockTable component
- D.** Create multiple lists in the controller that represent the relevant accounts for each account type when the page loads, then reference the correct one dynamically on the pageBlockTable.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

A developer writes the following code:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];
Delete acc;
Database.emptyRecycleBin(acc);

System.Debug(Limits.getDMLStatements() + ', ' + Limits.getLimitDMLStatements());
```

What is the result of the debug statement?

- A. 1, 100
- B. 2, 150
- C. 2, 200
- D. 1, 150

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which approach should a developer take to automatically add a "Maintenance Plan" to each Opportunity that includes an "Annual Subscription" when an opportunity is closed?

- A. Build a OpportunityLineItem trigger that adds a PriceBookEntry record.
- B. Build an OpportunityLineItem trigger to add an OpportunityLineItem record.
- C. Build an Opportunity trigger that adds a PriceBookEntry record.
- D. Build an Opportunity trigger that adds an OpportunityLineItem record.

Answer: ([SHOW ANSWER](#))

Explanation

NEW QUESTION: 23

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violations to the user.

How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Use a try/catch with a custom exception class.
- C. Include <apex:messages>on the Visualforce page.
- D. Perform the DML using the Database.upsert()method.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 24

Which code should be used to update an existing Visualforce page that uses standard Visualforce components so that the page matches the look and feel of Lightning Experience?

- A. <apex:includeLightning/>
- B. <apex:page lightningStyleSheets="true">
- C. <apex:slds/>
- D. <apex:stylesheet value="{\${URLFOR(\$Resource.slds,'assets/slds.css')}}">

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

What is the proper process for an Apex Unit Test

- A. Query for test data using SeeAllData = true. Execute runAllTests(). Verify that the results are correct.

B. Query for test data using SeeAllData = true. Call the method being tested. Verify that the results are correct.

C. Create data for testing. Execute runAllTests(). Verify that the results are correct.

D. Create data for testing. Call the method being tested. Verify that the results are correct.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

A developer wants to create a custom object to track Customer Invoices. How should Invoices and Accounts be related to ensure that all Invoices are visible to everyone with access to an Account?

A. The Invoice should have a Lookup relationship to the Account Previous

B. The Invoice should have a Master-Detail relationship to the Account

C. The Account should have a Master-Detail relationship to the Invoice.

D. The Account should have a Lookup relationship to the Invoice

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

A developer is debugging the following code to determine why Accounts are not being created.

```
Account a = new Account(Name = 'A');
```

```
Database.insert(a, false);
```

How should the code be altered to help debug the issue?

A. Collect the insert method return value in a SaveResult record.

B. Add a System.debug() statement before the insert method.

C. Add a try/catch around the insert method.

D. Set the second insert method parameter to TRUE.

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 28

What is the result of the following Classes page?

A. View the Code Coverage column in the view on the Apex Classes page.

B. view the overall Code Coverage panel of the tab in the Developer Console.

C. Select and run the class on the Apex Test Execution page

D. View the Class test Coverage tab on the Apex Class record.

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which statement generates a list of Leads and Contacts that have a field with the phrase 'ACME'?

```
List <sObject> searchList = [FIND "*"ACME*" IN ALL FIELDS RETURNING Contact,
```

A. Name like '%ACME%'];

```
Map <sObject> searchList = [FIND "*"ACME*" IN ALL FIELDS RETURNING Contact,
```

B. Contact, Lead];

List<List <sObject>> searchList = [SELECT Name, ID FROM Contact, Lead WHERE
C. Lead];

List<List <sObject>> searchList = [FIND "*"ACME*" IN ALL FIELDS RETURNING
D. Lead];

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Which two sosl searches will return records matching search criteria contained in any of the searchable text fields on an object? choose 2 answers

- A. [find 'acme*' in all fields returning account,opportunity]
- B. [find 'acme*' in any fields returning account,opportunity]
- C. [find 'acme*' in text fields returning account,opportunity]
- D. [find 'acme*' returning account,opportunity]

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

What is the requirement for a class to be used as a custom Visualforce controller?

- A. Any top-level Apex class that has a constructor that returns a PageReference
- B. Any top-level Apex class that extends a PageReference
- C. Any top-level Apex class that has a default, no-argument constructor
- D. Any top-level Apex class that implements the controller interface

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

What is the result of the debug statements in testMethod3 when you create test data using testSetup in below code?



```

@isTest
private class CreateAndExecuteTest{

    @testSetup
    static void setup() {
        // Create 2 test accounts
        List<Account> testAccts = new List<Account>();
        for(Integer i=0;i<2;i++) {
            testAccts.add(new Account(Name = 'MyTestAccount'+i, Phone='333-878'));
        }
        insert testAccts;
    }

    @isTest static void testMethod1() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        acc.Phone = '888-1515';
        update acc;

        Account acc2 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '999-1515';
        update acc2;
    }

    @isTest static void testMethod2() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '888-2525';
        update acc;
    }

    @isTest static void testMethod3() {
        Account acc0 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        Account acc1 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];

        System.debug('Account0.Phone='+ acc0.Phone +', Account1.Phone='acc1.Phone);
    }
}

```

- A. Account0.Phone=333-8781, Account1.Phone=333-8780
- B. Account0.Phone=333-8780, Account1.Phone=333-8781
- C. Account0.Phone=888-1515, Account1.Phone=999-1515
- D. Account0.Phone=888-1515, Account1.Phone=999-2525

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

A developer receives an error when trying to call a global server-side method using the @remoteAction decorator.

How can the developer resolve the error?

- A. Change the function signature to be private static.
- B. Decorate the server-side method with (static=false).
- C. A Decorate the server-side method with (static=true).
- D. Add static to the server-side method signature.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 34

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using AmexMessage.Messages() to display an error message after the number of DML statements is exceeded.
- B. By using Limits.getDMLRows() and then displaying an error message before the number of DML statements is exceeded.
- C. By using PageReference.setRedirect() to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- D. By using Messaging.sendEmail() to continue the transaction and send an alert to the user after the number of DML statements is exceeded.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35


A developer needs to create a custom Visualforce button for the Opportunity object page layout that will cause a web service to be called and redirect the user to a new page when clicked. Which three attributes need to be defined in the <apex:page> tag of the Visualforce page to enable this functionality? Choose three answers.

- A. StandardController
- B. Action
- C. Controller
- D. Extensions

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

A developer created these three roll-up summary fields on the custom object. Project_c:



The developer is asked to create a new field that should be the ratio between rejected and approved timesheet for a given project.

What are two benefits of choosing a formula field instead of an Apex trigger to fulfill the request?

Choose 2 answers

- A. Using a formula field reduces maintenance overhead.
- B. A test class will validate the formula field during deployment.
- C. A formula field will calculate retroactively for existing records.
- D. A formula field will trigger existing automation when deployed.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org. Which tool should the developer use to troubleshoot?

- A. AppExchange

- B. Salesforce CLI
- C. Developer Console
- D. Visual Studio Core IDE

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which Apex collection is used to ensure that all values are unique?

- A. A Set
- B. A List
- C. An sObject
- D. An Enum

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. `Public class CheckPaymentProcessor extends PaymentProcessor {
public void pay(Decimal amount) {}
}`
- B. `Public class CheckPaymentProcessor extends PaymentProcessor {
public void pay(Decimal amount);
}`
- C. `Public class CheckPaymentProcessor implements PaymentProcessor {
public void pay(Decimal amount);
}`
- D. `Public class CheckPaymentProcessor implements PaymentProcessor {
public void pay(Decimal amount) {}
}`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

A developer at Universal Containers is tasked with implementing a new Salesforce application that must be able to be maintained completely by their company's Salesforce administrator. Which three options should be considered for building out the business logic layer of the application? (Choose three.)

- A. Workflows
- B. Validation Rules
- C. Invocable Actions
- D. Process Builder

E. Scheduled Jobs

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

What are three techniques that a developer can use to invoke an anonymous block of code?

Choose 3 answers

A. Create a Visualforce page that uses a controller class that is declared without sharing

B. Type code into the execute anonymous tab in the force.com IDE and click execute

C. Type code into the developer console and execute it directly

D. Use the SOAP API to make a call to execute anonymous code

E. Create and execute a test method that does not specify a runas() call

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

A developer must create an Apex class, ContactController, that a Lightning component can use to search for Contact records. User of the Lightning component should only be able to search Contact records to which they have access. Which two will restrict the records correctly?

A. public class ContactController

B. public inherited sharing class ContactController

C. public without sharing class ContactController

D. public with sharing class ContactController

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

A developer wants to store a description of a product that can be entered on separate lines by a user during product setup and later displayed on a Visualforce page for shoppers. Which field type should the developer choose to ensure that the description will be searchable in the custom Apex SOQL queries that are written?

A. Text Area

B. Text Area (Long)

C. Text Area (Rich)

D. Text

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

What will be the output in the debug log in the event of a QueryException during a call to the @query method in the following Example?

```

class myClass {
    class CustomException extends QueryException {}
    public static Account aQuery() {
        Account theAccount;
        try {
            system.debug('Querying Accounts. ');
            theAccount = [SELECT Id FROM Account WHERE CreatedDate > TODAY];
        }
        catch (CustomException eX) {
            system.debug('Custom Exception. ');
        }
        catch (QueryException eX) {
            system.debug('Query Exception. ');
        }
        finally {
            system.debug('Done. ');
        }
        return theAccount;
    }
}

```



- A. Querying Accounts. Custom Exception.
- B. Querying Accounts. Query Exception. Done
- C. Querying Accounts. Query Exception.
- D. Querying Accounts. Custom Exception Done.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

A developer is asked to create a Visualforce page that lists the contacts owned by the current user. This component will be embedded in a Lightning page.

Without writing unnecessary code, which controller should be used for this purpose?

- A. Standard list controller
- B. Custom controller
- C. Standard controller
- D. Lightning controller

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 46

A method is passed a list of generic sObjects as a parameter.

What should the developer do to determine which object type (Account, Lead, or Contact, for example) to cast each sObject?

- A. Use a try-catch construct to cast the sObject into one of the three sObject types.
- B. Use the getObjectType method on each generic sObject to retrieve the sObject token.
- C. Use the first three characters of the sObject ID to determine the sObject type.

D. Use the getObjectname method on the sObject class to get the sObject name.

Answer: B ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

A visualforce interface is created for Case Management that includes both standard and custom functionality defined in an Apex class called myControllerExtension. The visualforce page should include which <apex:page> attribute(s) to correctly implement controller functionality?

- A. Controller=" myControllerExtension"
- B. StandardController = "case" and extensions =" myControllerExtension"
- C. Controller = "case" and extensions =" myControllerExtension"
- D. Extensions=" myControllerExtension"

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

A workflow updates the value of a custom field for an existing Account.

How can a developer access the updated custom field value from a trigger?

- A. By writing, a Before Update trigger and accessing the field value from Trigger.new
- B. By writing a Before Insert trigger and accessing the field value from Trigger.new
- C. By writing an After Update trigger and accessing the field value from Trigger.old
- D. By writing an After Insert trigger and accessing the field value from Trigger.old

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

A developer has the following query: Contact c = [SELECT id, firstname, lastname, email FROM Contact WHERE lastname = 'Smith']; What does the query return if there is no Contact with the last name 'Smith'?

- A. An empty List of Contacts.
- B. An error that no rows are found.
- C. A contact initialized to null.
- D. A Contact with empty values.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

A Licensed_Professional__c custom object exist in the system with two Master-Detail fields for the following objects: Certification__c and Contact. Users with the "Certification Representative" role can access the Certification records they own and view the related Licensed Professionals records, however users with the "Salesforce representative" role report they cannot view any Licensed professional records even though they own the associated Contact record. What are two likely causes of users in the "Sales Representative" role not being able to access the Licensed Professional records? Choose 2 answers

- A. The organization has a private sharing model for Certification__c, and Certification__c is the primary relationship in the Licensed_Professional__c object.
- B. The organization has a private sharing model for Certification__c, and Contact is the primary relationship in the Licensed_Professional__c object
- C. The organization recently modified the Sales representative role to restrict Read/Write access to Licensed_Professional__c
- D. The organization's sharing rules for Licensed_Professional__c have not finished their recalculation process.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 51

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple sObjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL Which statement is unnecessary inside the unit test for the custom controller?

- A. `String nextPage = controller.save().getUrl();`
- B. `ApexPages.currentPage().getParameters().put('input', 'TestValue')`
- C. `Public ExtendedController (ApexPages.StandardController cntrl) { }`
- D. `Test.setCurrentPage(pageRef),`

Answer: [A,C \(LEAVE A REPLY\)](#)

NEW QUESTION: 52

A developer writes a SOQL query to find child records for a specific parent. How many levels can be returned in a single query?

- A. 3
- B. 1
- C. 5
- D. 7

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 53

Which option would a developer use to display the Accounts created in the current week and the number of related Contacts using a debug statement in Apex?

A. For(Account acc: [SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = THIS_WEEK]){ List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts' }

B. For(Account acc: [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = CURRENT_WEEK]){ List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }

C. For(Account acc:[SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = CURRENT_WEEK]) { List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }

D. For(Account acc: [SELECT Id, Name,(SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = THIS_WEEK]) { List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'; }

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

A custom object Trainer_c has a lookup field to another custom object Gym__c.

Which SOQL query will get the record for the Viridian City gym and it's trainers?

A. SELECT Id, (SELECT Id FROM Trainer_c) FROM Gym_c WHERE Name - Viridian City Gym'

B. SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name - Viridian City Gym'

C. SELECT ID FROM Trainer_c WHERE Gym__r.Name - Viridian City Gym'

D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name . Viridian City Gym'

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer ad to create the most efficient model that supports the business need?

A. Add a Lookup field on the Account object to the Global Address object.

B. Add a Lookup field on the Global Address object to the Account object

C. Add a Master-Detail field on the Account object to the Global Address object

D. Add a Master-Detail field on the Global Address object to the Account object.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

The following Apex method is part of the ContactService class that is called from a trigger: public static void setBusinessUnitToEMEA(Contact thisContact){ thisContact.Business_Unit__c =

"EMEA" ; update thisContact; } How should the developer modify the code to ensure best practice are met?

A. Public static void setBusinessUnitToEMEA(List<Contact> contacts){
for(Contact thisContact : contacts) {
thisContact.Business_Unit__c = 'EMEA' ;
}
update contacts;
}

B. Public void setBusinessUnitToEMEA(List<Contact> contatcs){
contacts[0].Business_Unit__c = 'EMEA' ;
update contacts[0];
}

C. Public static void setBusinessUnitToEMEA(List<Contact> contacts){
for(Contact thisContact : contacts){
thisContact.Business_Unit__c = 'EMEA' ;
update contacts[0];
}
}

D. Public static void setBusinessUnitToEMEA(Contact thisContact){
List<Contact> contacts = new List<Contact>();
contacts.add(thisContact.Business_Unit__c = 'EMEA');
update contacts;
}

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 57

What is accurate statement about with sharing keyword? Choose 2 answers

- A.** Inner classes do not inherit the sharing settings from the container class
- B.** Either inner or outer classes can be declared as with sharing, but not both
- C.** Inner classes inherit the sharing settings from the container class.
- D.** Both inner and outer classes can be declared as with sharing

Answer: **A,D** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 58

How are debug levels adjusted In the Developer Console?

- A.** Under the Edit menu, dick Change DebugLevels
- B.** Under the Debug menu > Change Log Levels..., click Add/Change in the DebugLevel Action column
- C.** Under the Logs tab, click Change in the DebugLevels panel
- D.** Under the Settings menu > Trace Settings..., click Change DebugLevel

Answer: **B** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 59

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data: tree: upsert
- B. Forced: data:async:upsert
- C. Forced: data:bulk:upsert
- D. Forced: data: object :upsert

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

A developer must create a CreditCardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) {

/*implementation*/ } } Which is the correct implementation?

- A. Public class CreditCardPayment extends Payment {
public virtual void makePayment(Decimal amount) { /*implementation*/ }
}
- B. Public class CreditCardPayment implements Payment {
public override void makePayment(Decimal amount) { /*Implementation*/ }
}
- C. Public class CreditcardPayment extends Payment {
public override void makePayment(Decimal amount) { /*implementation*/ }
}
- D. Public class CreditCardPayment implements Payment {
public virtual void makePayment(Decimal amount) { /*implementation*/ }
}

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

What is the result of the following code block ?

```
Integer x = 1;Integer Y = 0;While(x < 10){Y++;}
```


- A. X = 0
- B. Y = 9
- C. Y = 10
- D. An error occurs

Answer: ([SHOW ANSWER](#))

BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

As a part of class implementation a developer must execute a SOQL query against a large data set based on the contact object. The method implementation is as follows.



Which two methods are best practice to implement heap size control for the above code?

(Choose 2 Answers)

- A. Use the FOR UPDATE option on the SOQL query to lock down the records retrieved.
- B. Use visual keyword when declaring the retrieve variable.
- C. Use WHERE clauses on the SOQL query to reduce the number of records retrieved.
- D. Use a SOQL FOR loop, to chunk the result set in batches of 200 records.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 63

What are two considerations for custom Apex Exception classes? Choose 2 answers.

- A. Constructor for custom Exceptions can only accept string values as arguments.
- B. CustomException classes must extend the base Exception class.
- C. Custom Exceptions cannot be extended by other Exception classes.
- D. Custom Exception class names must end with the word 'Exception'.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 64

A developer created a lightning component name accountList.cmp that display a list of Accounts. Client-side logic that is executed when a user hovers over an account in the list should be stored in which bundle member?

- A. AccountListHelper.js
- B. AccountList.renderer
- C. AccountList.helper
- D. AccountListRendererer.js

Answer: B (LEAVE A REPLY)

NEW QUESTION: 65

A Platform Developer needs to implement a declarative solution that will display the most recent Closed Won date for all Opportunity records associated with an Account.

Which field is required to achieve this declaratively?

- A. Roll-up summary field on the Opportunity object
- B. Roll-up summary field on the Account object
- C. Cross-object formula field on the Account object
- D. Cross-object formula field on the Opportunity object

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Server-side run-time debugging
- C. Automatic code generation
- D. Rich component ecosystem

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 67

A developer needs to test an Invoicing system integration. After reviewing the number of transactions required for the test, the developer estimates that the test data will total about 2 GB of data storage.

Production data is not required for the integration testing.

Which two environments meet the requirements for testing? (Choose two.)

- A. Full Sandbox
- B. Developer Sandbox
- C. Developer Pro Sandbox
- D. Developer Edition
- E. Partial Sandbox

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 68

A developer has a unit test that is failing. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous Apex Tool. The code then executes without failing. Why did the unit test failed, but not the Execute Anonymous?

- A. The test method relies on existing data in the database
- B. The test method use a try/catch block
- C. The test method has a syntax error in the code.
- D. The test method calls an @future method.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Full Copy sandboxes
- B. Scratch orgs
- C. Developer orgs
- D. Developer sandboxes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

A newly hired developer discovers that there are multiple triggers on the case object. What should the developer consider when working with triggers?

- A. Unit tests must specify the trigger being tested.
- B. Developers must dictate the order of trigger execution.
- C. Trigger execution order is based on creation date and time.
- D. Trigger execution order is not guaranteed for the same sObject.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Which statement is true about developing in a multi-tenant environment?

- A. Org-level data security controls which users can see data from multiple tenants on the same instance.
- B. Apex Sharing controls access to records from multiple tenants on the same instance.
- C. Governor limits prevent Apex from impacting the performance of multiple tenants on the same instance.
- D. Global Apex classes can be referenced from multiple tenants on the same instance.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

A developer has the following code:

```
try {List nameList;Account a;String s = a.Name;nameList.add(s);} catch (ListException le ) {System.debug(' List Exception ');} catch (NullPointerException npe) {System.debug(' NullPointer Exception ');} catch (Exception e) {System.debug(' Generic Exception ');}
```

What message will be logged?

- A. No message is logged
- B. List Exception
- C. NullPointer Exception
- D. Generic Exception

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

Using the Schema Builder, a developer tries to change the API name of a field that is referenced in an Apex test class.

What is the end result?

- A. The API name of the field is changed, and a warning is issued to update the class.
- B. The API name is not changed and there are no other impacts.
- C. The API name of the field and the reference in the test class is updated.
- D. The API name of the field and the reference in the test class is changed.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

For which three items can a trace flag be configured?


Choose 3 answers

- A. Visualforce
- B. User
- C. Apex Trigger
- D. Apex Class
- E. Process Builder

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 75

What is the result of the debug statements in testMethod3 when you create test data using testSetup in below code?



```

@isTest
private class CreateAndExecuteTest{

    @testSetup
    static void setup() {
        // Create 2 test accounts
        List<Account> testAccts = new List<Account>();
        for(Integer i=0;i<2;i++) {
            testAccts.add(new Account(Name = 'MyTestAccount'+i, Phone='333-878'));
        }
        insert testAccts;
    }

    @isTest static void testMethod1() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        acc.Phone = '888-1515';
        update acc;

        Account acc2 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '999-1515';
        update acc2;
    }

    @isTest static void testMethod2() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '888-2525';
        update acc;
    }

    @isTest static void testMethod3() {
        Account acc0 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        Account acc1 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];

        System.debug('Account0.Phone='+ acc0.Phone +', Account1.Phone='+acc1.Phone);
    }
}

```

- A. Account0.Phone=333-8780, Account1.Phone=333-8781
- B. Account0.Phone=333-8781, Account1.Phone=333-8780
- C. Account0.Phone=888-1515, Account1.Phone=999-2525
- D. Account0.Phone=888-1515, Account1.Phone=999-1515

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

Which action may cause triggers to fire?

- A. Renaming or replacing a picklist entry
- B. Cascading delete operations
- C. Updates to Feed Items
- D. Changing a user's default division when the transfer division option is checked

Answer: ([SHOW ANSWER](#)**)**

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam!
 BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the
 BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have**

been corrected get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

What is the advantage of Salesforce Lightning?

- A. Pre-defined components to give Standard Look and Feel
- B. Option 4
- C. Uses service side for better handling
- D. Option 3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 78

What is the maximum number of SOQL queries used by the following code? List<Account> aList =

```
[SELECT Id FROM Account LIMIT 5]; for (Account a : aList){ List<Contact> cList = [SELECT Id FROM Contact WHERE AccountId = :a.Id]; }
```

- A. 5
- B. 1
- C. 2
- D. 6

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which action can a developer take to reduce the execution time of the following code?

```
List<account> allaccounts = [select id from account]; list<account> allcontacts = [select id, accountid from contact]; for (account a :allaccounts){ for (contact c:allcontacts){ if(c.accountid = a.id){ //do work } } }
```

- A. Put the account loop inside the contact loop
- B. Add a group by clause to the contact SOQL
- C. Use a map <id,contact> for allaccounts
- D. Create an apex helper class for the SOQL

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 80

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which tool should they use to deploy to the sandbox?

- A. Change Sets
- B. VSCode
- C. Ant Migration Tool

D. Developer Console

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 81

In the code below, which type does String inherit from? String s = 'Hello World';

- A. Object
- B. Object
- C. Class
- D. Prototype

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

What are three characteristics of change set deployments?

Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Sending a change set between two orgs requires a deployment connection.
- C. Change sets can deploy custom settings data.
- D. Change sets can be used to transfer records.
- E. Deployment is done in a one-way, single transaction.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 83

Universal Containers decides to use purely declarative development to build out a new Salesforce application.

Which three options can be used to build out the business logic layer for this application?

Choose 3 answers

- A. Flow Builder
- B. Process builder
- C. Validation Rules

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Partial Copy Sandbox
- B. Full Sandbox
- C. Production
- D. Developer Pro Sandbox

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 85

A developer uses a before insert trigger on the Lead object to fetch the Territory__c object, where the Territory__c.PostalCode__c matches the Lead.PostalCode. The code fails when the developer uses the Apex Data Loader to insert 10,000 Lead records. The developer has the following code block:

```
Line-01: for (Lead l :  
Trigger.new){  
Line-02: if (l.PostalCode != null) {  
Line-03: List<Territory__c> terrList = [SELECT Id  
FROM Territory__c WHERE PostalCode__c = :l.PostalCode];  
Line-04: if(terrList.size() > 0)  
Line-05: l.Territory__c = terrList[0].Id;  
Line-06: }  
Line-07: }
```

- Which line of code is causing the code block to fail?
- A. Line-02: A NullPointerException is thrown if PostalCode is null.
 - B. Line-01: Trigger:new is not valid in a before insert Trigger.
 - C. Line-03: A SOQL query is located inside of the for loop code.
 - D. Line-05: The Lead in a before insert trigger cannot be updated.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

A developer creates a new Visualforce page and Apex extension, and writes test classes that exercise 95% coverage of the new Apex extension. Change set deployment to production fails with the test coverage warning: "Average test coverage across all Apex classes and triggers is 74%, at least 75% test coverage is required." What can the developer do to successfully deploy the new Visualforce page and extension?

- A. Add test methods to existing test classes from previous deployments.
- B. Select "Disable Parallel Apex Testing" to run all the tests.
- C. Select "Fast Deployment" to bypass running all the tests.
- D. Create test classes to exercise the Visualforce page markup.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 87

What is the result of the debug statements in testMethod3 when you create test data using testSetup in below code?

```

@isTest
private class CreateAndExecuteTest{

    @testSetup
    static void setup() {
        // Create 2 test accounts
        List<Account> testAccts = new List<Account>();
        for(Integer i=0;i<2;i++) {
            testAccts.add(new Account(Name = 'MyTestAccount'+i, Phone='333-878'));
        }
        insert testAccts;
    }

    @isTest static void testMethod1() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        acc.Phone = '888-1515';
        update acc;

        Account acc2 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '999-1515';
        update acc2;
    }

    @isTest static void testMethod2() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '888-2525';
        update acc;
    }

    @isTest static void testMethod3() {
        Account acc0 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        Account acc1 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];

        System.debug('Account0.Phone='+ acc0.Phone +', Account1.Phone='+acc1.Phone);
    }
}

```

- A. Account0.Phone=333-8780, Account1.Phone=333-8781
- B. Account0.Phone=333-8781, Account1.Phone=333-8780
- C. Account0.Phone=888-1515, Account1.Phone=999-1515
- D. Account0.Phone=888-1515, Account1.Phone=999-2525

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

A custom exception "RecordNotFoundException" is defined by the following code of block.
 public class RecordNotFoundException extends Exception()
 which statement can a developer use to throw a custom exception?
 choose 2 answers

- A. throw RecordNotFoundException("problem occurred");
- B. Throw RecordNotFoundException();
- C. Throw new RecordNotFoundException("problem occurred");
- D. Throw new RecordNotFoundException();

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 89

Universal Containers wants Opportunities to be locked from editing when reaching the Closed/Won stage.

Which two strategies should a developer use to accomplish this? Choose 2 answers

- A. Use a trigger.
- B. Use a validation rule.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 90

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit.

```
public class without sharing OpportunityService {  
  
    public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){  
        List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>();  
        for(Id thisOppId : opportunityIds){  
            oppLineItems.addAll([Select Id FROM OpportunityLineItem WHERE OpportunityId = :thisOppId]);  
        }  
        return oppLineItems;  
    }  
}
```

The above method might be called during a trigger execution via a Lightning component.

Which technique should be implemented to avoid reaching the governor limit?

- A. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.
- B. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- C. Use the System.Limits.getQueries()method to ensure the number of queries is less than 100.
- D. Use the System.Limits.getLimitQueries()method to ensure the number of queries is less than 100.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 91

The values 'High', 'Medium', and 'Low' are Identified as common values for multiple picklist across different object. What is an approach a developer can take to streamline maintenance of the picklist and their values, while also restricting the values to the ones mentioned above?

- A. Create the Picklist on each object and use a Global Picklist Value Set containing the Values.
- B. Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".
- C. Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- D. Create the Picklist on each and add a validation rule to ensure data integrity.

Answer: (SHOW ANSWER)

BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a PostalCodeToTimezone__c custom object. How should a developer implement this feature?

- A. Build an Account Approval Process.
- B. Build an Account custom Trigger.
- C. Build an Account Assignment Rule.
- D. Build an Account Workflow Rule.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 93

Which action can a developer perform in a before update trigger? (Choose 2)

- A. Update the original object using an update DML operation.
- B. Delete the original object using a delete DML operation.
- C. Change field values using the Trigger.new context variable.
- D. Display a custom error message in the application interface.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

Universal Containers wants Opportunities to no longer be editable when reaching the Closed/Won stage.

How should a developer accomplish this?

- A. Mark fields as read-only on the page layout.
- B. Use the Process Automation settings.
- C. Use a validation rule.
- D. Use Flow Builder.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 95

A developer needs to save a List of existing Account records named myAccounts to the database, but the records do not contain Salesforce Id values. Only the value of a custom text field configured as an External ID with an API name of Foreign_Key__c is known.

Which two statements enable the developer to save the records to the database without an Id? (Choose two.)

- A. Upsert myAccounts Foreign_Key__c;
- B. Upsert myAccounts(Foreign_Key__c);

- C. Database.upsert(myAccounts).Foreign_Key__c;
- D. Database.upsert (myAccounts, Foreign_Key__c);

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

What is a benefit of developing applications in a multi-tenant environment?

- A. Default out-of-the-box configuration
- B. Enforced best practices for development
- C. Access to predefined computing resources
- D. Unlimited processing power and memory

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 97

An Approval Process is defined in the Expense_Item__c object. A business rule dictates that whenever a user changes the Status to 'Submitted' on an Expense_Report__c record, all the Expense_Item__c records related to the expense report must enter the approval process individually.

Which approach should be used to ensure the business requirement is met?

- A. Create two Process Builders, one on Expense_Report__c to mark the related Expense_Item__c as submittable and the second on Expense_Item__c to submit the records for approval.
- B. Create a Process Builder on Expense_Report__c to mark the related Expense_Item__c as submittable and a trigger on Expense_Item__c to submit the records for approval.
- C. Create a Process Builder on Expense_Report__c with an 'Apex' action type to submit all related Expense_Item__c records when the criteria is met.
- D. Create a Process Builder on Expense_Report__c with a 'Submit for Approval' action type to submit all related Expense_Item__c records when the criteria are met.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 98

A developer working on a time management application wants to make total hours for each timecard available to application users. A timecard entry has a Master-Detail relationship to a timecard.

Which approach should the developer use to accomplish this declaratively?

- A. A Roll-Up Summary field on the Timecard Object that calculates the total hours from timecard entries for that timecard
- B. A Process Builder process that updates a field on the timecard when a timecard entry is created
- C. A Visualforce page that calculates the total number of hours for a timecard and displays it on the page

D. An Apex trigger that uses an Aggregate Query to calculate the hours for a given timecard and stores it in a custom field

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

The Sales Management team hires a new intern. The intern is not allowed to view Opportunities, but needs to see the Most Recent Closed Date of all child Opportunities when viewing an Account record. What would a developer do to meet this requirement?

- A. Create a Workflow rule on the Opportunity object that updates a field on the parent Account.
- B. Create a roll-up summary field on the Account object that performs a MAX on the Opportunity Close Date field.
- C. Create a trigger on the Account object that queries the Close Date of the most recent Opportunities.
- D. Create a formula field on the Account object that performs a MAX on the Opportunity Close Date field.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 100

A lead object has a custom field Prior_Email__c. The following trigger is intended to copy the current Email into the Prior_Email__c field any time the Email field is changed:

```
trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
    {
        if(ld.Email != trigger.oldMap.get(ld.Id).email)
        {
            ld.Prior_Email__c = trigger.oldMap.get(ld.Id).email;
            update ld;
        }
    }
}
```

Which type of exception will this trigger cause?

- A. A compile time exception
- B. A null reference exception
- C. A limit exception when doing a bulk update
- D. A DML exception

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 101

A developer needs to provide a way to mass edit, update, and delete records from a list view. In which two ways can this be accomplished? (Choose two.)

- A. Download a managed package from the AppExchange that provides customizable Enhanced List Views and buttons.

- B. Create a new Visualforce page and Apex Controller for the list view that provides mass edit, update, and delete functionality.
- C. Download an unmanaged package from the AppExchange that provides customizable mass edit, update, and delete functionality.
- D. Configure the user interface and enable both inline editing and enhanced lists.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 102

A developer wants to override a button using Visualforce on an object. What is the requirement?

- A. The controller or extension must have a PageReference method.
- B. The object record must be instantiated in a controller or extension.
- C. The action attribute must be set to a controller method.
- D. The standardController attribute must be set to the object.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 103

How should a developer avoid hitting the governor limits in test methods?

- A. Use @TestVisible on methods that create records.
- B. Use @IsTest (SeeAllData=true) to use existing data.
- C. Use Test.startTest() to reset governor limits.
- D. Use Test.loadData() to load data from a static resource.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

A platform developer at Universal Containers needs to create a custom button for the Account object that, when clicked, will perform a series of calculations and redirect the user to a custom Visualforce page.

Which three attributes need to be defined with values in the <apex:page> tag to accomplish this?

(Choose three.)

- A. extensions
- B. renderAs
- C. readOnly
- D. standardController
- E. action

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 105

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Automatic code generation
- B. Server-side run-time debugging
- C. Rich component ecosystem (Missed)
- D. Self-contained and reusable units of an application (Missed)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

In order to override a standard action with a visualforce page, which attribute must be defined in the <apex:page> tag?

- A. Standardcontroller
- B. Override
- C. Controller
- D. Pagereference

Answer: A ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

Universal Containers has an order system that uses an Order Number to identify an order for customers and service agents. Order will be imported into Salesforce.

- A. Indirect Lookup
- B. Direct Lookup
- C. Number with External ID
- D. Lookup

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 108

A developer is creating a Visualforce page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type?

- A. Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current user's default record type
- B. Use the Schema.userInfo.Opportunity.getDefaultRecordType() method.

C. Query the Profile where the ID equals `userInfo.getProfileID()` and then use the `profile.Opportunity.getDefaultRecordType()` method.

D. Use `Opportunity.SObjectType.getDescribe().getRecordTypeInfoInfos()` to get a list of record types, and iterate through them until `isDefaultRecordTypeMapping()` is true.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 109

Which two characteristics are true for Aura component events?

A. Only parent components that create subcomponents (either in their markup or programmatically) can handle events.

B. If a container component needs to handle a component event, add a `handleFacets=""` attribute to its handler.

C. Calling `event.stopPropagation()` may or may not stop the event propagation based on the current propagation phase.

D. The event propagates to every owner in the containment hierarchy.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 110

Candidates are reviewed by four separate reviewers and their comments and scores which range from 1 (lowest) to 5 (highest) are stored on a review record that is a detail record for a candidate. What is the best way to indicate that a combined review score of 15 or better is required to recommend that the candidate come in for an interview?

A. Use a validation rule on a total score field on the candidate record that prevents a recommended field from being true if the total score is less than 15.

B. Use a rollup summary field to calculate the sum of the review scores, and store this in a total score field on the candidate.

C. Use a workflow rule to calculate the sum of the review scores and send an email to the hiring manager when the total is 15 or better.

D. Use visual workflow to set a recommended field on the candidate whenever the cumulative review score is 15 or better.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 111

A lead object has a custom field `Prior_Email__c`. The following trigger is intended to copy the current Email into the `Prior_Email__c` field any time the Email field is changed:

```

trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
    {
        if(ld.Email != trigger.oldMap.get (ld.ld).email)
        {
            ld.Prior_Email_c = trigger.old,ap.get(ld.ld).email;
            update ld;
        }
    }
}

```

salesforce

Which type of exception will this trigger cause?

- A. A DML exception
- B. A null reference exception
- C. A limit exception when doing a bulk update
- D. A compile time exception

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 112

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.

In which two ways can this be accomplished?

Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can use a public property to pass the data to the child component.
- D. The parent component can invoke a method in the child component

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 113

How can a developer determine, from the DescribeSObjectResult, if the current user will be able to create records for an object in Apex?

- A. By using the isCreatable() method.
- B. By using the isInsertable() method.
- C. By using the hasAccess() method.
- D. By using the canCreate() method.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

A software company uses the following objects and relationships:

- * Case: to handle customer support issues
- * Defect_c: a custom object to represent known issues with the company's software

* case_Defect__c: a junction object between Case and Defector to represent that a defect is a customer issue. What should be done to share a specific Case-Defect__c record with a user?

- A. Share the Case_Defect__c record.
- B. Share the parent Case record.
- C. Share the parent Case and Defect__c records.
- D. Share the parent Defect__c record.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

A Hierarchy Custom Setting stores a specific URL for each profile in Salesforce. Which statement can a developer use to retrieve the correct URL for the current user's profile and display this on a Visualforce Page?

- A. `{!$Setup.Url_Settings__C.URL__c}`
- B. `{!$Setup.Url_Settings__C.Instance[Profile.Id].URL__c}`
- C. `{!$Setup.Url_Settings__C.[Profile.Id].URL__c}`
- D. `{!$Setup.Url_Settings__C.[Profile.Id].URL__c}`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 116

Universal Containers has an order system that uses an Order Number to identify an order for customers service agents. Order records will be imported into Salesforce. How should the "Order Number" field be defined in Salesforce.

- A. Lookup
- B. Direct Lookup
- C. Indirect Lookup
- D. Number with External ID

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 117

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. `@PreTest`
- B. `@isTest(SeeAllData=True)`
- C. `@BeforeTest`
- D. `@TestSetup`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 118

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing device-awareness for mobile and desktops

- B. By providing change history and version control
- C. By providing code review standards and processes
- D. By providing an Agile process with default steps

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 119

What can a Lightning Component contain in its resource bundle? Choose 2 answer

- A. Build scripts for minification
- B. CSS styles scoped to the component
- C. Custom client side rendering behavior.
- D. Properties files with global settings

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 120

How can a developer warn users of SOQL governor limit violations in a trigger?

- A. Use `Limits.getQueries()` and display an error message before the number of SOQL queries exceeds the limit.
- B. Use `PageReference.setRedirect()` to redirect the user to a custom Visualforce page before the number of SOQL queries exceeds the limit.
- C. Use `Messaging.SendEmail()` to continue the transaction and send an alert to the user after the number of SOQL queries exceeds the limit.
- D. Use `ApexMessage.Message()` to display an error message after the number of SOQL queries exceeds the limit.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 121

A developer has to identify a method in an Apex class that performs resource intensive actions in memory by iterating over the result set of a SOQL statement on the account. The method also performs a DML statement to save the changes to the database. Which two techniques should the developer implement as a best practice to ensure transaction control and avoid exceeding governor limits? Choose

2 answers

- A. Use the `@ReadOnly` annotation to bypass the number of rows returned by a SOQL.
- B. Use the `System.Limit` class to monitor the current CPU governor limit consumption. (Missed)
- C. Use Partial DML statements to ensure only valid data is committed.
- D. Use the `Database.Savepoint` method to enforce database integrity. (Missed)

Answer: ([SHOW ANSWER](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 122

The following Apex method is part of the ContactService class that is called from a trigger:

```
public static void setBusinessUnitToEMEA(Contact thisContact){
    thisContact.Business_Unit__c = 'EMEA';
    update thisContact;
}
```

How should the developer modify the code to ensure best practices are met?

```
public static void setBusinessUnitToEMEA(Contact thisContact){
    List<Contact> contacts = new List<Contact>();
    contacts.add(thisContact);
    update contacts;
}
```

A. }

```
public static void setBusinessUnitToEMEA(List<Contact> contacts){
    for(Contact thisContact : contacts){
        thisContact.Business_Unit__c = 'EMEA';
        update thisContact;
    }
}
```

B. }

C.

```
public static void setBusinessUnitToEMEA(List<Contact> contacts){
    for(Contact thisContact : contacts){
        thisContact.Business_Unit__c = 'EMEA';
    }
    update contacts;
}
```

D. }

Answer: C (LEAVE A REPLY)

NEW QUESTION: 123

A developer executes the following query in Apex to retrieve a list of contacts for each account:

```
List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;
```

Which two exceptions may occur when it executes? (Choose two.)

A. CPU limit exception due to the complexity of the query.

B. SOQL query row limit exception due to the number of contacts.

- C. SOQL query limit exception due to the number of contacts.
- D. SOQL query row limit exception due to the number of accounts.

Answer: ([SHOW ANSWER](#))

Explanation

NEW QUESTION: 124

Which two operations can be performed using a formula field? Choose 2 answers

- A. Displaying an Image based on the Opportunity Amount (Missed)
- B. Displaying the last four digits of an encrypted Social Security number
- C. Triggering a Process Builder
- D. Calculating a score on a Lead based on the information from another field (Missed)

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 125

Which code block returns the ListView of an Account object using the following debug statement?

```
system.debug(controller.getListViewOptions() );
```

- A.

```
ApexPages.StandardSetController controller = new ApexPages.StandardSetController( Database.getQueryLocator( 'SELECT Id FROM Account LIMIT 1' ));
```
- B.

```
ApexPages.StandardController controller = new ApexPages.StandardController( [SELECT Id FROM Account LIMIT 1]);
```
- C.

```
ApexPages.StandardController controller = new ApexPages.StandardController( Database.getQueryLocator( 'SELECT Id FROM Account LIMIT 1' ));
```
- D.

```
ApexPages.StandardController controller = new ApexPages.StandardController( [SELECT Id FROM Account LIMIT 1]);
```

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

What features are available when writing apex test classes?(Choose 2 Answers)

- A. The ability to write assertions to test after a @future method.
- B. The ability to set breakpoints to freeze the execution at a given point.
- C. The ability to set and modify the CreatedDate field in apex tests.
- D. The ability to select testing data using csv files stored in the system.
- E. The ability to select error types to ignore in the developer console.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 127

What is a capability of formula fields? (Choose 3)

- A. Generate a link using the HYPERLINK function to a specific record in a legacy system.
- B. Return and display a field value from another object using the VLOOKUP function.

- C. Determine which of three different images to display using the IF function.
- D. Determine if a datetime field has passed using the NOW function.
- E. Display the previous values for a field using the PRIORVALUE function.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 128

Which two strategies should a developer use to avoid hitting governor limits when developing in a multi-tenant environment? (Choose two.)

- A. Use variables within Apex classes to store large amounts of data.
- B. Use methods from the "Limits" class to monitor governor limits.
- C. Use collections to store all fields from a related object and not just minimally required fields.
- D. Use SOQL for loops to iterate data retrieved from queries that return a high number of rows.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 129

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. `Public class CheckPaymentProcessor extends PaymentProcessor {
public void pay(Decimal amount);
}`
- B. `Public class CheckPaymentProcessor implements PaymentProcessor {
public void pay(Decimal amount);
}`
- C. `Public class CheckPaymentProcessor extends PaymentProcessor {
public void pay(Decimal amount) {}
}`
- D. `Public class CheckPaymentProcessor implements PaymentProcessor {
public void pay(Decimal amount) {}
}`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 130

A developer uses an 'after update' trigger on the Account object to update all the Contacts related to theAccount. The trigger code shown below is randomly failing.

```
List<Contacts> theContacts = new List<Contacts>(); for(Account a : Trigger.new){ for(Contact c :  
[SELECT Id, Account_Date__c FROM Contact WHERE AccountId = :a.Id]){ c.Account_Date__c =  
Date.today(); theContacts.add(c);  
}  
} updates theContacts;
```

Which line of code is causing the code block to fail?

- A. The trigger processes more than 200 records in the for loop.
- B. An exception is thrown if Account_Date__c is null.
- C. A SOQL query is located inside of the for loop.
- D. An exception is thrown if theContacts is empty

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 131

A lead object has a custom field Prior_Email__c. The following trigger is intended to copy the current Email into the Prior_Email__c field any time the Email field is changed:

```
trigger test on Lead (before update) {
    for(Lead ld: t.salesforce.new)
    {
        if(ld.Email != trigger.oldMap.get(ld.Id).email)
        {
            ld.Prior_Email__c = trigger.oldMap.get(ld.Id).email;
            update ld;
        }
    }
}
```

Which type of exception will this trigger cause?

- A. A DML exception
- B. A compile time exception
- C. A limit exception when doing a bulk update
- D. A null reference exception

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 132

Which scenario is valid for execution by unit tests?

- A. Generate a Visualforce PDF with getContentAsPDF ().
- B. Set the created date of a record using a system method.
- C. Load data from a remote site with a callout.
- D. Execute anonymous Apex as a different user.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 133

AW Computing (AWC) handles orders in Salesforce and stores its product inventory in a field, inventory__c, on a custom object, Product__c. When an order for a Product__c is placed, the inventory__c field is reduced by the quantity of the order using an Apex trigger.

```
public void reduceInventory(Id prodId, Integer qty) {
    Integer newInventoryAmt = getNewInventoryAmt(prodId, qty);
    Product__c p = new Product__c(Id = prodId, Inventory__c = newInventoryAmt);
    update p;

    // code goes here
}
```



AWC wants the real-time inventory reduction for a product to be sent to many of its external systems, including some future systems the company is currently planning.

What should a developer add to the code at the placeholder to meet these requirements?

A)

```
InventoryReductionEvent__e ev = new InventoryReductionEvent__e(ProductId__c =
prodId, Reduction__c = qty);
EventBus.publish(ev);
```

B)

```
InventoryReductionEvent__e ev = new InventoryReductionEvent__e(ProductId__c =
prodId, Reduction__c = qty);
insert ev;
```

C)

```
InventoryReductionEvent__c ev = new InventoryReductionEvent__c(ProductId__c =
prodId, Reduction__c = qty);
EventBus.publish(ev);
```

D)

```
InventoryReductionEvent__c ev = new InventoryReductionEvent__c(ProductId__c =
prodId, Reduction__c = qty);
insert ev;
```

- A. Option
- B. Option
- C. Option
- D. Option

Answer: B (LEAVE A REPLY)

NEW QUESTION: 134

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 2
- B. 1
- C. 4

D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 135

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in a static initializer.
- B. Use the static keyword and assign its value in the class constructor.
- C. Use the final keyword and assign its value when declaring the variable.
- D. Use the final keyword and assign its value in the class constructor.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 136

A developer uses a loop to check each Contact in a list. When a Contact with the Title of 'Boss' is found, the Apex method should jump to the first line of code outside of the for loop.

Which Apex solution will let the developer implement this requirement?

- A. return;
- B. continue;
- C. break;
- D. System.assert(false);

Answer: C ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 137

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL?

Choose 2 answers

- A. SOQL is able to return more records.

- B. SOSL is faster for text searches.
- C. SOSL is able to return more records.
- D. SOQL is faster for text searches.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 138

A developer needs to create a custom visualforce button for the opportunity object page layout that will cause a web service to be called and redirect the user to a new page when clicked. Which three attributes need to be defined in the <apx:page> tag of the visualforce page to enable this functionality?

- A. Readonly
- B. Renderas
- C. Action
- D. Standardcontroller
- E. Extensions

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 139

A developer writes a single trigger on the Account object on the after insert and after update events. A workflow rule modifies a field every time an Account is created or updated. How many times will the trigger fire if a new Account is inserted, assuming no other automation logic is implemented on the Account?

- A. 4
- B. 2
- C. 8
- D. 1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 140

What is a capability of a StandardSetController? Choose 2 answers

- A. It allows pages to perform pagination with large record sets
- B. It enforces field-level security when reading large record sets
- C. It allows pages to perform mass updates of records
- D. It extends the functionality of a standard or custom controller

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 141

The account object has a custom percent field, rating, defined with a length of 2 with 0 decimal places. An account record has the value of 50% in its rating field and is processed in the apex code below after being retrieved from the database with SOQL public void processaccount()

```
{ decimal acctscore = acc.rating__c *
```

100; } what is the value of acctscore after this code executes?

- A. 5000
- B. 50
- C. 5
- D. 500

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 142

Manage package can be created in which type of org?

- A. Partial copy sandbox
- B. Unlimited edition
- C. Developer sandbox
- D. Developer Edition

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 143

A developer has two custom controller extensions where each has a save() method. Which save() method will be called for the following Visualforce page?

```
<apex:page standardController="Account", extensions="ExtensionA, ExtensionB">
<apex:commandButton action="{!save}" value="Save"/>
</apex:page>
```

- A. ExtensionA save()
- B. Runtime error will be generated
- C. ExtensionB save()
- D. Standard controller save()

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 144

A developer must create a Lightning component that allows users to input Contact record information to create a Contact record, including a Salary__c custom field.

What should the developer use, along with a lightning-record-edit-form, so that Salary__c field functions as a currency input and is only viewable and editable by users that have the correct field level permissions on Salary__c?

- A.

```
<lightning-input type="number" value="Salary__c" formatter="currency">
</lightning-input>
```
- B.

```
<lightning-formatted-number value="Salary__c" format-style="currency">
</lightning-formatted-number>
```
- C.

```
<lightning-input-field field-name="Salary__c">
</lightning-input-field>
```
- D.

```
<lightning-input-currency value="Salary__c">
</lightning-input-currency>
```

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 145

When a Task is created for a Contact, how can a developer prevent the task from being included on the Activity Timeline of the Contact's Account record?

- A. Use Process Builder to create a process to set the Task Account field to blank.
- B. Create a Task trigger to set the Account field to NULL.
- C. In Activity Setting, uncheck Roll up activities to a contact's primary account.
- D. By default, tasks do not display on the Account Activity Timeline.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 146

A developer has a requirement to create an Order when an Opportunity reaches a 'Closed-Won' status.

Which tool should be used to implement this requirement?

- A. Process Builder
- B. Lightning Component
- C. Lightning Flow
- D. Apex Trigger

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 147

Which three statements are true regarding the @istest annotation? Choose 3 answers

- A. A method annotated @istest (seealldata=true) in a class annotated @istest (seealldata=false) has access to all org data
- B. A class containing test methods counts toward the apex code limit regardless of any @istest annotation (Missed)
- C. Profiles are visible in a test even if a class is annotated @istest (seealldata=false)
- D. A method annotated @istest (seealldata=false) in a class annotated @istest (seealldata=true) has access to all org data
- E. Products and pricebooks are visible in a test even if a class is annotated @istest (seealldata=false)

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 148

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing

```
OpportunityService( public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld :
```

opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppId]); } return oppLineItems; } } The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- B. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 149

A developer is creating a test coverage for a class and needs to insert records to validate functionality.

Which method annotation should be used to create records for every method in the test class?

- A. @isTest(SeeAllData=True)
- B. @PreTest
- C. @TestSetup
- D. @BeforeTest

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 150

Which code should be used to update an existing Visualforce page that uses standard Visualforce components so that the page matches the look and feel of Lightning Experience?

- A. <apex:page>
- B. apex:actionStatus
- C. <apex:commandButton styleClass="slds-vf-button_brand" value="Refresh the Page">
- D. <apex:page lightningStyleSheets="true">

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 151

If Apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which two statements are true regarding governor limits? (Choose two.)

- A. The Apex governor limits are reset for each iteration of the execute() method.
- B. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction.
- C. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- D. The Apex governor limits are relaxed while calling the constructor of the Apex class.

Answer: ([SHOW ANSWER](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumpspass.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 152

Which three process automations can immediately send an email notification to the owner of an Opportunity when its Amount is changed to be greater than \$10,000? Choose 3 answers

- A. Flow Builder
- B. Workflow Rule
- C. Process Builder
- D. Approval Process
- E. Escalation Rule

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 153

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record. Which type of trigger would the developer create? Choose 2 answers

- A. After insert
- B. After update
- C. Before insert
- D. Before update

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 154

What are the supported content sources for custom buttons and links? (Choose 2 Answers)

- A. VisualForce Page.
- B. URL.
- C. Chatter File.
- D. Static Resource.
- E. Lightning Page.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 155

How many level of child records can be returned in a single SOQL query from one parent object

- A. 7
- B. 1
- C. 3
- D. 5

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 156

Which action can a developer take to reduce the execution time of the following code?

```
List<Account> allAccounts = [SELECT Id FROM Account];
List<Contact> allContacts = [SELECT SalesforceOwnerId FROM Contact];

for (Account a : allAccounts) {
    for (Contact c: allContacts) {
        if (c.AccountId = a.Id) {
            // do work
        }
    }
}
```

- A. Use a Map<Id List<Contact> for allContacts.
- B. Put the Account loop inside the Contact loop.
- C. Add a GROUP BY clause to the Contact SOQL.
- D. Create an Apex helper class for SOQL.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 157

A developer declared a class as follow.

```
public class wysiwyg { // Properties and methods including DML }
```

Which invocation of a class method will obey the organization-wide defaults and sharing settings for the running user in the Salesforce Organization?

- A. A developer using the Developer Console that invokes a method in this class from the execute anonymous window
- B. A user on an external system that has an API call into Salesforce that invokes a method in this class
- C. A Visualforce page with an Apex controller that invokes a method in this class
- D. An Apex Trigger that invokes a helper method in this class

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 158

A developer has the following trigger that fires after insert and creates a child Case whenever a new Case is created. List<Case> childCases = new List<Case>();for (Case parent : Trigger.new) {Case child = new Case (ParentId = parent.Id, Subject =

parent.Subject);childCases.add(child);}insert childCases; What happens after the code block executes?

- A. Child case is created for each parent case in Trigger.new.
- B. Multiple child cases are created for each parent case in Trigger.new.
- C. The trigger fails if the Subject field on the parent is blank.
- D. The trigger enters an infinite loop and eventually fails.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 159

A developer needs to update an unrelated object when a record gets saved. Which two trigger types should the developer create?

- A. Before insert
- B. Before update
- C. After insert
- D. After update

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 160

A developer writes the following code:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];
Delete acc;
Database.emptyRecycleBin(acc);

System.Debug(Limits.getDMLStatements() + ', ' + Limits.getLimitDMLStatements());
```

What is the result of the debug statement?

- A. 2, 200
- B. 2, 150
- C. 1, 150
- D. 1, 100

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 161

Which three code lines are required to create a Lightning component on a Visualforce page?

Choose 3 answers

- A. \$Lightning.use (Missed)
- B. <apex:includeLightning/>
- C. \$Lightning.createComponent
- D. <apex:slds/>
- E. \$Lightning.useComponent

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 162

A developer has the controller class below.

```
public with sharing class myFooController {  
    public integer prop { get; private set; }  
}
```

Which code block will run successfully in an execute anonymous window?

- A. myFooController m = new myFooController();System.assert(m.prop ==null);
- B. myFooController m = new myFooController();System.assert(m.prop ==0);
- C. myFooController m = new myFooController();System.assert(m.prop ==1);
- D. myFooController m = new myFooController();System.assert(m.prop !=null);

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 163

A developer has the controller class below.

```
public with sharing class myFooController {  
    public integer prop { get; private set; }  
}
```

Which code block will run successfully in an execute anonymous window?

- ```
myFooController m = new myFooController();
```
- A. System.assert(m.prop !=null);
- ```
myFooController m = new myFooController();
```
- B. System.assert(m.prop ==0);
- ```
myFooController m = new myFooController();
```
- C. System.assert(m.prop ==null);
- ```
myFooController m = new myFooController();
```
- D. System.assert(m.prop ==1);

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 164

What are two ways a developer can get the status of an enqueued job for a class that implements the queueable interface? (Choose two.)

- A. View the Apex Jobs Page
- B. View the Apex Status Page
- C. View the Apex Flex Queue
- D. Query the AsyncApexJob object

Answer: [A,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 165

A developer has a requirement to create an Order When an Opportunity reaches a "Closed-Won" status.

Which tool should be used to implement this requirement?

- A. Lightning Component

- B. Lightning
- C. Process Builder
- D. Apex trigger

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 166

What is the result of the debug statements in testMethod3 when you create test data using testSetup in below code?

```

sisrest
private class CreateAndExecuteTest{

    @testSetup
    static void setup() {
        // Create 2 test accounts
        List<Account> testAccts = new List<Account>();
        for(Integer i=0;i<2;i++) {
            testAccts.add(new Account(Name = 'MyTestAccount'+i, Phone='333-878'));
        }
        insert testAccts;
    }

    @isTest static void testMethod1() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        acc.Phone = '888-1515';
        update acc;

        Account acc2 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '999-1515';
        update acc2;
    }

    @isTest static void testMethod2() {
        Account acc = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];
        acc.Phone = '888-2525';
        update acc;
    }

    @isTest static void testMethod3() {
        Account acc0 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount0' LIMIT 1];
        Account acc1 = [SELECT Id,Phone FROM Account WHERE Name='MyTestAccount1' LIMIT 1];

        System.debug('Account0.Phone='+ acc0.Phone +', Account1.Phone='+acc1.Phone);
    }
}

```

- A. Account0.Phone=333-8781, Account1.Phone=333-8780
- B. Account0.Phone=888-1515, Account1.Phone=999-1515
- C. Account0.Phone=333-8780, Account1.Phone=333-8781
- D. Account0.Phone=888-1515, Account1.Phone=999-2525

Answer: C ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have**

been corrected get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 167

Which three Salesforce resources can be accessed from a Lightning web component?

Choose 3 answers

- A. Third-party web components
- B. Static resources
- C. SVG resources
- D. Content asset files
- E. All external libraries

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 168

A developer is creating an enhancement to an application that will allow people to be related to their employer.

Which data model should be used to track the data?

- A. Create a master detail relationship to indicate that a person has an employer
- B. Create a junction object to relate many people to many employers through lookup relationship
- C. Create a junction object to relate many people to many employers through master-detail relationship
- D. Create a lookup relationship to indicate that a person has an employer

Answer: D (LEAVE A REPLY)

NEW QUESTION: 169

Given the following trigger implementation:

```
trigger leadTrigger on Lead (before update){
final ID BUSINESS_RECORDTYPEID = '012500000009Qad';
for(Lead thisLead : Trigger.new){
if(thisLead.Company != null && thisLead.RecordTypeId != BUSINESS_RECORDTYPEID)
{ thisLead.RecordTypeId = BUSINESS_RECORDTYPEID;
}
}
}
```

The developer receives deployment errors every time a deployment is attempted from Sandbox to Production.

What should the developer do to ensure a successful deployment?

- A. Ensure BUSINESS_RECORDTYPEID is pushed as part of the deployment components.
- B. Ensure the deployment is validated by a System Admin user on Production.
- C. Ensure BUSINESS_RECORDTYPEID is retrieved using Schema.Describe calls.

D. Ensure a record type with an ID of BUSINESS_RECORDTYPEID exists on Production prior to deployment.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 170

Which type of code represents the Controller in MVC architecture on the Force.com platform?

(Choose

2)

A. StandardController system methods that are referenced by Visualforce.

B. A static resource that contains CSS and images.

C. Custom Apex and JavaScript code that is used to manipulate data.

D. JavaScript that is used to make a menu item display itself.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 171

What should be used to create scratch orgs?

A. Developer Console

B. Salesforce CLI

C. Workbench

D. Sandbox refresh

Answer: ([SHOW ANSWER](#))

Explanation

NEW QUESTION: 172

Which tag should a developer include when styling from external CSS is required in a Visualforce page?

A. Apex : includeStyle

B. Apex : includeScript

C. Apex : require

D. Apex : stylesheet

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 173

A developer is creating an enhancement to an application that will allow people to be related to their employer. Which data model should be used to track the data?

A. Create a junction object to relate many people to many employers through master-detail relationship

B. Create a junction object to relate many people to many employers through lookup relationship

C. Create a master detail relationship to indicate that a person has an employer

D. Create a lookup relationship to indicate that a person has an employer

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 174

Which action can a developer take to reduce the execution time of the following code?

```
List<account> allaccounts = [select id from account]; list<account> allcontacts = [select id, accountid from contact]; for (account a :allaccounts){ for (contact c:allcontacts){ if(c.accountid = a.id){ //do work } } }
```

- A. Use a map <id,contact> for allaccounts
- B. Add a group by clause to the contact SOQL
- C. Create an apex helper class for the SOQL
- D. Put the account loop inside the contact loop

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 175

Which aspect of Apex programming is limited due to multitenancy?

- A. The number of methods in an Apex class
- B. The number of records returned from database queries
- C. The number of active Apex classes
- D. The number of records processed in a loop

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 176

Which declarative method helps ensure quality data? (Choose 3)

- A. Lookup Filters
- B. Page Layouts
- C. Exception Handling
- D. Validation Rules
- E. Workflow alerts

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 177

Which two automation tools include a graphical designer? Choose 2 answers

- A. Flow builder
- B. Approvals
- C. Process builder
- D. Workflows

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 178

Given the code below:

```

List<Account> aList = [SELECT Id FROM Account];
for (Account a : aList){
    List<Contact> cList = [SELECT Id FROM Contact WHERE AccountId = :a.Id];
}

```

What should a developer do to correct the code so that there is no chance of hitting a governor limit?

- A. Add a WHERE clause to the first SELECT SOQL statement.
- B. combine the two SELECT statements into a single SOQL statement.
- C. Add a LIMIT clause to the first SELECT SOQL statement.
- D. Rework the code and eliminate the for loop.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 179

A visualforce interface is created for Case Management that includes both standard and custom functionality defined in an Apex class called myControllerExtension. The visualforce page should include which

<apex:page> attribute(s) to correctly implement controller functionality?

- A. Controller=" myControllerExtension"
- B. Extensions=" myControllerExtension"
- C. Controller = "case" and extensions = " myControllerExtension"
- D. StandardController = "case" and extensions = " myControllerExtension"

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 180

A lead object has a custom field Prior_Email__c. The following trigger is intended to copy the current Email into the Prior_Email__c field any time the Email field is changed:

```

trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
    {
        if(ld.Email != trigger.oldMap.get (ld.Id).email)
        {
            ld.Prior_Email__c = trigger.oldMap.get (ld.Id).email;
            update ld;
        }
    }
}

```

Which type of exception will this trigger cause?

- A. A DML exception
- B. A null reference exception
- C. A compile time exception
- D. A limit exception when doing a bulk update

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 181

A developer writes the following code:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];
Delete acc;
Database.emptyRecycleBin(acc);
System.Debug(Limits.getDMLStatements() + ', ' + Limits.getLimitDMLStatements());
```

What is the result of the debug statement?

- A. 1, 100
- B. 1, 150
- C. 2, 150
- D. 2, 200

Answer: ([SHOW ANSWER](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 182

Which statement should a developer avoid using inside procedural loops? (Choose 2)

- A. If(o.accountId == a.id)
- B. List contacts = [SELECT Id, Salutation, FirstName, LastName, Email FROM Contact WHERE AccountId = :a.Id];
- C. System.debug('Amount of CPU time (in ms) used so far: ' + Limits.getCpuTime());
- D. Update contactList;

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 183

The Sales Management team hires a new intern. The intern is not allowed to view Opportunities, but needs to see the Most Recent Closed Date of all child Opportunities when viewing an Account record.

What would a developer do to meet this requirement?

- A. Create a Workflow rule on the Opportunity object that updates a field on the parent Account.

- B. Create a roll-up summary field on the Account object that performs a MAX on the Opportunity Close Date field.
- C. Create a formula field on the Account object that performs a MAX on the Opportunity Close Date field.
- D. Create a trigger on the Account object that queries the Close Date of the most recent Opportunities.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 184

Managed Packages can be created in which type of org?

- A. Partial Copy Sandbox
- B. Developer Sandbox
- C. Unlimited Edition
- D. Developer Edition

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 185

How many accounts will be inserted by the following block of code? `for(Integer i = 0 ; i < 500; i++) { Account a = new Account(Name='New Account ' + i); insert a; }`

* 0

87. Boolean odk;

Integer x;

`if(abok=false;integer=x;){`

`X=1;`

`}elseif(abok=true;integer=x;){`

`X=2;`

`}elseif(abok!=null;integer=x;){`

`X=3;`

`)elseif{`

`X=4;}`

A. X=8

B. X=4

C. X=10

D. X=9

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 186

To which primitive data type in Apex is a currency field atomically assigned?

- A. Decimal
- B. Integer
- C. Currency

D. Double

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 187

A developer needs to create a custom button for the Account object that, when clicked, will perform a series of calculation and redirect the user to a custom visualforce page.

Which three attributes need to be defined with values in the <apex:page> tag to accomplish this?

Choose 3 answers

- A. extensions
- B. readOnly
- C. renderAs
- D. standard Controller
- E. Action

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 188

What is a capability of the <ltng:require> tag that is used for loading external Javascript libraries in Lightning Component? (Choose three.)

- A. Loading scripts in parallel.
- B. Loading externally hosted scripts.
- C. Specifying loading order.
- D. Loading files from Documents.
- E. One-time loading for duplicate scripts.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 189

What are two characteristics of partial copy sandboxes versus full sandboxes? Choose 2 answers

- A. Provides more data record storage
- B. Includes a subset of metadata
- C. Requires a sandbox template
- D. Supports more frequent refreshes

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 190

The orderHelper class is a utility class that contains business logic for processing orders.

Consider the following code snippet:

A developer needs to create a constant named DELIVERY_MULTIFILTER with a value of 4.15.

The value of the constant should not change at any time in the code.

How should the developer declare the DELIVERY_MULTIFILTER constant to meet the business objectives?

- A. Constant decimal DELIVERY_MULTIFILTER = 4.15;

- B. Decimal DELIVERY_MULTIFILTER = 4.15;
- C. Static final decimal DELIVERY_MULTIFILTER = 4.15;
- D. Static decimal DELIVERY_MULTIFILTER = 4.15;

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 191

A developer creates a custom controller and custom Visualforce page by using the following code block:

```
public class myController {
    public String myString;
    public String getMyString() {return 'getMyString';}
    public String getStringMethod1() {return myString;}
    public String getStringMethod2() {if (myString == null)myString = 'Method2';return myString;}
    {!myString}, {!StringMethod1}, {!StringMethod2}, {!myString}
}
```

 What does the user see when accessing the custom page?

- A. GetMyString , , Method2 , getMystring
- B. , , Method2,
- C. GetMyString , , ,
- D. , , Method2 , getMyString

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 192

Which statement would a developer use when creating test data for products and pricebooks?

- A. IsTest(SeeAllData = false);
- B. List objList = Test.loadData(Account.sObjectType, 'myResource');
- C. Pricebook pb = new Pricebook();
- D. Id pricebookId = Test.getStandardPricebookId();

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 193

Which two queries can a developer use in a Visualforce controller to protect against SOQL injection vulnerabilities? Choose 2 answers

- A. String qryName = % + name % ;
 String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryName ;
 List queryResults = Database.query(qryString);
- B. String qryName = % + String.enforceSecurityChecks(name)+ % ;
 String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryName ;
 List queryResults = Database.query(qryString);
- C. String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryName ;
 List queryResults = Database.query(qryString);
- D. String qryName = % + String.escapeSingleQuotes(name)+ % ;
 String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryName ;
 List queryResults = Database.query(qryString);

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 194

Which option should a developer use to create 500 Accounts and make sure that duplicates are not created for existing Account Sites?

- A. Salesforce-to-Salesforce
- B. Sandbox template
- C. Data Loader
- D. Data Import Wizard

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 195

A developer created an Apex trigger using the Developer Console and now wants to debug code. How can the developer accomplish this in the Developer Console?

- A. Select the Override Log Triggers checkbox for the trigger.
- B. Add the user name in the Log Inspector.
- C. Open the logs tab in the Developer Console.
- D. Open the Progress tab in the Developer Console.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 196

A developer has created a Visualforce Page and Apex Controller that uses the With Sharing keyword. The page will be used of by Sales Managers and should only display Accounts owned by Sales Representatives who report to the running Sales Manager. The organization-wide sharing for Accounts is set to Private. Which additional set of steps should the developer take?

- A. Create one Profile, one Permission Set, and two Roles.
- B. Create one Profile, two Permission Sets, and one Role.
- C. Create one Profile, one Permission Set, and one Role.
- D. Create two Profiles, one Permission Set, and one Role.

Answer: A ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 197

Given the following block code: try{ List <Accounts> retrievedRecords = [SELECT Id FROM Account WHERE Website = null]; }catch(Exception e){ //manage exception logic } What should a

developer do to ensure the code execution is disrupted if the retrievedRecordslist remains empty after the SOQL query?

- A. Replace the retrievedRecords variable declaration from a List of Account to a single Account.
- B. Check the state of the retrieveRecords variable and throw a custom exception if the variable is empty.
- C. Check the state of the retrievedRecords variable and access the first element of the list if the variable is empty.
- D. Check the state of the retrievedRecords variable and use System.assert(false) if the variable is empty

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 198

Which two practices should be used for processing records in a trigger? (Choose two.)

- A. Use a Setto ensure unique values in a query filter.
- B. Use (callout=true)to update an external system.
- C. Use a Mapto reduce the number of SOQL calls.
- D. Use @futuremethods to handle DML operations.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 199

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {
public override void makePayment(Decimal amount) { /*implementation*/ }
}
- B. Public class CreditCardPayment implements Payment {
public override void makePayment(Decimal amount) { /*Implementation*/ }
}
- C. Public class CreditCardPayment extends Payment {
public virtual void makePayment(Decimal amount) { /*implementation*/ }
}
- D. Public class CreditCardPayment implements Payment {
public virtual void makePayment(Decimal amount) { /*implementation*/ }
}

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 200

A developer wants to override a button using Visualforce on an object. What is the requirement?

- A. The controller or extension must have a PageReference method.

- B. The standardController attribute must be set to the object.
- C. The action attribute must be set to a controller method.
- D. The object record must be instantiated in a controller or extension.

Answer: ([SHOW ANSWER](#))

Explanation

NEW QUESTION: 201

Which annotation exposes an Apex class as a RESTful web service?

- A. HttpInvocable
- B. RestResource
- C. RemoteAction
- D. AuraEnabled

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 202

What is a key difference between a Master-Detail Relationship and a Lookup Relationship?

- A. A Master-Detail Relationship detail record inherits the sharing and security of its master record.
- B. When a record of a master object in a Master-Detail Relationship is deleted, the detail records are kept and not deleted.
- C. A Lookup Relationship is a required field on an object.
- D. When a record of a master object in a Lookup Relationship is deleted, the detail records are also deleted.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 203

Which three options allow a developer to use custom styling in a Visualforce page? (Choose three.)

- A. <apex:stylesheet> tag
- B. <apex:stylesheets>tag
- C. A static resource
- D. <apex:style>tag
- E. Inline CSS

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 204

A developer wants multiple test classes to use the same set of test data.

How should the developer create the test data?

- A. Reference a test utility class in each test class.
- B. Use the SeeAllData=true annotation in each test class.
- C. Create a Test Setup method for each test class.
- D. Define variables for test records in each test class.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 205

Universal Containers wants to assess the advantages of declarative development versus programmatic customization for specific use cases in its Salesforce implementation. What are two characteristics of declarative development over programmatic customization? Choose 2 answers


- A. Declarative development does not require Apex test classes.
- B. Declarative development has higher design limits and query limits.
- C. Declarative development can be done using the Setup UI.
- D. Declarative code logic does not require maintenance or review.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 206

A developer is building custom search functionality that uses SOSL to search account and contact records that match search terms provided by the end user. The feature is exposed through a Lightning web component, and the end user is able to provide a list of terms to search. Consider the following code snippet:

```
@AuraEnabled
public static List<List<sObject>> searchTerms(List<String> termList) {
    List<List<sObject>> result = new List<List<sObject>>();
    for(String term : termList) {
        result.addAll([FIND :term IN ALL FIELDS RETURNING Account(Name),
Contact(FirstName, LastName)]);
    }
    return result;
}
```



What is the maximum number of search terms the end user can provide to successfully execute the search without exceeding a governor limit?

- A. 2,000
- B. 200
- C. 20
- D. 150

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 207

Which requirement needs to be implemented by using standard workflow instead of Process Builder?

Choose 2 answers

- A. Send an outbound message without Apex code.
- B. Create activities at multiple intervals.

- C. Submit a contract for approval.
- D. Copy an account address to its contacts.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 208

The operation manager at a construction company uses a custom object called Machinery to manage the usage and maintenance of its cranes and other machinery. The manager wants to be able to assign machinery to different constructions jobs, and track the dates and costs associated with each job. More than one piece of machinery can be assigned to one construction job.

What should a developer do to meet these requirements?

- A. Create a lookup field on the Machinery object to the Construction Job object.
- B. Create a Master-Detail Lookup on the Machinery object to the Construction Job object.
- C. Create a lookup field on the Construction Job object to the Machinery object.
- D. Create a junction object with Master-Detail Relationship to both the Machinery object and the Construction Job object.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 209

What are two considerations for custom Apex Exception classes? Choose 2 answers.

- A. Constructor for custom Exceptions can only accept string values as arguments.
- B. Custom Exception class names must end with the word 'Exception'.
- C. Custom Exception classes must extend the base Exception class.
- D. Custom Exceptions cannot be extended by other Exception classes.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 210

What is a correct pattern to follow when programming in Apex on a Multi-tenant platform?

- A. Queries select the fewest fields and records possible to avoid exceeding governor limits.
- B. DML is performed on one record at a time to avoid possible data concurrency issues.
- C. Apex classes use the "with sharing" keyword to prevent access from other server tenants.
- D. Apex code is created in a separate environment from schema to reduce deployment errors.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 211

When loading data into an operation, what can a developer do to match records to update existing records? (Choose 2)

- A. Match an auto-generated Number field to a column in the imported file.
- B. Match the Id field to a column in the imported file.
- C. Match the Name field to a column in the imported file.
- D. Match an external Id Text field to a column in the imported file.

Answer: B,D ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 212

What is an accurate constructor for a custom controller named "MyController"?

- A. `public MyController (List objects) { accounts = (List) objects; }`
- B. `public MyController () { account = new Account () ; }`
- C. `public MyController (sObject obj) { account = (Account) obj; }`
- D. `public MyController (ApexPages.StandardController stdController) { account = (Account) stdController.getRecord(); }`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 213

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a LATEST formula on each of the latest availability date fields.
- B. Use a CEILING formula on each of the Latest availability date fields.
- C. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
- D. Use a Max Roll-Up Summary field on the Latest availability date fields.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 214

What are two benefits of the Lightning Component framework? (Choose two.)

- A. It simplifies complexity when building pages, but not applications.
- B. It provides an event-driven architecture for better decoupling between components.
- C. It promotes faster development using out-of-box components that are suitable for desktop and mobile devices.
- D. It allows faster PDF generation with Lightning components.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 215

A developer creates a method in an Apex class and needs to ensure that errors are handled properly. What would the developer use? (There are three correct answers.)

- A. Database.handleException()
- B. .addError()
- C. A custom exception
- D. A try/catch construct
- E. ApexPages.addErrorMessage()

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 216

In a single record, a user selects multiple values from a multi-select picklist. How are the selected values represented in Apex?

- A. As a String with each value separated by a semicolon
- B. As a String with each value separated by a comma
- C. As a List with each value as an element in the list
- D. As a Set with each value as an element in the set

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 217

Where are two locations a developer can look to find information about the status of asynchronous or future calls? (Choose two.)

- A. Time-Based Workflow Monitor
- B. Apex Flex Queue
- C. Apex Jobs
- D. Paused Flow Interviews component

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 218

A developer has created a Visualforce Page and Apex Controller that uses the With Sharing keyword.

The page will be used of by Sales Managers and should only display Accounts owned by Sales Representatives who report to the running Sales Manager. The organization-wide sharing for Accounts is set to Private. Which additional set of steps should the developer take?

- A. Create two Profiles, one Permission Set, and one Role.
- B. Create one Profile, two Permission Sets, and one Role.
- C. Create one Profile, one Permission Set, and two Roles.
- D. Create one Profile, one Permission Set, and one Role.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 219

A developer needs to import customer subscription records into salesforce and attach them to existing account records. Which 2 actions should the developer take to ensure the subscription records are related to the correct account records? Choose 2 answers

- A. Match an auto-number field to a column in the imported file
- B. Match the id field to a column in the imported file
- C. Match the name field to a column in the imported file
- D. Match an external ID text field to a column in the imported file

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 220

An org has a single account named 'NoContacts' that has no related contacts. Given the query: List<Account> accounts = [Select ID, (Select ID, Name from Contacts) from Account where Name='NoContacts']; What is the result of running this Apex?

- A. accounts[0].contacts is Null.
- B. accounts[0].contacts is an empty Apex.
- C. accounts[0].contacts is invalid Apex.
- D. A QueryException is thrown.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 221

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. The with sharing keyword must be used to enforce sharing rules.
- B. Lightning Data Service ignores field-level security.
- C. Lightning Data Service handles sharing rules and field-level security.
- D. The isAccessible () method must be used for field-level access checks

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 222

A developer has an integer variable called maxAttempts. The developer needs to ensure that once maxAttempts is initialized, it preserves its value for the length of the Apex transaction; while being able to share the variable's state between trigger executions. How should the developer declare maxAttempts to meet these requirements?

- A. Declare maxattempts as a constant using the static and final keywords
- B. Declare maxattempts as a private static variable on a helper class
- C. Declare maxattempts as a variable on a helper class
- D. Declare maxattempts as a member variable on the trigger definition.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 223

A developer needs to include a Visualforce page in the detail section of a page layout for the Account object, but does not see the page as an available option in the Page Layout Editor. Which attribute must the developer include in the <apex:page> tag to ensure the Visualforce page can be embedded in a page layout?

- A. Action="AccountId"
- B. Extensions="AccountController"
- C. Controller="Account"
- D. StandardController="Account"

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 224

What is a benefit of the Lightning Component framework? Choose 3 answers

- A. It uses an MVC architectural design pattern.
- B. It uses server-side JavaScript controller for logic.
- C. It uses a traditional publish-subscribe model.
- D. It uses an event-driven architecture
- E. It uses client-side Apex controllers for logic.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 225

A developer has the following code block:

```
public class PaymentTax {public static decimal SalesTax = 0.0875;} trigger  
OpportunityLineItemTrigger on OpportunityLineItem (before insert, before update) {PaymentTax  
PayTax = new PaymentTax();decimal ProductTax = ProductCost * XXXXXXXXXXXX;} To calculate  
the productTax, which code segment would a developer insert at the XXXXXXXXXXXX to make  
the value the class variable SalesTax accessible within the trigger?
```

- A. PayTax.SalesTax
- B. PaymentTax.SalesTax
- C. OpportunityLineItemTngger.SalesTax
- D. SalesTax

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 226

A developer tasked with creating a schema to track Movies, Actors, and contracts. A single movie can have many contracts and a single actor can have many contracts. Each contract is owned and actively managed by a single user. Which schema should be created to enable user to easily manage the contract they own; without requiring access to the movie or the actor records?

- A. A master detail relationship to the movie object and a lookup relationship to the actor object
- B. A lookup relationship to the movie object and a lookup relationship to the actor object

C. A master detail relationship to the movie object and a master detail relationship to the actor object

D. A lookup relationship to the movie object and a master detail relationship to the actor object

Answer: B ([LEAVE A REPLY](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 227

A developer is asked to create a PDF quote document formatted using the company's branding guidelines, and automatically save it to the Opportunity record.

Which two ways should a developer create this functionality? (Choose two.)

A. Create a visual flow that implements the company's formatting.

B. Create an email template and use it in Process Builder.

C. Install an application from the AppExchange to generate documents.

D. Create a Visualforce page with custom styling.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 228

What are two considerations for deciding to use a roll-up summary field? Choose 2 answer's partner.

A. Roll-up cannot be performed on formula fields that use cross-object references or on-the-fly calculations such as NOW().

B. Roll-up summary can be performed on formula fields, but if their formula contains an #Error result, it may affect the summary value.

C. Roll-up summary fields do not cause validation rules on the parent object unless that object is edited separately.

D. Roll-up cannot be performed on formula fields.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 229

Which resource can be included in a Lightning Component bundle? Choose 2 answers

A. Documentation

B. JavaScript

C. Apex class

D. Adobe Flash

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 230

In order to override a standard action with a visualforce page, which attribute must be defined in the

<apex:page> tag?

- A. Controller
- B. Standardcontroller
- C. Override
- D. Pagereference

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 231

Opportunity opp=[SELECT Id,StageName FROM Opportunity LIMIT 1]; Given the code above,how can a developer get the label for the StageName field?

- A. Call Opportunity.StageName.Label
- B. Call Opportunity.StageName.getDescribe().getLabel()
- C. Call Opp.StageName.Label
- D. Call Opp.StageName.getDescri

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 232

A Next Best Action strategy uses an Enchance Element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors. What is the correct definition of the Apex method?

- A. @InvocableMethod

```
global static ListRecommendation getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

- B. @InvocableMethod

```
global static List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

- C. @InvocableMethod

```
global List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

- D. @InvocableMethod

```
global Recommendation getLevel (ContactWrapper input)
{ /*implementation*/ }
```

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 233

What are two valid options for iterating through each Account in the collection List<Account> named AccountList? (Choose two.) for (Account theAccount : AccountList) {...}

- A. `i < AccountList.Size(); i++` {...}
- B. `for (List L : AccountList) {...}`
- C. `for(AccountList) {...}`
- D. `for (Integer i=0;`

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 234

A developer has the following requirements:

- * Calculate the total amount on an Order.
- * Calculate the line amount for each Line Item based on quantity selected and price.
- * Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements?

- A. Order has a Lookup field to Line Item and there can be many Line Items per Order.
- B. Line Item has a Master-Detail field to Order and the Master can be re-parented.
- C. Line Item has a Lookup field to Order and there can be many Line Items per Order.
- D. Order has a Master-Detail field to Line Item and there can be many Line Items per Order.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 235

A team of many developers work in their own individual orgs that have the same configuration at the production org. Which type of org is best suited for this scenario?

- A. Partner Developer Edition
- B. Developer Edition
- C. Developer Sandbox
- D. Full Sandbox

Answer: C (LEAVE A REPLY)

NEW QUESTION: 236

Universal Containers has large number of custom applications that were built using a third-party JavaScript framework and exposed using Visualforce pages. The Company wants to update these applications to apply styling that resembles the look and feel of Lightning Experience. What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.
- B. Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.
- C. Rewrite all Visualforce pages as Lightning components.
- D. Set the attribute enableLightning to true in the definition.

Answer: (SHOW ANSWER)

NEW QUESTION: 237

Before putting an app into production, which step should be taken?

- A. Insure that you have installed a performance introspection add-on
- B. Switch to a production database
- C. Scale your dynos
- D. Run the production check feature via the web interface

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 238

A developer is creating an application to track engines and their parts. An individual part can be used in different types of engines. What data model should be used to track the data and to prevent orphan records?

- A. Create a lookup relationship to represent how each part relates to the parent engine object.
- B. Create a junction object to relate many engines to many parts through a lookup relationship
- C. Create a junction object to relate many engines to many parts through a master-detail relationship
- D. Create a master-detail relationship to represent the one-to-many model of engines to parts.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 239

What should a developer use to fix a Lightning web component bug in a sandbox?

- A. VS Code
- B. Force.com IDE
- C. Developer Console
- D. Execute Anonumous

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 240

Assuming that 'name' is a String obtained by an <apex:inputText> tag on a Visualforce page.

Which two SOQL queries performed are safe from SOQL injections? Choose 2 answers

A. String query = '%' + name + '%';

List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];

B. String query = 'SELECT Id FROM Account WHERE Name LIKE \'%" + name + "%\'';

List<Account> results = Database.query(query);

C. String query = 'SELECT Id FROM Account WHERE Name LIKE \'%" + name.noQuotes() + "%\'';

List<Account> results = Database.query(query);

D. String query = 'SELECT Id FROM Account WHERE Name LIKE \'%" +

String.escapeSingleQuotes(name) + "%\'';

List<Account> results = Database.query(query);

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 241

Which three statements are true regarding trace flags? (Choose three.)

- A. Logging levels override trace flags.
- B. Trace flags can be set in the Developer Console, Setup, or using the Tooling API.
- C. If active trace flags are not set, Apex tests execute with default logging levels.
- D. Setting trace flags automatically cause debug logs to be generated.
- E. Trace flags override logging levels.

Answer: ([SHOW ANSWER](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam! BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 242

Which two queries can a developer use in a visualforce controller to protect against SOQL injection Vulnerabilities? Choose 2 answers

- A. String qryName = '%' + name '%'; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);
- B. String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);
- C. String qryName = '%' + String.enforceSecurityChecks(name)+ '%'; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);
- D. String qryName = '%' + String.escpaeSingleQuotes(name)+ '%'; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 243

A developer needs to create an audit trail for records that are sent to the recycle bin.

Which type of trigger is most appropriate to create?

- A. before delete
- B. after undelete
- C. after delete
- D. before undelete

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 244

A developer runs the following anonymous code block in a Salesforce org with 100 accounts List
acc=

```
{select id from account limit 10}; delete acc; database.emptyrecyclebin(acc);  
system.debug(limits.getlimitqueries()+','+Limits.getlimitDMLStatements());
```

 What is the debug output?

- A. 150, 100
- B. 10, 2
- C. 1, 2
- D. 100, 150

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 245

Which standard field is required when creating a new contact record?

- A. Name
- B. LastName
- C. AccountId
- D. FirstName

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 246

What is a valid Apex statement?

- A. Account[] acctList = new List{new Account()}
- B. Integer w, x, y = 123, z = 'abc',
- C. Map conMap = (SELECT Name FROM Contact);
- D. Private static constant Double rate = 775;

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 247

Which two number expressions evaluate correctly? (Choose two.)

- A. Long l = 3.14159;
- B. Integer l = 3.14159;
- C. Double d = 3.14159;
- D. Decimal d = 3.14159;

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 248

A developer needs to confirm that a Contact trigger works correctly without changing the organization's data. What should the developer do to test the Contact trigger?

- A. Use the New button on the Salesforce Contacts Tab to create a new Contact record.
- B. Use the Test menu on the Developer Console to run all test classes for the Contact trigger

- C. Use Deploy from the VSCode IDE to display an 'insert Contact' Apex class.
- D. Use the Open execute Anonymous feature on the Developer Console to run an 'insert Contact' DML statement

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 249

Which exception type cannot be caught?

- A. LimitException
- B. NoAccessException
- C. CalloutException
- D. Custom Exception

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 250

Which two Apex data types can be used to reference a Salesforce record ID dynamically?
(Choose two.)

- A. String
- B. ENUM
- C. sObject
- D. External ID

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 251

Which two examples above use the system. debug statements to correctly display the results from the SOQL aggregate queries? Choose 2 answers

- A. Example 1
- B. Example 2
- C. Example 3
- D. Example 4

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 252

In Lightning component framework, which resource can be used to fire events? Choose 2 answers.

- A. Javascript controller actions
- B. Visualforce controller actions
- C. Third-party Javascript code
- D. Third-party web service code

Answer: ([SHOW ANSWER](#))

Valid CRT-450 Dumps shared by BraindumpsPass.com for Helping Passing CRT-450 Exam!
BraindumpsPass.com now offer the **newest CRT-450 exam dumps**, the
BraindumpsPass.com CRT-450 exam **questions have been updated** and **answers have
been corrected** get the **newest** BraindumpsPass.com CRT-450 dumps with Test Engine
here: <https://www.braindumps.com/Salesforce/CRT-450-practice-exam-dumps.html> (**240**
Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)