

Salesforce.Heroku-Architect.v2025-08-11.q77

Exam Code:	Heroku-Architect
Exam Name:	Salesforce Certified Heroku Architect
Certification Provider:	Salesforce
Free Question Number:	77
Version:	v2025-08-11
# of views:	109
# of Questions views:	770
https://www.exam-tests.com/Heroku-Architect-exam/Salesforce.Heroku-Architect.v2025-08-11.q77.html	

NEW QUESTION: 1

A client is building a system that will sync data from multiple Salesforce orgs to a single Heroku Postgres database. This system also needs to push the synced data to an external data warehouse for analytics processing. Which solution meets all of the requirements in this scenario?

- A. Use Heroku Connect to synchronize data between the Salesforce orgs, the Heroku Postgres database and the external data warehouse
- B. Use Salesforce Connect to synchronize data between the Salesforce orgs and the Heroku Postgres database Use Heroku Connect to sync data between the Heroku Postgres database and the external data warehouse.
- C. Use Heroku External Objects to synchronize data between the Salesforce orgs and the Heroku Postgres database Use an ETL tool to push data from the Salesforce orgs to the external data warehouse.
- D. Use Heroku Connect to synchronize data between the Salesforce orgs and the Heroku Postgres database Use an ETL tool to push data from the Salesforce orgs to the external data warehouse.

Answer: D ([LEAVE A REPLY](#))

- <https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION: 2

What is a Heroku dyno?

- A. A specialized dinosaur monitoring service delivered from the cloud
- B. An on-prem server that you can install in a rack at your nearest co-location facility
- C. Your application code compiled and ready to be served to a variety of web clients
- D. A managed runtime container with a Linux operating system underneath

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Universal Export wants to build an app that serves company data. The data has no strong compliance requirements, and the app should only be reachable from trusted IP addresses. Which solution should an Architect recommend?

- A. Deploy the app in a Shield Private Space with a Shield-tier Heroku Postgres database
- B. Deploy the app in the Common Runtime with a Standard-tier Heroku Postgres database
- C. Deploy the app in a Private Space with a Private-tier Heroku Postgres database.
- D. Deploy the app in the Common Runtime with a Premium-tier Heroku Postgres database.

Answer: C (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 4

Universal Containers (UC) has a Heroku application that runs in Virginia, in the U.S., that uses Apache Kafka on Heroku. They have deployed a copy of the app in Asia. Now, both apps need a messaging backbone that will support multi-region distribution.

What is the least complex architecture that an Architect should recommend?

- A. Deploy a multi-region version of Apache Kafka on Heroku.
- B. Use Heroku's multi-tenant Kafka Basic plan.
- C. The app in Asia should write to the Kafka instance in Virginia.
- D. Provision a second Kafka add-on in Asia. Each instance of the app should sync with each other.

Answer: B (LEAVE A REPLY)

-<https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 5

A client requires that their web application's logs are accessible only from within the same isolated network as the application itself.

Which solution should an Architect recommend in this scenario?

- A. Deploy the application to a Private Space. Connect the Private Space to an on-premise logging system using VPN and specify it as a log drain.
- B. Deploy the application to a Private Space. Enable Internal Routing to prevent the application's logs from being forwarded outside of the Private Space.
- C. Deploy the application to a Shield Private Space with Private Space Logging enabled. Forward logs to a destination within the Shield Private Space.
- D. Deploy the application to a Private Space. Provide the Private Space's stable outbound IPs to Heroku's Logplex router to block all logs originating from the Private Space.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 6

Universal Containers (UC) has a front-end web application and a back-end service application running on Heroku. The applications are running in the Common Runtime. Now, UC wants to prevent any public access to the back-end application. Which two Heroku features should an Architect propose?

- A. Private Space VPN Connections
- B. Private Spaces DNS Service Discovery
- C. Heroku Internal Routing
- D. Apache Kafka on Heroku

Answer: A,B (LEAVE A REPLY)

- [https //devcenterherokucom/articles/dataclips](https://devcenter.heroku.com/articles/dataclips)

NEW QUESTION: 7

Universal Containers wants to ensure that Service Appointments are only assigned to Active Resources. What configuration should a Consultant recommend for the Scheduling Policy?

- A. Preferred Resources
- B. Match Fields
- C. Match Boolean
- D. Required Resources

Answer: C (LEAVE A REPLY)

NEW QUESTION: 8

How are languages, buildpacks, and slugs related?

- A. A slug and a buildpack are sandwiched together between several Heroku add-ons, and the result is a new open-source language.
- B. A buildpack knows how to compile code in a specific language down to a slug that runs on Heroku
- C. A language uses a slug to deploy buildpacks as a service across the entire Salesforce Platform.
- D. A slug is a shortened version of a language that compiles down into a buildpack

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

A client wants to use Heroku to build a data bridge between Salesforce and Google Cloud Platform (GCP).

Which combination of Heroku features should an Architect recommend to secure the connection between Heroku and GCP?

- A. Heroku Private Spaces and Private Space VPN Connections
- B. Heroku Shield Private Spaces and Internal Routing
- C. Heroku Shield Private Spaces and Heroku Shield Connect

D. Heroku Private Spaces and Private Space Peering

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Dispatchers at Universal Containers want to ensure the Resource being assigned to a Work Order has the correct training.

What should a Consultant implement to accomplish this requirement?

- A.** Define Skills, Set up Skill Requirements, and Set up Resource Skills
- B.** Set up Skill Requirements. Define Work Types. Set up Routing Rules
- C.** Set up Service Locations, Set up Location Skills. Define work Types
- D.** Define Work Types, Define Work Order Status. Set up Resource Skills

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 11

A healthcare services client is requesting an architecture for a set of applications: one is a marketing application, and the other two are of customer service applications that allow for customers to interact with their healthcare records. The marketing application must be able to scale up within seconds in response to traffic spikes. The client wants to be able to deploy each of these applications to the U.S. East Coast and EMEA.

Which applications should be deployed into which Heroku runtime?

- A.** The marketing application into Private Spaces; customer service applications into Shield Private Spaces
- B.** The marketing application into the Common Runtime; customer service applications into Shield Private Spaces
- C.** The marketing application into the Common Runtime; customer service applications into Private Spaces
- D.** The marketing application into Private Spaces; customer service applications into separate Private Spaces

Answer: **A** ([LEAVE A REPLY](#))

-<https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION: 12

A client is planning to deploy an application to Heroku. The client's IT department requires all applications to be hosted from Australia, where their main office is located. Regulators in Australia require keystroke logs of all engineers who create interactive sessions for the application.

Which should an Architect recommend in this scenario?

- A.** Deploy the application to a Private Space in the Sydney region with Internal Routing enabled.
- B.** Deploy the application to a Shield Private Space in the Sydney region.

C. Deploy the application to a Private Space in the Sydney region with Private Space Logging enabled.

D. Deploy the application to the Common Runtime in the Sydney region.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

Universal Containers wants to help their dispatches determine the length of time a Work Order should last.

What should the Consultant implement to help achieve this goal?

A. Operating Hours for Customer Accounts.

B. Work Orders with Operating Hours

C. Work Types with Service Level Agreement.

D. Work Types with an Estimated Duration.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which 2 architectures are enabled by using a single Private Space and the Internal Routing feature?

A. A microservices architecture that also uses DNS Service Discovery to facilitate communication

B. Multiple public-facing web apps with different sets of trusted inbound IP ranges

C. A single public-facing web app that performs network-isolated communication with multiple non-public-facing web apps.

D. Network-isolated communication between applications in the Private Space and applications in the Common Runtime

Answer: A,C ([LEAVE A REPLY](#))

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 15

A healthcare client is creating a web portal for their customers on Heroku, which is sourced from a Salesforce instance. Some of the Salesforce data they wish to display falls under HIPAA compliance, and their auditors have determined this data must be stored encrypted-at-rest. To satisfy this requirement, they have enabled Platform Encryption on Salesforce.

They are investigating Heroku Shield Private Spaces, Shield Dynos, Shield Postgres, and Shield Heroku Connect.

How will Shield Heroku Connect interact with the encrypted fields in Salesforce?

A. Shield Heroku Connect will be able to access only cypher text in the fields from Salesforce. They will need to import the encryption key from Salesforce to decrypt to store in Shield Postgres.

B. Shield Heroku Connect will be able to synchronize data from fields in Salesforce without additional customization, but any writes will need to be encrypted using the Salesforce encryption key first before being written.

C. Shield Heroku Connect requires customization on the Salesforce side to decrypt the data before transmitting to Heroku.

D. Shield Heroku Connect will be able to synchronize data bidirectionally without additional customization.

Answer: B (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strmgs>

NEW QUESTION: 16

Universal Containers wants to ensure that inventory needed for repair jobs is tracked and managed so Technicians have the material for their jobs.

Which two ways should a Consultant recommend tracking these inventory requirements in Salesforce?

(Choose two.)

A. Products Required for Work Orders

B. Products Required for Work Order Line Items

C. Products Required for ServiceResources

D. Products Required for Service Appointments

Answer: A,B (LEAVE A REPLY)

Valid Heroku-Architect Dumps shared by BraindumpsPass.com for Helping Passing Heroku-Architect Exam! BraindumpsPass.com now offer the **newest Heroku-Architect exam dumps**, the BraindumpsPass.com Heroku-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Heroku-Architect dumps with Test Engine here:

<https://www.braindumpsPass.com/Salesforce/Heroku-Architect-practice-exam-dumps.html> (172 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which 2 users can remove an application from a Heroku Enterprise Team?

A. An administrator of the Enterprise Team

B. A user with the "manage" permission for the app

C. A user with the "deploy" permission for the app

D. A user with the "operate" permission for the app

Answer: (SHOW ANSWER)

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 18

Universal Containers has an app deployed on Heroku that is now required to handle high-volume message processing. What should an Architect recommend to fulfill this new requirement?

- A. Create a custom buildpack
- B. Configure a Heroku button
- C. Provision an Apache Kafka on Heroku add-on
- D. Add Heroku Redis

Answer: C ([LEAVE A REPLY](#))

- <https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 19

Callouts from Salesforce to Heroku can be made using:

- A. Web sockets
- B. Message bus
- C. Corba
- D. Apex triggers or outbound messages

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 20

A client's Heroku application is publishing messages to an instance of Apache Kafka on Heroku.

What does a second Heroku application need to do to consume those messages?

- A. Subscribe to the Kafka partition(s) that the messages are being published to.
- B. Join a consumer group that also includes the publishing application.
- C. Subscribe to the Kafka topic(s) that the messages are being published to.
- D. Convert the publishing application into a stream processor.

Answer: A ([LEAVE A REPLY](#))

- <https://www.xloudkarafka.com/blog/2016-11-30-part1-kafka-for-beginners-what-is-apache-kafka.html>

NEW QUESTION: 21

Which two features of the Heroku platform require Private Spaces? Choose 2 answers.

- A. Automated Certificate Management
- B. Apache Kafka on Heroku
- C. Internal Routing
- D. Trusted IP ranges

Answer: ([SHOW ANSWER](#)**)**

-

<https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION: 22

Universal Containers wants to limit the total cost of their Heroku usage while they're getting started on the platform. To accomplish this, they are considering replacing certain add-ons with comparable open-source components, but the development team doesn't want to lose access to certain features that the add-ons provide.

Which option should an Architect recommend for reducing add-on costs without affecting feature availability?

- A. Remove aliases for high-cost add-ons.
- B. Share a single instance of a compatible paid add-on across multiple applications.
- C. Remove data store add-ons from the staging and development versions of the applications.
- D. Migrate add-ons to free plans.

Answer: C ([LEAVE A REPLY](#))

<https://devcenter.heroku.com/articles/heroku-connect-faq#can-j-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 23

A client wants to deconstruct a monolithic app into a collection of smaller apps which should be able to send HTTP requests to each other. The smaller apps should not be publicly accessible on the internet. Which Heroku Enterprise features should an Architect recommend to enable this architecture?

- A. Heroku and Apache Kafka on Heroku
- B. Heroku Connect and Internal Routing
- C. Heroku Private Spaces and Heroku Connect
- D. Heroku Private Spaces and Internal Routing

Answer: (SHOW ANSWER)

[-https://www.heroku.com/tech-sessions/get-started-wth-apache-kafka](https://www.heroku.com/tech-sessions/get-started-wth-apache-kafka)

NEW QUESTION: 24

Which two statements describe characteristics of Private Space Logging? (Choose two.)

- A. Log entries can be forwarded to only one logging service.
- B. Log entries can be forwarded to up to three logging services.
- C. Log entries are collated and forwarded by Heroku's Logplex router.
- D. Log entries are forwarded as HTTPS POST requests.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following is NOT an advantage of Salesforce Connect over ETL?

- A. If the origin is offline, the data is still available via Salesforce Connect.
- B. Standard protocols like OData can easily proxy external data into Salesforce.
- C. The data is always fetched on demand

D. Data security can be enforced using per-user or per-application authentication.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

A client is planning to deploy an application to Heroku. The client's IT department requires all applications to be hosted from Australia, where their main office is located. Regulators in Australia require keystroke logs of all engineers who create interactive sessions for the application.

Which should an Architect recommend in this scenario?

A. Deploy the application to a Private Space in the Sydney region with Private Space Logging enabled.

B. Deploy the application to a Shield Private Space in the Sydney region.

C. Deploy the application to a Private Space in the Sydney region with Internal Routing enabled.

D. Deploy the application to the Common Runtime in the Sydney region.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

Universal Containers has recently experienced a higher volume of traffic on their mobile app hosted on Heroku. When Universal Containers was running 4 standard-2x dynos with 1 GB RAM each, they encountered multiple H12 ("request timeout") errors. The app never consumed more than 800 MB of RAM.

They then switched to performance-m dynos, with 2.5 GB RAM, and set autoscaling to a maximum of 2 dynos. However, they still encountered H12 ("request timeout") errors.

What remediation should an Architect recommend to alleviate this problem?

A. Add a logging add-on from the Elements marketplace.

B. Move long-running tasks to worker dynos.

C. Replace autoscaling with a manual scaling option of 2.

D. Upgrade to performance-L dynos with 14 GB RAM.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Universal Containers has recently experienced a higher volume of traffic on their mobile app hosted on Heroku. When Universal Containers was running 4 standard-2x dynos with 1 GB RAM each, they encountered multiple H12 ("request timeout") errors. The app never consumed more than 800 MB of RAM. They then switched to performance-m dynos, with 2.5 GB RAM, and set autoscaling to a maximum of 2 dynos.

However, they still encountered H12 ("request timeout") errors.

What remediation should an Architect recommend to alleviate this problem?

A. Replace autoscaling with a manual scaling option of 2.

B. Upgrade to performance-L dynos with 14 GB RAM.

- C. Add a logging add-on from the Elements marketplace.
- D. Move long-running tasks to worker dynos.

Answer: (SHOW ANSWER)

NEW QUESTION: 29

Which of the following is NOT an advantage of data replication over data proxies?

- A. A replicated data set is always and immediately in sync with the origin data
- B. A replicated data set reduces data access latency.
- C. A replicated data set offloads processing and requests from an origin data server.
- D. A replicated data set supports bidirectional writes.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 30

Universal Containers provides prompt service and has multiple service levels (or different customers Over 50% of Service Appointments are created on the sameday they need to be completed As a result, a Technician's daily schedule can change multiple times throughout the day What method of dispatching should a Consultant recommend implementing?

- A. Automatically run Optimization Background Job every hour.
- B. Automatically change the status to Dispatched of all Service Appointments.
- C. Automatically Dispatch Service Appointments using Drip Feed.
- D. Automatically schedule unscheduled services to available Resources

Answer: A (LEAVE A REPLY)

NEW QUESTION: 31

To satisfy the requirements of an upcoming compliance audit, a client must provide a record of all interactive commands run against a production application in the last six months. Which Heroku feature should an Architect recommend to help with this use case?

- A. Heroku Shield keystroke logging
- B. Dataclips
- C. Private Space Logging
- D. SSH tunneling using Heroku Exec

Answer: A (LEAVE A REPLY)

-<https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

Valid Heroku-Architect Dumps shared by BraindumpsPass.com for Helping Passing Heroku-Architect Exam! BraindumpsPass.com now offer the **newest Heroku-Architect exam dumps**, the BraindumpsPass.com Heroku-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com

Heroku-Architect dumps with Test Engine here:

<https://www.braindumps-pass.com/Salesforce/Heroku-Architect-practice-exam-dumps.html> (172 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Universal Containers has an application running in the Common Runtime that uses Heroku Redis. The data in Heroku Redis needs to be accessed by a third-party application. Which connection method should an Architect recommend to ensure the security of the data as it moves from Heroku Redis to the third-party application?

- A. Use stunnel to secure the connection between Heroku Redis and the third-party application.
- B. Set up SSL Certificates on Heroku and the third-party application.
- C. Only allow access to Heroku Redis through an SSH connection.
- D. Set up both a VPN and a VPC between Heroku and the third-party application.

Answer: C (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/securing-heroku-redis>

NEW QUESTION: 33

Universal Containers collects sensor data from millions of sensors that are located around the World. Now, they want to process this data on Heroku. What are three advantages of using a microservices architecture with Apache Kafka on Heroku in this scenario? Choose 3 answers.

- A. Kafka is highly available and fault-tolerant
- B. Individual services can be scaled easily for high-volume event processing
- C. Consumers and producers can be scaled independently.
- D. Individual services can efficiently communicate with each other using REST APIs.

Answer: (SHOW ANSWER)

- <https://www.heroku.com/leech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 34

Universal Containers experienced an outage with their production Heroku Postgres database due to a fault with the underlying infrastructure. The database was unavailable for an hour. The database is on the Standard-0 plan.

Which two actions should an Architect recommend to mitigate such database failures and outages in the future? (Choose two.)

- A. Migrate the database to a Premium-tier plan.
- B. Migrate the database to a larger Standard-tier plan.
- C. Create a follower database that uses the same plan as the leader.
- D. Create a fork of the database that uses the same plan as the leader.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 35

A client wants to use Heroku Connect to sync data from a Heroku Postgres table to a Salesforce org. The client only needs to sync a specific subset of the rows in the table. How should this be performed?

- A.** Add a mapping filter to the table when setting up the sync, and select appropriate criteria from the list.
- B.** Filter the data in the database, and provide an alternative table or view for use in the sync.
- C.** Use the Heroku Connect Mapping Query Editor, and add filters to the query.
- D.** Place Sharing Rules on the records, and restrict visibility to only those rows that are needed.

Answer: D (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 36

Universal Containers (UC) has an app that allows a customer to schedule a compute-intensive job. It allows the customer to schedule the job on an ad-hoc basis. UC has decided to break up the app into the following services: - Website: an interface for their customers; - Billing: generates monthly invoices based on usage metrics; - Traffic Cop: manages the job queue, job definitions and job schedule; - Job Runner; runs jobs that Traffic Cop queues up. It is responsible for self-introspection and self-scaling. UC also wants to create a data lake for analytics. What foundational technology and design should an Architect use to manage communication between these services?

- A.** Apache Kafka on Heroku as a bus between all services. Create topics for billing, jobs, and website clicks. Create an additional service, which will subscribe for all topics, and dump every message into a data lake.
- B.** Heroku Redis, create a large Redis store. Allow each service to place messages with an agreed-upon format into a single queue, backed by the Redis store. Services listen for messages addressed to them and take action on them. Redis will serve as the data lake.
- C.** Heroku Connect and Salesforce Sync all relevant data into Salesforce and allow it to flow into each service. Create custom objects for each service and allow them to post to each others' objects as needed. Push data from Salesforce into Heroku Postgres for a data lake.
- D.** Apache Kafka on Heroku. Create a Kafka queue for each service. Create a central routing service that connects to all of the Kafka queues and routes data. The central router is attached to a data lake, and pushes every message into it.

Answer: (SHOW ANSWER)

- <https://devcenter.heroku.com/articles/private-spaces#private-ip-ranges>

NEW QUESTION: 37

Universal Containers (UC) recently acquired another company, International Shipping. Each company has its own Salesforce org, and UC wants those orgs to remain separate for the foreseeable future. Given this scenario, which Heroku feature should an Architect recommend to provide additional value to UC following the acquisition?

- A.** Heroku External Objects can expose read-only data from both Salesforce orgs to Heroku Postgres.
- B.** Both orgs can be attached to the same Heroku application as an add-on to ensure data residency in the application's region.
- C.** Heroku Connect can be used to synchronize data directly between the two Salesforce orgs.
- D.** A Heroku Postgres database can sync data from both orgs for advanced querying capabilities.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

A Client Service Representative (CSR) receives a call from a customer on Saturday. The CSR determines that the customer is covered, but the coverage is about to expire.

Which two upsell activities should the CSR consider? (Choose two.)

- A.** Open a Case and send email with new Service offerings.
- B.** Open a Case and inform Customer of weekend service pricing.
- C.** Open a Case and a renewal Opportunity for the Sales team.
- D.** Open a Case and create a Work Order for the Dispatch Team.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Universal Containers (UC) wants to better understand their service business and Field Service Technician teams' schedules. A Consultant suggested UC start to forecast and plan.

Which two abilities does forecasting and planning provide? (Choose two)

- A.** Proactively adjust Service Contracts
- B.** More accurately assign Work Orders based on skills.
- C.** Proactively adjust to demand fluctuations.
- D.** More consistently meet customer response times

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which Heroku feature allows you to deploy a real app complete with code, config, and add-ons already configured?

- A.** git push heroku master
- B.** Heroku Getting Started guides

C. Heroku Buttons

D. Heroku Deployment wizard

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 41

A client runs an application on a background worker dyno. The application allows its users to request personalized information as a PDF. At peak usage, the app processes millions of requests at once. The resulting number of requests has caused a bottleneck that is impacting its performance.

Which two solutions can an Architect recommend to resolve the bottleneck and improve performance? (Choose two.)

A. Move the application to a Private Space.

B. Add a CDN add-on from the Elements marketplace.

C. Increase the number of workers to consume the job faster.

D. Add Heroku Redis as a job queue.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 42

A hospital wants to build a mobile app that allows patients to check the status of submitted insurance claims, which the hospital stores in Salesforce Health Cloud. The app's back end will run on Heroku.

Which two measures should an Architect recommend to help ensure that the app is compliant with HIPAA? (Choose two.)

A. Ensure that the mobile app can only run when on the hospital's intranet, which is connected to the back end's Shield Private Space via VPN.

B. Ensure that the back-end application's code encrypts all claim data before writing it to a Heroku Postgres database.

C. Use Heroku Shield Connect to sync claim data from Salesforce to a Heroku Postgres database.

D. Use only Heroku Shield Postgres databases to store claim data outside of Salesforce Health Cloud.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Canvas apps can authenticate a user with:

A. Signed request

B. OAuth

C. Username and password

D. Either OAuth or signed request

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Universal Containers has a Heroku app that uses several third-party add-ons. They now need to enforce data privacy and be compliant with General Data Protection Regulation (GDPR).

What should an Architect advise UC regarding data residency in this scenario?

- A. Heroku support can configure add-ons for specific data residency needs.
- B. Heroku does not control where add-on providers store data.
- C. Heroku guarantees the physical location of its control surface APIs.
- D. Data residency for add-ons is covered under Salesforce's GDPR compliance.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

A customer's IT department will not allow VPN access through their on-premise gateway. Users need to be able to access trusted Heroku applications only when they are in the office. These applications are deployed to a Heroku Private Space.

Which two Private Spaces features should an Architect recommend to enable on-premise users to gain the access they need? (Choose two.)

- A. Internal routing
- B. Trusted IP ranges
- C. VPC peering
- D. Stable outbound IP addresses

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

What does a follower of Heroku Postgres leader database provide?

- A. A static snapshot of the leader
- B. A in-memory snapshot of the leader.
- C. A read-only replica of the leader.
- D. A writable replica of the leader.

Answer: C ([LEAVE A REPLY](#))

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

Valid Heroku-Architect Dumps shared by BraindumpsPass.com for Helping Passing Heroku-Architect Exam! BraindumpsPass.com now offer the **newest Heroku-Architect exam dumps**, the BraindumpsPass.com Heroku-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Heroku-Architect dumps with Test Engine here:

<https://www.braindumps.com/Salesforce/Heroku-Architect-practice-exam-dumps.html> (172 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Universal Containers (UC) has configured SSO for their Heroku Enterprise Team using an identity provider (IdP).

When a new employee joins the company, how should their Heroku account be created?

- A.** A Heroku account is created for the employee automatically the first time they log in to Heroku via SSO.
- B.** The employee should create a new Heroku account with the exact email address listed in their IdP record.
- C.** No account creation is required, because all SSO users in a particular Enterprise Team are associated with a single Heroku account.
- D.** An administrator of the Enterprise Team creates the Heroku account with the exact email address listed in the employee's IdP record.

Answer: A (LEAVE A REPLY)

<https://devcenter.heroku.com/articles/using-ss-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION: 48

Universal Containers (UC) has a Heroku Postgres database attached to a Heroku app, which is running in the Common Runtime.

What should an Architect recommend UC do to secure their database to only trusted locations?

- A.** Set up a VPC in a one-off dyno when access to Heroku Postgres is needed.
- B.** Set up a VPN from the trusted locations to the app.
- C.** Move the database and the app into the Private Space.
- D.** Add a Trusted IP range to the Heroku Postgres configuration.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 49

Which three resources can be found in the Heroku Elements Marketplace? (Choose three.)

- A.** Buildpacks
- B.** Heroku Stacks
- C.** Docker image files
- D.** Add-ons
- E.** Heroku Buttons

Answer: (SHOW ANSWER)

NEW QUESTION: 50

An app has two web dynos, Dyno A and Dyno B.

The app receives a request, which is routed to Dyno A.

A second request is sent from the same client. Which Dyno is the request routed to?

- A. The request is routed to Dyno A if it has finished handling the first request
- B. The request is routed randomly to Dyno A or Dyno B
- C. The request is definitely routed to Dyno A.
- D. The request is definitely routed to Dyno B.

Answer: B ([LEAVE A REPLY](#))

- <https://devcenter.heroku.com/articles/internal-routing>

NEW QUESTION: 51

A customer wants to sync data between their Salesforce org and Heroku Postgres. Which two limitations should an Architect remember when recommending Heroku Connect? (Choose two.)

- A. Heroku Connect can only access fields and objects that its associated Salesforce integration user can access.
- B. Heroku Connect cannot sync custom objects.
- C. Heroku Connect does not provide an API.
- D. Heroku Connect does not support all Salesforce objects and fields.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

UniversalContainers (UC) has an on-premise application for reporting damage to their shipments. They want to migrate the application to Heroku. The damage reporting process includes uploading one or more pictures to the application which temporarily stores them on the local system. After the report is submitted, a case is created in UC's Salesforce org for processing, and the images are deleted from the file system. The application's configuration is read from environment variables that are specified in the system user's profile.

The application writes its logs to rotating files using an open-source library. Which two recommendations should an Architect make to ensure that the application runs correctly on Heroku? Choose 2 answers.

- A. Load the application's configuration from its source code instead of using environment tables
- B. Use an external object storage service for temporary image uploads
- C. Run the application in a Private Space to enable communication with UC's Salesforce org
- D. Write logs to stdout instead of writing them to the file system

Answer: ([SHOW ANSWER](#))

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION: 53

Callouts in Apex trigger support which authentication mechanisms:

- A. Pre-shared keys
- B. username and password credentials
- C. OAuth flows using named credentials in the Remote Site settings
- D. All of these

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Universal Containers needs to integrate three separate apps: a Salesforce app, an app developed to Heroku, and a custom-built app hosted on-premise. Each app needs to send and receive data from any of the other apps.

Which two integration options should an Architect recommend that can connect all three systems in a fire-and-forget pattern? Choose 2 answers.

- A. Publish and subscribe to Salesforce platform events
- B. Use Heroku External Objects as a data proxy
- C. Use Heroku Connect to synchronize all systems with Heroku Postgres
- D. Publish and subscribe to topics on Apache Kafka on Heroku

Answer: A,D ([LEAVE A REPLY](#))

-<https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION: 55

Universal Containers has noticed that with every new product release there is a rise in customer reported Cases and a decrease in first-time fix-rate.

Which two recommendations should a Consultant make? (Choose two.)

- A. Publish pre-release documentation on the Customer Community.
- B. Increase training to Field Service Technicians
- C. Increase training to Sales Representatives.
- D. Publish training documentation in a closed Chatter group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Universal Containers is building a new marketing website on Heroku.

They want to capture user information on the site and have that data flow into Salesforce for followup.

Which Heroku features should an Architect recommend to accomplish this?

- A. Heroku Dataclips and the Heroku Platform API.
- B. Heroku Conned and Heroku Postgres.
- C. HeroKu Private Spaces and Private Space Peering.
- D. Heroku Redis and Heroku Teams.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

A client wants to perform complex processing on large data sets in Salesforce. The data is confidential, but it does not have advanced compliance requirements.

What Heroku Enterprise features should an Architect recommend in this scenario?

- A. Shield Private Spaces and Heroku External Objects
- B. Private Spaces and Heroku Connect
- C. Private Spaces and Heroku External Objects
- D. Shield Private Spaces and Heroku Shield Connect

Answer: D (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/heroku-postgresql#data-residency>

NEW QUESTION: 58

Universal Containers uses Heroku Connect to sync their Salesforce org's data with Heroku Postgres.

Periodically, they write a very large set of changes that needs to be fully replicated between these two systems.

Which two sets of actions should an Architect propose? (Choose two.)

- A. Make the changes directly in Heroku Postgres. Then allow Heroku Connect to use the Bulk API to sync them to the Salesforce org.
- B. Make the changes directly in Heroku Postgres. Then allow Heroku Connect to expose them to the Salesforce org using Heroku External Objects.
- C. Pause Heroku Connect then make the changes directly in the Salesforce org. Then allow Heroku Connect to use the Salesforce Bulk API to sync them to Heroku Postgres.
- D. Use Data Loader to write the changes to the Salesforce org. Then allow Heroku Connect to sync them to Heroku Postgres.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 59

Universal Containers has 3 Heroku apps in its microservices and requires that logs for all of the apps be stored in the same location for analysis and alerting purposes. How would they achieve this?

- A. Send logs from each app to their own Heroku redis Store, and then combine all logs in a fourth master store.
- B. Set up the 3 apps as producers for Apache Kafka on Heroku and save their logs to Kafka
- C. Set up a file on the filesystem and share it with all the apps
- D. Install a logging add-on for one app and attach it to the other two apps

Answer: B (LEAVE A REPLY)

-

<https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 60

Which Is an effect of "locking" an application that belongs to a Heroku Enterprise Team?

- A. New members of the Enterprise Team are granted no automatic permissions for the application.
- B. The application cannot be deployed until is unlocked.
- C. Members of the Enterprise Team cannot be granted new permissions for the application until it's unlocked.
- D. Members of the Enterprise Team who are not administrators have their permissions for the application revoked.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 61

A client is writing a Heroku application that requires compliance with PCI DSS Level 1. To accomplish this, they deploy an application to the Shield Private Space. Which statement is true about the application?

- A. The application might still violate PCI DSS Level 1 even though it is deployed to a Shield Private Space
- B. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1, assuming the application uses only Shield Postgres databases
- C. The application is definitely not compliant with PCI DSS Level 1. because Shield Private Spaces do not provide compliance with it.
- D. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1

Answer: A (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/usjng-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

Valid Heroku-Architect Dumps shared by BraindumpsPass.com for Helping Passing Heroku-Architect Exam! BraindumpsPass.com now offer the **newest Heroku-Architect exam dumps**, the BraindumpsPass.com Heroku-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Heroku-Architect dumps with Test Engine here:

<https://www.braindumpspass.com/Salesforce/Heroku-Architect-practice-exam-dumps.html> (172 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

A company currently uses, and will continue to use, the MulesoftAnypoint Platform integration throughout their architecture. They want to use Heroku Connect to help them

integrate Heroku apps with Salesforce apps. What is a benefit of introducing Heroku Connect in this environment?

- A.** Heroku Connect provides Salesforce a bidirectional synchronization between Platform Events on Salesforce and Apache Kafka on Heroku
- B.** Heroku Connect provides Mulesoft an endpoint that is easily consumable by a back-end integration tool
- C.** Heroku Connect provides Salesforce a declarative bidirectional synchronization with Postgres and data proxy capability via Heroku Connect External Objects.
- D.** Heroku Connect has a Microsoft connector for access to Heroku Postgres Heroku Redis, and Apache Kafka on Heroku

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 63

Universal Containers would like to report on the volume of products installed within a specific timeframe. What solution will help meet the customer's requirement?

- A.** Utilize the standard "Installation Date" field on Asset.
- B.** Utilize Field History Tracking on Asset.
- C.** Utilize a Work Order related list on Asset
- D.** Utilize a custom "Installation Date" field on Asset

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

Universal Containers has a Heroku app that uses Heroku Connect to sync data with their Salesforce org. The app makes frequent updates to the same records over short period of time, and sync speeds have begun to worsen. An Architect recommends using Heroku Connect's Merged Writes algorithm to improve sync speeds.

What are 2 implications of using the Merged Writes algorithm in this scenario?

- A.** Relationships such as circular dependencies are known to cause issues.
- B.** The Merged Writes algorithm does not support using Salesforce SOAP API
- C.** The Merged Writes algorithm is more likely to approach Salesforce API rate limits.
- D.** The Merged Writes algorithm does not support using the Salesforce Bulk API.

Answer: ([SHOW ANSWER](#)**)**

-

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION: 65

What set of configurations make up Scheduling Policies and let companies adhere to their business constraints and preferences?

- A.** Service Contracts and Service Levels
- B.** Service Objectives and Work Rules

- C. Service Levels and Work Rules
- D. Service Objectives and Work Types

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

The Heroku CLI give you the ability to:

- A. Leverage the most powerful interface in the galaxy to have complete control over a fully operational battle station
- B. Make a mean cup of Java
- C. Use Heroku with an expressive and powerful toolset on the command line
- D. Install your own Heroku instance on to your on-prem servers

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

Universal Containers is developing a Salesforce app that invokes a Heroku app's web service, which asynchronously generates customer invoices. The Heroku app is deployed to a Private Space. When an invoice is ready, the Heroku app sends a POST request to the Salesforce REST API. Which two options should an Architect recommend to ensure that neither the Salesforce nor the Heroku app is accessible from the public internet?

Choose 2 answers.

- A. Restrict the Private Space's trusted IP range to Salesforce IP addresses
- B. Restrict the Private Space's trusted IP range to Universal Containers' VPN
- C. Restrict the Salesforce connected app's login IP ranges to Universal Containers' VPN
- D. Restrict the Salesforce connected app's login IP ranges to the stable outbound IP addresses of the Private Space

Answer: A,D ([LEAVE A REPLY](#))

- This is no VPN connection and a trusted IP range is used to limit the trusted outside application's IP address And there is document related to this use case:

<https://devcenter.heroku.com/articles/establish-trust-private-space-and-salesforce#salesforce-heroku-apps>

NEW QUESTION: 68

Upon arrival for a Service Appointment, theField Service Technician reports that a team of people is required to resolve the issue.

How can theDispatcher ensure that the required staff is assigned to the project?

- A. Assign the existing Service Appointment to a Crew.
- B. Assign the existingWork Order to a Crew.
- C. Assign the existing WorkOrder to each staff member
- D. Create a new Service Appointment and assign a Crew.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Part of a client's design is the ability to easily share between two applications running on Heroku.

What should an Architect recommend?

- A.** Provision Heroku Connect to sync the data into a custom object in Salesforce.
- B.** Create Foreign Data Wrappers to expose the tables from one database to another.
- C.** Attach a single storage add-on, such as Heroku Postgres, to both applications.
- D.** Provision Apache Kafka on Heroku to easily stream the data between the two apps.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

How does Heroku Connect work with Salesforce authentication?

- A.** OAuth provides Heroku Connect with API tokens after the user authorizes the Heroku Connect application on Salesforce
- B.** A single integration user's credentials are stored.
- C.** The end user of a Heroku app authorizes Heroku Connect via OAuth.
- D.** SAML authorizes Heroku Connect to make API calls

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which Heroku features should an Architect recommend to create a secure connection between Heroku and Microsoft Azure?

- A.** Heroku Private Spaces and Private Space VPN Connections, using Azure's built-in VPN endpoint.
- B.** Heroku Private Spaces and Private Space VPN Connections, using a compatible VPN endpoint on Azure
- C.** Heroku Shield Private Spaces and Internal Routing, using Azure's built-in VPN endpoint
- D.** Heroku Private Spaces and Private Space Peering, using Azure's VPC Peering.

Answer: B ([LEAVE A REPLY](#))

- <https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION: 72

A financial reporting application, hosted on an on-premise server, uses a native library (wkhtmltopdf) to convert its HTML reports into PDFs. The app is being migrated to Heroku.

What option should an Architect recommend to enable the Heroku application to use wkhtmltopdf?

- A.** Install the dependency using `sudo apt install wkhtmltopdf` from `.profile` in the project root.
- B.** Use a custom buildpack to install wkhtmltopdf using apt.

C. Ensure that the Heroku app fetches the wkhtmltopdf library from cloud storage on dyno restart.

D. Continue to host wkhtmltopdf on-premise, and build a REST API so the library can be invoked from the Heroku app.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

Universal Containers wants to help their dispatches determine the length of time a Work Order should last. What should the Consultant implement to help achieve this goal?

A. Operating Hours for Customer Accounts.

B. Work Types with Service Level Agreement.

C. Work Types with an Estimated Duration.

D. Work Orders with Operating Hours

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

Universal Containers runs an application in a Private Space in the Frankfurt region. The majority of the application's users (based in Asia) are reporting issues related to high latency. What should an Architect recommend to remediate this issue cost-effectively?

A. Add the Tokyo region to the existing Private Space. Update the application's configuration to move it to Tokyo region.

B. Deploy the application to the Common Runtime and select Tokyo as the region. Delete the existing Private Space.

C. Create an additional Private Space in the Tokyo region. Deploy an additional instance of the application to the region.

D. Create a new Private Space in the Tokyo Region, and deploy the application to the region. Delete the existing Private Space.

Answer: D ([LEAVE A REPLY](#))

-

<https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION: 75

A client currently runs a Ruby script in a one-off dyno each time they deploy their Go application to Heroku. The development team wants the script to be executed before the application is deployed because it performs necessary database migrations. Which approach should an Architect recommend?

A. Modify the Go buildpack to install Ruby, and run the script from the `_profile`

B. Convert the Ruby release script to Go and execute it on application startup

C. Use both Go and Ruby language buildpacks, and run the Ruby script with release phase

D. Define different process types for the Ruby script and the Go application in the app's Profile.

Answer: C (LEAVE A REPLY)

- There are many scenarios in which a single buildpack is not sufficient when building an application. This includes cases when you need to: Run a buildpack for each language your app uses For example, run a JavaScript buildpack for assets and a Ruby buildpack for your application Run a daemon process such as pgbouncer with your application. Pull in system dependencies with apt. You can check the following for more information: <https://devcenter.heroku.com/articles/using-multiple-buildpacks-for-an-app>

NEW QUESTION: 76

A client wants to create a secure network connection between Heroku applications running in a Private Space and an AWS VPC.

Which Heroku feature should an Architect recommend to create the connection?

- A. Private Space Peering
- B. Internal Routing
- C. Private Space VPNconnections
- D. Heroku Connect

Answer: C (LEAVE A REPLY)

Valid Heroku-Architect Dumps shared by BraindumpsPass.com for Helping Passing Heroku-Architect Exam! BraindumpsPass.com now offer the **newest Heroku-Architect exam dumps**, the BraindumpsPass.com Heroku-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Heroku-Architect dumps with Test Engine here:

<https://www.braindumpspass.com/Salesforce/Heroku-Architect-practice-exam-dumps.html> (172 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

A client has a data in a SAP data store. The client uses Heroku External Objects to expose Heroku Postgres tables in their Salesforce org. They want to perform custom transformations on the SAP data and then expose the transformed data in their Salesforce org. Which solution should an Architect recommend?

- A. Use Salesforce Connect to perform any necessary transformations on the SAP data and sync the transformed data to the Salesforce org.
- B. Use Heroku Connect to sync the SAP data to Heroku Postgres and then perform any necessary transformations Ensure the transformed data is in a table that is exposed in the Salesforce org.

C. Use an ETL tool to sync the SAP data to Heroku and then perform any necessary transformations.

Ensure the transformed data is in a table that is exposed in the Salesforce org.

D. Perform in-place transformations on the data in SAP and then use Heroku Connect to sync the SAP data to Heroku Postgres. Ensure the transformed data is in a table that is exposed in the Salesforce org.

Answer: ([SHOW ANSWER](#))

- <https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

Valid Heroku-Architect Dumps shared by BraindumpsPass.com for Helping Passing Heroku-Architect Exam! BraindumpsPass.com now offer the **newest Heroku-Architect exam dumps**, the BraindumpsPass.com Heroku-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Heroku-Architect dumps with Test Engine here:

<https://www.braindumpspass.com/Salesforce/Heroku-Architect-practice-exam-dumps.html> (172 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)