

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-03-05.q75

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	75
Version:	v2022-03-05
# of views:	2448
# of Questions views:	750
https://www.exam-tests.com/Tableau-CRM-Einstein-Discovery-Consultant-exam/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-03-05.q75.html	

NEW QUESTION: 1

Is there a need for a separate Permission Set Licence for an Analytics app?

- A. Yes
- B. No

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

Insights in a story show you how different variables and combinations of variables explain the variation of what kind of variable?

- A. Explanatory variable
- B. Outcome variable
- C. Global variable
- D. Local variable
- E. Tertiary variable

Answer: B ([LEAVE A REPLY](#))

Reference:

When you configure the story, you tell Einstein Discovery to maximize/minimize the variable. The variable is 'outcome variable' in your story

NEW QUESTION: 3

After getting approval of the dashboard layout design for a desktop, the Einstein Analytics consultant is ready to start the design process for a mobile layout.

What are three considerations that the consultant should keep in mind when developing the layout? Choose 3 answers

- A. If no layouts are eligible for the mobile device, the first defined layout is used. (Missed)
- B. If no layouts are eligible for the mobile device, an error message will be displayed.
- C. If more than one layout is eligible, the one with the most device properties set is used. If there is a tie, the most recently defined layout is used. (Missed)
- D. A layout for mobile is eligible for use when the device meets all the device properties set in the Layout panel.

E. There are widgets that cannot be displayed on mobile layouts.

Answer: A,C,D (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_dashboard_designer_basics/wave_take_analytics_on_the_go

NEW QUESTION: 4

Exhibit:



A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- B. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled
- C. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled
- D. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled

Answer: C (LEAVE A REPLY)

NEW QUESTION: 5

How do you post to Chatter from a Sales Wave dashboard?

- A. Open the Actions menu for an opportunity or account and select Post
- B. Select Post to Chatter from the Actions drop-down at the top of the dashboard
- C. Send an email to a team member with "chatter:" in the subject line
- D. Right click any bar and type your message

Answer: A (LEAVE A REPLY)

NEW QUESTION: 6

A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Ensure the user has the Use Analytics permission.
- B. Assign the Manager role to the user.
- C. Assign the Editor role to the user.

D. Assign the Viewer role to the user.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

What are two main steps for creating a dataset?

- A. Run and monitor
- B. Extract and prepare
- C. Plan and map
- D. Build and explore

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

A consultant created an Einstein Analytics dashboard in a sandbox. Now, the dashboard needs to be migrated into production.

To complete the migration, what are the consultant's three options? Choose 3 answers

- A. Ant Migration Tool
- B. Analytics External Data API
- C. Analytics REST API
- D. Change sets
- E. Analytics dashboard connector

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_explore_packaging_intro.htm&type=0

NEW QUESTION: 9

Which Einstein Analytics asset or assets are created when using an App Template to create an app?

- A. The app, dataflows and datasets, and dashboards
- B. An empty app
- C. The app, dataflows and datasets, and users
- D. The app, dataflows and datasets, dashboards, and permission sets

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

To use the Sales Analytics app, which permission set license do you need?

- A. Sales Wave
- B. Sales Analytics Apps
- C. Analytics Templated Apps
- D. Security User

Answer: B ([LEAVE A REPLY](#))

Reference:

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select "Service Analytics Apps." For Event Monitoring, select "Event Monitoring Analytics Apps," and so on.

NEW QUESTION: 11

A consultant is working with the client to define goals and metrics for an app that will be built. The consultant decides to base the dashboards on personas and is in the design phase prior to starting the actual build.

Which two design considerations should be determined at this time? Choose 2 answers

- A. Which fonts to use for headers and body text
- B. Which charts to use to best support the defined goal
- C. How many charts should be allowed on a single dashboard
- D. Which colors to use and how to use them

Answer: B,D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5

NEW QUESTION: 12

An Einstein Analytics team created a funnel chart to show the number of opportunities in each stage. The managers who use the chart report that the funnel shows stages in alphabetical order instead of sales cycle order.

In which two ways can a consultant help them address this issue? Choose 2 answers

- A. Use a dashboard JSON to rename stages.
- B. Use a dataflow to sort the stages by their internal name.
- C. Use a dataset XMD to rename stages.
- D. Use a dataflow to rename the stages with a preceding number.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 13

Creating an Einstein Discovery story involves:

- A. Entering notes about the data
- B. Copying text from company reports and pasting into Einstein Discovery
- C. Uploading a Microsoft PowerPoint presentation
- D. Selecting a Dataset in Einstein Analytics, then clicking Create Story

Answer: (SHOW ANSWER)

NEW QUESTION: 14

Which three things can be done with the Einstein Analytics Dashboard Inspector? Choose 3 answers

- A. Get a list of recommendations on how to improve the performance of the dashboard.
- B. Automatically remove bottlenecks to make queries run faster.
- C. See the final query for each step along with query results.
- D. View all queries and the time it took to run each one.
- E. View the total time required to run all queries.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 15

A consultant built a very useful Einstein Analytics app for Sales Operations and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

What is the REST API URL where the consultant can find current template apps?

- A. /services/data/v##.#/wave/templates
- B. /services/data/v##.#/analytics/projects
- C. /services/data/v##.#/analytics/wizard
- D. /services/data/v##.#/wave/apps

Answer: C (LEAVE A REPLY)

NEW QUESTION: 16

A large company is rolling out Einstein Analytics to their field sales. They have a well-defined role hierarchy where everyone is assigned to an appropriate node on the hierarchy.

An individual Sales rep should be able to view all opportunities that she/he owns or as part of the account team or opportunity team. The Sales Manager should be able to view all opportunities for the entire Sales team. Similarly, the Sales Vice President should be able to view opportunities for everyone who rolls up in that hierarchy.

The opportunity dataset has a field called 'OwnerId' which represents the opportunity owner.

Given this information, how can an Einstein Consultant implement the above requirements?

- A. As part of the dataflow, use the flatten operation on the role hierarchy and create a multivalue attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" || TeamMember.Id == "\$User.Id" || 'OwnerId' == "SUser.Id".
- B. As part of the dataflow, use computeExpression on the RoleId field to create an attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" || 'OwnerId' == "\$User.Id".
- C. As part of the dataflow, use the flatten operation on the role hierarchy and create a multivalue attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" && 'OwnerId' == "SUser.Id".
- D. As part of the dataflow, use computeRelative on the RoleId field to create an attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" || 'OwnerId' == "\$User.Id".

Answer: (SHOW ANSWER)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 17

Which three parameters are used in a compare table formula field to calculate and display a field as percentage value? Choose 3 answers

- A. Column Name
- B. Column Color

- C. Length
- D. Calculation
- E. Format

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 18

The edgemart transformation gives the dataflow access to an existing, registered dataset that can contain Salesforce data, external data, or a combination of both.

Where is an edgemart transformation specified?

- A. Dataflow Editor
- B. Recipes Editor
- C. Step Editor
- D. Settings

Answer: A ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_edgemart_transformation.htm&type=5

NEW QUESTION: 19

What does XMD stand for?

- A. Configuring unsupported fields
- B. Extended Metadata
- C. Lenses Dataset Fields
- D. Create a JSON

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

A client has a dataset comprised of Opportunity data and Opportunity Line level data. The client wants to use this dataset with Einstein Discovery to understand the Opportunity win rate.

What must be done to the dataset to achieve this goal?

- A. Click Create Story and Einstein will take care of the rest.
- B. Filter to only look at isWon = True records to avoid skewing the results.
- C. Select the isWon = True outcome variable and generate the story.
- D. Change the grain by removing the line level detail as it will skew the win rate.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Avoid using conditional formatting.
- B. Check if any steps can be reused for multiple purposes.

C. Split the steps and charts into different pages in a dashboard.

D. Replace AggregateFlex steps with SAQL steps.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 22

Exhibit:

2	X00002	SOUTH	01/01/2018	100
3	X00003	-	01/02/2018	200
4	X00004	SOUTH	01/02/2018	100
5	X00005	SOUTH	01/03/2018	0
6	X00006	EAST	01/03/2018	100
7	X00007	NORTH	01/04/2018	0
8	X00008	-	01/04/2018	100
9	X00009	SOUTH	01/05/2018	500
10	X00010	EAST	01/05/2018	200
11	X00011	WEST	01/06/2018	700
12	X00012	EAST	01/06/2018	200

A shipping company created a dataset. "BookII," containing budget per region per month for the first six months of 2018. The dataset is shown in the graphic. Now, they want to create a lens showing the total budget for each region for each month. Every combination of region and month must be shown in the lens, even if there is no data.

How can an Einstein Consultant help this company build this lens?

A. Use a "Compare Table" and add a column leveraging the "Running Total" function.

B. Use a SAQL query to create fake rows for any data that is missing data from the dataset.

C. Use a SAQL query leveraging the "fill" statement with a "partition" parameter.

D. Use a "Compare Table" and use the "Show summary" option.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

How many groupings can you have in a Compare Table?

A. None

B. Up to four

C. Infinite

D. One

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

A. Records from a Salesforce object

B. Existing datasets

- C. Dataset lens
 - D. Connected data(Synced)
- Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Can you share data from a widget?

- A. No, you can't share data from a widget.
- B. Select the step of the widget and share data.
- C. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.
- D. Only with the proper Einstein Analytics Platform license.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What is an appropriate response when a client is disappointed that Einstein Discovery only detected patterns that were already known?

- A. Highlight that Einstein reduces time to insight, which is much faster than learning from experience.
- B. Advise them that the use case may not be accurate.
- C. Remind them that the technology is only as good as the data.
- D. Recommend using a visualization tool, like Einstein Analytics, to uncover the details.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

In the Insights list, insights are ranked in what order?

- A. Alphabetical
- B. Geospatial
- C. Statistical significance
- D. Time
- E. There is no order

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

The Event Monitoring Analytics app brings prebuilt insights and analytics to what type of existing data in your org?

- A. Event log file data
- B. Forensics data
- C. Field audit trail data
- D. Sales Cloud data Login

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Permissions of which 2 internal users are used by Analytics to gain access to Salesforce data?

- A. Analytics uses the permissions of the Integration User to extract data from Salesforce objects and fields when a dataflow job runs.
- B. Each user has a corresponding Profile assigned (Analytics Cloud Integration User and Analytics Cloud Security User profiles).

C. When you query a dataset that has row-level security based on the User object, Analytics uses the permissions of the Security User to access the User object and its fields.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 30

A consultant is asked to configured a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Assign the Editor role the user
- B. Assign the view role to the user
- C. Ensure the user has the Analytics permission
- D. Assign the Manager role the user

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

Which security option is not available in Einstein Analytics for securing datasets?

- A. Inherited security
- B. App level security
- C. Field-level security
- D. Row-level security with security predicates

Answer: C (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 32

Benito has Viewer access to a new Einstein Analytics app. He wants to build and edit a dashboard using the Seed Bank dataset in this new app. What must an admin do for Benito to do this?

- A. Grant Benito access to all datasets in the org.
- B. Assign Benito a permission set that contains the permission: Create and Edit Analytics Dashboards.
- C. Assign Benito a permission set that contains the permission: Create and Manage Analytics Apps.
- D. Grant Benito access to the app that contains the Seed Bank dataset and assign him a permission set that contains the Create and Edit Analytics Dashboards permission.

Answer: (SHOW ANSWER)

NEW QUESTION: 33

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- A. Manager
- B. Viewer
- C. Editor
- D. Designer

Answer: C ([LEAVE A REPLY](#))

Reference:

Save changes to existing dashboards, lenses, and datasets in the app (saving dashboards requires the appropriate permission set license and permission) available in Editor and Manager*##**##*

NEW QUESTION: 34

Which set of statements generates monthly amount on a cumulative basis annually?

- A)
- B)
- C)
- D)
- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Universal Containers (UC) is a multinational company that utilizes Salesforce and has a variety of internal systems. UC uses Einstein Analytics for their data analysis platform and they want to automate their weekly manual process to create a dataset from their on-premise data warehouse.

Which solution should a consultant recommend to meet this requirement?

- A. Utilize a Salesforce weekly export feature
- B. Utilize a dataflow
- C. Utilize middleware with Analytics External Data API
- D. Utilize Analytics Connector.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Load the data as a CSV file.
- B. Use the Analytics External Data API.
- C. Use Oracle database connector.
- D. Use the Salesforce SOAP interface.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 37

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Add more data to the dataset.
- B. Normalize the margin by product group.
- C. Run separate stories for each region.
- D. Eliminate extreme values in the dataset.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

Why are insights in the Unrelated category important?

- A. They explain how interaction terms affect the outcome.
- B. They explain everything about the outcome.
- C. They aren't important. Hence the name, Unrelated.
- D. The outcome might not have much to do with related variables. It might have more to do with global effects.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

Yasmine wants to create a lens with the Seed Bank Orders dataset, but she currently doesn't see any rows in the dataset. Since Yasmine is Hadiqa's manager, Yasmine asks Hadiqa if she's experiencing the same problem, but Hadiqa replies that she can see all the rows. Why is this happening?

- A. Yasmine doesn't have the Manager app role.
- B. Yasmine wasn't assigned a permission set.
- C. Yasmine doesn't have the Create and Edit Analytics Dashboards permission.
- D. The dataset's security predicate was set up incorrectly.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 40

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

Answer: B ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data

NEW QUESTION: 41

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

- A. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';
- B. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;
- C. q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';
- D. q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

Answer: D (LEAVE A REPLY)

Reference:

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm

NEW QUESTION: 42

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

Answer: B (LEAVE A REPLY)

Reference:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: "rowLevelSecurityFilter": "AccountOwner' == \"'\$User.Name\""

NEW QUESTION: 43

What does a configuration wizard do?

- A. Automatically creates multiple versions of the same app
- B. Lets you know the best way to set up your Salesforce data
- C. Asks you questions about how you store data in your org to help you create your app
- D. Customizes your template based on Salesforce settings

Answer: C (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION: 44

A consultant built an Einstein Analytics dashboard for a company. The company then requested an enhancement to the dashboard and provided additional data that needs to be displayed. As a result, the consultant decides to "augment" the dataflow.

Which phrase describes this transformation?

- A. Add data based on the right-side grain
- B. Join data similar to an SQL statement
- C. Add data as a lookup relationship (left side is the lowest grain)
- D. Join data based on a many-to-many relationship

Answer: C (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_enable_data_integration_basics/wave_extract_salesforce_data

https://help.salesforce.com/articleView?id=bi_integrate_augment_transformation.htm&type=5

NEW QUESTION: 45

Upper and lower limits on columns (vars) in discovery:

- A. 20 column minimum, 50 maximum
- B. 2 column minimum, 50 maximum
- C. 2 column minimum, 25 maximum
- D. 10 column minimum, 200 maximum

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

What does Einstein Analytics check when a user submits a query against a dataset?

- A. Whether the user has access to the app
- B. Which rows the user has access to
- C. Which fields the user has access to
- D. If the user has access to the dataset

Answer: B ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 47

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

- A. computeExpression Transformation with SAQL Expression to calculate the duration
- B. flatten Transformation with Offset Expressions to calculate the duration
- C. computeRelative Transformation with offset parameter to calculate the duration
- D. computeRelative Transformation with SAQL Expression to calculate the duration

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm

NEW QUESTION: 48

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Display the results graphically
- B. Grouping by a dimension
- C. Count rows by measure you want to visualize.
- D. Filter to narrow down your results.
- E. Aggregate by a measure

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 49

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers- The formula used is: $YoY = [(This\ Year - Last\ Year) / Last\ Year] \%$ Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results. The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- A. coalesce()
- B. substr()
- C. number_to_string()
- D. replace()

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

How many stories can you create in Analytics Plus?

- A. 75, but more can be purchased
- B. 500, but more can be purchased
- C. 1,000, but more can be purchased
- D. 5,000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

An Einstein Analytics team wants to create a dashboard using two standard Salesforce objects. The dashboard should display data from the Case object, along with related data from the Account object. Which two processes can achieve this?

- A. Extract data from the case and account objects using an ETL tool, use the ETL tool to y/ Q join account and case data, and then upload the data to Einstein Analytics. Build a dashboard using the ETL generated dataset
- B. Extract data from the case and account objects using "sfcdcDigest" transformation, y/ Q use "augment" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- C. Extract data from the case and account objects using "dataloader", create a CSV file Q with account and case data, and then upload the CSV as a dataset to Einstein Analytics. Build a dashboard using that dataset
- D. Extract data from the case and account objects using "sfcdcDigest" transformation, Q use "append" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- A. 5 per user, 100,000 per snapshot
- B. 10 per user, 100,000 per snapshot
- C. 10 per user, 200,000 per snapshot
- D. 5 per user, 200,000 per snapshot

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

The Universal Containers company plans to upload target data from an external tool to Einstein Analytics so they can calculate the Sales team target attainments.

The target data changes every month, so the datasets need to be updated on a monthly basis. The target data is a CSV file that contains the Salesforce ID of the sales representative, the target amount, and the month of the target. For each sales representative, the file contains a target for every month of the current year as well as all previous years.

Based on this information, which operation should a consultant use with the Analytics External Data API to upload the file?

- A. Overwrite
- B. Update
- C. Append
- D. Upsert

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 50 files Per dataset
- B. 500 files per dataset
- C. 100 files per dataset
- D. 300 files per dataset

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

What is a valid permission for a permission set?

- A. Enable Parental Control
- B. Access Sales Cloud Analytics Templates and Apps
- C. Always Sign Me Up for Dreamforce
- D. Sales Analytics Apps

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

An insurance company has many Einstein Analytics dashboards that show the influence of weather, such as atmospheric temperature, on customer cases. A service agent commented that it is sometimes difficult to determine, by looking at a dashboard, whether the temperature data is reported in degrees Fahrenheit or in degrees Celsius.

How can a dashboard designer ensure the temperature data is easier to interpret on the dashboards?

- A. Customize the number format in the number widget properties of the dashboard.
- B. Add a text widget to the dashboard to indicate Fahrenheit or Celsius.
- C. In Explorer, go to the Fields menu and then customize the number format of the measure.
- D. Use the XMD node in the dataflow to customize the number format of the field.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which of the following is true about the Service Analytics Overview dashboard?

- A. All of the above.
- B. It's available on desktop and mobile.
- C. It instantly provides key metrics on open cases, average time to close, first contact resolution, and customer satisfaction.
- D. It's a great place to start your analysis.
- E. It lets you drill down to more detailed dashboards, like agent performance, channel review, and telephony metrics.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

What's the best way to describe the template-info.json file?

- A. It's a read-only file with all the user documentation for a template.
- B. It's the boss of the template with all the information needed to create the app.
- C. It makes sure that the app includes all the right Salesforce data.
- D. It's automatically populated every time you create an app from the template.

Answer: B ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 59

Einstein Discovery gives you several different kinds of recommended insights. Which of these insights is descriptive?

- A. What Happened
- B. Why It Happened
- C. Predictions & Improvements
- D. What Is the Difference

Answer: A ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/understand_einstein_discovery_stories/use_stories

NEW QUESTION: 60

What is an Einstein Discovery story?

- A. A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable
- B. A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables

- C. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome
- D. An account of imaginary or real people and events told for entertainment

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Max number of dataflow definitions (with data sync enabled)

- A. 35
- B. 25
- C. 15
- D. 55

Answer: ([SHOW ANSWER](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:
<https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

A customer wants to change the default blue color on a bar chart. What is the easiest way to change blue to another color?

- A. Create a compare table formula to specify a hidden metric for coloring purposes.
- B. Use conditional formatting under the bar chart widget properties by selecting the dimension.
- C. Use bindings to specify a color per bar.
- D. Use conditional formatting under the bar chart widget properties by selecting the measure.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

- A. Do nothing; they appear to be similar, but there might be differences from the business perspective.
- B. Cancel this story and redefine the dataset.
- C. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.
- D. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

An Einstein Analytics consultant is notified of a performance issue with data sync (replication). The consultant researches the issue and determines that unnecessary data is being synced.

Which solution should the consultant implement to help improve data sync (replication) performance?

- A. Update the existing data sync (replication) process by removing unused fields with a filter to extract relevant data.
- B. Scale down the number of datasets to help improve data sync (replication) performance.
- C. Start over again with new dataflows that exclude unused fields with a filter to extract relevant data.
- D. Modify dataflows to exclude unused fields and include a filter to extract relevant data.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

The Vice President of Sales wants to create a "Pipeline Trending" dashboard in Einstein Analytics that displays specific colors depending on the values of the fields.

Which two techniques can a consultant use to help address this requirement? Choose 2 answers

- A. Use SAQL queries to calculate a color field and assign it to each field value.
- B. Use the "fields" menu when exploring the dataset and assign colors to each field value.
- C. Use an XMD file and assign colors to each field value.
- D. Use a compute Expression to calculate a color field and assign it to each field value.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- A. 16
- B. 1
- C. 8
- D. 4

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

An Einstein consultant created a dashboard that went through review. Some few charts were added and removed in the process. The dashboard is now approved for production.

Which best practice should be done before releasing the dashboard?

- A. Modify the XMD so all labels and values are user-friendly.
- B. Rename all the steps to correspond with the defined naming convention.
- C. Remove the redundant steps to ensure dashboard performance.
- D. Apply conditional formatting on the new charts.

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_dashboards_inspector.htm&type=5

NEW QUESTION: 68

A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

Given the code statement above, which endpoint should it be posted to?

- A. /services/data/v . /wave/apps
- B. /services/data/v . /analytics/wizard
- C. /services/data/v . /wave/templates
- D. /services/data/v . /analytics/projects

Answer: C ([LEAVE A REPLY](#))

Reference:

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm

NEW QUESTION: 69

When you set up Analytics, which of the following features can you enable?

- A. Low-fuel notifications
- B. Sharing of apps with Communities
- C. Access to the API
- D. A and B
- E. B and C

Answer: ([SHOW ANSWER](#))

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Its possible to access API.
- for a user: API Enabled permission
- for all: Analytics =>Settings=>Grant all users access to Wave API for all users

NEW QUESTION: 70

A client has a dashboard for Sales Managers. They want to have a list filter that shows the name of the month. However, based on the "CloseDate_Month" field, the list filter shows numbers instead of names.

How can an Einstein Consultant use the Dataflow nodes to generate the name of month as a new dimension in the dataset?

- A. flatten
- B. compute Expression
- C. append
- D. compute Relative

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

An Einstein Analytics team plans to enable data sync (replication).

Which two limits are specific to data sync (replication) and should be considered before enabling the feature because they might impact existing jobs?

Choose 2 answers

- A. Maximum number of dataflow definitions
- B. Maximum number of dataflow transformations
- C. Maximum number of objects that can be enabled for data sync (replication)
- D. Timeout for ELT (Extract Load Transform) jobs that are scheduled but not yet executed

Answer: A,C ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bj_limits.htm&type=5

NEW QUESTION: 72

A new field called "CardBalance" is added to the standard object. Account. The team wants to add this new field to an Einstein Analytics dataset that sources the Account object; however, the team needs to limit the users who are able to view that field's data in the dataset.

How can an Einstein Consultant help them implement this new requirement?

- A. Add the new field to the existing dataset and use "Security Predicates" to hide it from users who should not access it.
- B. Create a new Account dataset containing the new field and give access to this dataset only to users who should be able to see the new field.
- C. Add the new field to the existing dataset and activate "Sharing inheritance" in the Account object so only users who have access to the field in Salesforce will have access in Einstein Analytics.
- D. Add the new field to the existing dataset and use the XMO file parameters to hide the new field from users who should not have access to it.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story?

- A. No. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from over-fitting.
- B. Yes. If the collinear variables are not removed, the Einstein Discovery model build will fail.
- C. yes. If all collinear variables are not excluded, the model will over-fit and not make any sense.
- D. No. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which dataflow transformation does data sync (replication) reference, in an existing dataflow, to determine which Salesforce objects and fields are currently being extracted?

- A. sfdcDigest
- B. export
- C. sfdcRegister
- D. edgemart

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

What happens if the ui.json file is empty?

- A. You create a text-only version of an app.

- B. The template will not include a configuration wizard.
- C. The dataflow fails.
- D. The app includes all possible dashboards by default.
- E. B and D

Answer: B (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)