

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-08-30.q77

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	77
Version:	v2022-08-30
# of views:	2390
# of Questions views:	770
https://www.exam-tests.com/Tableau-CRM-Einstein-Discovery-Consultant-exam/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-08-30.q77.html	

NEW QUESTION: 1

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

Answer: B (LEAVE A REPLY)

Reference:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example:

```
"rowLevelSecurityFilter": "'AccountOwner' == \"'$User.Name'\""
```

NEW QUESTION: 2

Is there a need for a separate Permission Set Licence for an Analytics app?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

What are two main steps for creating a dataset?

- A. Extract and prepare
- B. Build and explore
- C. Run and monitor
- D. Plan and map

Answer: (SHOW ANSWER)

NEW QUESTION: 4

Which security feature can be used to give Regional Development Coordinator roles access to only their designated regions and seed bank orders?

- A. Sharing rules
- B. Inherited security
- C. Security predicates
- D. Separate apps for each region

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

An Einstein Analytics team plans to enable data sync (replication).

Which two limits are specific to data sync (replication) and should be considered before enabling the feature because they might impact existing jobs?

Choose 2 answers

- A. Maximum number of dataflow definitions
- B. Maximum number of dataflow transformations
- C. Maximum number of objects that can be enabled for data sync (replication)
- D. Timeout for ELT (Extract Load Transform) jobs that are scheduled but not yet executed

Answer: A,C ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_limits.htm&type=5

NEW QUESTION: 6

Max Analytics API calls per user per hour

- A. 10,000
- B. 5,000
- C. 100,000
- D. 50,000

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

A Salesforce administrator wants to create a new dashboard that uses custom geoJSON to display data; however, the administrator is unable to upload the file via the UI.

What should be done?

- A. Add the system permission "Manage Analytics Custom Maps" to the permission set used.
- B. Enable "Custom maps with geoJSON" in the analytics settings.
- C. Upload the geoJSON via the API because it is not a function in the UI.
- D. Contact Salesforce support and request to get custom maps and geoJSON enabled for the org.

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_chart_intro_custom_map.htm&type=5

NEW QUESTION: 8

In what order does Einstein Discovery present the insights that it uncovers?

- A. Insights that explain the most variation in the outcome variable, in ascending order
- B. Alphabetical, in ascending order
- C. Alphabetical, in descending order
- D. Insights that explain the most variation in the outcome variable, in descending order

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Einstein Discovery is a tool that:

- A. Understands your business better than you do
- B. Replaces your team of BI experts and data analysts
- C. Is like having a personal data scientist on staff
- D. Helps you hire the best data scientist for your business

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

- A. Cancel this story and redefine the dataset.
- B. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.
- C. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.
- D. Do nothing; they appear to be similar, but there might be differences from the business perspective.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Upper and lower limits on columns (vars) in discovery:

- A. 10 column minimum, 200 maximum
- B. 2 column minimum, 50 maximum
- C. 2 column minimum, 25 maximum
- D. 20 column minimum, 50 maximum

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension
Dataset B: contains a list of users with a "userID" dimension
The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

- A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.
- B. Use a combination of dataflow transformations: "augment" and "filter."

C. Use an external ETL tool to extract both datasets and delete records.

Answer: B (LEAVE A REPLY)

D. Use the recipe operation "delete" and set "userID" as the deletion ID.

NEW QUESTION: 13

Why would you use the Actions menu in a chart?

A. To create workout plan for you and your team

B. To post to Chatter

C. To rearrange widgets in dashboards

D. To expand the time period shown in a dashboard

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

The Universal Containers company built three Einstein Discovery stories that they want to use in Salesforce to predict and maximize their revenue per customer. The stories are for every region where they have business: EMEA, AMER, and APAC.

How can a consultant help them deploy the three Einstein models to Salesforce?

A. Segment the account data per region and deploy the same model to all segments.

B. Deploy the same model to all accounts and set the region field as an actionable variable.

C. Deploy the same model to all accounts and use an Apex trigger to call the appropriate prediction.

D. Segment the account data per region and deploy the appropriate model for each segment.

Answer: D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_edd_model_deploy_filter.htm&type=5

NEW QUESTION: 15

Max number of dataflow definitions (with data sync enabled)

A. 35

B. 25

C. 15

D. 55

Answer: A (LEAVE A REPLY)

NEW QUESTION: 16

Max story creations per org per day:

A. 40 per org per day

B. 40 per org

C. 20 per org

D. 20 per org per day

Answer: D (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors. Which timeseries statement will fix the query'

- A. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition=Region', ignoreLast=true);
- B. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (length = 12, dateCols=('Date_Year', 'Date_Month'. "Y-M"), partition='Region');
- C. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region', seasonality=4);
- D. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region');

Answer: B (LEAVE A REPLY)

NEW QUESTION: 18

Which three things can be done with the Einstein Analytics Dashboard Inspector? Choose 3 answers

- A. Get a list of recommendations on how to improve the performance of the dashboard.
- B. View the total time required to run all queries.
- C. View all queries and the time it took to run each one.
- D. See the final query for each step along with query results.
- E. Automatically remove bottlenecks to make queries run faster.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 19

Which widget property allows a consultant to restrict the view to a domain bounded by the values entered'

- A. Add Custom Domain
- B. Add Custom Range
- C. Filter by Range
- D. Add Filter

Answer: A (LEAVE A REPLY)

NEW QUESTION: 20

An Einstein Analytics team reports that when they start their dataflow it runs successfully with no errors or warnings, but one of the fields does not return values when it is queried.

What can be the origin of this issue?

- A. The user who runs the dataflow does not have access to the field.
- B. The field does not contain any data in Salesforce.
- C. The "Integration User Profile" does not have access to the field.
- D. The "Security User Profile" does not have access to the field.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 21

An Einstein Analytics consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal*CountyTax).

Which node should the consultant use in a Dataflow to calculate and insert SalesTax to the dataset?

- A. augment
- B. computeExpression
- C. computeRelative
- D. append

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 22

What is a valid permission for a permission set?

- A. Access Sales Cloud Analytics Templates and Apps
- B. Always Sign Me Up for Dreamforce
- C. Sales Analytics Apps
- D. Enable Parental Control

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 23

How do you post to Chatter from a Sales Wave dashboard?

- A. Open the Actions menu for an opportunity or account and select Post
- B. Select Post to Chatter from the Actions drop-down at the top of the dashboard
- C. Send an email to a team member with "chatter:" in the subject line
- D. Right click any bar and type your message

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 24

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.

Given that the steps are using different datasets, which two changes can an Einstein Consultant make to solve this issue? Choose 2 answers

- A. Use "Connect Data Sources" and create a connection to connect the two widgets.
- B. Use selection binding in the filters section of the step "Type_1."
- C. Use "Connect Data Sources" and create a connection to connect the two datasets.
- D. Use selection binding in the filters section of the step "Step_pie_2."

Answer: (SHOW ANSWER)

NEW QUESTION: 25

A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

- A. Records from a Salesforce object
- B. Existing datasets
- C. Connected data(Synced)
- D. Dataset lens

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 26

How do you create a regression timeseries?

A. In SAQL, use the timeseries function with the following arguments: Partition (the group_by piece), Seasonality (set to 12 to get yearly seasonality).

Answer: A (LEAVE A REPLY)

NEW QUESTION: 27

A consultant created an Einstein Analytics dashboard in a sandbox. Now, the dashboard needs to be migrated into production.

To complete the migration, what are the consultant's three options? Choose 3 answers

- A. Ant Migration Tool
- B. Analytics External Data API
- C. Analytics REST API
- D. Change sets
- E. Analytics dashboard connector

Answer: A,C,D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_explore_packaging_intro.htm&type=0

NEW QUESTION: 28

Which of the following are requirements for enabling Analytics for Communities?

- A. Wait at least 3 days after purchase.
- B. Have a Customer Community Plus or Partner Community license.
- C. Be nominated by your community peers.
- D. Assign your community members the Analytics for Communities permission set license.
- E. B and D

Answer: E (LEAVE A REPLY)

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Only users with a Customer Community Plus or Partner Community license can use this feature. This feature is supported in communities but not in portals.

NEW QUESTION: 29

The Einstein Analytics team at a company created a dataset based on the Opportunity__c custom object. The VP of Sales reports seeing the message "No results found" when opening the dataset to explore it. Other users below the VP in the role hierarchy can see rows on the same dataset. Which two problems might be causing this issue?

- A. The dataset is inheriting sharing from Salesforce and the VP can see more than 3000 rows
- B. The Salesforce profile for the VP does not have read permission on the Opportunity__c custom object
- C. The Security Predicates set up at the dataset level are preventing the VP from seeing data
- D. The Salesforce profile for the VP does not have read permission on some fields of the Opportunity__c custom object

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 30

The Vice President of Sales wants to create a "Pipeline Trending" dashboard in Einstein Analytics that displays specific colors depending on the values of the fields.

Which two techniques can a consultant use to help address this requirement? Choose 2 answers

- A. Use the "fields" menu when exploring the dataset and assign colors to each field value.
- B. Use an XMD file and assign colors to each field value.
- C. Use SAQL queries to calculate a color field and assign it to each field value.
- D. Use a compute Expression to calculate a color field and assign it to each field value.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 31

An insurance company has many Einstein Analytics dashboards that show the influence of weather, such as atmospheric temperature, on customer cases. A service agent commented that it is sometimes difficult to determine, by looking at a dashboard, whether the temperature data is reported in degrees Fahrenheit or in degrees Celsius.

How can a dashboard designer ensure the temperature data is easier to interpret on the dashboards?

- A. In Explorer, go to the Fields menu and then customize the number format of the measure.
- B. Customize the number format in the number widget properties of the dashboard.
- C. Use the XMD node in the dataflow to customize the number format of the field.
- D. Add a text widget to the dashboard to indicate Fahrenheit or Celsius.

Answer: D (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

NEW QUESTION: 32

An Einstein Discovery team created a model to maximize the margin of their sales opportunities. They want to deploy the model to the Opportunity object in order to predict the outcome of every newly created or updated Opportunity.

What are the steps to accomplish this?

- A. Create a trigger on Opportunity and use the Salesforce External Connector to get predictions from Einstein Discovery.
- B. Create an Apex batch on Opportunity and use the REST API to get predictions from Einstein Discovery.
- C. Create a trigger on Opportunity and install the Einstein Discovery Writeback managed package from the AppExchange.
- D. Create a trigger on Opportunity and use the REST API to get predictions from Einstein Discovery.

Answer: C (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_edd_wb_native.htm&type=5

NEW QUESTION: 33

Creating an Einstein Discovery story involves:

- A. Selecting a Dataset in Einstein Analytics, then clicking Create Story
- B. Copying text from company reports and pasting into Einstein Discovery
- C. Entering notes about the data
- D. Uploading a Microsoft® PowerPoint® presentation

Answer: (SHOW ANSWER)

NEW QUESTION: 34

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story's

- A. No. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.
- B. Yes. If the collinear variables are not removed, the Einstein Discovery model build will fail.
- C. No. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from over-fitting.
- D. yes. If all collinear variables are not excluded, the model will over-fit and not make any sense.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

Which Einstein Analytics asset or assets are created when using an App Template to create an app?

- A. The app, dataflows and datasets, and dashboards
- B. The app, dataflows and datasets, and users
- C. The app, dataflows and datasets, dashboards, and permission sets
- D. An empty app

Answer: A (LEAVE A REPLY)

NEW QUESTION: 36

A list widget is added to a dashboard with existing charts and tables. What must be true for the list widget to facet the dashboard charts and tables using widget properties?

- A. The list, chart, and table steps must share a common name.
- B. The list, chart, and table steps must share the same dataset.
- C. Chart and table steps must have their own list widgets.
- D. The list, chart, and table steps must share common dimensions from different datasets.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 37

What happens if the ui.json file is empty?

- A. You create a text-only version of an app.
- B. The template will not include a configuration wizard.
- C. The dataflow fails.
- D. The app includes all possible dashboards by default.
- E. B and D

Answer: B (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 38

When you set up Analytics, which of the following features can you enable?

- A. Low-fuel notifications
- B. Sharing of apps with Communities
- C. Access to the API
- D. A and B
- E. B and C

Answer: (SHOW ANSWER)

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Its possible to access API.
- for a user: API Enabled permission
- for all: Analytics =>Settings=>Grant all users access to Wave API for all users

NEW QUESTION: 39

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Avoid using conditional formatting.
- B. Split the steps and charts into different pages in a dashboard.
- C. Replace AggregateFlex steps with SAQL steps.

D. Check if any steps can be reused for multiple purposes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

The Einstein Analytics Plus Platform license is enabled for a Salesforce org and assigned to each user. However, these users cannot see the Einstein Analytics Studio in the App Launcher.

How can this issue be addressed?

- A. Share the app with the users in Einstein Analytics.
- B. Assign the users to the permission set containing Use Analytics.
- C. Assign the users to the permission set containing Manage Analytics.
- D. Create user accounts for the users in Einstein Analytics.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

What is an appropriate response when a client is disappointed that Einstein Discovery only detected patterns that were already known?

- A. Highlight that Einstein reduces time to insight, which is much faster than learning from experience.
- B. Advise them that the use case may not be accurate.
- C. Remind them that the technology is only as good as the data.
- D. Recommend using a visualization tool, like Einstein Analytics, to uncover the details.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Why is it important to select the right root object when you use the dataset builder?

- A. The root object determines what related objects you can add to the dataset.
- B. Only data from the root object can be included in the dataset.
- C. The root object determines what app the dataset is saved in.
- D. The root object determines who can see the dataset.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Concurrent queries per user?

- A. 20
- B. 50
- C. 25
- D. 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

In the context of Analytics, what is faceting?

- A. Choosing the color of the background in a graph
- B. Representing the number of widgets on a dashboard

- C. Filtering all related widgets in a dashboard by your selection
- D. Measuring the number of significant digits of precision for a particular metric
- E. Something only programmers can access

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

The Universal Containers company uses a Microsoft Azure SQL Data Warehouse to gather information about sales representatives' objectives. They want to use Einstein Analytics to gain insights from this data; therefore, they need to automatically load the warehouse's data into an Einstein Analytics dataset on a daily basis. The data also needs to be transformed and merged with data from the company's org. Which three Einstein Analytics user interface features can be used to complete these requirements? Choose 3 answers

- A. Recipes
- B. Analytics REST API
- C. Einstein Analytics Connector for Excel
- D. Dataflow
- E. Microsoft Azure SQL Data Warehouse Connector

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 46

Exhibit:

A shipping company created a dataset. "BookII," containing budget per region per month for the first six months of 2018. The dataset is shown in the graphic. Now, they want to create a lens showing the total budget for each region for each month. Every combination of region and month must be shown in the lens, even if there is no data.

How can an Einstein Consultant help this company build this lens?

- A. Use a SAQL query leveraging the "fill" statement with a "partition" parameter.
- B. Use a "Compare Table" and add a column leveraging the "Running Total" function.
- C. Use a SAQL query to create fake rows for any data that is missing data from the dataset.
- D. Use a "Compare Table" and use the "Show summary" option.

Answer: ([SHOW ANSWER](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

An Einstein Analytics consultant has been asked to refactor a dashboard so that it loads more quickly. After some analysis, the consultant found that most of the dashboard steps run in less than five seconds; however, the Opportunities Table takes 30 seconds to run.

How can the consultant improve the performance of this dashboard?

- A. Create a second page on the dashboard and move the table to this new page.
- B. Create a link to download the list of opportunities as an Excel file.
- C. Create a Visualforce page and display a list view of the opportunities on this new page.
- D. Create a second dashboard and move the table to this new dashboard.

Answer: A ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_pages.htm&type=5

NEW QUESTION: 48

Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- A. 10 per user, 200,000 per snapshot
- B. 5 per user, 100,000 per snapshot
- C. 5 per user, 200,000 per snapshot
- D. 10 per user, 100,000 per snapshot

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

What are the two types of bindings? Choose 2:

- A. Data bindings
- B. Description bindings
- C. Selections bindings
- D. Results binding

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 50

A Einstein Analytics consultant is asked to help a company report on their sales activity. The company wants to train some users to create their own dashboards. They also want another team to only be able to use the dashboards.

What must be configured to address these requirements?

- A. Grant "Manage" access permission to the apps.
- B. Create two permission sets with different system permissions.
- C. Use a permission set license with two different levels of access.
- D. Create a permission set license assignment with two different levels of access-

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

The client asks an Einstein Consultant to build a dashboard with a chart that shows revenue and quantity of units sold. Which type of Combo Chart can the consultant use?

- A. Line over Scatter Plot
- B. Grid over Bar
- C. Line over Bar

D. Line over Stacked Bar

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52

Permissions of which 2 internal users are used by Analytics to gain access to Salesforce data?

- A. When you query a dataset that has row-level security based on the User object, Analytics uses the permissions of the Security User to access the User object and its fields.
- B. Each user has a corresponding Profile assigned (Analytics Cloud Integration User and Analytics Cloud Security User profiles).
- C. Analytics uses the permissions of the Integration User to extract data from Salesforce objects and fields when a dataflow job runs.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 53

What can you change in a Compare Table formula column?

- A. The formula and the name
- B. The filters
- C. The measure
- D. The grouping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Mosaic recently hired a new development coordinator, Zoe. First, Danielle grants Zoe the Einstein Analytics Platform license, but Zoe reports that she still can't access Einstein Analytics. What could be the problem?

- A. An admin hasn't run a dataflow.
- B. Danielle didn't share the Mosaic app with Zoe in Einstein Analytics.
- C. Danielle still needs to grant Zoe a permission set containing the Manage Analytics permission.
- D. Danielle still needs to grant Zoe a permission set containing the Use Analytics permission.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

A company's Salesforce org has multi-currency enabled. This company's business intelligence team used Einstein Analytics to build a dataflow that creates a dataset, "OpportunityDataSet". This dataset is populated with data extracted from the standard object, Opportunity. One of the extracted fields is the standard field, Amount.

If a user explores the "OpportunityDataSet" in Einstein Analytics, in which currency will the Amount values be shown?

- A. In the connected user's currency
- B. In the integration user's currency
- C. In the currency that is set on the "currency" attribute in the dataset
- D. In the currency that is set on the "currency" attribute in the dataflow

Answer: ([SHOW ANSWER](#))

Reference:

<https://salesforce-trailblazer.com/einstein-analytics-multi-currency/>

NEW QUESTION: 56

Where can you view the status of a CSV upload in Analytics?

- A. The data manager
- B. The Setup menu
- C. The Analytics home page
- D. The Create Dataset page

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 57

A consultant is asked to configured a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Assign the Manager role the user
- B. Assign the view role to the user
- C. Ensure the user has the Analytics permission
- D. Assign the Editor role the user

Answer: **C** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 58

What can you do with the dataflow?

- A. Build a dashboard
- B. Explore a dataset
- C. Extract data from an external CSV file into Analytics
- D. Extract Salesforce object data into Analytics

Answer: **D** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 59

In a dataset, there are multiple boolean fields. When displayed on any dashboard, the boolean fields should all be displayed in the same way: a value of true should result in the display of the word "Yes" in green; a value of false should result in the display of the word "No" in red.

In which two ways can this be accomplished? Choose 2 answers

- A. In the explorer, select the boolean fields, then create a derived dimension that references the boolean fields, and then modify the values and colors of the derived dimension.
- B. Create an XMD node in the dataflow to change the label and color of the values in the fields.
- C. Download the XMD for the dataset and change the values and color for the fields and then upload to the dataset.
- D. In the explorer, select the boolean fields and use the "edit values" option on the fields to change values and colors.

Answer: **C,D** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 60

A client has two datasets that are used across seven different dashboards. Three of these dashboards are used by marketing and four are used by sales. The client requires that only marketing can access the marketing dashboards and only sales can access the sales dashboards. What solution should be recommended?

- A. Create two custom apps: one for marketing dashboards with marketing as "viewer" and one for sales dashboards with sales as

"viewer." Add the datasets as references to both custom apps.

B. Create three custom apps: one for marketing dashboards with marketing as "viewer," one for sales dashboards with sales as "viewer," and one for datasets where marketing and sales are "viewer."

C. Create one custom app for the datasets and share it with marketing and sales as "viewer."

D. Duplicate the datasets and create two custom apps: one for marketing dashboards and datasets with marketing as "editor" and one for sales dashboards and datasets with sales as "editor."

Answer: B (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_security_implementation_guide.htm&type=5

NEW QUESTION: 61

What does the Division is Naval section of the waterfall graph tell you?

A. How combinations of factors affect the CLV for Naval customers

B. How individual factors separately affect the outcome for Naval customers

C. What the relationship is between significant and insignificant factors as they impact CLV for Naval customers

D. How the chosen variable is related to all other factors in the model for Naval customers

Answer: A (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/dm_einstein_discovery_advanced_stories/dm_understand_why_it_happened_insights

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

What's the magic of faceting?

A. It binds charts together so that selecting something in one chart filters other charts by that choice.

B. It creates a chart that shows all the faces of your data in a diamond chart.

C. It shifts the time period of the chart you're viewing.

D. It turns the dataflow on and off.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 63

An Einstein Consultant receives a request from the Marketing department to help them understand lead conversion. Presently, they are unaware of the percentage of leads that get converted to sales. They hope to view results by account manager, value, and quarter. The data is there, so the consultant can add it to the marketing dashboard.

How should this metric be calculated?

- A. Create a formula field on the lead object in Salesforce and add it to the dataset.
- B. Create a new step in the dashboard using a compare table and the running total function.
- C. Create a computeExpression in the dataflow.
- D. Create a new step in the dashboard using a compare table and define a formula.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

A dashboard dataset is growing and the Einstein Analytics consultant notices an impact on performance. The consultant needs to make a few adjustments.

Which three actions can the consultant take to improve dashboard performance? Choose 3 answers

- A. Reorganize the dashboard widgets.
- B. Move calculations to a dataflow.
- C. Replace separate step filters with a global filter.
- D. Distribute steps among separate pages.
- E. Use SAQL code to join datasets at runtime.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 65

What is an Analytics app?

- A. A collection of datasets, dashboards, lenses, and a dataflow
- B. Analytics for iPad
- C. A specialized version of the Einstein Analytics platform that runs outside of Salesforce
- D. The blueprint for your org's Einstein Analytics implementation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

Exhibit:

Which two statements can be determined based on the 'Why it Happened' graphic above? Choose 2 answers

- A. Germany performs lower than average but better when the product is Call Center.
- B. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.
- C. Germany sells more Call Center product and that helps them increase their win rate.
- D. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

What is the test called that helps to identify categories that exhibit a pattern outside the overall average?

- A. Critical region test
- B. Significance level test
- C. T-test
- D. Chi-square test

E. Null hypothesis test

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL).

In order to achieve this, which compute option should be used?

- A. computeField
- B. computeData
- C. computeValue
- D. computeExpression

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 69

Universal Containers has a Sales Manager dashboard- They have a compare table that displays the count of Customers and the Sum of Annual Revenue per year and per Account type. A consultant is asked to add more groupings to enhance details about their customers. What is the maximum number of grouping columns that the consultant must be aware of in order to continue using a compare table versus creating the query using SAQL?

- A. 8
- B. 4
- C. 10
- D. unlimited

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

What is a keyword in SAQL? And what case must it be in?

Answer:

A keyword is basically just a function in SAQL, like group, foreach, etc. And it has to be lowercase.

NEW QUESTION: 71

Can you share dashboards with others in your org?

- A. No, you can't share dashboards.
- B. Click on the "Share" icon on the dataset.
- C. Click on the "Share" icon on the dashboard. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot.
- D. Click on the "Share" icon on the lens. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.
- D. Bring Your Own Key is not supported.

Answer: A,C ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5

NEW QUESTION: 73

Which chart type is best suited to track progress of sales revenue that is realized versus the target?

- A. Bar chart
- B. Pivot table
- C. Pie chart
- D. Flat gauge

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

The Universal Containers Einstein Analytics team built a dashboard with two widgets:

1. List widget associated to the step "Type_2" and grouped by the dimension "Type" (multi-selection)
2. Pie chart widget associated to the step "Step_pie_3" and grouped by the dimension "Type" The team wants to use bindings so any selection in the List widget will filter the Pie chart.

Additional notes:

- * The steps use different datasets.
- * Users should be able to choose more than one Type (multi-selection).

What is the right syntax for the binding?

- A)
- B)
- C)
- D)
- A. Option A
- B. Option D
- C. Option C
- D. Option B

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 75

Exhibit:

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated'

- A. Create a computeExpression field in the Dataflow to calculate the summary.
- B. Use the Show Summary option in the compare table.
- C. Add a formula field to calculate the summary.
- D. Use a SAQL query since the summary is not available in standard interface.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 76

Benito has Viewer access to a new Einstein Analytics app. He wants to build and edit a dashboard using the Seed Bank dataset in this new app. What must an admin do for Benito to do this?

- A. Assign Benito a permission set that contains the permission: Create and Manage Analytics Apps.
- B. Assign Benito a permission set that contains the permission: Create and Edit Analytics Dashboards.
- C. Grant Benito access to all datasets in the org.
- D. Grant Benito access to the app that contains the Seed Bank dataset and assign him a permission set that contains the Create and Edit Analytics Dashboards permission.

Answer: D (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

What is an Einstein Discovery story?

- A. An account of imaginary or real people and events told for entertainment
- B. A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables
- C. A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable
- D. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome

Answer: C (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.braindumppass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps,
40%OFF Special Discount: **Exam-Tests**)