

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-10-05.q71

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	71
Version:	v2022-10-05
# of views:	2116
# of Questions views:	710
https://www.exam-tests.com/Tableau-CRM-Einstein-Discovery-Consultant-exam/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-10-05.q71.html	

NEW QUESTION: 1

About what does the configuration wizard ask you questions about how you measure?

- A. All of the above
- B. Customer satisfaction
- C. Case duration
- D. Case resolution
- E. Customer geography

Answer: A (LEAVE A REPLY)

NEW QUESTION: 2

The Universal Containers company plans to upload target data from an external tool to Einstein Analytics so they can calculate the Sales team target attainments.

The target data changes every month, so the datasets need to be updated on a monthly basis. The target data is a CSV file that contains the Salesforce ID of the sales representative, the target amount, and the month of the target. For each sales representative, the file contains a target for every month of the current year as well as all previous years.

Based on this information, which operation should a consultant use with the Analytics External Data API to upload the file?

- A. Append
- B. Overwrite
- C. Update
- D. Upsert

Answer: B (LEAVE A REPLY)

NEW QUESTION: 3

In the Insights list, insights are ranked in what order?

- A. Statistical significance
- B. Alphabetical

- C. Geospatial
- D. There is no order
- E. Time

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

A large company is rolling out Einstein Analytics to their field sales. They have a well-defined role hierarchy where everyone is assigned to an appropriate node on the hierarchy.

An individual Sales rep should be able to view all opportunities that she/he owns or as part of the account team or opportunity team. The Sales Manager should be able to view all opportunities for the entire Sales team. Similarly, the Sales Vice President should be able to view opportunities for everyone who rolls up in that hierarchy.

The opportunity dataset has a field called 'OwnerId' which represents the opportunity owner.

Given this information, how can an Einstein Consultant implement the above requirements?

- A.** As part of the dataflow, use the flatten operation on the role hierarchy and create a multivalued attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" || TeamMember.Id == "\$User.Id" || 'OwnerId' == "SUser.Id".
- B.** As part of the dataflow, use computeExpression on the RoleId field to create an attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" || 'OwnerId' == "\$User.Id".
- C.** As part of the dataflow, use the flatten operation on the role hierarchy and create a multivalued attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" && 'OwnerId' == "SUser.Id".
- D.** As part of the dataflow, use computeRelative on the RoleId field to create an attribute called 'ParentRoleIDs' on the opportunity dataset and apply following security predicate: 'ParentRoleIDs' == "\$User.UserRoleId" || 'OwnerId' == "\$User.Id".

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Before using bindings, you can try using facets to specify interactions between widgets.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which set of statements generates monthly amount on a cumulative basis annually?

A)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by all order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

B)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year~~~CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by 'CloseDate_Year' order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

C)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..] partition by 'CloseDate_Year'
order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

D)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by 'CloseDate_Year'
order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

A. Option B

B. Option D

C. Option A

D. Option C

Answer: (SHOW ANSWER)

NEW QUESTION: 7

An Einstein Analytics consultant has been asked to refactor a dashboard so that it loads more quickly. After some analysis, the consultant found that most of the dashboard steps run in less than five seconds; however, the Opportunities Table takes 30 seconds to run.

How can the consultant improve the performance of this dashboard?

A. Create a second page on the dashboard and move the table to this new page.

B. Create a link to download the list of opportunities as an Excel file.

C. Create a Visualforce page and display a list view of the opportunities on this new page.

D. Create a second dashboard and move the table to this new dashboard.

Answer: (SHOW ANSWER)

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_pages.htm&type=5

NEW QUESTION: 8

Which isn't an option for setting a security predicate for a dataset created from an external data file?

A. In the dataset Security Predicate

B. On each row prior to upload

C. In the Register transformation node of a dataflow that uses this dataset

D. In the metadata file associated with the external data file using the rowLevelSecurityFilter key

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

What's the magic of faceting?

A. It creates a chart that shows all the faces of your data in a diamond chart.

B. It binds charts together so that selecting something in one chart filters other charts by that choice.

C. It shifts the time period of the chart you're viewing.

D. It turns the dataflow on and off.

Answer: (SHOW ANSWER)

NEW QUESTION: 10


Creating an Einstein Discovery story involves:

- A. Uploading a Microsoft® PowerPoint® presentation
- B. Selecting a Dataset in Einstein Analytics, then clicking Create Story
- C. Entering notes about the data
- D. Copying text from company reports and pasting into Einstein Discovery

Answer: B (LEAVE A REPLY)

NEW QUESTION: 11

Refer to the graphic.



Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

- A. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.
- B. Cancel this story and redefine the dataset.
- C. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.
- D. Do nothing; they appear to be similar, but there might be differences from the business perspective.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 12

A consultant built an Einstein Analytics dashboard for a company. The company then requested an enhancement to the dashboard and provided additional data that needs to be displayed. As a result, the consultant decides to "augment" the dataflow.

Which phrase describes this transformation?

- A. Add data based on the right-side grain
- B. Join data similar to an SQL statement
- C. Add data as a lookup relationship (left side is the lowest grain)
- D. Join data based on a many-to-many relationship

Answer: C (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_enable_data_integration_basics/wave_extract_salesforce_data

https://help.salesforce.com/articleView?id=bi_integrate_augment_transformation.htm&type=5

NEW QUESTION: 13

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.
- D. Bring Your Own Key is not supported.

Answer: A,C ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5

NEW QUESTION: 14

Refer to the graphic.



Which conclusion can be made regarding the strength of the model shown?

- A. The model is pretty good; the accuracy rating of .7597 means we can predict both wins and losses at a fairly high rate.
- B. The model is very weak and doesn't provide useful predictions due to the low threshold.
- C. The model is very strong. A GINI coefficient of .535 shows that this model is very effective.
- D. The strength of the model cannot be determined with the metrics shown.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 15

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database. What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Use the Analytics External Data API.
- B. Use the Salesforce SOAP interface.
- C. Load the data as a CSV file.
- D. Use Oracle database connector.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 16

A list widget is added to a dashboard with existing charts and tables. What must be true for the list widget to facet the dashboard charts and tables using widget properties?

- A. The list, chart, and table steps must share the same dataset.
- B. The list, chart, and table steps must share common dimensions from different datasets.
- C. Chart and table steps must have their own list widgets.
- D. The list, chart, and table steps must share a common name.

Answer: A (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

An Einstein Analytics consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal*CountyTax).

Which node should the consultant use in a Dataflow to calculate and insert SalesTax to the dataset?

- A. augment
- B. computeExpression
- C. computeRelative

D. append

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Can you share data from a widget?

- A. No, you can't share data from a widget.
- B. Select the step of the widget and share data.
- C. Only with the proper Einstein Analytics Platform license.
- D. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which of the following are included in the template object?

- A. ui.json
- B. app.json
- C. variables.json
- D. A,B and C
- E. A,C

Answer: E ([LEAVE A REPLY](#))

Reference:

* template-info.json manages all elements of your template, including metadata information about the template, the Analytics objects that define dashboards and lenses, and the other files that are part of the template. * ui.json manages the configuration wizard that drives app creation. It defines the number of wizard pages, the order of wizard questions, and any messages you want the user to see. * variables.json contains all template variables, including text for wizard questions and specifications for the answers. Variables also define conditional questions. For example, you may want some questions to appear in the wizard only if an org contains certain data. Or you might want to add more specific questions based on the answers to more general wizard questions. * template-to-app-rules.json defines the rules the template follows. For example, you could define a rule that specifies that if an org doesn't use certain Salesforce objects, the app won't refer to them in dashboards or include them in the dataflow. Rules also define how variables are handled. For example, if the wizard asks which fields to include in filters for accounts, template-to-app-rules.json determines how that choice is reflected in dashboards.

NEW QUESTION: 20

Maximum concurrent API Analytics calls per org

- A. 200
- B. 100
- C. 500
- D. 50

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 500 files per dataset
- B. 300 files per dataset
- C. 100 files per dataset
- D. 50 files Per dataset

Answer: D (LEAVE A REPLY)

NEW QUESTION: 22

A Senior Sales Business Analyst asks for a dashboard that contains fiscal year product opportunities. Information is maintained in a spreadsheet which is comprehensive, but its contents often need to be explained. After sketching the dashboard, the consultant is ready to start building.

Which concept should be applied to this dashboard?

- A. Limit widget actions and exploration so users will focus only on the high-level information.
- B. Use the different chart types to make the dashboard interesting and appealing.
- C. Design the dashboard with the desktop in mind and use the same layout for mobile devices for consistency.
- D. Use charts to help users ask questions, not illustrate a conclusion.

Answer: D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5

NEW QUESTION: 23

Is there a need for a separate Permission Set Licence for an Analytics app?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

NEW QUESTION: 24

An Einstein consultant created a dashboard that went through review. Some few charts were added and removed in the process. The dashboard is now approved for production.

Which best practice should be done before releasing the dashboard?

- A. Modify the XMD so all labels and values are user-friendly.
- B. Rename all the steps to correspond with the defined naming convention.
- C. Remove the redundant steps to ensure dashboard performance.
- D. Apply conditional formatting on the new charts.

Answer: C (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_dashboards_inspector.htm&type=5

NEW QUESTION: 25

A consultant is working with the client to define goals and metrics for an app that will be built. The consultant decides to base the dashboards on personas and is in the design phase prior to starting the actual build.

Which two design considerations should be determined at this time? Choose 2 answers

- A. Which fonts to use for headers and body text
- B. Which charts to use to best support the defined goal
- C. How many charts should be allowed on a single dashboard
- D. Which colors to use and how to use them

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5

NEW QUESTION: 26

Max story creations per org per month

- A. 500 (can purchase more)
- B. 1000 (can purchase more)
- C. 500
- D. 200 (can purchase more)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

What's the best way to describe the template-info.json file?

- A. It's a read-only file with all the user documentation for a template.
- B. It's the boss of the template with all the information needed to create the app.
- C. It makes sure that the app includes all the right Salesforce data.
- D. It's automatically populated every time you create an app from the template.

Answer: B ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 28

The Universal Containers company uses a Microsoft Azure SQL Data Warehouse to gather information about sales representatives' objectives. They want to use Einstein Analytics to gain insights from this data; therefore, they need to automatically load the warehouse's data into an Einstein Analytics dataset on a daily basis. The data also needs to be transformed and merged with data from the company's org.

Which three Einstein Analytics user interface features can be used to complete these requirements? Choose 3 answers

- A. Einstein Analytics Connector for Excel
- B. Analytics REST API
- C. Microsoft Azure SQL Data Warehouse Connector
- D. Recipes
- E. Dataflow

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which security feature can be used to give Regional Development Coordinator roles access to only their designated regions and seed bank orders?

- A. Separate apps for each region
- B. Sharing rules
- C. Security predicates
- D. Inherited security

Answer: C (LEAVE A REPLY)

NEW QUESTION: 30

Creating an Einstein Discovery story involves:

- A. Uploading a Microsoft PowerPoint presentation
- B. Entering notes about the data
- C. Selecting a Dataset in Einstein Analytics, then clicking Create Story
- D. Copying text from company reports and pasting into Einstein Discovery

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Aggregate by a measure
- B. Count rows by measure you want to visualize.
- C. Display the results graphically
- D. Filter to narrow down your results.
- E. Grouping by a dimension

Answer: A,D,E (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated and answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Why is it important to select the right root object when you use the dataset builder?

- A. Only data from the root object can be included in the dataset.
- B. The root object determines what app the dataset is saved in.
- C. The root object determines who can see the dataset.
- D. The root object determines what related objects you can add to the dataset.

Answer: (SHOW ANSWER)

NEW QUESTION: 33

A small Business Intelligence team is overwhelmed with multiple requests to create new dashboards. An option is to use layout templates to help with dashboard development.

What are two advantages of using layout templates? Choose 2 answers

- A. Layout templates are fast to create because they are fixed and read-only
- B. Layout templates are equipped with design best practice, such as optimally positioned KPIs and filters
- C. Layout templates offer a universal layout thus reducing the hours spent on design
- D. Layout templates offer a consistent end user experience

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 34

A company uses role hierarchy to implement data security in Salesforce. They want the same role-hierarchy-based security model to apply in Einstein Analytics, but want the users in a role to see data owned by other users in the same role.

Using the "flatten" transformation, which attribute setting achieves this requirement?

- A. Set the attribute "selfjield" to true.
- B. Set the attribute "selfjield" to false.
- C. Set the attribute "include_self_id" to true.
- D. Set the attribute "include_self_id" to false.

Answer: (SHOW ANSWER)

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_flatten_transformation_operation.htm&type=5

NEW QUESTION: 35

An Einstein Consultant is reviewing the "Why it Happened" Insights provided by Einstein Discovery with the customer. The customer would like to validate the results. Which action should the consultant take?

- A. Consult with a Data Scientist to validate the findings
- B. Use the Share and Export feature to help the customer determine if the findings make logical sense
- C. Check the p-values and standard deviation
- D. Show the customer how to export and review the R-Code model validation results

Answer: (SHOW ANSWER)

NEW QUESTION: 36

Which statement best describes how to ensure Einstein Analytics dashboards are easily used across both desktop and mobile devices?

- A. Create multiple layouts, and reorder all the widgets so that they fit nicely within the new default width.
- B. Create a single layout and allow Einstein Analytics to automatically organize dashboard contents to be optimal for the device type.
- C. Create a single layout and reorder all the widgets so that they fit nicely when viewing on either device.

D. Create multiple layouts, ensure the layout selectors match the device, and resize/hide widgets as necessary to ensure the content is appropriate for the device screen size.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 37

An Einstein Analytics team created a funnel chart to show the number of opportunities in each stage. The managers who use the chart report that the funnel shows stages in alphabetical order instead of sales cycle order.

In which two ways can a consultant help them address this issue? Choose 2 answers

- A. Use a dashboard JSON to rename stages.
- B. Use a dataflow to sort the stages by their internal name.
- C. Use a dataflow to rename the stages with a preceding number.
- D. Use a dataset XMD to rename stages.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 38

A consultant created an Einstein Analytics dashboard in a sandbox. Now, the dashboard needs to be migrated into production.

To complete the migration, what are the consultant's three options? Choose 3 answers

- A. Ant Migration Tool
- B. Analytics External Data API
- C. Analytics REST API
- D. Change sets
- E. Analytics dashboard connector

Answer: A,C,D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_explore_packaging_intro.htm&type=0

NEW QUESTION: 39

A consultant built an Einstein Analytics dashboard for a shipping company. The dashboard displays data from several data sources- The consultant enabled data sync (replication) to increase the speed of data refreshing from these sources.

What is the maximum number of dataflow definitions available in this situation?

- A. 45
- B. 35
- C. 25
- D. 30

Answer: D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_limits.htm&type=5

NEW QUESTION: 40

An insurance company has many Einstein Analytics dashboards that show the influence of weather, such as atmospheric temperature, on customer cases. A service agent commented that it is sometimes difficult to determine, by looking at a dashboard, whether the temperature data is reported in degrees Fahrenheit or in degrees Celsius.

How can a dashboard designer ensure the temperature data is easier to interpret on the dashboards?

- A. Customize the number format in the number widget properties of the dashboard.
- B. Add a text widget to the dashboard to indicate Fahrenheit or Celsius.
- C. In Explorer, go to the Fields menu and then customize the number format of the measure.
- D. Use the XMD node in the dataflow to customize the number format of the field.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 41

How do you analyze data from a CSV file using Einstein Discovery?

- A. You can't import data from a CSV file
- B. Import the CSV file into the most similar Salesforce object, then run reports on that object.
- C. Import the CSV file into Einstein Discovery.
- D. Import the CSV file into an Einstein Analytics dataset, then create a story.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 42

What do you have to assign to users before they can access Analytics?

- A. Analytics permission set license (PSL)
- B. A and B
- C. B and C
- D. Username and password
- E. Permission set with at least one Analytics user permission

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 43

An Einstein Consultant receives a new project from a client that wants to implement Einstein Analytics. They do not currently have Einstein Analytics, but want guidance around how to ensure that their users have correct access.

They have 1000 users with a small team of three people who will build datasets and dashboards. An additional 15 people should be able to create dashboards. The remaining users should only be able to view dashboards.

Which recommendation should the consultant give the client?

- A. Create and assign Salesforce permission sets according to the three types of roles defined.
- B. Assign "Einstein Analytics Explorer" licenses to users that should only view the dashboard, and assign "Einstein Analytics Developer" licenses to users that should be able to create datasets and dashboards.
- C. Create and assign three new Salesforce profiles according to the three types of roles defined.
- D. Assign the app permissions "viewer/" "editor," and "manager" to the three types of roles defined.

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 44

A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Ensure the user has the Use Analytics permission.
- B. Assign the Editor role to the user.
- C. Assign the Viewer role to the user.
- D. Assign the Manager role to the user.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 45

What can you do in a dataset recipe?

- A. Make a data chili
- B. Build a dashboard
- C. Combine data from different datasets
- D. Extract external data into Analytics

Answer: C (LEAVE A REPLY)

NEW QUESTION: 46

In the list of insights, the first insights that you see are the ones that explain, statistically, the most variation in the outcome variable. The insights that appear later, as you scroll through the story, explain variables that, statistically, account for less of the variation in the outcome variable.

When you select one variable, what are you comparing?

- A. Selected variable with a different variable
- B. Selected variable with all story data
- C. Selected variable average with the filtered average
- D. Selected variable with CLV
- E. Selected variable average with the mean

Answer: B (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

A new field called "CardBalance" is added to the standard object. Account. The team wants to add this new field to an Einstein Analytics dataset that sources the Account object; however, the team needs to limit the users who are able to view that field's data in the dataset.

How can an Einstein Consultant help them implement this new requirement?

- A. Add the new field to the existing dataset and use "Security Predicates" to hide it from users who should not access it.
- B. Create a new Account dataset containing the new field and give access to this dataset only to users who should be able to see the new field.
- C. Add the new field to the existing dataset and activate "Sharing inheritance" in the Account object so only users who have access to the field in Salesforce will have access in Einstein Analytics.
- D. Add the new field to the existing dataset and use the XMO file parameters to hide the new field from users who should not have access to it.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

What are two main steps for creating a dataset?

- A. Plan and map
- B. Extract and prepare
- C. Build and explore
- D. Run and monitor

Answer: (SHOW ANSWER)

NEW QUESTION: 49

The Einstein Analytics Plus Platform license is enabled for a Salesforce org and assigned to each user. However, these users cannot see the Einstein Analytics Studio in the App Launcher.

How can this issue be addressed?

- A. Create user accounts for the users in Einstein Analytics.
- B. Share the app with the users in Einstein Analytics.
- C. Assign the users to the permission set containing Use Analytics.
- D. Assign the users to the permission set containing Manage Analytics.

Answer: (SHOW ANSWER)

NEW QUESTION: 50

Exhibit:

Last Activity (Year)	Account Type	Column 1	Column 2
	Summary	197	5,937
2017	Customer	0	638
2018	Customer	297	5,296
	Prospect	0	
	Wholesaler		

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated?

- A. Use a SAQL query since the summary is not available in standard interface.
- B. Create a computeExpression field in the Dataflow to calculate the summary.
- C. Add a formula field to calculate the summary.
- D. Use the Show Summary option in the compare table.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 51

The client asks an Einstein Consultant to build a dashboard with a chart that shows revenue and quantity of units sold. Which type of Combo Chart can the consultant use?

- A. Grid over Bar
- B. Line over Scatter Plot
- C. Line over Stacked Bar
- D. Line over Bar

Answer: D (LEAVE A REPLY)

NEW QUESTION: 52

The Einstein Analytics team at a company created a dataset based on the Opportunity__c custom object. The VP of Sales reports seeing the message "No results found" when opening the dataset to explore it. Other users below the VP in the role hierarchy can see rows on the same dataset. Which two problems might be causing this issue?

- A. The Salesforce profile for the VP does not have read permission on some fields of the Opportunity__c custom object
- B. The Security Predicates set up at the dataset level are preventing the VP from seeing data
- C. The Salesforce profile for the VP does not have read permission on the Opportunity__c custom object
- D. The dataset is inheriting sharing from Salesforce and the VP can see more than 3000 rows

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 53

The Universal Containers company built three Einstein Discovery stories that they want to use in Salesforce to predict and maximize their revenue per customer. The stories are for every region where they have business: EMEA, AMER, and APAC. How can a consultant help them deploy the three Einstein models to Salesforce?

- A. Segment the account data per region and deploy the same model to all segments.
- B. Deploy the same model to all accounts and set the region field as an actionable variable.
- C. Deploy the same model to all accounts and use an Apex trigger to call the appropriate prediction.
- D. Segment the account data per region and deploy the appropriate model for each segment.

Answer: D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_edd_model_deploy_filter.htm&type=5

NEW QUESTION: 54

Yasmine told Danielle she's interested in using the artificial intelligence provided by Einstein Discovery to enhance analysis Mosaic probably wouldn't have considered through their own means. How can Danielle use Einstein Analytics to load data into Einstein Discovery?

- A. Danielle needs a permission set containing the Upload External Data to Analytics permission, then she can log into Einstein Discovery and import the data from there.
- B. It's not possible. Danielle will need to log into Einstein Discovery and import the data from there.
- C. Data loaded into Einstein Analytics as datasets can then be used in Einstein Discovery without a separate load process.
- D. Danielle needs a permission set containing the Download Analytics Data permission, then she can use the Export node to load data into Einstein Discovery.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Einstein Discovery is a tool that:

- A. Understands your business better than you do
- B. Replaces your team of BI experts and data analysts
- C. Helps you hire the best data scientist for your business
- D. Is like having a personal data scientist on staff

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

In what order does Einstein Discovery present the insights that it uncovers?

- A. Alphabetical, in ascending order
- B. Insights that explain the most variation in the outcome variable, in ascending order
- C. Alphabetical, in descending order
- D. Insights that explain the most variation in the outcome variable, in descending order
- E. B and D

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

Answer: B ([LEAVE A REPLY](#))

Reference:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example:

```
"rowLevelSecurityFilter": "AccountOwner' == \"'$User.Name\""
```

NEW QUESTION: 58

In a dataset, there are multiple boolean fields. When displayed on any dashboard, the boolean fields should all be displayed in the same way: a value of true should result in the display of the word "Yes" in green; a value of false should result in the display of the word "No" in red.

In which two ways can this be accomplished? Choose 2 answers

- A. In the explorer, select the boolean fields and use the "edit values" option on the fields to change values and colors.
- B. Download the XMD for the dataset and change the values and color for the fields and then upload to the dataset.
- C. In the explorer, select the boolean fields, then create a derived dimension that references the boolean fields, and then modify the values and colors of the derived dimension.
- D. Create an XMD node in the dataflow to change the label and color of the values in the fields.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 59

When you assign any Analytics permission set to users in your org, Salesforce auto-assigns the Analytics Platform permission set license to that user.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

What does XMD stand for?

- A. Lenses Dataset Fields
- B. Create a JSON
- C. Configuring unsupported fields
- D. Extended Metadata

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which of the following is true about the Service Analytics Overview dashboard?

- A. It's available on desktop and mobile.
- B. All of the above.
- C. It lets you drill down to more detailed dashboards, like agent performance, channel review, and telephony metrics.
- D. It's a great place to start your analysis.
- E. It instantly provides key metrics on open cases, average time to close, first contact resolution, and customer satisfaction.

Answer: B ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated and answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-

Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL).

In order to achieve this, which compute option should be used?

- A. computeField
- B. computeValue
- C. computeExpression
- D. computeData

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

An Einstein Discovery team created a model to maximize the margin of their sales opportunities. They want to deploy the model to the Opportunity object in order to predict the outcome of every newly created or updated Opportunity.

What are the steps to accomplish this?

- A. Create a trigger on Opportunity and use the Salesforce External Connector to get predictions from Einstein Discovery.
- B. Create an Apex batch on Opportunity and use the REST API to get predictions from Einstein Discovery.
- C. Create a trigger on Opportunity and install the Einstein Discovery Writeback managed package from the AppExchange.
- D. Create a trigger on Opportunity and use the REST API to get predictions from Einstein Discovery.

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_edd_wb_native.htm&type=5

NEW QUESTION: 64

Exhibit:



Which two statements can be determined based on the 'Why it Happened' graphic above? Choose 2 answers

- A. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.
- B. Germany performs lower than average but better when the product is Call Center.

- C. Germany sells more Call Center product and that helps them increase their win rate.
- D. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 65

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Normalize the margin by product group.
- B. Run separate stories for each region.
- C. Eliminate extreme values in the dataset.
- D. Add more data to the dataset.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 66

What are predictive insights good for?

- A. Drilling down into the underlying reasons behind a prediction
- B. Predicting outcomes that you don't actually have the right data for
- C. Exploring your existing data to see what already happened
- D. Choosing between all possible outcomes for a single variable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

What do Analytics apps do?

- A. Alert you when you need a visa for an upcoming trip
- B. Let you add new types of charts to Salesforce
- C. Use ready-made dashboards to tell easy-to-follow stories about your data
- D. Let you create configuration wizards to make Analytics setup easier

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app. What can the consultant do to give the Sales team more choices and options with future apps that are generated from the Sales Operations app?

- A. Update contents in the Sales Operations app and changes will be pushed down to its generated apps.
- B. Ensure the Sales team has the necessary permissions to customize their apps.
- C. Create a configuration wizard for the app.
- D. Update contents in the Sales Operations app and create new template versions of the app.

Answer: C ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION: 69

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- A. 1
- B. 16
- C. 4
- D. 8

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

Where can you view the status of a CSV upload in Analytics?

- A. The Analytics home page
- B. The Create Dataset page
- C. The data manager
- D. The Setup menu

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 71

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.

The image shows a Tableau interface with three main components:

- ProjectRegion List:** A list of regions with their counts: AMER (1,392), AMER B2B (Commerce CL... (4), AMER B2C (3,824), AMER CMRCL & SMB (164), AMER Financial Services (223), AMER HLS (180), AMER Key Select Canada (391), AMER Strategic (1,338), and APAC (318).
- Widget Configuration Panel (Top Right):** Shows settings for a widget. The ID is "Region_1". The Display Label is "Region 1". Under Filtering, both "Apply global filters" and "Apply filters from faceting" are checked. The Selection Type is "Single selection" and "Broadcast selections as facets" is checked. Initial Selections are "No Selections".
- Widget Configuration Panel (Bottom Right):** Shows settings for another widget. The Selection Type is "Single selection" and "Broadcast selections as facets" is checked. Initial Selections are "No Selections".
- Pie Chart:** A pie chart with a total value of 86K, divided into several colored segments.

Which two changes can an Einstein Consultant implement to solve this issue, given that the steps are using the same dataset? Choose 2 answers

- A. Use selection binding in the filters section of the step "Step_pie_1."
- B. Enable the option "Apply filters from faceting" in the step "Region_1."
- C. Enable the option "Apply filters from faceting" in the step "Step_pie_1."
- D. Use selection binding in the filters section of the step "Region_1."

Answer: ([SHOW ANSWER](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam questions have been updated and answers have been corrected get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)