

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2024-06-15.q105

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	105
Version:	v2024-06-15
# of views:	816
# of Questions views:	1050
https://www.exam-tests.com/Tableau-CRM-Einstein-Discovery-Consultant-exam/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2024-06-15.q105.html	

NEW QUESTION: 1

The Universal Containers company uses a Microsoft Azure SQL Data Warehouse to gather information about sales representatives' objectives. They want to use Einstein Analytics to gain insights from this data; therefore, they need to automatically load the warehouse's data into an Einstein Analytics dataset on a daily basis. The data also needs to be transformed and merged with data from the company's org.

Which three Einstein Analytics user interface features can be used to complete these requirements? Choose 3 answers

- A. Analytics REST API
- B. Dataflow
- C. Recipes
- D. Microsoft Azure SQL Data Warehouse Connector
- E. Einstein Analytics Connector for Excel

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

A list widget is added to a dashboard with existing charts and tables. What must be true for the list widget to facet the dashboard charts and tables using widget properties?

- A. Chart and table steps must have their own list widgets.
- B. The list, chart, and table steps must share a common name.
- C. The list, chart, and table steps must share common dimensions from different datasets.
- D. The list, chart, and table steps must share the same dataset.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

A customer wants to change the default blue color on a bar chart. What is the easiest way to change blue to another color?

- A. Use bindings to specify a color per bar.
- B. Use conditional formatting under the bar chart widget properties by selecting the measure.

- C. Use conditional formatting under the bar chart widget properties by selecting the dimension.
- D. Create a compare table formula to specify a hidden metric for coloring purposes.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 4

Which of the following are included in the template object?

- A. variables.json
- B. A,B and C
- C. A,C
- D. ui.json
- E. app.json

Answer: C (LEAVE A REPLY)

NEW QUESTION: 5

When deploying a model to an existing Prediction, w number should be considered"1

- A. 20: Limit of number of models under a Prediction Definition.
- B. 5: Limit of total number of Prediction Definitions.
- C. 10: Limit of number of models under a Prediction Definition.
- D. 3: Limit of total number of Models.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 6

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

- A. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';
- B. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;
- C. q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';
- D. q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

Answer: D (LEAVE A REPLY)

[https://developer.salesforce.com/docs/atlas.en-](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm)

[us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm)

NEW QUESTION: 7

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- B. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- C. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.

D. Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

Answer: ([SHOW ANSWER](#))

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

NEW QUESTION: 8

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

A. computeExpression Transformation with SAQL Expression to calculate the duration

B. flatten Transformation with Offset Expressions to calculate the duration

C. computeRelative Transformation with offset parameter to calculate the duration

D. computeRelative Transformation with SAQL Expression to calculate the duration

Answer: **D** ([LEAVE A REPLY](#))

https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm

NEW QUESTION: 9

A consultant is working with the client to define goals and metrics for an app that will be built. The consultant decides to base the dashboards on personas and is in the design phase prior to starting the actual build.

Which two design considerations should be determined at this time? Choose 2 answers

A. Which fonts to use for headers and body text

B. Which charts to use to best support the defined goal

C. How many charts should be allowed on a single dashboard

D. Which colors to use and how to use them

Answer: **B,D** ([LEAVE A REPLY](#))

https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5

NEW QUESTION: 10

As a tableau CRM consultant you have been asked to bring data from a Snowflake database as well external Salesforce environment into Tableau CRM (CRM Analytics Plus edition). 25 objects have been enabled from the local Salesforce connector. After further investigation of the external Salesforce environment and 15 object each from the remaining 2 external Salesforce environment. You estimate each connector will per object bring between 1000 and 1 mil rows of data.

What limit will be exceeded?

A. Storage rows of data

B. Total number of enabled objects

C. Salesforce external connector number of synced rows

D. Snowflake connector number synced rows

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 11

What do Analytics apps do?

- A. Let you create configuration wizards to make Analytics setup easier
- B. Let you add new types of charts to Salesforce
- C. Alert you when you need a visa for an upcoming trip
- D. Use ready-made dashboards to tell easy-to-follow stories about your data

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

A consultant is working with a credit card company that needs help with ongoing fraudulent transactions. The company provides a representative sample dataset for the consultant to analyze in Einstein Discovery. The story's initial assessment shows that a third-party payment app is the source of these fraudulent transactions. However, the company rejects this assessment outcome, stating they have not had a partnership with this payment app long enough for it to be a concern. What is the recommended next step to improve the story outcome?

- A. Explain to the company that the story has returned unbiased results and the initial assessment is accurate.
- B. Make adjustments to the story to better demonstrate that the third-party payment app is the culprit.
- C. Use the credit card company's domain knowledge and exclude the third-party payment app from the story.
- D. Ask the credit card company for a more comprehensive dataset to analyze.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

To use the Sales Analytics app, which permission set license do you need?

- A. Sales Wave
- B. Sales Analytics Apps
- C. Analytics Templated Apps
- D. Security User

Answer: ([SHOW ANSWER](#))

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select "Service Analytics Apps." For Event Monitoring, select "Event Monitoring Analytics Apps," and so on.

NEW QUESTION: 14

Why are insights in the Unrelated category important?

- A. The outcome might not have much to do with related variables. It might have more to do with global effects.
- B. They explain everything about the outcome.
- C. They explain how interaction terms affect the outcome.
- D. They aren't important. Hence the name, Unrelated.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the

Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

```
{  
  "folderSource" : { "id" : "Sales Operations ID"}  
}
```

Given the code statement above, which endpoint should it be posted to?

- A. /services/data/v . /wave/apps
- B. /services/data/v . /analytics/wizard
- C. /services/data/v . /wave/templates
- D. /services/data/v . /analytics/projects

Answer: C (LEAVE A REPLY)

Reference:

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm

NEW QUESTION: 16

Exhibit:



A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- B. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled
- C. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled
- D. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled

Answer: (SHOW ANSWER)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam

questions have been updated and answers have been corrected get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.
- D. Bring Your Own Key is not supported.

Answer: A,C (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5

NEW QUESTION: 18

Default # rows in compare table.

- A. 2000
- B. 3000
- C. 1000
- D. 1500

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

Salesforce Analytics is...

- A. A tool for analyzing surf reports and forecasts
- B. An online repository of infographics
- C. An application built on top of Salesforce
- D. A CRM alternative to Salesforce

Answer: C (LEAVE A REPLY)

NEW QUESTION: 20

After getting approval of the dashboard layout design for a desktop, the Einstein Analytics consultant is ready to start the design process for a mobile layout.

What are three considerations that the consultant should keep in mind when developing the layout? Choose 3 answers

- A. If no layouts are eligible for the mobile device, the first defined layout is used. (Missed)
- B. If no layouts are eligible for the mobile device, an error message will be displayed.
- C. If more than one layout is eligible, the one with the most device properties set is used. If there is a tie, the most recently defined layout is used. (Missed)

D. A layout for mobile is eligible for use when the device meets all the device properties set in the Layout panel.

E. There are widgets that cannot be displayed on mobile layouts.

Answer: ([SHOW ANSWER](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_dashboard_designer_basics/wave_take_analytics_on_the_go

NEW QUESTION: 21

The Universal Containers company built three Einstein Discovery stories that they want to use in Salesforce to predict and maximize their revenue per customer. The stories are for every region where they have business: EMEA, AMER, and APAC.

How can a consultant help them deploy the three Einstein models to Salesforce?

A. Segment the account data per region and deploy the same model to all segments.

B. Deploy the same model to all accounts and set the region field as an actionable variable.

C. Deploy the same model to all accounts and use an Apex trigger to call the appropriate prediction.

D. Segment the account data per region and deploy the appropriate model for each segment.

Answer: ([SHOW ANSWER](#))

https://help.salesforce.com/articleView?id=bi_edd_model_deploy_filter.htm&type=5

NEW QUESTION: 22

A client has a dataset comprised of Opportunity data and Opportunity Line level data. The client wants to use this dataset with Einstein Discovery to understand the Opportunity win rate.

What must be done to the dataset to achieve this goal?

A. Click Create Story and Einstein will take care of the rest.

B. Change the grain by removing the line level detail as it will skew the win rate.

C. Filter to only look at isWon = True records to avoid skewing the results.

D. Select the isWon = True outcome variable and generate the story.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

How do you create a regression timeseries?

A. In SAQL, use the timeseries function with the following arguments: Partition (the group_by piece), Seasonality (set to 12 to get yearly seasonality).

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

A. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';

B. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;

C. q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';

D. q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

Answer: ([SHOW ANSWER](#))

Reference:

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm

NEW QUESTION: 25

The Universal Containers company thinks it knows everything about its business. However, Einstein Discovery surfaces an unexpected pattern that is concerning. They call in departmental experts and hold a meeting to discuss next steps with an Einstein Consultant.

What should the consultant advise as the next action'

- A. Filter out the data that causes the unexpected pattern and analyze the new results.
- B. Consult a Data Scientist for further analysis.
- C. Determine if the pattern is a data issue or a new insight.
- D. Accept the new pattern and have confidence that Einstein knows the business as accurately as the customer.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

An Einstein Consultant is reviewing the "Why it Happened" Insights provided by Einstein Discovery with the customer. The customer would like to validate the results. Which action should the consultant take?

- A. Show the customer how to export and review the R-Code model validation results
- B. Consult with a Data Scientist to validate the findings
- C. Check the p-values and standard deviation
- D. Use the Share and Export feature to help the customer determine if the findings make logical sense

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Insights in a story show you how different variables and combinations of variables explain the variation of what kind of variable?

- A. Explanatory variable
- B. Outcome variable
- C. Global variable
- D. Local variable
- E. Tertiary variable

Answer: B ([LEAVE A REPLY](#))

When you configure the story, you tell Einstein Discovery to maximize/minimize the variable. The variable is 'outcome variable' in your story

NEW QUESTION: 28

Refer to the graphic.



Which conclusion can be made regarding the strength of the model shown?

- A. The model is very strong. A GINI coefficient of .535 shows that this model is very effective.
- B. The strength of the model cannot be determined with the metrics shown.
- C. The model is pretty good; the accuracy rating of .7597 means we can predict both wins and losses at a fairly high rate.
- D. The model is very weak and doesn't provide useful predictions due to the low threshold.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Creating an Einstein Discovery story involves:

- A. Uploading a Microsoft® PowerPoint® presentation
- B. Copying text from company reports and pasting into Einstein Discovery
- C. Entering notes about the data
- D. Selecting a Dataset in Einstein Analytics, then clicking Create Story

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story's

- A. Yes. If the collinear variables are not removed, the Einstein Discovery model build will fail.
- B. yes. If all collinear variables are not excluded, the model will over-fit and not make any sense.
- C. No. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from over-fitting.
- D. No. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

Which permission gives you view-only access to Analytics?

- A. Manage Analytics
- B. Use Analytics
- C. None of above
- D. Create and Edit Analytics Dashboard

Answer: (SHOW ANSWER)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Add more data to the dataset.
- B. Run separate stories for each region.
- C. Eliminate extreme values in the dataset.
- D. Normalize the margin by product group.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 33

Your sales team requests that datasets for their dashboards are refreshed every hour. You agree to investigate if this is possible and find that the dashboards use A datasets created from two recipes. The first recipe takes 43 min to run and the second recipe takes 25 min to run.

Is it possible to refresh data every hour?

- A. No, the total duration of the recipe jobs exceeds one hour.
- B. Yes, with the concurrent recipe runs the duration is less than hour.

C. No, the number of recipe runs exceed the limit of 40 in a 24 hour rolling period.

D. Yes, the number of recipe runs does not exceed the limit of 60 in a 24 hour rolling period.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

How many groupings can you have in a Compare Table?

A. Up to four

B. None


C. Infinite

D. One

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

Exhibit:



Which two statements can be determined based on the 'Why it Happened' graphic above? Choose 2 answers

A. Germany performs lower than average but better when the product is Call Center.

B. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.

C. Germany sells more Call Center product and that helps them increase their win rate.

D. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 36

A customer is reviewing a story that is set to maximize the daily sales quantity of consumer products in stores and sees this chart. The visualized tooltip belongs to the blue bar for San Francisco, reflecting, November daily sales quantities in that city specifically.

What two conclusions can be drawn from this insight?

A. The average daily quantity in San Francisco stores in November was 1239 items higher than the average of all November sales in the country

B. The average daily in SAN Francisco stores in November as 1601 items higher than the global average of 335.

C. November sales are higher than in other months. This November-effect is the strongest in San Francisco.

D. The average daily quantity in San Francisco stores in November was 1239 items higher than the average of all other months in San Francisco.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

A dashboard dataset is growing and the Einstein Analytics consultant notices an impact on performance. The consultant needs to make a few adjustments.

Which three actions can the consultant take to improve dashboard performance? Choose 3 answers

- A.** Reorganize the dashboard widgets.
- B.** Distribute steps among separate pages.
- C.** Use SAQL code to join datasets at runtime.
- D.** Replace separate step filters with a global filter.
- E.** Move calculations to a dataflow.

Answer: **B,D,E** ([LEAVE A REPLY](#))

NEW QUESTION: 38

A consultant built a Tableau CRM dashboard for a shipping company. The consultant enabled data sync (replication) to increase the speed to datasets refreshing.

How often will the data on the dashboard be refreshed?

- A.** When the Data Sync runs to completion, and then recipe runs to completion.
- B.** When the dashboard viewer clicks the Refresh button.
- C.** When recipe runs to completion, and then Data Sync runs to completion.
- D.** Each time a user opens the dashboard

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 39

In a dataset, there are multiple boolean fields. When displayed on any dashboard, the boolean fields should all be displayed in the same way: a value of true should result in the display of the word "Yes" in green; a value of false should result in the display of the word "No" in red.

In which two ways can this be accomplished? Choose 2 answers

- A.** Download the XMD for the dataset and change the values and color for the fields and then upload to the dataset.
- B.** Create an XMD node in the dataflow to change the label and color of the values in the fields.
- C.** In the explorer, select the boolean fields, then create a derived dimension that references the boolean fields, and then modify the values and colors of the derived dimension.
- D.** In the explorer, select the boolean fields and use the "edit values" option on the fields to change values and colors.

Answer: **A,D** ([LEAVE A REPLY](#))

NEW QUESTION: 40

Max story creations per org per month

- A.** 500 (can purchase more)
- B.** 500

- C. 200 (can purchase more)
 - D. 1000 (can purchase more)
- Answer: A ([LEAVE A REPLY](#))**

NEW QUESTION: 41

What are the two main parts of a lens/exploration?

- A. Visualization
- B. Grouping
- C. Query
- D. Dataset
- E. Measure

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension Dataset B: contains a list of users with a "userID" dimension The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

- A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.
- B. Use a combination of dataflow transformations: "augment" and "filter."
- C. Use an external ETL tool to extract both datasets and delete records.

Answer: ([SHOW ANSWER](#))

D, Use the recipe operation "delete" and set "userID" as the deletion ID.

NEW QUESTION: 43

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- A. Manager
- B. Viewer
- C. Editor
- D. Designer

Answer: C ([LEAVE A REPLY](#))

Save changes to existing dashboards, lenses, and datasets in the app (saving dashboards requires the appropriate permission set license and permission) available in Editor and Manager*##**##*

NEW QUESTION: 44

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- B. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- C. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.

D. Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

Answer: D (LEAVE A REPLY)

Reference:

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

NEW QUESTION: 45

Which Einstein Analytics asset or assets are created when using an App Template to create an app?

- A. The app, dataflows and datasets, and users
- B. The app, dataflows and datasets, and dashboards
- C. The app, dataflows and datasets, dashboards, and permission sets
- D. An empty app

Answer: B (LEAVE A REPLY)

NEW QUESTION: 46

Which set of statements generates monthly amount on a cumulative basis annually?

- A.

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by 'CloseDate_Year'
order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```
- B.

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by all order by
('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```
- C.

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..] partition by 'CloseDate_Year'
order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```
- D.

```
result = load "opportunity1";
result = group result by ('CloseDate_Year~~~CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by 'CloseDate_Year'
order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

Answer: A (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

To use the Sales Analytics app, which permission set license do you need?

- A. Sales Wave
- B. Sales Analytics Apps
- C. Analytics Templated Apps
- D. Security User

Answer: ([SHOW ANSWER](#))

Reference:

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select "Service Analytics Apps." For Event Monitoring, select "Event Monitoring Analytics Apps," and so on.

NEW QUESTION: 48

In Einstein Discovery:

A. 'What Is The Difference' insights are comparative insights that help you better understand the relationships between explanatory variables and the goal (target outcome variable) in your story. These insights, based on a statistical analysis of your dataset, help you figure out which factors contribute to the biggest changes in the outcome variable. Einstein Discovery uses waterfall charts to help you visualize comparisons in What Is The Difference insights.

B. 'Predictions and Improvements' insights help you explore what might happen in the future. For example, you can interactively perform "what if analyses in your story. Einstein Discovery provides you with predictions and suggested improvements based on a statistical analysis of your dataset and predictive analytics. To help you visualize these insights, Einstein Discovery uses:

- waterfall charts for predictions
- bar charts for suggested improvements

C. 'What Happened' insights are the primary insights in your story. They are descriptive insights that help you explore, at an y/ Q overview level, what factors contributed to the outcome, based on a statistical analysis of your dataset. Einstein Discovery uses bar charts to help you visualize What Happened insights.

D. 'Why It Happened' insights help you take a deeper look into the exact factors that led to an outcome. Why It Happened s/ Q insights drill deeper into the various factors that contributed to your story's goal. These insights are based on a statistical analysis of your dataset. Einstein Discovery uses waterfall charts to help you visualize Why It Happened insights.

Answer: **A,B,C** ([LEAVE A REPLY](#))

NEW QUESTION: 49

The Universal Containers Einstein Analytics team built a dashboard with two widgets:

1. List widget associated to the step "Type_2" and grouped by the dimension "Type" (multi-selection)
2. Pie chart widget associated to the step "Step_pie_3" and grouped by the dimension "Type" The team wants to use bindings so any selection in the List widget will filter the Pie chart.

Additional notes:

- * The steps use different datasets.
- * Users should be able to choose more than one Type (multi-selection).

What is the right syntax for the binding?

```
"filters": [
  [
    "Type",
    "{{cell(Type_2.selection, 0, \"Type\")}.asObject()}"
  ]
]
```

A.

```
    ]
  "filters": [
    [
      "Type",
      "{{cell(Type_2.selection, 0, \"Type\")}.asString()}"
    ]
  ]
}
```

B.

```
"filters": [
  [
    "Type",
    "{{column(Type_2.selection, [\"Type\"]).asString()}"
  ]
]
```

C.

```
"filters": [
  [
    "Type",
    "{{column(Type_2.selection, [\"Type\"]).asObject()}"
  ]
]
```

D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

What kind of org should you use for checking challenges when you do Trailhead modules about Analytics?

- A. A higher education org, because analytics requires advanced math
- B. An enterprise org, because that type of org is typically used by large companies
- C. A Developer Edition org, because it's a free, safe environment where you can try things out
- D. A trial org, because you don't need to save anything

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

What is a valid permission for a permission set?

- A. Sales Analytics Apps
- B. Always Sign Me Up for Dreamforce
- C. Access Sales Cloud Analytics Templates and Apps
- D. Enable Parental Control

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

What does a configuration wizard do?

- A. Automatically creates multiple versions of the same app
- B. Lets you know the best way to set up your Salesforce data
- C. Asks you questions about how you store data in your org to help you create your app

D. Customizes your template based on Salesforce settings

Answer: C (LEAVE A REPLY)

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION: 53

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.
- D. Bring Your Own Key is not supported.

Answer: A,C (LEAVE A REPLY)

https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5

NEW QUESTION: 54

Which of the following are requirements for enabling Analytics for Communities?

- A. Wait at least 3 days after purchase.
- B. Have a Customer Community Plus or Partner Community license.
- C. Be nominated by your community peers.
- D. Assign your community members the Analytics for Communities permission set license.
- E. B and D

Answer: E (LEAVE A REPLY)

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Only users with a Customer Community Plus or Partner Community license can use this feature. This feature is supported in communities but not in portals.

NEW QUESTION: 55

Exhibit:



A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled
- B. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled
- C. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled
- D. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

What does XMD stand for?

- A. Lenses Dataset Fields
- B. Extended Metadata
- C. Create a JSON
- D. Configuring unsupported fields

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which three statements are true regarding sharing inheritance? Choose 3 answers

- A. If a user can see more than 3,000 records on the object in Salesforce, but the user does not have the "View All Data" permission, sharing inheritance is not used. The backup security predicate takes effect. This limitation does not apply to the Opportunity object.
- B. Sharing inheritance supports Account, Campaign, Case, Contact, Opportunity, Lead, Order, User, and custom objects. If you use other objects, such as Idea or Site, you must use security predicates for those objects.
- C. A dataset using sharing must also have a security predicate defined.
- D. Sharing inheritance supports a foreign key for enforcing security.
- E. When sharing inheritance is enabled, security predicates are ignored.

Answer: A,B,C ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_security_datasets_sharing_about.htm&type=5

NEW QUESTION: 58

After the initial creation of a story, the first story insight explains 93% of the variation of the outcome variable. This is unusual high?

What is the most likely multiple for this?

- A. The dataset contains too many rows.
- B. The dataset contains multiple dominant values.
- C. The dataset used in the story suffers from too many outlier values.
- D. The outcome variable is causing data leakage.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 59

An Einstein Analytics consultant is notified of a performance issue with data sync (replication). The consultant researches the issue and determines that unnecessary data is being synced.

Which solution should the consultant implement to help improve data sync (replication) performance?

- A. Start over again with new dataflows that exclude unused fields with a filter to extract relevant data.
- B. Update the existing data sync (replication) process by removing unused fields with a filter to extract relevant data.
- C. Modify dataflows to exclude unused fields and include a filter to extract relevant data.
- D. Scale down the number of datasets to help improve data sync (replication) performance.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 60

What is an Einstein Discovery story?

- A. A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable
- B. A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables
- C. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome
- D. An account of imaginary or real people and events told for entertainment

Answer: A (LEAVE A REPLY)

NEW QUESTION: 61

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 300 files per dataset
- B. 50 files Per dataset
- C. 100 files per dataset
- D. 500 files per dataset

Answer: B (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Using the Setup menu, the Universal Containers company activated data sync (replication) in the Einstein Analytics settings. After running the sync, they notice that the aggregate sum of a field within their dataset is different than what they manually calculated by summing the same data in the Salesforce object from which the dataset was populated.

Which two differences in the newly synced data can explain this? Choose 2 answers

- A. Differences involving permanently deleted records
- B. Differences involving workflow-updated fields
- C. Differences involving formula fields
- D. Differences involving trigger-updated fields

Answer: A,C (LEAVE A REPLY)

<https://help.salesforce.com/articleView?id=000314272&type=1&mode=1>

NEW QUESTION: 63

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.

The image displays a Salesforce Analytics configuration interface. On the left, a list titled 'ProjectRegion' shows various categories and their counts. On the right, two configuration panels are shown. The top panel, labeled 'Region_1', has 'Apply filters from faceting' checked. The bottom panel, labeled 'Step_pie_1', has 'Broadcast selections as facets' checked. Below the configuration panels is a pie chart showing a total of 86k.

ProjectRegion	Count
AMER	1,392
AMER B2B (Commerce Cl...	4
AMER B2C	3,824
AMER CMRCL & SMB	164
AMER Financial Services	223
AMER HLS	180
AMER Key Select Canada	391
AMER Strategic	1,338
APAC	318

Which two changes can an Einstein Consultant implement to solve this issue, given that the steps are using the same dataset? Choose 2 answers

- A. Use selection binding in the filters section of the step "Region_1."
- B. Enable the option "Apply filters from faceting" in the step "Step_pie_1."
- C. Use selection binding in the filters section of the step "Step_pie_1."
- D. Enable the option "Apply filters from faceting" in the step "Region_1."

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 64

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Filter to narrow down your results.
- B. Grouping by a dimension
- C. Aggregate by a measure
- D. Count rows by measure you want to visualize.
- E. Display the results graphically

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 65

What is an appropriate response when a client is disappointed that Einstein Discovery only detected patterns that were already known?

- A. Recommend using a visualization tool, like Einstein Analytics, to uncover the details.
- B. Remind them that the technology is only as good as the data.
- C. Highlight that Einstein reduces time to insight, which is much faster than learning from experience.
- D. Advise them that the use case may not be accurate.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

How do you open the Actions menu for a particular case shown in a dashboard?

- A. Hover over the case number column of the values table widget and click the arrow that appears
- B. Simply @mention the case manager for that segment
- C. Double-click the case number in the Actions widget
- D. Click the Actions bar from a bubble chart

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

Yasmine told Danielle she's interested in using the artificial intelligence provided by Einstein Discovery to enhance analysis Mosaic probably wouldn't have considered through their own means. How can Danielle use Einstein Analytics to load data into Einstein Discovery?

- A. Data loaded into Einstein Analytics as datasets can then be used in Einstein Discovery without a separate load process.
- B. Danielle needs a permission set containing the Upload External Data to Analytics permission, then she can log into Einstein Discovery and import the data from there.
- C. Danielle needs a permission set containing the Download Analytics Data permission, then she can use the Export node to load data into Einstein Discovery.
- D. It's not possible. Danielle will need to log into Einstein Discovery and import the data from there.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Where can you view the status of a CSV upload in Analytics?

- A. The Setup menu
- B. The Analytics home page
- C. The Create Dataset page
- D. The data manager

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

What is the order of filter, limit, order and offset functions in SAQL?

A. Filter and order can be interchanged. Offset must be after filter/order and limit must come after offset.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 70

An Einstein Discovery team created a model to maximize the margin of their sales opportunities. They want to deploy the model to the Opportunity object in order to predict the outcome of every newly created or updated Opportunity.

What are the steps to accomplish this?

A. Create a trigger on Opportunity and use the Salesforce External Connector to get predictions from Einstein Discovery.

B. Create an Apex batch on Opportunity and use the REST API to get predictions from Einstein Discovery.

C. Create a trigger on Opportunity and install the Einstein Discovery Writeback managed package from the AppExchange.

D. Create a trigger on Opportunity and use the REST API to get predictions from Einstein Discovery.

Answer: C (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_edd_wb_native.htm&type=5

NEW QUESTION: 71

What are the steps in the data exploration process?

A. Download, View, Refine, Save, Share

B. View, Explore, Reduce, Save, Share

C. View, Explore, Refine, Save, Share

Answer: C (LEAVE A REPLY)

NEW QUESTION: 72

Which three statements are true regarding sharing inheritance? Choose 3 answers

A. If a user can see more than 3,000 records on the object in Salesforce, but the user does not have the "View All Data" permission, sharing inheritance is not used. The backup security predicate takes effect. This limitation does not apply to the Opportunity object.

B. Sharing inheritance supports Account, Campaign, Case, Contact, Opportunity, Lead, Order, User, and custom objects. If you use other objects, such as Idea or Site, you must use security predicates for those objects.

C. A dataset using sharing must also have a security predicate defined.

D. Sharing inheritance supports a foreign key for enforcing security.

E. When sharing inheritance is enabled, security predicates are ignored.

Answer: A,B,C (LEAVE A REPLY)

https://help.salesforce.com/articleView?id=bi_security_datasets_sharing_about.htm&type=5

NEW QUESTION: 73

An insurance company has many Einstein Analytics dashboards that show the influence of weather, such as atmospheric temperature, on customer cases. A service agent commented that it is sometimes difficult to determine, by looking at a dashboard, whether the temperature data is reported in degrees Fahrenheit or in degrees Celsius.

How can a dashboard designer ensure the temperature data is easier to interpret on the dashboards?

A. Use the XMD node in the dataflow to customize the number format of the field.

- B. In Explorer, go to the Fields menu and then customize the number format of the measure.
- C. Add a text widget to the dashboard to indicate Fahrenheit or Celsius.
- D. Customize the number format in the number widget properties of the dashboard.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

What happens if the ui.json file is empty?

- A. You create a text-only version of an app.
- B. The template will not include a configuration wizard.
- C. The dataflow fails.
- D. The app includes all possible dashboards by default.
- E. B and D

Answer: B ([LEAVE A REPLY](#))

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 75

A company wants to build a webpage that displays KPIs that can be derived from values in datasets stored in Einstein Analytics. How can an Einstein Analytics consultant derive those KPIs from those datasets?

- A. Use the Analytics External Data API and leverage the "query" resource.
- B. Export the dataset as a CSV file and load it to an external database.
- C. Use the Analytics REST API and leverage the "-query" resource.
- D. Export the dataset as an XLS file and use the Einstein Analytics Connector for Excel.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

When you assign any Analytics permission set to users in your org, Salesforce auto-assigns the Analytics Platform permission set license to that user.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Max story creations per org per day:

- A. 40 per org
- B. 20 per org per day
- C. 40 per org per day
- D. 20 per org

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 78

A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

```
{  
  "folderSource" : { "id" : "Sales Operations ID"}  
}
```

Given the code statement above, which endpoint should it be posted to?

- A. /services/data/v . /wave/apps
- B. /services/data/v . /analytics/wizard
- C. /services/data/v . /wave/templates
- D. /services/data/v . /analytics/projects

Answer: C ([LEAVE A REPLY](#))

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm

NEW QUESTION: 79

Can you share data from a widget?

- A. No, you can't share data from a widget.
- B. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.
- C. Select the step of the widget and share data.
- D. Only with the proper Einstein Analytics Platform license.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

Philip adds a recently created Seed Bank Orders dataset to an Einstein Analytics app for which the Mosaic Seed Bank project team has the Viewer app role. How much data in the Seed Bank Orders dataset can a project team member see?

- A. Only rows designated by the Salesforce administrator
- B. None of the data
- C. Only rows designated by the App Manager
- D. All rows and fields in the datasets

Answer: (SHOW ANSWER)

NEW QUESTION: 81

A consultant is asked to create a dashboard for sales to see the forecasted sales per product family. After gathering the requirements, the consultant decides to leverage the timeseries SAQL statement to predict sales.

Which two actions must be performed when writing the SAQL query?

Choose 2 answers

- A. Include the fill SAQL statement to fill any missing dates.
- B. Validate that there is enough data in the dataset to make a good prediction.
- C. Investigate which prediction model is best for the data available.
- D. Determine if the timeseries required parameter, prediction interval, should be 80 or 95.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 82

An Einstein Analytics consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal*CountyTax).

Which node should the consultant use in a Dataflow to calculate and insert SalesTax to the dataset?

- A. augment
- B. append
- C. computeExpression
- D. computeRelative

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 83

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Load the data as a CSV file.
- B. Use Oracle database connector.
- C. Use the Analytics External Data API.
- D. Use the Salesforce SOAP interface.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

Universal Containers (UC) is a multinational company that utilizes Salesforce and has a variety of internal systems. UC uses Einstein Analytics for their data analysis platform and they want to automate their weekly manual process to create a dataset from their on-premise data warehouse. Which solution should a consultant recommend to meet this requirement?

- A. Utilize a Salesforce weekly export feature
- B. Utilize Analytics Connector.
- C. Utilize middleware with Analytics External Data API
- D. Utilize a dataflow

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 85

Upper and lower limits on columns (vars) in discovery:

- A. 2 column minimum, 25 maximum
- B. 20 column minimum, 50 maximum
- C. 10 column minimum, 200 maximum
- D. 2 column minimum, 50 maximum

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

What is a keyword in SAQL? And what case must it be in?

- A. A keyword is basically just a function in SAQL, like group, foreach, etc. And it has to be lowercase.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

The Vice President of Sales wants to create a "Pipeline Trending" dashboard in Einstein Analytics that displays specific colors depending on the values of the fields.

Which two techniques can a consultant use to help address this requirement? Choose 2 answers

- A. Use SAQL queries to calculate a color field and assign it to each field value.
- B. Use the "fields" menu when exploring the dataset and assign colors to each field value.
- C. Use an XMD file and assign colors to each field value.
- D. Use a compute Expression to calculate a color field and assign it to each field value.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

In a Compare Table formula, you can refer to other columns with:

- A. Numbers (1..9)
- B. Their names
- C. Letters (A..Z)
- D. All of the above

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 89

After getting approval of the dashboard layout design for a desktop, the Einstein Analytics consultant is ready to start the design process for a mobile layout.

What are three considerations that the consultant should keep in mind when developing the layout? Choose 3 answers

- A. If no layouts are eligible for the mobile device, the first defined layout is used. (Missed)
- B. If no layouts are eligible for the mobile device, an error message will be displayed.
- C. If more than one layout is eligible, the one with the most device properties set is used. If there is a tie, the most recently defined layout is used. (Missed)
- D. A layout for mobile is eligible for use when the device meets all the device properties set in the Layout panel.
- E. There are widgets that cannot be displayed on mobile layouts.

Answer: ([SHOW ANSWER](#))

https://trailhead.salesforce.com/en/content/learn/modules/wave_dashboard_designer_basics/wave_take_analytics_on_the_go

NEW QUESTION: 90

What is the order of filter, limit, order and offset functions in SAQL?

Answer:

Filter and order can be interchanged. Offset must be after filter/order and limit must come after offset.

NEW QUESTION: 91

An Einstein Consultant receives a request from the Marketing department to help them understand lead conversion. Presently, they are unaware of the percentage of leads that get converted to sales. They hope to view results by account manager, value, and quarter. The data is there, so the consultant can add it to the marketing dashboard.

How should this metric be calculated?

- A. Create a computeExpression in the dataflow.
- B. Create a formula field on the lead object in Salesforce and add it to the dataset.
- C. Create a new step in the dashboard using a compare table and define a formula.
- D. Create a new step in the dashboard using a compare table and the running total function.

Answer: ([SHOW ANSWER](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumpsPass.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

Universal Containers reports that nay selection in the List widget is not affecting the pie chart in one of their tableau CRM dashboard. They query options associated with the List widget and Pie chart are shown in the graphic Which change can a Tableau CRM Consultant implement to solve this issues, given that the queries are using the same dataset?

- A. Set faceting to All instead of None in the query "Step_pie_1."
- B. Set faceting to all instead of None in the query "Region_1."
- C. Use result binding/interaction in the filters section of the query "Step_pie_1."
- D. Use selection binding/interaction in the filters section of the query "Region_1."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

A Salesforce administrator wants to create a new dashboard that uses custom geoJSON to display data; however, the administrator is unable to upload the file via the UI.

What should be done?

- A. Add the system permission "Manage Analytics Custom Maps" to the permission set used.
- B. Enable "Custom maps with geoJSON" in the analytics settings.
- C. Upload the geoJSON via the API because it is not a function in the UI.
- D. Contact Salesforce support and request to get custom maps and geoJSON enabled for the org.

Answer: A ([LEAVE A REPLY](#))

https://help.salesforce.com/articleView?id=bi_chart_intro_custom_map.htm&type=5

NEW QUESTION: 94

When organizing information in an Einstein Analytics dashboard, what does the "Progressive Disclosure' design principle mean'

- A. Implement strict security predicates to minimize the amount of information displayed to users.
- B. Intentionally omit specific details so that users can do ad-hoc exploration if needed for root-cause analysis.
- C. Utilize the latest templates for the most modern look and feel.
- D. Only provide the user with the level of detail they need to see, with the option to drill down deeper into more details.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 95

Max Analytics API calls per user per hour

- A. 50,000
- B. 5,000
- C. 10,000
- D. 100,000

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

A consultant built a very useful Einstein Analytics app for the corporate Sales Operations team of a company that has multiple Salesforce Orgs, Each Org has similar models and would like to review their data the way that the corporate Sales Operations team does. The app has been packaged and needs to be installed on the other production orgs.

What is the recommended practice to install the custom template app?

- A. Salesforce Managed Package
- B. Change Sets
- C. Metadata API
- D. Rest API

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 97

A Tableau CRM consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal*CountyTax).

Which node should the consultant use in a recipe to calculate and insert SalesTax to the dataset?

- A. Update
- B. Append

C. Transform

D. join

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app. What can the consultant do to give the Sales team more choices and options with future apps that are generated from the Sales Operations app?

A. Update contents in the Sales Operations app and changes will be pushed down to its generated apps.

B. Ensure the Sales team has the necessary permissions to customize their apps.

C. Create a configuration wizard for the app.

D. Update contents in the Sales Operations app and create new template versions of the app.

Answer: ([SHOW ANSWER](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION: 99

In Einstein Analytics, which node is used in a dataflow to extract data from a registered dataset?

A. digest

B. edgemart

C. sfdcDigest

D. export

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

Which of the following is true about the Service Analytics Overview dashboard?

A. It instantly provides key metrics on open cases, average time to close, first contact resolution, and customer satisfaction.

B. All of the above.

C. It's a great place to start your analysis.

D. It's available on desktop and mobile.

E. It lets you drill down to more detailed dashboards, like agent performance, channel review, and telephony metrics.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

To see predictive insights, what option do you select in the Story toolbar?

A. What Changed Over Time

B. How Can I Improve It

C. Why It Happened

D. Predictions & Improvements

E. What Happened

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

- A. Connected data(Synced)
- B. Existing datasets
- C. Dataset lens
- D. Records from a Salesforce object

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers- The formula used is: $YoY = [(This\ Year - Last\ Year) / Last\ Year] \%$ Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results. The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- A. number_to_string()
- B. coalesce()
- C. substr()
- D. replace()

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

How many concurrent stories per org are allowed?

- A. 2
- B. 1
- C. 5
- D. 4

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 105

What's a good way to see which required questions in the configuration wizard don't have default values?

- A. Download the app and run a SAQL query on the JSON
- B. Answer only questions that involve custom objects
- C. Click "Looks good, next" and look for questions highlighted in red
- D. Try each option in the dropdown one at a time

Answer: C ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by BraindumpsPass.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! BraindumpsPass.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: <https://www.braindumps.com/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant-practice-exam-dumps.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)