

Sitecore.Sitecore-10-NET-Developer.v2023-05-15.q24

Exam Code:	Sitecore-10-NET-Developer
Exam Name:	Sitecore 10 .NET Developer Exam
Certification Provider:	Sitecore
Free Question Number:	24
Version:	v2023-05-15
# of views:	939
# of Questions views:	240
https://www.exam-tests.com/Sitecore-10-NET-Developer-exam/Sitecore.Sitecore-10-NET-Developer.v2023-05-15.q24.html	

NEW QUESTION: 1

Which of the following is considered a complex field and should not be rendered using the `Html.Sitecore().Field()` method when developing with Sitecore MVC?

- A. Number
- B. Image
- C. Single-line text
- D. Check box

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

In a non-SXA website where you are using Sitecore MVC, you are working on the presentation for a website, starting with the layout. What two things are needed to successfully implement a layout? (Choose two.)

- A. A layout.cshtml file
- B. A standard values item
- C. A main placeholder
- D. A presentation details settings item
- E. A layout definition item

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which four statements are true about developing with the SitecoreASP.NET Core Rendering SDK? (Choose four.)

- A. It enables you to preview your code changes without having to restart the Sitecore environment.
- B. It allows you to create independent applications that render Sitecore content.
- C. It allows you to extend Sitecore pipelines using .NET Core.
- D. It depends on the Sitecore Layout Service.
- E. It enables the Content Delivery instance to handle all of the development workload.
- F. It helps you build small, lightweight .NET Core applications for Sitecore.

G. It enables you to remove ASP.NET from your solution.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

If the Sitecore Content Management instance can be accessed by multiple host names, what would you do to enable users for each site to be able to log in to the Sitecore shell?

- A.** Remove all specific host names from the Identity Server configuration settings file and replace them with wild-card options.
- B.** Add AllowedCorsOriginsGroup for each site to the Identity Server configuration.
- C.** Patch the web.config for the Content Management instance with the required permission groups.
- D.** Update the role for each user group to include the appropriate site permissions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What is a reason to set the insert options on a specific item under the content node of the content tree?

- A.** To allow Content Authors to insert new items under any item within the content tree
- B.** To allow Content Authors to insert items under the specific item in addition to what is included with the item's standard values
- C.** To allow Content Authors to insert items created from any system template into the content tree under the specific item
- D.** To allow Content Authors to insert items into the content tree for all the templates they have access to

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which statement explains the purpose of dynamic placeholders?

- A.** Dynamic placeholders allow the user to move the placeholder's content to any location on the page as necessary.
- B.** Dynamic placeholders with the same key can be used multiple times on a page while allowing content within the placeholder to be unique.
- C.** Unlike static placeholders, users can create as many dynamic placeholders on a layout as needed.
- D.** Dynamic placeholders allow users to override the placeholder from a page and directly replace it with a new one.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

A team member incorrectly entered their password several times when attempting to log in to Sitecore and is now locked out of their account. What can you do to unlock this user?


- A.** Go to the User Manager, select the user, and click Change password to unlock the user's account by resetting their password.
- B.** Go to the User Manager, select the user, and click Unlock in the navigation ribbon.
- C.** Go to the User Manager, select the user, and click Edit to update user settings.
- D.** Go to the Security Editor, select the user, and update their access rights to Sitecore.

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 8

While using the Sitecore Install Assistant (SIA), you encounter the error below:

Based on the information provided in the image, what is the most likely reason for this install error?



- A. The Solr service was stopped.
- B. The Solr install path was set incorrectly.
- C. The SQL server username/password were incorrect.
- D. The Sitecore instance username/password were incorrect.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

What is the purpose of a Sitecore Support Package?

- A. To make it easier for you to download update packages and install them into your environment.
- B. To help Sitecore replicate an issue without needing to access the environment directly.
- C. To give Sitecore direct access to your environment for support purposes.
- D. To let Sitecore Support Services access active logs running directly in the environment.

Answer: (SHOW ANSWER)

NEW QUESTION: 10

Of the available options, which is a purpose of the field source in data templates?

- A. The field source is used to control a user's access and permissions to folders and files in the content tree.
- B. The field source defines how a field's data appears in the Content Editor in the UI.

- C. A field source maps a field to the underlying class representation in the API.
- D. The field source is a field property that designates where in the content tree the field obtains its data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which statement best describes the purpose of the Sitecore Container Registry (SCR)?

- A. The SCR only provides base container images for add-on modules, such as SXA, JSS, and SPE.
- B. The SCR provides base container images for Sitecore environments for both production and development purposes.
- C. The SCR only provides base container images for Sitecore environments for development purposes only.
- D. The SCR provides Sitecore-approved images submitted by the Sitecore MVP community.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

In a non-SXA website, you have created a layout definition item and want to designate the layout as part of the presentation details. According to Sitecore best practices, where should you set presentation details?

- A. On the individual items
- B. Standard values
- C. Standard template
- D. Rendering parameters

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

While using the Sitecore Install Assistant (SIA), you encounter the error below:

Based on the information provided in the image, what is the most likely reason for this install error?



- A. The Sitecore instance username/password were incorrect.
- B. The SQL server username/password were incorrect.
- C. The Solr install path was set incorrectly.
- D. The Solr service was stopped.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

When you want to refer to a specific placeholder in the presentation details, which identifier do you use?

- A. Placeholder ID
- B. Item Key
- C. Key ID
- D. Placeholder Key

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Currently, a Content Author has three rendering options with a complex datasource query. However, in order to swap the existing rendering for a new one, the author has to copy the datasource query, remove the old rendering, insert the new rendering, and

paste the datasource query into the datasource field. According to Sitecore best practices, what should you do to reduce the chance of user error when an author needs to change out the rendering?

- A. Split the renderings into smaller pieces so the Content Authors can add each field of the data source separately as desired.
- B. Create a custom Experience Editor button and script the replacement.
- C. Add each rendering definition item to the Compatible Renderings option within each of the renderings.
- D. Merge all three renderings into one and have the Content Author select display mode through rendering parameters.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You want to control the order in which patch files load. Which element could you use in the Layers.config file to accomplish this?

- A. <configLoad>
- B. <configLayer>
- C. <loadOrder>
- D. <patchOrder>

Answer: D ([LEAVE A REPLY](#))

Valid Sitecore-10-NET-Developer Dumps shared by BraindumpsPass.com for Helping Passing Sitecore-10-NET-Developer Exam! BraindumpsPass.com now offer the **newest Sitecore-10-NET-Developer exam dumps**, the BraindumpsPass.com Sitecore-10-NET-Developer exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Sitecore-10-NET-Developer dumps with Test Engine here:
<https://www.braindumpsPass.com/Sitecore/Sitecore-10-NET-Developer-practice-exam-dumps.html> (52 Q&As Dumps, **40%OFF**
Special Discount: Exam-Tests)

NEW QUESTION: 17

What are the three elements that make up a workflow? (Choose three.)

- A. Permissions
- B. Actions
- C. Commands
- D. States
- E. Submissions
- F. Approvals
- G. Security

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

In a non-SXA website, you have created a layout definition item and want to designate the layout as part of the presentation details. According to Sitecore best practices, where should you set presentation details?

- A. Standard values
- B. On the individual items

- C. Standard template
- D. Rendering parameters

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

Your published layout.cshtml file contains a static placeholder with a "main" placeholder key and you want to add renderings to the presentation details of a templates standardvalues; however you cannot see the "main" placeholder key you added to the layout. Of the available options, which is the best explanation of what happened?

- A. A Sitecore publish is required to show placeholder keys when editing presentation details.
- B. There is a missing configuration element in web.config for placeholders.
- C. There is no placeholder settings item for the associated "main" placeholder key.
- D. The wrong layout is associated with the current template.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

How would you debug the Sitecore Content Delivery role that is running on containers?

- A. Stop the container and run a debug command from PowerShell.
- B. Open the container logs in Docker Desktop and review for errors.
- C. Right-click the container in Docker Desktop and select Debug.
- D. Attach to the w3wp.exe process of the container from your IDE.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

What is a reason to set the insert options on a specific item under the content node of the content tree?

- A. To allow Content Authors to insert items under the specific item in addition to what is included with the item's standard values
- B. To allow Content Authors to insert items created from any system template into the content tree under the specific item
- C. To allow Content Authors to insert items into the content tree for all the templates they have access to
- D. To allow Content Authors to insert new items under any item within the content tree

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

For non-SXA websites, why is it recommended to avoid setting presentation details directly on new content items?

- A. It allows all content items made from the same template to have the same presentation details by default and eliminates additional work during content creation.
- B. It forces a prompt to appear when new content items are created so Content Authors can finalize the presentation details for the new content items.
- C. Sitecore does not allow presentation details to be changed at the content-item level, so they must be set and edited from the standard values of templates.
- D. Defining presentation details on standard values ensures all the fields related to an item's presentation are configured for access by content creators.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Prior to the creation of any content items based on templates, you have taken over the creation of data templates from a previous Developer. Based on the design plan, two templates were created, ItemA and ItemB. Both templates have three identical fields: Title, Subtitle, and Description. Based on Sitecore best practices, how would you improve the template design?

- A. Set both templates to inherit from a new base template with the three duplicated fields, removing the fields from the existing templates.
- B. Delete the templates and start over again with new templates, one for the three duplicated fields and one for all the other fields from ItemA and ItemB.
- C. Set the template for ItemB as the base template for ItemA's template and delete the duplicated fields from ItemB's template.
- D. Set the template for ItemB as a base template for ItemA and set the template for ItemA as the base template for ItemB to ensure proper inheritance.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

Your published layout.cshtml file contains a static placeholder with a "main" placeholder key and you want to add renderings to the presentation details of a templates standard values; however you cannot see the "main" placeholder key you added to the layout. Of the available options, which is the best explanation of what happened?

- A. A Sitecore publish is required to show placeholder keys when editing presentation details.
- B. There is no placeholder settings item for the associated "main" placeholder key.
- C. There is a missing configuration element in web.config for placeholders.
- D. The wrong layout is associated with the current template.

Answer: B ([LEAVE A REPLY](#))

Valid Sitecore-10-NET-Developer Dumps shared by BraindumpsPass.com for Helping Passing Sitecore-10-NET-Developer Exam! BraindumpsPass.com now offer the **newest Sitecore-10-NET-Developer exam dumps**, the BraindumpsPass.com Sitecore-10-NET-Developer exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com Sitecore-10-NET-Developer dumps with Test Engine here:

<https://www.braindumpsPass.com/Sitecore/Sitecore-10-NET-Developer-practice-exam-dumps.html> (52 Q&As Dumps, **40%OFF**)

Special Discount: Exam-Tests)