

Snowflake.COF-R02.v2023-09-22.q114

Exam Code:	COF-R02
Exam Name:	SnowPro Core Recertification Exam
Certification Provider:	Snowflake
Free Question Number:	114
Version:	v2023-09-22
# of views:	1178
# of Questions views:	1140
https://www.exam-tests.com/COF-R02-exam/Snowflake.COF-R02.v2023-09-22.q114.html	

NEW QUESTION: 1

What is the minimum Snowflake edition needed for database failover and fail-back between Snowflake accounts for business continuity and disaster recovery?

- A. Virtual Private Snowflake
- B. Enterprise
- C. Standard
- D. Business Critical

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

What data is stored in the Snowflake storage layer? (Select TWO).

- A. Snowflake parameters
- B. Micro-partitions
- C. Persisted query results
- D. Standard and secure view results
- E. Query history

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Data storage for individual tables can be monitored using which commands and/or objects? (Choose two.)

- A. SHOW TABLES;
- B. Information Schema -> TABLE_HISTORY
- C. Information Schema -> TABLE_STORAGE_METRICS
- D. Information Schema -> TABLE_FUNCTION
- E. SHOW STORAGE BY TABLE;

Answer: (SHOW ANSWER)

NEW QUESTION: 4

What are the default Time Travel and Fail-safe retention periods for transient tables?

- A. Time Travel - 1 day. Fail-safe - 1 day
- B. Time Travel - 0 days. Fail-safe - 1 day
- C. Time Travel - 1 day. Fail-safe - 0 days
- D. Transient tables are retained in neither Fail-safe nor Time Travel

Answer: C (LEAVE A REPLY)

Explanation

<https://docs.snowflake.com/en/user-guide/data-cdp-storage-costs.html#:~:text=Temporary%20and%20Transient>

NEW QUESTION: 5

Which Snowflake tool would be BEST to troubleshoot network connectivity?

- A. SnowCLI
- B. SnowUI
- C. SnowSQL
- D. SnowCD

Answer: (SHOW ANSWER)

Explanation

[https://docs.snowflake.com/en/user-guide/snowcd.html#:~:text=SnowCD%20\(i.e.%20Snowflake%20Connectivi](https://docs.snowflake.com/en/user-guide/snowcd.html#:~:text=SnowCD%20(i.e.%20Snowflake%20Connectivi)

NEW QUESTION: 6

Which data type can store more than one type of data structure?

- A. BINARY
- B. VARIANT
- C. VARCHAR
- D. JSON

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

Which Snowflake feature will allow small volumes of data to continuously load into Snowflake and will incrementally make the data available for analysis?

- A. INSERT INTO
- B. COPY INTO
- C. CREATE PIPE
- D. TABLE STREAM

Answer: (SHOW ANSWER)

NEW QUESTION: 8

Which SQL command can be used to see the CREATE definition of a masking policy?

- A. DESCRIBE MASKING POLICY
- B. SHOW MASKING POLICIES
- C. LIST MASKING POLICIES
- D. GET_DDL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which minimum Snowflake edition allows for a dedicated metadata store?

- A. Standard
- B. Enterprise
- C. Business Critical
- D. Virtual Private Snowflake

Answer: D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/intro-editions.html>

NEW QUESTION: 10

Which of the following are valid Snowflake Virtual Warehouse Scaling Policies? (Choose two.)

- A. Custom
- B. Economy
- C. Optimized
- D. Standard

Answer: B,D ([LEAVE A REPLY](#))

Reference: <https://community.snowflake.com/s/article/Snowflake-Visualizing-Warehouse-Performance>

NEW QUESTION: 11

When cloning a database containing stored procedures and regular views, that have fully qualified table references, which of the following will occur?

- A. An error will occur, as stored objects cannot be cloned.
- B. The stored procedures and views will refer to tables in the source database.
- C. The cloned views and the stored procedures will reference the cloned tables in the cloned database.
- D. An error will occur, as views with qualified references cannot be cloned.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

A Snowflake user executed a query and received the results. Another user executed the same query 4 hours later. The data had not changed.

What will occur?

- A. No virtual warehouse will be used, data will be read from the result cache.
- B. No virtual warehouse will be used, data will be read from the local disk cache.
- C. The default virtual warehouse will be used to read all data.
- D. The virtual warehouse that is defined at the session level will be used to read all data.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

If a Small Warehouse is made up of 2 servers/cluster, how many servers/cluster make up a Medium Warehouse?

- A. 4
- B. 16
- C. 32
- D. 128

Answer: ([SHOW ANSWER](#)**)**

Reference: <https://docs.snowflake.com/en/user-guide/warehouses-overview.html>

NEW QUESTION: 14

A user needs to create a materialized view in the schema MYDB.MYSCHEMA.

Which statements will provide this access?

- A. GRANT ROLE MYROLE TO USER USER1;
CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSCHEMA TO USER USER1;
- B. GRANT ROLE MYROLE TO USER USER1;
CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSCHEMA TO USER1;
- C. GRANT ROLE MYROLE TO USER USER1;
CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSCHEMA TO MYROLE;
- D. GRANT ROLE MYROLE TO USER USER1;
CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSCHEMA TO ROLE MYROLE;

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 15

How would a user execute a series of SQL statements using a task?

- A. Use a stored procedure executing multiple SQL statements and invoke the stored procedure from the task. CREATE TASK mytask AS call stored_proc_multiple_statements_inside();
- B. Create a task for each SQL statement (e.g. resulting in task1, task2, etc.) and string the series of SQL statements by having a control task calling task1, task2, etc. sequentially.
- C. A stored procedure can have only one DML statement per stored procedure invocation and therefore the user should sequence stored procedure calls in the task definition
CREATE TASK mytask AS call stored_proc1(); call stored_proc2();

D. Include the SQL statements in the body of the task CREATE TASK mytask .. AS INSERT INTO target1 SELECT .. FROM stream_s1 WHERE .. INSERT INTO target2 SELECT .. FROM stream_s1 WHERE ..

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 16

When publishing a Snowflake Data Marketplace listing into a remote region what should be taken into consideration? (Choose two.)

- A. Shares attached to listings in remote regions can be viewed from any account in an organization.
- B. The listing is replicated into all selected regions automatically, the data is not.
- C. There is no need to have a Snowflake account in the target region, a share will be created for each user.
- D. The user must have the ORGADMIN role available in at least one account to link accounts for replication.
- E. For a standard listing the user can wait until the first customer requests the data before replicating it to the target region.

Answer: C,D ([LEAVE A REPLY](#))

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPass.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Where would a Snowflake user find information about query activity from 90 days ago?

- A. account__usage.query__history__archive View
- B. information__schema . query_history view
- C. information__schema - query history_by_session view
- D. account__usage . query history view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

True or False: Fail-safe can be disabled within a Snowflake account.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/data-failsafe.html>

Separate and distinct from Time Travel, Fail-safe ensures historical data is protected in the event of a system failure or other catastrophic event, e.g. a hardware failure or security breach. Fail safe feature cannot be enabled or disabled from the user end .

NEW QUESTION: 19

In which use cases does Snowflake apply egress charges?

- A. Data sharing within a specific region
- B. Query result retrieval
- C. Database replication
- D. Loading data into Snowflake

Answer: (SHOW ANSWER)

Explanation

Cloud providers apply data egress charges in either of the following use cases:

- * Data is transferred from one region to another within the same cloud platform.
- * Data is transferred out of the cloud platform.

<https://docs.snowflake.com/en/user-guide/billing-data-transfer.html#:~:text=Cloud%20providers%20apply%20d>

NEW QUESTION: 20

Which command is used to unload data from a Snowflake table into a file in a stage?

- A. COPY INTO
- B. GET
- C. WRITE
- D. EXTRACT INTO

Answer: A (LEAVE A REPLY)

Explanation

<https://docs.snowflake.com/en/user-guide/data-unload-snowflake.html#:~:text=Your%20User%20Stage-,Use%2>

NEW QUESTION: 21

User-level network policies can be created by which of the following roles? (Select TWO).

- A. ROLEADMIN
- B. ACCOUNTADMIN
- C. SYSADMIN
- D. SECURITYADMIN
- E. USERADMIN

Answer: D,E (LEAVE A REPLY)

Explanation

By default, Snowflake allows users to connect to the service from any computer or device IP address. A security administrator (or higher) can create a network policy to allow or

deny access to a single IP address or a list of addresses. Network policies currently support only Internet Protocol version 4 (i.e. IPv4) addresses.

An administrator with sufficient permissions can create any number of network policies.

[https://docs.snowflake.com/en/user-guide/network-policies.html#:~:text=A%20security%20administrator%20\(or](https://docs.snowflake.com/en/user-guide/network-policies.html#:~:text=A%20security%20administrator%20(or)

NEW QUESTION: 22

When reviewing a query profile, what is a symptom that a query is too large to fit into the memory?

- A. Partitions scanned is equal to partitions total
- B. The query is spilling to remote storage
- C. An AggregateOperator node is present
- D. A single join node uses more than 50% of the query time

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

What is the recommended compressed file size range for continuous data loads using Snowpipe?

- A. 10-99 MB
- B. 100-250 MB
- C. 8-16 MB
- D. 16-24 MB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

What is the default character set used when loading CSV files into Snowflake?

- A. UTF-8
- B. UTF-16
- C. ISO 8859-1
- D. ANSI_X3.A

Answer: A ([LEAVE A REPLY](#))

Explanation

[https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20delimited%20files%20\(C](https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20delimited%20files%20(C) For delimited files (CSV, TSV, etc.), the default character set is UTF-8. To use any other characters sets, you must explicitly specify the encoding to use for loading. For the list of supported character sets, see Supported Character Sets for Delimited Files (in this topic).

NEW QUESTION: 25

Which statement about billing applies to Snowflake credits?

- A. Credits are billed per-minute with a 60-minute minimum

- B.** Credits are used to pay for cloud data storage usage
- C.** Credits are consumed based on the number of credits billed for each hour that a warehouse runs
- D.** Credits are consumed based on the warehouse size and the time the warehouse is running

Answer: D ([LEAVE A REPLY](#))

Explanation

Snowflake credits are used to pay for the consumption of resources on Snowflake. A Snowflake credit is a unit of measure, and it is consumed only when a customer is using resources, such as when a virtual warehouse is running, the cloud services layer is performing work, or serverless features are used.

<https://docs.snowflake.com/en/user-guide/what-are-credits.html>

NEW QUESTION: 26

What are the three things customers want most from their enterprise data warehouse solution?

Choose 3 answers

- A.** Performance
- B.** Simplicity
- C.** Concurrency
- D.** Open source based
- E.** On-premise availability

Answer: (SHOW ANSWER)

NEW QUESTION: 27

What is the minimum Snowflake edition that has column-level security enabled?

- A.** Virtual Private Snowflake
- B.** Business Critical
- C.** Enterprise
- D.** Standard

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

Where can a user find and review the failed logins of a specific user for the past 30 days?

- A.** The ACCESS_HISTORY view in ACCOUNT_USAGE
- B.** The SESSIONS view in ACCOUNT_USAGE
- C.** The USERS view in ACCOUNT_USAGE
- D.** The LOGIN_HISTORY view in ACCOUNT_USAGE

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

What is the maximum total Continuous Data Protection (CDP) charges incurred for a temporary table?

- A. 7 days
- B. 48 hours
- C. 24 hours
- D. 30 days

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which commands should be used to grant the privilege allowing a role to select data from all current tables and any tables that will be created later in a schema? (Choose two.)

- A. grant SELECT on future tables in schema DB1.SCHEMA to role MYROLE;
- B. grant SELECT on all tables in schema DB1.SCHEMA to role MYROLE;
- C. grant USAGE on future tables in schema DB1.SCHEMA to role MYROLE;
- D. grant USAGE on all tables in schema DB1.SCHEMA to role MYROLE;
- E. grant SELECT on all tables in database DB1 to role MYROLE;
- F. grant SELECT on future tables in database DB1 to role MYROLE;

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 31

What is a best practice after creating a custom role?

- A. Create the custom role using the SYSADMIN role.
- B. Assign the custom role to the SYSADMIN role
- C. Assign the custom role to the PUBLIC role
- D. Add __CUSTOM to all custom role names

Answer: B ([LEAVE A REPLY](#))

Explanation

When creating roles that will serve as the owners of securable objects in the system, Snowflake recommends creating a hierarchy of custom roles, with the top-most custom role assigned to the system role SYSADMIN.

This role structure allows system administrators to manage all objects in the account, such as warehouses and database objects, while restricting management of users and roles to the USERADMIN role.

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test

Engine here: <https://www.braindumps.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

What is the SNOWFLAKE.ACCOUNT_USAGE view that contains information about which objects were read by queries within the last 365 days (1 year)?

- A. OBJECT_HISTORY
- B. VIEWS_HISTORY
- C. ACCESS_HISTORY
- D. LOGIN_HISTORY

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is the following SQL command used for?

Select * from table(validate(t1, job_id => '_last'));

- A. To validate external table files in table t1 across all sessions
- B. To validate a file for errors before it gets executed using a COPY command
- C. To validate task SQL statements against table t1 in the last 14 days
- D. To return errors from the last executed COPY command into table t1 in the current session

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which cache type is used to cache data output from SQL queries?

- A. Metadata cache
- B. Result cache
- C. Remote cache
- D. Local file cache

Answer: B ([LEAVE A REPLY](#))

Explanation

<https://community.snowflake.com/s/article/Caching-in-Snowflake-Data-Warehouse>

NEW QUESTION: 35

Which command should be used to load data from a file, located in an external stage, into a table in Snowflake?

- A. INSERT
- B. COPY
- C. GET
- D. PUT

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which of the following describes a Snowflake stored procedure?

- A. They can be created as secure and hide the underlying metadata from the user.
- B. They can only access tables from a single database.
- C. They can contain only a single SQL statement.
- D. They can be created to run with a caller's rights or an owner's rights.

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/sql-reference/stored-procedures-overview.html>

NEW QUESTION: 37

Which of the following describes the Snowflake Cloud Services layer?

- A. Manages the virtual warehouse cache to speed up queries
- B. Manages quotas on the Snowflake account storage
- C. Coordinates activities in the Snowflake account
- D. Executes queries submitted by the Snowflake account users

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which command can be used to load data files into a Snowflake stage?

- A. GET
- B. JOIN
- C. COPY INTO
- D. PUT

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

A user has unloaded data from Snowflake to a stage

Which SQL command should be used to validate which data was loaded into the stage?

- A. view @file__stage
- B. list @file__stage
- C. show @file__stage
- D. verify @file__stage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

True or False: An active warehouse is required to run a COPY INTO statement.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

User INQUISITIVE_PERSON has been granted the role DATA_SCIENCE. The role DATA_SCIENCE has privileges OWNERSHIP on the schema MARKETING of the database ANALYTICS_DW.

Which command will show all privileges granted to that schema?

- A. SHOW GRANTS ON SCHEMA ANALYTICS_DW.MARKETING
- B. SHOW GRANTS OF ROLE DATA_SCIENCE
- C. SHOW GRANTS ON ROLE DATA_SCIENCE
- D. SHOW GRANTS TO USER INQUISITIVE_PERSON

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

True or False: Query ID's are unique across all Snowflake deployments and can be used in communication with Snowflake Support to help troubleshoot issues.

- A. False
- B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 43

Which of the following are handled by the cloud services layer of the Snowflake architecture? (Choose two.)

- A. Data loading
- B. Query execution
- C. Authentication and access control
- D. Security
- E. Time Travel data

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following is a data tokenization integration partner?

- A. Protegrity
- B. SAP
- C. Tableau
- D. DBeaver

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

What affects whether the query results cache can be used?

- A. If multiple users are using the same virtual warehouse
- B. If the referenced data in the table has changed
- C. If the query contains a deterministic function
- D. If the virtual warehouse has been suspended

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which services does the Snowflake Cloud Services layer manage? (Choose two.)

- A. Data storage
- B. Authentication
- C. Metadata
- D. Query execution
- E. Compute resources

Answer: ([SHOW ANSWER](#))

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPass.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

What is the minimum Snowflake edition required for row level security?

- A. Business Critical
- B. Standard
- C. Virtual Private Snowflake
- D. Enterprise

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

What are the three layers that make up Snowflake's architecture?

Choose 3 answer

- A. Compute
- B. Tri-Secret Secure
- C. Storage
- D. Cloud Services

Answer: A,C,D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/intro-key-concepts.html>

NEW QUESTION: 49

True or False: Snowflake allows its customers to directly access the micro-partition files that make up its tables.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

How often are encryption keys automatically rotated by Snowflake?

- A. 30 Days
- B. 60 Days
- C. 90 Days
- D. 365 Days

Answer: A ([LEAVE A REPLY](#))

Explanation

All Snowflake-managed keys are automatically rotated by Snowflake when they are more than 30 days old.

Active keys are retired, and new keys are created. When Snowflake determines the retired key is no longer needed, the key is automatically destroyed.

<https://docs.snowflake.com/en/user-guide/security-encryption-manage.html#:~:text=All%20Snowflake%2Dman>

NEW QUESTION: 51

Query parsing and compilation occurs in which architecture layer of the Snowflake Cloud Data Platform?

- A. Cloud services layer
- B. Compute layer
- C. Storage layer
- D. Cloud agnostic layer

Answer: B ([LEAVE A REPLY](#))

Reference: <https://www.projectpro.io/article/snowflake-architecture-what-does-snowflake-do/556>

NEW QUESTION: 52

A single user of a virtual warehouse has set the warehouse to auto-resume and auto-suspend after 10 minutes.

The warehouse is currently suspended and the user performs the following actions:

1. Runs a query that takes 3 minutes to complete
 2. Leaves for 15 minutes
 3. Returns and runs a query that takes 10 seconds to complete
 4. Manually suspends the warehouse as soon as the last query was completed
- When the user returns, how much billable compute time will have been consumed?

- A. 14 minutes
- B. 10 minutes

C. 24 minutes

D. 4 minutes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following Snowflake objects can be shared using a secure share? (Select TWO).

A. Materialized views

B. Sequences

C. Procedures

D. Tables

E. Secure User Defined Functions (UDFs)

Answer: D,E ([LEAVE A REPLY](#))

Explanation

Secure Data Sharing enables sharing selected objects in a database in your account with other Snowflake accounts. The following Snowflake database objects can be shared:

- * Tables

- * External tables

- * Secure views

- * Secure materialized views

- * Secure UDFs

<https://docs.snowflake.com/en/user-guide/data-sharing-intro.html>

NEW QUESTION: 54

A data provider wants to share data with a consumer who does not have a Snowflake account. The provider creates a reader account for the consumer following these steps:

1. Created a user called "CONSUMER"

2. Created a database to hold the share and an extra-small warehouse to query the data

3. Granted the role PUBLIC the following privileges: Usage on the warehouse, database, and schema, and SELECT on all the objects in the share Based on this configuration what is true of the reader account?

A. The reader account can create a copy of the shared data using CREATE TABLE AS...

B. The reader account can clone data the provider has shared, but cannot re-share it.

C. The reader account will automatically use the Standard edition of Snowflake.

D. The reader account compute will be billed to the provider account.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 55

What happens to the shared objects for users in a consumer account from a share, once a database has been created in that account?

A. The shared objects become accessible.

- B. The shared objects are copied.
- C. The shared objects can be re-shared.
- D. The shared objects are transferred.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

True or False: Snowflake charges a premium for storing semi-structured data.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

Reference:

<https://snowflakecommunity.force.com/s/question/0D50Z00008ckwNuSAI/does-snowflakecharges- premium-for-storing-semi-structured-data>

NEW QUESTION: 57

What effect does WAIT_FOR_COMPLETION = TRUE have when running an ALTER WAREHOUSE command and changing the warehouse size?

- A. The warehouse size does not change until the warehouse is suspended and restarted.
- B. It does not return from the command until the warehouse has finished changing its size.
- C. The warehouse size does not change until all queries currently running in the warehouse have completed.
- D. The warehouse size does not change until all queries currently in the warehouse queue have completed.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 58

What happens when a cloned table is replicated to a secondary database? (Select TWO)

- A. A read-only copy of the cloned tables is stored.
- B. The replication will not be successful.
- C. The physical data is replicated
- D. Additional costs for storage are charged to a secondary account
- E. Metadata pointers to cloned tables are replicated

Answer: ([SHOW ANSWER](#)**)**

Explanation

Cloned objects are replicated physically rather than logically to secondary databases. That is, cloned tables in a standard database do not contribute to the overall data storage unless or until DML operations on the clone add to or modify existing data. However, when a cloned table is replicated to a secondary database, the physical data is also replicated, increasing the data storage usage for your account.

<https://docs.snowflake.com/en/user-guide/database-replication-considerations.html#:~:text=Replication%20and%>

NEW QUESTION: 59

What features that are part of the Continuous Data Protection (CDP) feature set in Snowflake do not require additional configuration? (Choose two.)

- A. Time Travel
- B. Data encryption
- C. External tokenization
- D. Row level access policies
- E. Data masking policies

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 60

Which of the following statements would be used to export/unload data from Snowflake?

- A. COPY INTO @stage
- B. EXPORT TO @stage
- C. INSERT INTO @stage
- D. EXPORT_TO_STAGE(stage = > @Wage, select = > 'select * from t1');

Answer: A (LEAVE A REPLY)

Reference: <https://docs.snowflake.com/en/user-guide/data-unload-considerations.html>

NEW QUESTION: 61

Which Snowflake partner specializes in data catalog solutions?

- A. Alation
- B. DataRobot
- C. dbt
- D. Tableau

Answer: A (LEAVE A REPLY)

Explanation

Alation provides Data Cataloging functionality. They state they are the 'One Place to Find, Understand, & Govern Data Across an Enterprise.

<https://docs.snowflake.com/en/user-guide/ecosystem-all.html>

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPASS.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Which Snowflake feature allows a user to substitute a randomly generated identifier for sensitive data, in order to prevent unauthorized users access to the data, before loading it into Snowflake?

- A. External Tokenization
- B. Materialized Views
- C. External Tables
- D. User-Defined Table Functions (UDTF)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 63

Which of the following indicates that it may be appropriate to use a clustering key for a table? (Select TWO).

- A. The table has a small number of micro-partitions
- B. Queries on the table are running slower than expected
- C. The table contains a column that has very low cardinality
- D. DML statements that are being issued against the table are blocked
- E. The clustering depth for the table is large

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which privilege must be granted to a share to allow secure views the ability to reference data in multiple databases?

- A. SELECT on tables used by the secure view
- B. REFERENCE_USAGE on databases
- C. SHARE on databases and schemas
- D. CREATE_SHARE on the account

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

If a Snowflake user decides a table should be clustered, what should be used as the cluster key?

- A. The columns that are queried in the select clause.
- B. The columns most actively used in the select filters.
- C. The columns with very high cardinality.
- D. The columns with many different values.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which privilege is required for a role to be able to resume a suspended warehouse if auto-resume is not enabled?

- A. USAGE
- B. OPERATE
- C. MONITOR
- D. MODIFY

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://community.snowflake.com/s/question/0D50Z00008yHYdqSAG/auto-resume-operate-warehouse-privileg>

NEW QUESTION: 67

A sales table FCT__SALES has 100 million records.

The following Query was executed

SELECT COUNT (1) FROM FCT__SALES;

How did Snowflake fulfill this query?

- A. Query against a virtual warehouse cache
- B. Query against the most-recently created micro-partition
- C. Query against the result set cache
- D. Query against the metadata excite

Answer: (SHOW ANSWER)

NEW QUESTION: 68

Which statements are correct concerning the leveraging of third-party data from the Snowflake Data Marketplace? (Choose two.)

- A. Data transformations are required when combining Data Marketplace datasets with existing data in Snowflake.
- B. Data is not available for copying or moving to an individual Snowflake account.
- C. Data is available without copying or moving.
- D. Data needs to be loaded into a cloud provider as a consumer account.
- E. Data is live, ready-to-query, and can be personalized.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 69

True or False: Bulk unloading of data from Snowflake supports the use of a SELECT statement.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide-data-unload.html>

NEW QUESTION: 70

Which of the following are best practice recommendations that should be considered when loading data into Snowflake? (Select TWO).

- A. Load files that are approximately 25 MB or smaller.
- B. Remove all dates and timestamps.
- C. Load files that are approximately 100-250 MB (or larger)
- D. Avoid using embedded characters such as commas for numeric data types
- E. Remove semi-structured data types

Answer: C,D (LEAVE A REPLY)

Explanation

<https://docs.snowflake.com/en/user-guide/data-load-considerations-prepare.html>

NEW QUESTION: 71

Users are responsible for data storage costs until what occurs?

- A. Data is deleted from a table
- B. Data expires from Time Travel
- C. Data is truncated from a table
- D. Data expires from Fail-safe

Answer: D (LEAVE A REPLY)

NEW QUESTION: 72

Which of the following is the Snowflake Account_Usage.Metering_History view used for?

- A. Summarizing the throughput of Snowpipe costs for an account
- B. Compiling an account's average cloud services cost over the previous month
- C. Calculating the funds left on an account's contract
- D. Gathering the hourly credit usage for an account

Answer: D (LEAVE A REPLY)

NEW QUESTION: 73

Which of the following statements are true of Virtual Warehouses? (Choose all that apply.)

- A. Customers can change the size of the Warehouse after creation
- B. A Warehouse can be resized while running
- C. A Warehouse can be configured to suspend after a period of inactivity
- D. A Warehouse can be configured to auto-resume when new queries are submitted

Answer: A,B,C,D (LEAVE A REPLY)

Reference: <https://docs.snowflake.com/en/user-guide/warehouses-multicloud.html>

NEW QUESTION: 74

Which of the following accurately describes shares?

- A. Shares can be shared
- B. Tables, secure views, and secure UDFs can be shared
- C. Data consumers can clone a new table from a share

D. Access to a share cannot be revoked once granted

Answer: B ([LEAVE A REPLY](#)**)**

NEW QUESTION: 75

What are common issues found by using the Query Profile? (Choose two.)

- A. Data spilling to a local or remote disk
- B. Identifying queries that will likely run very slowly before executing them
- C. Locating queries that consume a high amount of credits
- D. Identifying inefficient micro-partition pruning
- E. Identifying logical issues with the queries

Answer: B,D ([LEAVE A REPLY](#)**)**

NEW QUESTION: 76

Which methods can be used to delete staged files from a Snowflake stage? (Choose two.)

- A. Use the REMOVE command after the load completes.
- B. Specify the TEMPORARY option when creating the file format.
- C. Use the DELETE LOAD HISTORY command after the load completes.
- D. Use the DROP <file> command after the load completes.
- E. Specify the PURGE copy option in the COPY INTO <table> command.

Answer: A,E ([LEAVE A REPLY](#)**)**

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPass.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

Which of the following objects can be directly restored using the UNDROP command? (Choose two.)

- A. Schema
- B. Table
- C. View
- D. User
- E. Role
- F. Internal stage

Answer: A,B ([LEAVE A REPLY](#)**)**

NEW QUESTION: 78

How can a user change which columns are referenced in a view?

- A. Materialize the view to perform the changes
- B. Modify the columns in the underlying table
- C. Use the ALTER VIEW command to update the view
- D. Recreate the view with the required changes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which feature is only available in the Enterprise or higher editions of Snowflake?

- A. Column-level security
- B. SOC 2 type II certification
- C. Multi-factor Authentication (MFA)
- D. Object-level access control

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/intro-editions.html>

NEW QUESTION: 80

The PUT command: (Choose two.)

- A. Automatically creates a File Format object
- B. Automatically uses the last Stage created
- C. Automatically compresses files using Gzip
- D. Automatically encrypts files

Answer: C,D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/sql-reference/sql/put.html>

NEW QUESTION: 81

The bulk data load history that is available upon completion of the COPY statement is stored where and for how long?

- A. In the metadata of the pipe for 64 days
- B. In the metadata of the target table for 14 days
- C. In the metadata of the target table for 64 days
- D. In the metadata of the pipe for 14 days

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

A company strongly encourages all Snowflake users to self-enroll in Snowflake's default Multi-Factor Authentication (MFA) service to provide increased login security for users connecting to Snowflake.

Which application will the Snowflake users need to install on their devices in order to connect with MFA?

- A. Okta Verify
- B. Duo Mobile
- C. Microsoft Authenticator
- D. Google Authenticator

Answer: B ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/security-mfa.html>

NEW QUESTION: 83

What privileges are required to create a task?

- A. The global privilege create task is required to create a new task.
- B. Tasks are created at the Application level and can only be created by the Account Admin role.
- C. Many Snowflake DDLs are metadata operations only, and create task DDL can be executed without virtual warehouse requirement or task specific grants.
- D. The role must have access to the target schema and the create task privilege on the schema itself.

Answer: (SHOW ANSWER)

Explanation

All tasks in a simple tree must have the same task owner (i.e. a single role must have the OWNERSHIP privilege on all of the tasks in the tree). All tasks in a simple tree must exist in the same schema.

<https://docs.snowflake.com/en/user-guide/tasks-intro.html#creating-tasks>

NEW QUESTION: 84

True or False: A customer using SnowSQL / native connectors will be unable to also use the Snowflake Web interface (UI) unless access to the UI is explicitly granted by supported.

- A. True
- B. False

Answer: (SHOW ANSWER)

Reference: <https://docs.snowflake.com/en/user-guide/connecting.html>

NEW QUESTION: 85

What are supported file formats for unloading data from Snowflake? (Choose three.)

- A. ORC
- B. JSON
- C. CSV
- D. XML

- E. AVRO
- F. Parquet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

Which of the following statement is true of Snowflake?

Select one.

- A. It was built specifically for the cloud
- B. It's based on an Oracle Architecture
- C. It was built for Hadoop architecture
- D. it was built as an on-premises solution and then potted to the cloud
- E. It was designed as a hybrid database to allow customers to store data either on premises or in the cloud

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

What is the MINIMUM Snowflake edition required to use the periodic rekeying of micro-partitions?

- A. Enterprise
- B. Business Critical
- C. Standard
- D. Virtual Private Snowflake

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/intro-editions.html#business-critical-edition>

NEW QUESTION: 88

What are two ways to create and manage Data Shares in Snowflake? (Choose two.)

- A. Via the Snowflake Web Interface (UI)
- B. Via the data_share=true parameter
- C. Via SQL commands
- D. Via Virtual Warehouses

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/data-sharing-provider.html>

NEW QUESTION: 89

Which of the following is a valid source for an external stage when the Snowflake account is located on Microsoft Azure?

- A. A Google Cloud storage bucket
- B. An HTTPS server with WebDAV
- C. A Windows server file share on Azure

D. An FTP server with TLS encryption

Answer: A (LEAVE A REPLY)

NEW QUESTION: 90

How many resource monitors can be assigned at the account level?

A. 1

B. 2

C. 3

D. 4

Answer: A (LEAVE A REPLY)

NEW QUESTION: 91

What happens to the underlying table data when a CLUSTER BY clause is added to a Snowflake table?

A. Data may be colocated by the cluster key within the micro-partitions to improve pruning performance

B. Smaller micro-partitions are created for common data values to allow for more parallelism

C. Data is hashed by the cluster key to facilitate fast searches for common data values

D. Larger micro-partitions are created for common data values to reduce the number of partitions that must be scanned

Answer: A (LEAVE A REPLY)

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPASS.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 92

True or False: A Virtual Warehouse consumes Snowflake credits even when inactive.

A. True

B. False

Answer: B (LEAVE A REPLY)

Reference: <https://docs.snowflake.com/en/user-guide/warehouses-multiclust.html>

NEW QUESTION: 93

What are ways to create and manage data shares in Snowflake? (Select TWO)

- A. Through the DATA_SHARE=TRUE parameter
- B. Through the enable__share=true parameter
- C. Through the Snowflake web interface (UI)
- D. Through SQL commands
- E. Using the CREATE SHARE AS SELECT * TABLE command

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

Network policies can be applied to which of the following Snowflake objects? (Choose two.)

- A. Warehouses
- B. Roles
- C. Users
- D. Databases
- E. Accounts

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

Which interfaces can be used to create and/or manage Virtual Warehouses?

- A. The Snowflake Web Interface (UI)
- B. SQL commands
- C. Data integration tools
- D. All of the above

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/warehouses.html>

NEW QUESTION: 96

True or False: Some queries can be answered through the metadata cache and do not require an active Virtual Warehouse.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

Some aggregate queries are answered thru micro partitions metadata only not requiring any VW spin ups.

NEW QUESTION: 97

Which of the following describes how clustering keys work in Snowflake?

- A. Clustering keys establish a hashed key on each node of a virtual warehouse to optimize joins at run-time

- B.** Clustering keys create a distributed, parallel data structure of pointers to a table's rows and columns
- C.** Clustering keys update the micro-partitions in place with a full sort, and impact the DML operations.
- D.** Clustering keys sort the designated columns over time, without blocking DML operations

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which Snowflake objects can be shared with other Snowflake accounts? (Choose three.)

- A.** Secure User-Defined Functions (UDFs)
- B.** Tables
- C.** Stored Procedures
- D.** Secure Views
- E.** Schemas
- F.** Roles

Answer: A,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 99

What is the MOST performant file format for loading data in Snowflake?

- A.** ORC
- B.** Parquet
- C.** CSV (Unzipped)
- D.** CSV (Gzipped)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 100

A virtual warehouse's auto-suspend and auto-resume settings apply to which of the following?

- A.** The primary cluster in the virtual warehouse
- B.** The entire virtual warehouse
- C.** The database in which the virtual warehouse resides
- D.** The Queries currently being run on the virtual warehouse

Answer: (SHOW ANSWER)

Explanation

<https://docs.snowflake.com/en/user-guide/warehouses-overview.html#:~:text=Similarly%2C%20auto%2Dresum>

NEW QUESTION: 101

Credit charges for Snowflake virtual warehouses are calculated based on which of the following considerations? (Choose two.)

- A. The number of queries executed
- B. The length of time the warehouse is running
- C. The duration of the queries that are executed
- D. The number of active users assigned to the warehouse
- E. The size of the virtual warehouse

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 102

What is the purpose of multi-cluster virtual warehouses?

- A. To create separate data warehouses to increase query optimization
- B. To allow users the ability to choose the type of compute nodes that make up a virtual warehouse cluster
- C. To eliminate or reduce Queuing of concurrent queries
- D. To allow the warehouse to resize automatically

Answer: C ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/warehouses-multiclust.html#:~:text=Multi%2Dcluster%20warehous>

NEW QUESTION: 103

True or False: It is possible for a user to run a query against the query result cache without requiring an active Warehouse.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

Query result cache is all about fetching the data from cloud services layer and saving the cost by not running the virtual warehouse.

NEW QUESTION: 104

True or False: A Virtual Warehouse can be resized while suspended.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.snowflake.com/en/user-guide/warehouses-tasks.html#effects-of-resizing-a-suspended-warehouse>

NEW QUESTION: 105

In the Snowflake access control model, which entity owns an object by default?

- A. The SYSADMIN role

- B. The role used to create the object
- C. The user who created the object
- D. Ownership depends on the type of object

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 106

Which type of table corresponds to a single Snowflake session?

- A. Temporary
- B. Transient
- C. Provisional
- D. Permanent

Answer: (SHOW ANSWER)

Explanation

Snowflake supports creating temporary tables for storing non-permanent, transitory data (e.g. ETL data, session-specific data). Temporary tables only exist within the session in which they were created and persist only for the remainder of the session.

<https://docs.snowflake.com/en/user-guide/tables-temp-transient.html#:~:text=Snowflake%20supports%20creatin>

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPass.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 107

What type of query benefits the MOST from search optimization?

- A. A query that uses only disjunction (i.e., OR) predicates
- B. A query that includes analytical expressions
- C. A query that uses equality predicates or predicates that use IN
- D. A query that filters on semi-structured data types

Answer: (SHOW ANSWER)

Reference: <https://community.snowflake.com/s/article/Search-Optimization-When-How-To-Use>

NEW QUESTION: 108

A marketing co-worker has requested the ability to change a warehouse size on their medium virtual warehouse called mktg__WH.

Which of the following statements will accommodate this request?

- A. GRANT MODIFY ON WAREHOUSE MKTG__WH TO USER MKTG__LEAD;
- B. ALLOW RESIZE ON WAREHOUSE MKTG__WH TO USER MKTG__LEAD;
- C. GRANT MODIFY ON WAREHOUSE MKTG WH TO ROLE MARKETING;
- D. GRANT OPERATE ON WAREHOUSE MKTG WH TO ROLE MARKETING;

Answer: (SHOW ANSWER)

NEW QUESTION: 109

What is the recommended file sizing for data loading using Snowpipe?

- A. A compressed file size greater than 100 MB, and up to 250 MB
- B. A compressed file size greater than 100 GB, and up to 250 GB
- C. A compressed file size greater than 10 MB, and up to 100 MB
- D. A compressed file size greater than 1 GB, and up to 2 GB

Answer: A (LEAVE A REPLY)

Explanation

<https://www.phdata.io/blog/how-to-optimize-snowpipe-data-load/#:~:text=Snowpipe%20is%20typically%20use>

NEW QUESTION: 110

When is the result set cache no longer available? (Select TWO)

- A. When another warehouse is used to execute the query
- B. When the underlying data has changed
- C. When another user executes the query
- D. When it has been 24 hours since the last query
- E. When the warehouse used to execute the query is suspended

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 111

True or False: Loading data into Snowflake requires that source data files be no larger than 16MB.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

Explanation

By default, COPY INTO location statements separate table data into a set of output files to take advantage of parallel operations. The maximum size for each file is set using the MAX_FILE_SIZE copy option. The default value is 16777216 (16 MB) but can be increased to accommodate larger files. The maximum file size supported is 5 GB for Amazon S3, Google Cloud Storage, or Microsoft Azure stages. To unload data to a single output file (at the potential cost of decreased performance), specify the SINGLE = true copy option in your statement. You can optionally specify a name for the file in the path.

NEW QUESTION: 112

Which is the MINIMUM required Snowflake edition that a user must have if they want to use AWS/Azure Privatelink or Google Cloud Private Service Connect?

- A. Standard
- B. Premium
- C. Enterprise
- D. Business Critical

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/privatelink-azure.html>

NEW QUESTION: 113

The Snowflake cloud services layer is responsible for which tasks? (Choose two.)

- A. Authentication and access control
- B. Query processing
- C. Database storage
- D. Local disk caching
- E. Metadata management

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 114

In which scenarios would a user have to pay Cloud Services costs? (Select TWO).

- A. Compute Credits = 120 Credits Cloud Services = 10
- B. Compute Credits = 50 Credits Cloud Services = 10
- C. Compute Credits = 80 Credits Cloud Services = 5
- D. Compute Credits = 10 Credits Cloud Services = 9
- E. Compute Credits = 200 Credits Cloud Services = 26

Answer: ([SHOW ANSWER](#)**)**

Valid COF-R02 Dumps shared by BraindumpsPass.com for Helping Passing COF-R02 Exam! BraindumpsPass.com now offer the **newest COF-R02 exam dumps**, the BraindumpsPass.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com COF-R02 dumps with Test Engine here: <https://www.braindumpsPASS.com/Snowflake/COF-R02-practice-exam-dumps.html> (332 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)