

VMware.2V0-31.21.v2022-07-19.q41

Exam Code:	2V0-31.21
Exam Name:	Professional VMware vRealize Automation 8.3
Certification Provider:	VMware
Free Question Number:	41
Version:	v2022-07-19
# of views:	1451
# of Questions views:	410
https://www.exam-tests.com/2V0-31.21-exam/VMware.2V0-31.21.v2022-07-19.q41.html	

NEW QUESTION: 1

The Quickstart wizard executes multiple actions when submitted.

What is one of the actions that is always executed by the Quickstart wizard? (Choose the best answer.)

- A. Send approval notification
- B. Create an Active Directory integration
- C. Request a deployment from a machine catalog item
- D. Execute subscriptions for an event topic

Answer: (SHOW ANSWER)

<https://docs.vmware.com/en/vRealize-Automation/8.3/Getting-Started-Cloud-Assembly/GUID-7D54B742-CC49-42E4-B138-0B121B334733.html>

NEW QUESTION: 2

While deploying a virtual machine cloud template, an administrator encounters the following error:

Where should the administrator start to troubleshoot? (Choose the best answer.)

- A. Projects
- B. Network Profiles
- C. Tags
- D. Cloud Zones

Answer: B (LEAVE A REPLY)

<https://virtualrove.com/2020/07/23/vmware-vrealize-automation-8-1-part4-network-profiles/>

NEW QUESTION: 3

What are three advantages of using vRealize Automation Cloud over vRealize Automation on-premises? (Choose three.)

- A. Earlier access to new features

- B. The ability to run action based extensibility (ABX)
- C. Support for deploying workloads to public clouds
- D. Reduce infrastructure maintenance and patching time
- E. Does not require any additional components to deploy and manage on-premises workloads
- F. License key is not required

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 4

What are two advantages of using vRealize Automation on-premises over vRealize Automation Cloud?

(Choose two.)

- A. Support for on-premises vRealize Orchestrator instance(s)
- B. Support for provisioning workloads to on-premises infrastructure
- C. Integrate with on-premises vRealize Operations
- D. License key is not required
- E. Leverage existing VMware Identity Manager for authentication

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 5

Refer to the exhibit.

An administrator is testing a newly created Windows 2016 cloud template in Cloud Assembly. While using the Test option from within the cloud template, the attached error appears.

What is a possible cause for this error message? (Choose the best answer.)

- A. During the machine allocation phase, Cloud Assembly could not find enough resources.
- B. The administrator did not add a cloud account.
- C. The administrator did not associate a cloud zone to the project.
- D. The network profile created did not have the correct capability tag.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

An administrator successfully creates a new cloud template in Cloud Assembly for the DevOps project. The administrator is ready to publish the cloud template so that the DevOps team can use the catalog for self-service requests.

The administrator is trying to import the cloud template into Service Broker through the correct content source type. After creating the content source, the administrator cannot find the new cloud template listed in order to import it.

What might be the cause of this issue? (Choose the best answer.)

- A. The administrator did not test the cloud template provisioning logic.
- B. The administrator did not create a version of the cloud template.

- C. The administrator did not change the cloud template to a shared cloud template.
- D. The administrator did not select the 'Release this version to the catalog' checkbox.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which two components can be used to add a directory for identity and access management? (Choose two.)

- A. vRealize Suite Lifecycle Manager
- B. vCenter Server
- C. vRealize Operations
- D. VMware Identity Manager
- E. vRealize Automation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

An administrator installs vRealize Automation using the vRealize Easy Installer.

What is the correct URL to log in to the vRealize Automation user interface? (Choose the best answer.)

- A. https://vRA_FQDN/
- B. <https://console.cloud.vmware.com/>
- C. http://vRA_FQDN/
- D. https://vRA_FQDN/org/

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

An administrator is trying to create a new set of image mappings that will map to vSphere templates that have been added to an existing vCenter Server cloud account. When the administrator tries to select the Windows Server 2016 image, nothing appears on the list. The administrator has confirmed that the vSphere template exists in the correct location within vCenter Server.

Which action should the administrator take to be able to create the new image mapping? (Choose the best answer.)

- A. Check to make sure image synchronization is successful for the vCenter Server cloud account.
- B. Add a new capability tag to the vCenter Server cloud account.
- C. Validate the vCenter Server cloud account credentials.
- D. Make sure the correct NSX endpoint is selected for the vCenter Server cloud account.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

As part of a greenfield deployment, an administrator needs to set up an NSX-T Data Center cloud account.

Which user role is required to create an NSX-T Data Center cloud account in vRealize Automation? (Choose the best answer.)

- A. Orchestrator Administrator
- B. NSX-T Data Center Enterprise Administrator
- C. Cloud Assembly User
- D. Cloud Assembly Administrator

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Refer to the exhibit.

An administrator receives the error in the attached screenshot when attempting to add a cloud account.

What is a possible cause of this error? (Choose the best answer.)

- A. There is an invalid certificate for the vCenter.
- B. The hostname uses a URL instead of IP address/FQDN.
- C. The username and password are incorrect.
- D. A Cloud account exists with the same name.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which network profile can be used to isolate a deployment? (Choose the best answer.)

- A. Existing network profile
- B. Private network profile
- C. Outbound network profile
- D. Routed network profile

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

What are two prerequisites for a vRealize Automation standard deployment? (Choose two.)

- A. DHCP server
- B. Load Balancer
- C. IPv6 addresses
- D. DNS server
- E. IPv4 addresses

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which statement is true for vRealize Automation multi-organization tenant configuration?

- A. Providers can set up multiple tenants and allocate infrastructure within each deployment, providers manage tenant infrastructure remotely
- B. Providers can set up multiple tenants and allocate infrastructure within each deployment and providers manage projects, resources, and deployments
- C. Providers set up multiple tenants, each tenant manages its own projects but resources, and deployments are managed globally
- D. Providers set up multiple tenants, each tenant manages its own projects, resources, and deployments

Answer: B (LEAVE A REPLY)

vRealize Automation enables IT providers, to set up multiple tenants, or organizations, within each deployment. Providers can set up multiple tenant organizations and allocate infrastructure within each deployment. Providers can also manage users for tenants. Each tenant manages its own projects, resources, and deployments.

<https://docs.vmware.com/en/vRealize-Automation/8.6/Administering/GUID-6E4A52AF-AE4B-4C12-AE20-413A505DF189.html>

NEW QUESTION: 15

What are the two prerequisites for setting up multi-organization tenancy for vRealize Automation? (Choose two.)

- A. vRealize Easy Installer
- B. SaltStack Config
- C. vRealize Suite Lifecycle Manager
- D. vRealize Automation Appliance
- E. VMware Identity Manager

Answer: (SHOW ANSWER)

NEW QUESTION: 16

Refer to the exhibit.

An administrator is testing a newly created Windows 2016 cloud template in Cloud Assembly. While using the Test option from within the cloud template, the attached error appears.

What is a possible cause for this error message? (Choose the best answer.)

- A. The network profile created did not have the correct capability tag.
- B. The administrator did not associate a cloud zone to the project.
- C. The administrator did not add a cloud account.
- D. During the machine allocation phase, Cloud Assembly could not find enough resources.

Answer: B (LEAVE A REPLY)

Valid 2V0-31.21 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-31.21 Exam! BraindumpsPass.com now offer the **newest 2V0-31.21 exam dumps**, the BraindumpsPass.com 2V0-31.21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-31.21 dumps with Test Engine here: <https://www.braindumpsPass.com/VMware/2V0-31.21-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

An administrator creates a custom form for a RHEL cloud template. A user reports only being able to see the standard form when requesting the cloud template.

Which step should the administrator take to resolve this issue?

- A. Enable the custom form for the RHEL cloud template.
- B. Enable the custom form feature in Service Broker.
- C. Enable the custom form feature in Cloud Assembly.
- D. Enable the custom form in the project for the RHEL cloud template.

Answer: A (LEAVE A REPLY)

Service Broker - Content & Policies - Content - pick one blue print content and there are 3 little dots and a left side submenu for each content, click Customize Form - after Customization click Enable Custom forms is not a feature that have to be enabled on the Service Broker level. They are enabled on a per-catalog item basis so this answer makes the most sense.

NEW QUESTION: 18

When deploying SaltStack Config minions as part of a machine deployment in vRealize Automation, which parameter must be specified in the cloudConfig section of the cloud template? (Choose the best answer.)

- A. Salt master address
- B. Salt minion operating system family
- C. Salt minion installation directory
- D. Salt master account with the Administrator or Superuser role

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

Which vRealize Automation service is available through an external appliance in vRealize Automation Cloud? (Choose the best answer.)

- A. Cloud Assembly
- B. Service Broker
- C. vRealize Orchestrator
- D. Code Stream

Answer: C (LEAVE A REPLY)

Reference:

Once complete, the console shows the services and options which are available. You can add users and configure roles by selecting Identity & Access Management from the menu bar. If you're using Active Directory, remember you'll need to add those details in vIDM or LCM through Locker before users and groups will appear in vRA 8. In addition to the aforementioned services, vRealize Orchestrator (vRO) is accessible from the Console, as well as the vRA Migration Assessment. vRO no longer uses a java client. Instead you can access the embedded vRO via the new HTML 5 UI through this console. An external vRO appliance option is available too

NEW QUESTION: 20

Which deployment action is performed using the vRealize Easy Installer?

- A. Register vRealize Automation with VMware Identity Manager
- B. Register vRealize Automation with vCenter Single Sign On
- C. Install vRealize Operations
- D. Install vCenter Server

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Which type of tag docs vRealize Automation Cloud Assembly automatically apply during provisioning to some deployments to support the analysis, monitoring, and grouping of deployed resources?

- A. Capability tag
- B. Standard tag
- C. Constraint tag
- D. Storage tag

Answer: (SHOW ANSWER)

Standard tags Cloud Assembly applies standard tags to some deployments to support analysis, monitoring, and grouping of deployed resources.

NEW QUESTION: 22

An administrator must restrict the amount of memory resources available for a specific group of users. On which component would the administrator configure this?

- A. Projects
- B. Cloud Zones
- C. Cloud Accounts
- D. Flavor Mappings

Answer: A (LEAVE A REPLY)

<https://blogs.vmware.com/management/2020/03/vra-resource-limits.html>

Cloud zones can set the priority when multiple jobs are being provisioned to the same resource. You can limit the number of instances that can be deployed within the project. The default value of 0 gives you unlimited instances. You can also limit the maximum amount of memory that the project can consume in the cloud zone.

NEW QUESTION: 23

In a vRealize Automation clustered deployment, how many Kubernetes master nodes are configured during the installation? (Choose the best answer.)

- A. Two
- B. One
- C. Three
- D. Zero

Answer: C (LEAVE A REPLY)

NEW QUESTION: 24

An administrator configures three different storage profiles - Gold Storage, Silver Storage and Bronze Storage. When requesting a specific cloud template, a Service Broker user should be able to select either storage.

Which type of tag should the administrator add to the storage profile to support this requirement? (Choose the best answer.)

- A. Storage tag
- B. Capability tag
- C. Constraint tag
- D. Standard tag

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

Where can an administrator examine the commands sent to cloudConfig by vRealize Automation during machine provisioning?

- A. Extensibility > Activity > Workflow Runs
- B. Deployment > Provisioning Diagram > Dev Mode
- C. Infrastructure > Activity > Events Log
- D. Extensibility > Library > Workflow Runs

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

An administrator is looking to install SaltStack Config to integrate with existing vRealize Automation environment.

Which two pre-requisites must be met to complete the installation using vRealize Suite Lifecycle Manager?

(Choose two.)

- A. Integrate vRealize Automation with Active Directory
- B. Access to NSX-T Load Balancer
- C. A valid vRealize Automation license key
- D. Access to a vRealize Automation tenant
- E. Access to NSX-T Data Center cloud account

Answer: (SHOW ANSWER)

NEW QUESTION: 27

As part of a greenfield deployment, an administrator needs to set up an NSX-T Data Center cloud account.

Which user role is required to create an NSX-T Data Center cloud account in vRealize Automation? (Choose the best answer.)

- A. Cloud Assembly Administrator
- B. Cloud Assembly User
- C. Orchestrator Administrator
- D. NSX-T Data Center Enterprise Administrator

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.vmware.com/en/vRealize-Automation/8.1/Using-and-Managing-Cloud-Assembly/GUID-5A4C11E3-C7E6-4FBB-BFB3-F85C2FA28D6D.html#GUID-5A4C11E3-C7E6-4FBB-BFB3-F85C2FA28D6D>

NEW QUESTION: 28

On which platform is CloudBase-Init used to execute user-provided scripts? (Choose the best answer.)

- A. Linux
- B. MacOS
- C. Kubernetes
- D. Windows

Answer: D (LEAVE A REPLY)

<https://blogs.vmware.com/management/2019/11/cloudbase-init-windows-initialization.html>

NEW QUESTION: 29

The administrator is tasked with creating a number of different content sources in Service Broker so that multiple types of catalog items can be created.

What is the only public cloud template that can be selected as a content source in Service Broker? (Choose the best answer.)

- A. Google Cloud Deployment Manager templates
- B. AWS CloudFormation templates
- C. Alibaba Cloud Resource Orchestration Service templates
- D. Azure Resource Manager (ARM) templates

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

An administrator creates a content source and would like to share all the imported cloud templates dynamically with the project members.

Which content sharing option should the administrator select to achieve this? (Choose the best answer.)

- A. Dynamic Content
- B. Content Sources
- C. All Content
- D. Static Content

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

An administrator configured flavor mapping for use in a multi-tier application cloud template.

What are the sizing options allowed in vSphere when creating a new flavor mapping? (Choose the best answer.)

- A. Disks only
- B. Number of CPUs only
- C. Memory and number of CPUs
- D. Memory only

Answer: C ([LEAVE A REPLY](#))

Valid 2V0-31.21 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-31.21 Exam! BraindumpsPass.com now offer the **newest 2V0-31.21 exam dumps**, the BraindumpsPass.com 2V0-31.21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-31.21 dumps with Test Engine here: <https://www.braindumpsPASS.com/VMware/2V0-31.21-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

An administrator creates multiple flavor mappings and names them as follows:

Small:

vCenter / Datacenter:datacenter-1 - cpu = 1, memory = 2 GB

AWS-West-1 / us-west-1 = t2.micro

Medium:

vCenter / Datacenter:datacenter-1 - cpu = 2, memory = 4 GB

AWS-West-1 / us-west-1 = t2.small

Where would the administrator use those named mappings to allow users to select image sizes? (Choose the best answer.)

- A. Projects
- B. Cloud zones
- C. Cloud templates
- D. Custom forms

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which vRealize Automation service is available through an external appliance in vRealize Automation Cloud?

(Choose the best answer.)

- A. vRealize Orchestrator
- B. Service Broker
- C. Cloud Assembly
- D. Code Stream

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

What happens if multiple resources in a provisioning request meet conflicting hard constraints?

- A. Round robin is used to select only one of the conflicting tags.
- B. Soft constraints are used as a tiebreaker.
- C. Tags from the cloud template take precedence.
- D. Tags from the project take precedence.

Answer: ([SHOW ANSWER](#))

<https://docs.vmware.com/en/vRealize-Automation/8.0/Using-and-Managing-Cloud-Assembly/GUID-C8C335F4-9623-401C-825E-6F5B2B3C6507.html> How constraint tags work on projects When configuring Cloud Assembly resources, cloud administrators can apply constraint tags on projects. In this way, administrators can apply governance constraints directly at the project level. All constraints added at this level are applied to every cloud template requested for the applicable project, and these constraint tags take precedence over other tags.

If constraint tags on the project conflict with constraint tags on the cloud template, the project tags take precedence, thus allowing the cloud administrator to enforce governance rules. For example, if the cloud administrators creates a location:london tag on the project, but a developer places a location:boston tag on the cloud template, the former will take precedence and the resource is deployed to infrastructure containing the location:london tag.

NEW QUESTION: 35

Which two types of Code Stream endpoints are supported? (Choose two.)

- A. JFrog
- B. Ansible Tower
- C. Jenkins
- D. vRealize Operations
- E. vRealize Orchestrator

Answer: C,E (LEAVE A REPLY)

<https://docs.vmware.com/en/vRealize-Automation/services/Using-and-Managing-CodeStream/GUID-7957EC89-00DF-415F-BB65-FB4839DE4A20.html#GUID-7957EC89-00DF-415F-BB65-FB4839DE4A20>

NEW QUESTION: 36

Which kubectl command should be run to find the Kubernetes authentication method? (Choose the best answer.)

- A. kubectl describe pod <pod-name>
- B. kubectl -n prelude describe pod <pod-name>
- C. kubectl explain
- D. kubectl describe secrets

Answer: D (LEAVE A REPLY)

NEW QUESTION: 37

An administrator configures cloud accounts for vSphere, Amazon Web Services and Google Cloud Platform.

Each public cloud account has a single region configured, with a single cloud zone associated with each.

Company policy states that all development workloads should be deployed to the public cloud and all production workloads should be deployed to vSphere. The administrator wants to ensure that when creating cloud templates for this project an appropriate constraint tag is specified to meet the placement policy and that App-Dev users are allowed to select whether to deploy the machine to production or development. The tagging strategy states that development environments should be tagged with "dev" and production environments should be tagged "prod".

Which two actions should the administrator take to ensure the objective is met? (Choose two.)

- A. Add a capability tag to each public cloud zone, using env:prod as the key/value pair.
- B. Add a capability tag to each vSphere cloud zone, using env:prod as the key/value pair.
- C. Add a capability tag to each cloud account, using env:prod as the key/value pair.
- D. Add a capability tag to each vSphere cloud zone, using env:dev as the key/value pair.
- E. Add a capability tag to each public cloud zone, using env:dev as the key/value pair.

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 38

An administrator is debugging a multi-machine cloud template deployment and the following error occurs: "Customization operation failed. Customization specification with name [vCenter_Windows] was not found." Where can the administrator identify the phase of the provisioning lifecycle and the machine for which this error occurred? (Choose the best answer.)

- A. Deployments > Topology
- B. Service Broker > Deployments
- C. Deployments > History
- D. Cloud Assembly > Design

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

While deploying a virtual machine cloud template, an administrator encounters the following error:

Where should the administrator start to troubleshoot? (Choose the best answer.)

- A. Tags
- B. Projects
- C. Cloud Zones
- D. Network Profiles

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Refer to the exhibit.

An administrator receives the error in the attached screenshot when attempting to add a cloud account.

What is a possible cause of this error? (Choose the best answer.)

- A. There is an invalid certificate for the vCenter.
- B. The hostname uses a URL instead of IP address/FQDN.
- C. A Cloud account exists with the same name.
- D. The username and password are incorrect.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Which command should an administrator run to ensure data integrity before a snapshot or backup of a vRealize Automation appliance? (Choose the best answer.)

- A. /opt/scripts/svc-stop.sh
- B. vracli status deploy
- C. /opt/scripts/deploy.sh --onlyClean
- D. kubectl logs -n prelude <pod-name>

Answer: ([SHOW ANSWER](#))

Valid 2V0-31.21 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-31.21 Exam! BraindumpsPass.com now offer the **newest 2V0-31.21 exam dumps**, the BraindumpsPass.com 2V0-31.21 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-31.21 dumps with Test Engine here: <https://www.braindumpspass.com/VMware/2V0-31.21-practice-exam-dumps.html> (**92** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)