

VMware.2V0-41.20.v2022-08-08.q59

Exam Code:	2V0-41.20
Exam Name:	Professional VMware NSX-T Data Center
Certification Provider:	VMware
Free Question Number:	59
Version:	v2022-08-08
# of views:	1605
# of Questions views:	590
https://www.exam-tests.com/2V0-41.20-exam/VMware.2V0-41.20.v2022-08-08.q59.html	

NEW QUESTION: 1

Which step must be performed before deploying an additional NSX Manager from the NSX-T UI?

- A. Create an Edge Cluster.
- B. Configure the Virtual IP of the cluster.
- C. Prepare the ESXi hosts as Transport Nodes.
- D. Register vCenter Server as a Compute Manager.

Answer: (SHOW ANSWER)

NEW QUESTION: 2

An NSX administrator has been tasked with deploying a NSX Edge Virtual machine through an ISO image.

Which virtual network interface card (vNIC) type must be selected while creating the NSX Edge VM allow participation in overlay and VLAN transport zones?

- A. Flexible
- B. VMXNET2
- C. e1000
- D. VMXNET3

Answer: D (LEAVE A REPLY)

NEW QUESTION: 3

An NSX administrator would like to export syslog events that capture messages related to NSX host preparation events.

Which message ID (msgid) should be used in the syslog export configuration command as a filter?

- A. SYSTEM
- B. FABRIC

C. GROUPING

D. MONITORING

Answer: B (LEAVE A REPLY)

Explanation

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION: 4

An NSX administrator noticed that the nsxcli command times out after 600 secs of idle time.

Which CLI command disables the nsxcli time out value on NSX Manager?

A. set cli-timeout 0

B. set cli-timeout enabled

C. set cli-timeout disabled

D. set cli-timeout 1

Answer: A (LEAVE A REPLY)

Explanation

"

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/82646>

<https://www.virten.net/2020/06/quick-tip-remove-nsx-t-ssh-and-http-session-timeout/>

NEW QUESTION: 5

Which two choices are prerequisites to configure NSX-T on VDS? (Choose two.)

A. vSphere Distributed Switch 7.0

B. MTU 1400

C. vSphere Distributed Switch 6.5

D. MTU 1600

E. MTU 1500

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 6

How many IPs are required when deploying a highly available NSX Management Cluster with VIP in a production environment?

A. 5

B. 6

C. 3

D. 4

Answer: D (LEAVE A REPLY)

Explanation

NEW QUESTION: 7

Which CLI command shows syslog on NSX Manager?

- A. get log-file auth.log
- B. show log manager follow
- C. get log-file syslog
- D. /var/log/syslog/syslog.log

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

How does Traceflow tool identify issues in a network?

- A. Injects synthetic traffic into the data plane and observes the results in the control plane.
- B. Injects ICMP traffic into the data plane and observes the results in the control plane.
- C. Compares the management plane configuration states containing control plane traffic and error reporting from transport node agents.
- D. Compares intended network state in the control plane with Tunnel End Point (TEP) keepalives in the data plane.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hairpinning?

- A. Create a secondary vNIC on each guest VM for SVM communication.
- B. Place a partner SVM on each compute cluster node.
- C. Centralize partner SVMs in a service cluster.
- D. Add partner SVMs to an edge cluster.

Answer: B ([LEAVE A REPLY](#))

Explanation

"For SVMs deployed on compute hosts, an SVM does not need to be installed on every host. Some customers prefer to deploy the partner SVM on each host to achieve the least amount of traffic hairpinning. When the partner SVM is deployed in a service cluster, traffic is sent from the compute hosts across the overlay to the hosts in the service cluster."

NEW QUESTION: 10

Which tool could be used to configure BGP on a Tier-0 Gateway?

- A. NSX CLI
- B. API
- C. PowerShell
- D. ESX CLI

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which statement is true about an alarm in a Suppressed state?

- A. An alarm can be suppressed for a specific duration in seconds.
- B. An alarm can be suppressed for a specific duration in minutes.
- C. An alarm can be suppressed for a specific duration in days.
- D. An alarm can be suppressed for a specific duration in hours.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

An NSX administrator would like to export syslog events that capture messages related to NSX host preparation events.

Which message ID (msgid) should be used in the syslog export configuration command as a filter?

- A. SYSTEM
- B. GROUPING
- C. FABRIC
- D. MONITORING

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

An NSX administrator is creating a Tier-1 Gateway configured in Active-Standby High Availability Mode. In the event of node failure, the failover policy should not allow the original failed node to become the Active node upon recovery.

Which failover policy meets this requirement?

- A. Enable Preemptive
- B. Disable Preemptive
- C. Preemptive
- D. Non-Preemptive

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which CLI command should be executed on a KVM hypervisor to retrieve the VM interface UUID?

- A. virsh dumpxml <VM Name> | grep interfaceid
- B. virsh get-interface <VM Name>
- C. virsh show <VM Name> | grep interfaceid
- D. virsh list-interface <VM Name>

Answer: A ([LEAVE A REPLY](#))

Reference:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION: 15

Which statement is true about an alarm in a Suppressed state?

- A. An alarm can be suppressed for a specific duration in days.
- B. An alarm can be suppressed for a specific duration in minutes.
- C. An alarm can be suppressed for a specific duration in seconds.
- D. An alarm can be suppressed for a specific duration in hours.

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.vmware.com/en/VMware-NSX-Intelligence/1.1/user-guide/GUID-EBD3C5A8-F9AB-4A22-BA40-92D61850C1E6.html>

"If you move an alarm into a Suppressed state, you are prompted to specify the duration in hours. After the specified duration passes, the alarm state reverts to Open. However, if the system determines the condition has been corrected, the alarm state changes to Resolved." <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EB1BB1D3-8892-4890-BE74-EF43CFC75F19.html>

NEW QUESTION: 16

When running nsxcli on an ESXi host, which command will show the Replication mode?

- A. get logical-switch status
- B. get logical-switch <Logical-Switch-UUID>
- C. get logical-switches
- D. get logical-switch <Local-Switch-UUID> status

Answer: B (LEAVE A REPLY)

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here: <https://www.braindumpspass.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

A security administrator needs to configure a firewall rule based on the domain name of a specific application. Which field in a distributed firewall rule does the administrator configure?

- A. Source
- B. Profile
- C. Service
- D. Policy

Answer: B (LEAVE A REPLY)

NEW QUESTION: 18

Where are Distributed Firewall logs containing access decisions stored?

- A. NSX Manager
- B. NSX Edge
- C. Hypervisor transport node
- D. NSX API

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

What are three characteristics of a transport zone? (Choose three.)

- A. optional for creating a segment
- B. defines the potential reach of transport nodes
- C. configured with a Single N-VDS
- D. configured with multiple N-VDS
- E. defines the scope and reachability of a Segment

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which profile must be attached to the ESXi cluster to prepare the host for NSX-T Data Center?

- A. Transport Node Profile
- B. Uplink Profile
- C. Switching Profile
- D. Host Profile

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

An NSX administrator is using ping to check connectivity between VM1 running on ESXi1 to VM2 running on ESXi2. The ping tests fails. The administrator knows the maximum transmission unit size on the physical switch is 1600.

Which command does the administrator use to check the VMware kernel ports for tunnel end point communication?

- A. vmkping ++netstack=geneve -d -s 1572 <destination IP address>
- B. esxcli network diag ping -H <destination IP address>
- C. vmkping ++netstack=vxlan-d -s 1572 <destination IP address>
- D. esxcli network diag ping -I vmk0 -H <destination IP address>

<https://kb.vmware.com/s/article/1003728>

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hairpinning?

- A. Place a partner SVM on each compute cluster node.
- B. Centralize partner SVMs in a service cluster.
- C. Create a secondary vNIC on each guest VM for SVM communication.
- D. Add partner SVMs to an edge cluster.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

NEW QUESTION: 24

Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- A. get support-bundle file vcpnv.tgz
- B. set support-bundle file vcpnv.tgz
- C. vm-support
- D. esxcli system syslog config logger set --id=nsxmanager

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/82646>

NEW QUESTION: 25

What needs to be configured on a Tier-0 Gateway to make NSX Edge Services available to a VM on a VLAN- backed logical switch?

- A. VLAN Uplink
- B. Service interface
- C. Loopback Router Port
- D. Downlink interface

Answer: (SHOW ANSWER)

NEW QUESTION: 26

Refer to the exhibit.

Which NAT type must the NSX-T Data Center administrator create on the Tier-0 or Tier-1 Gateway to allow Web VM to initiate communication with public networks?

- A. SNAT
- B. Reverse NAT
- C. DNAT
- D. 1:1 NAT

Answer: (SHOW ANSWER)

Explanation/Reference:

NEW QUESTION: 27

Which CLI command shows syslog on NSX Manager?

- A. show log manager follow
- B. /var/log/syslog/syslog.log
- C. get log-file auth.log
- D. get log-file syslog

Answer: A (LEAVE A REPLY)

NEW QUESTION: 28

How is the RouterLink port created between a Tier-1 Gateway and Tier-0 Gateway?

- A. Automatically created when Tier-1 is created.
- B. Manually create a Segment and connect to both Tier-1 and Tier-0 Gateways.
- C. Manually create a Logical Switch and connect to both Tier-1 and Tier-0 Gateways.
- D. Automatically created when Tier-1 is connected with Tier-0 from NSX UI.

Answer: D (LEAVE A REPLY)

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE6-4D80-BE>

NEW QUESTION: 29

When running nsxclic on an ESXi host, which command will show the Replication mode?

- A. get logical-switch <Local-Switch-UUID> status
- B. get logical-switch <Logical-Switch-UUID>
- C. get logical-switches
- D. get logical-switch status

Answer: B (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 30

Which CLI command on NSX Manager and NSX Edge is used to change NTP settings?

- A. set ntp-server
- B. get timezone
- C. set timezone
- D. et time-server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Which CLI command on NSX Manager and NSX Edge is used to change NTP settings?

- A. set ntp-server
- B. get timezone
- C. set time-server
- D. set timezone

Answer: A ([LEAVE A REPLY](#))

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here: <https://www.braindumpsPASS.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

An NSX administrator would like to configure syslog for a KVM transport node. Which host log files could be exported to a remote syslog server?

- A. /var/log/cfgAgent.log
- B. /var/log/cloudnet/nsx-ccp.log
- C. /var/log/vmware/nsx-syslog
- D. /var/log/nsx-audit.log

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

When a stateful service is enabled for the first time on a Tier-0 Gateway, what happens on the NSX Edge node?

- A. DR is instantiated and automatically connected with SR.
- B. SR and DR doesn't need to be connected to provide any stateful services.
- C. SR is instantiated and automatically connected with DR.
- D. SR and DR is instantiated but requires manual connection.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)

- A. 5685
- B. 1235
- C. 5671
- D. 5678
- E. 1234

Answer: B,E ([LEAVE A REPLY](#))

Explanation

The NSX Manager management plane communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1234. CCP communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1235. Taken from NSX-T ICM 3.0 Lecture manual

NEW QUESTION: 35

Which discovery protocol is supported for hypervisor transport nodes?

- A. Cisco Discovery Protocol
- B. Adobe Real-time CDP
- C. Link Layer Discovery Protocol
- D. Neighbor Discovery Protocol

Answer: (SHOW ANSWER)

NEW QUESTION: 36

Which two choices are use cases for Distributed Intrusion Detection? (Choose two.)

- A. Quarantine workloads based on vulnerabilities.
- B. Gain insight about micro-segmentation traffic flows.
- C. Use agentless antivirus with Guest Introspection.
- D. Identify risk and reputation of accessed websites.
- E. Identify security vulnerabilities in the workloads.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which network virtualization technologies can be used with an Ethernet VPN (EVPN) deployment in NSX-T Data Center? (Choose two.)

- A. Virtual Routing and Forwarding (VRF)
- B. Multiprotocol Border Gateway Protocol (MP-BGP)
- C. Virtual Extensible Local Area Network (VXLAN)
- D. Multiprotocol Label Switching (MPLS)
- E. Open Shortest Path First (OSPF)

Answer: (SHOW ANSWER)

NEW QUESTION: 38

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier-0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information:

Which two commands must be executed to check BGP neighbor status? (Choose two.)

- A. vrf 1
- B. sa-nsxedge-01(tier1_sr)> get bgp neighbor
- C. sa-nsxedge-01(tier0_dr)> get bgp neighbor
- D. vrf 4
- E. vrf 3
- F. sa-nsxedge-01(tier0_sr)> get bgp neighbor

Answer: (SHOW ANSWER)

NEW QUESTION: 39

Which log is used to see a failed NSX-T installation of a VIB package on ESXi transport nodes?

- A. /var/log/vmware/eam/eam.log
- B. /var/log/hostd.log
- C. /var/log/syslog.log
- D. /var/log/esxupdate.log

Answer: C (LEAVE A REPLY)

NEW QUESTION: 40

An NSX administrator has configured a load balancer virtual server on a Tier-1 Gateway. In order to advertise the load balancer virtual IP to the Tier-0 Gateway, which route advertisement configuration has to be done on the Tier-1 Gateway? (Choose two.)

- A. Advertise All LB SNAT IP Routes
- B. All Static Routes
- C. Information
- D. Advertise All LB VIP Routes
- E. Advertise All NAT Routes

Answer: A,D (LEAVE A REPLY)

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EEBA627A-0860-477A-95>

NEW QUESTION: 41

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hair pinning?

- A. Place a partner SVM on each compute cluster node.
- B. Centralize partner SVMs in a service cluster.
- C. Add partner SVMs to an edge cluster.

"For SVMs deployed on compute hosts, an SVM does not need to be installed on every host. Some customers prefer to deploy the partner SVM on each host to achieve the least amount of traffic hairpinning. When the partner SVM is deployed in a service cluster, traffic is sent from the compute hosts across the overlay to the hosts in the service cluster."

- D. Create a secondary vNIC on each guest VM for SVM communication.

Answer: (SHOW ANSWER)

NEW QUESTION: 42

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ipconfig
- B. tcpdump
- C. debug
- D. ifconfig

Answer: D (LEAVE A REPLY)

NEW QUESTION: 43

Which two statements are true about the implementation of multicast in NSX-T Data Center? (Choose two.)

- A. Multicast routing is implemented with PIM Sparse-Mode.
- B. An Edge can be the Rendezvous Point.

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

- C. Tier-0 gateways can be the Rendezvous Point.
- D. IGMP Snooping is used to populate multicast forwarding tables.
- E. Multicast is supported in ESXi and KVM transport nodes.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 44

What are the advantages of using a Tier-0 Gateway in ECMP mode? (Choose two.)

- A. stateful services leveraged
- B. Failover of services
- C. traffic predictability
- D. traffic load balancing
- E. increased north/south bandwidth

Answer: D,E (LEAVE A REPLY)

Explanation

From ICM manual:

Equal-cost multipath (ECMP) routing has several features and functions: * ECMP routing increases the north-south communication bandwidth by combining multiple uplinks.

- * ECMP routing performs traffic load balancing.
- * ECMP routing provides fault tolerance for failed paths.
- * A maximum of eight ECMP paths are supported.
- * Hashing is based on 2-tuple IP source and destination addresses.
- * ECMP routing is only available on Tier-0 gateways.

NEW QUESTION: 45

What needs to be configured on a Tier-0 Gateway to make NSX Edge Services available to a VM on a VLAN- backed logical switch?

- A.** Loopback Router Port
- B.** VLAN Uplink

"The service interface is a special-purpose port to enable services for mainly VLAN-based networks. North-south service insertion is another use case that requires a service interface to connect a partner appliance and redirect north-south traffic for partner services. Service interfaces are supported on both active-standby Tier-0 logical routers and Tier-1 routers. Firewall, NAT, and VPNs are supported on this interface. The service interface is also a downlink"

- C.** Downlink interface
- D.** Service interface

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Which statement describes the VMware Virtual Cloud Network Vision?

- A.** Virtual Cloud Network connects and protects applications, regardless of their physical locations.
- B.** Virtual Cloud Network connects and protects virtual machines running in KVM environments.
- C.** Virtual Cloud Network connects and protects virtual machines running in vSphere environments.
- D.** Virtual Cloud Network connects and protects applications and data, regardless of their physical locations.

Answer: **D** ([LEAVE A REPLY](#))

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20

dumps with Test Engine here: <https://www.braindumps.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

A company is deploying a NSX-T Data Center micro-segmentation in their vSphere environment to secure a simple application composed of web, app, and database tiers. The naming convention will be:

- * WKS-WEB-SRV-XXX
- * WKY-APP-SRR-XXX
- * WKI-DB-SRR-XXX

What is the optimal way to group them in order to enforce security policies from NSX-T Data Center?

- A. Create an Ethernet based security policy.
- B. Group all by means of tags membership.
- C. Do a service insertion to accomplish the task.
- D. Use Edge as a firewall between tiers.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

Which three steps must be carried out to configure North-South / East-West Network Inspection? (Choose three.)

- A. Service Introspection
- B. Service Insertion
- C. Service Consumption
- D. Service Deployment
- E. Service Registration

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which three protocols could an NSX administrator use to transfer log messages to a remote log server? (Choose three.)

- A. TCP
- B. HTTPS
- C. UDP
- D. TLS
- E. SSH
- F. SSL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Which two statements are true about the implementation of multicast in NSX-T Data Center? (Choose two.)

- A. Multicast routing is implemented with PIM Sparse-Mode.
- B. An Edge can be the Rendezvous Point.
- C. Tier-0 gateways can be the Rendezvous Point.
- D. Multicast is supported in ESXi and KVM transport nodes.
- E. IGMP Snooping is used to populate multicast forwarding tables.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which component does the hyperbus interface (vmk50) provide network connectivity to?

- A. virtual machines running in the same segment
- B. containers running on ESXi/KVM transport nodes
- C. virtual machines and containers running across transport nodes
- D. virtual machines running on the same hypervisor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier-0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information:

Which two commands must be executed to check BGP neighbor status? (Choose two.)

- A. sa-nsxedge-01(tier0_sr)> get bgp neighbor
- B. vrf 1
- C. sa-nsxedge-01(tier1_sr)> get bgp neighbor
- D. sa-nsxedge-01(tier0_dr)> get bgp neighbor
- E. vrf 3
- F. vrf 4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

A customer is preparing to deploy VMware Kubernetes on an NSX-T Data Center. What is the minimum MTU size for the UPLINK profile?

- A. 1600
- B. 1650
- C. 1500
- D. 1550

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Which three can an administrator define in a transport node profile? (Choose three.)

- A. Logical Router
- B. N-VDS switch configuration
- C. VDS switch configuration
- D. Segment
- E. Segment Profile
- F. Uplink Profile

Answer: B,C,F ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. BGP Neighbors
- B. Route Aggregation
- C. Route Distribution
- D. Local AS
- E. Graceful Restart

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 56

What are two supported N-VDS modes? (Choose two.)

- A. Standard Datapath
- B. Overlay Datapath
- C. Secure Datapath
- D. DPDK Datapath
- E. Enhanced Datapath

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184->

NEW QUESTION: 58

An NSX administrator has configured a KVM hypervisor as a transport node. Which kernel module on KVM implements a N-VDS?

- A. openvswitch
- B. dvswitch
- C. nsx-vswitch
- D. etherswitch

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

Where are Distributed Firewall logs containing access decisions stored?

- A. NSX API
- B. NSX Edge
- C. NSX Manager
- D. Hypervisor transport node

Answer: ([SHOW ANSWER](#)**)**

Reference:

<https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.logging.doc/GUID-6F9DC53E-222D-464B-8613-AB2D517CE5E3.html>

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-D57429A1-A0A9-42BE-A299-0C3C3546ABF3.html>

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here: <https://www.braindumpspass.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)