

VMware.2V0-41.20.v2023-06-08.q72

Exam Code:	2V0-41.20
Exam Name:	Professional VMware NSX-T Data Center
Certification Provider:	VMware
Free Question Number:	72
Version:	v2023-06-08
# of views:	1080
# of Questions views:	720
https://www.exam-tests.com/2V0-41.20-exam/VMware.2V0-41.20.v2023-06-08.q72.html	

NEW QUESTION: 1

Which NSX CLI command is used to check the GENEVE tunnel status on ESXi transport node?

- A. get transport-node tunnel status
- B. get transport-node tunnel state
- C. get host-switch <Host-Switch-Name> tunnel status
- D. get host-switch <Host-Switch-Name> tunnels

Answer: (SHOW ANSWER)

NEW QUESTION: 2

What are two types of supported IPSec VPNs in NSX-T Data Center? (Choose two.)

- A. SSL based IPSec VPN
- B. policy-based IPSec VPN
- C. route-based IPSec VPN
- D. Layer-7 based IPSec VPN
- E. Open source based IPSec VPN

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 3

What needs to be configured on a Tier-0 Gateway to make NSX Edge Services available to a VM on a VLAN- backed logical switch?

- A. VLAN Uplink
- B. Loopback Router Port
- C. Service interface
- D. Downlink interface

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

An administrator has a requirement to have consistent policy configuration and enforcement across NSXT instances. What feature of NSX-T Data Center fulfills this requirement?

- A. Load balancer
- B. Policy-driven configuration
- C. Multi-hypervisor support
- D. Federation

Answer: B ([LEAVE A REPLY](#))

NSX-T Data Center provides policy-driven configuration, which allows administrators to have consistent policy configuration and enforcement across multiple NSX-T instances.

NEW QUESTION: 5

What are two supported N-VDS modes? (Choose two.)

- A. DPDK Datapath
- B. Overlay Datapath
- C. Secure Datapath
- D. Enhanced Datapath
- E. Standard Datapath

Answer: ([SHOW ANSWER](#)**)**

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F-960D>

NEW QUESTION: 6

What are two supported N-VDS modes? (Choose two.)

- A. Enhanced Datapath
- B. Overlay Datapath
- C. Standard Datapath
- D. DPDK Datapath
- E. Secure Datapath

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 7

What are three NSX Manager roles? (Choose three.)

- A. master
- B. manager
- C. cloud
- D. zookeeper
- E. controller
- F. policy

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)

- A. 5678
- B. 5685
- C. 5671
- D. 1234
- E. 1235

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Where do you configure the VLANs used in VRF Lite? (Choose two.)

- A. uplink interface of the default Tier-0 gateway
- B. uplink interface of the VRF gateway
- C. downlink interface of the default Tier-0 gateway
- D. segment connected to the Tier-1 gateway
- E. uplink trunk segment

Answer: ([SHOW ANSWER](#)**)**

In VRF Lite configuration, VLANs are configured on the uplink interfaces of both the default Tier-0 gateway and the VRF gateway. The default Tier-0 gateway is responsible for routing between the different VRFs, while the VRF gateway is responsible for routing within a specific VRF. Reference: https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/nsxt_31_admin_guide/GUID-1F07C737-DA0A-46E9-9ED9-C7D8C6DA3F7B.html

NEW QUESTION: 10

An NSX administrator has configured a load balancer virtual server on a Tier-1 Gateway. In order to advertise the load balancer virtual IP to the Tier-0 Gateway, which route advertisement configuration has to be done on the Tier-1 Gateway? (Choose two.)

- A. Advertise All LB SNAT IP Routes
- B. All Static Routes
- C. Information
- D. Advertise All LB VIP Routes
- E. Advertise All NAT Routes

Answer: ([SHOW ANSWER](#)**)**

Reference:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EEBA627A-0860-477A-95A7-7645BA562D62.html>

NEW QUESTION: 11

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

Answer: ([SHOW ANSWER](#))

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

NEW QUESTION: 12

An NSX administrator is configuring the KVM hypervisor host as a transport node and wants to apply the Failover Order as a NIC teaming policy.

Which profile allows the administrator to configure the NIC Teaming policy as Failover Order?

- A. N-VDS/VDS Profile
- B. Host Switch Profile
- C. Transport Node Profile
- D. Uplink Profile

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which three protocols could an NSX administrator use to transfer log messages to a remote log server? (Choose three.)

- A. SSL
- B. HTTPS
- C. TLS
- D. UDP
- E. SSH
- F. TCP

Answer: C,D,F ([LEAVE A REPLY](#))

Reference:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/certification/vmware-2vo-41.20-exam-prep-guide.pdf>

NEW QUESTION: 14

Which CLI command would an administrator use to allow syslog on an ESXi transport node when using the esxcli utility?

- A. esxcli network firewall ruleset -e syslog
- B. esxcli network firewall ruleset set -r syslog -e false

Reference: https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.2/nsxt_22_troubleshoot.pdf

- C. esxcli network firewall ruleset set -a -e false
- D. esxcli network firewall ruleset set -r syslog -e true

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Where are Distributed Firewall logs containing access decisions stored?

- A. NSX API
- B. NSX Edge
- C. NSX Manager
- D. Hypervisor transport node

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.logging.doc/GUID-6>

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-D57429A1-A0A9-42BE-A>

NEW QUESTION: 16

An NSX administrator has been tasked with deploying a NSX Edge Virtual machine through an ISO image.

Which virtual network interface card (vNIC) type must be selected while creating the NSX Edge VM allow participation in overlay and VLAN transport zones?

- A. VMXNET3
- B. VMXNET2
- C. e1000
- D. Flexible

Answer: A ([LEAVE A REPLY](#))

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here:
<https://www.braindumpspass.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)

- A. 5685
- B. 1235
- C. 5671
- D. 5678

E. 1234

Answer: B,E (LEAVE A REPLY)

The NSX Manager management plane communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1234. CCP communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1235. Taken from NSX-T ICM 3.0 Lecture manual

NEW QUESTION: 18

Which NSX CLI command is used to check the GENEVE tunnel status on ESXi transport node?

- A. get host-switch <Host-Switch-Name> tunnels
- B. get transport-node tunnel status
- C. get host-switch <Host-Switch-Name> tunnel status
- D. get transport-node tunnel state

Answer: (SHOW ANSWER)

Explanation

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/82646>

NEW QUESTION: 19

Where are Distributed Firewall logs containing access decisions stored?

- A. NSX API
- B. NSX Edge
- C. NSX Manager
- D. Hypervisor transport node

Answer: (SHOW ANSWER)

Reference:

<https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.logging.doc/GUID-6F9DC53E-222D-464B-8613-AB2D517CE5E3.html>
<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-D57429A1-A0A9-42BE-A299-0C3C3546ABF3.html>

NEW QUESTION: 20

An NSX administrator has deployed an NSX Edge on a bare-metal server.

Which command registers the NSX Edge with the NSX Manager?

- A. join policy-manager <nsx-manager-ip> username root password <root-password> thumbprint <nsx-manager-thumbprint>
- B. join management-cluster <nsx-cluster-IP> username admin password <admin-password> thumbprint <nsx-manager-thumbprint>
- C. join management-plane <nsx-manager-ip> username admin password <admin-password> thumbprint <nsx-manager-thumbprint>
- D. join cluster <nsx-cluster-IP> username root password <root-password> thumbprint

<nsx-manager-thumbprint>

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which CLI command should be executed on a KVM hypervisor to retrieve the VM interface UUID?

- A. virsh dumpxml <VM Name> | grep interfaceid
- B. virsh get-interface <VM Name>
- C. virsh show <VM Name> | grep interfaceid
- D. virsh list-interface <VM Name>

Answer: A ([LEAVE A REPLY](#))

Reference:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION: 22

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier-0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information:

```
sa-nsxedge-01> get logical-routers
```

Logical Router				
UUID		VRF	LR-ID	Name
Type				
Ports				
736a80e3-23f6-5a2d-81d6-bbafb2786666		0	0	
TUNNEL	3			
B10ef54e-d5f3-49e5-99b7-8a51366d0592		1	1025	SR-T1-LR-01
SERVICE_ROUTER_TIER1	8			
5a5ddd63-3764-4d28-b82e-ee4c964a0dfd		3	2049	SR-T0-LR-01
SERVICE_ROUTER_TIER0	6			
0E0784db-511f-fa72-ae0b-1ccaa0262ad2		4	7	DR-T0-LR-01
DISTRIBUTED_ROUTER_TIER0	4			

Which two commands must be executed to check BGP neighbor status? (Choose two.)

- A. sa-nsxedge-01(tier0_sr)> get bgp neighbor
- B. vrf 3
- C. vrf 4
- D. sa-nsxedge-01(tier0_dr)> get bgp neighbor
- E. sa-nsxedge-01(tier1_sr)> get bgp neighbor
- F. vrf 1

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 23

An NSX administrator is using ping to check connectivity between VM1 running on ESXi1 to VM2 running on ESXi2. The ping tests fails. The administrator knows the maximum transmission unit size on the physical switch is 1600.

Which command does the administrator use to check the VMware kernel ports for tunnel end point communication?

- A. esxcli network diag ping -H <destination IP address>
- B. vmkping ++netstack=geneve -d -s 1572 <destination IP address>
- C. vmkping ++netstack=vxlan-d -s 1572 <destination IP address>
- D. esxcli network diag ping -I vmk0 -H <destination IP address>


Answer: C ([LEAVE A REPLY](#))

Explanation

<https://kb.vmware.com/s/article/1003728>

NEW QUESTION: 24

Refer to the exhibit.



Which NAT type must the NSX-T Data Center administrator create on the Tier-0 or Tier-1 Gateway to allow Web VM to initiate communication with public networks?

- A. Reverse NAT
- B. DNAT
- C. SNAT
- D. 1:1 NAT

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which two choices are prerequisites to configure NSX-T on VDS? (Choose two.)

- A. MTU 1500
- B. MTU 1400
- C. vSphere Distributed Switch 6.5
- D. vSphere Distributed Switch 7.0
- E. MTU 1600

Answer: D,E ([LEAVE A REPLY](#))

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-BA34FB2A-6780-41C5-B895-F37E5A7B7BAE.html>

NEW QUESTION: 26

Which statement is true about an alarm in a Suppressed state?

- A. An alarm can be suppressed for a specific duration in days.
- B. An alarm can be suppressed for a specific duration in minutes.
- C. An alarm can be suppressed for a specific duration in seconds.
- D. An alarm can be suppressed for a specific duration in hours.

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://docs.vmware.com/en/VMware-NSX-Intelligence/1.1/user-guide/GUID-EBD3C5A8-F9AB-4A22-BA40-92D61850C1E6.html>

"If you move an alarm into a Suppressed state, you are prompted to specify the duration in hours. After the specified duration passes, the alarm state reverts to Open. However, if the system determines the condition has been corrected, the alarm state changes to Resolved."

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EB1BB1D3-8892-4890-BE74-EF43CFC75F19.html>

NEW QUESTION: 27

Which network virtualization technologies can be used with an Ethernet VPN (EVPN) deployment in NSX-T Data Center? (Choose two.)

- A. Virtual Extensible Local Area Network (VXLAN)
- B. Multiprotocol Label Switching (MPLS)
- C. Multiprotocol Border Gateway Protocol (MP-BGP)
- D. Virtual Routing and Forwarding (VRF)
- E. Open Shortest Path First (OSPF)

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- A. get support-bundle file vcpnv.tgz
- B. set support-bundle file vcpnv.tgz
- C. vm-support
- D. esxcli system syslog config logger set --id=nsxmanager

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/82646>

NEW QUESTION: 29

An NSX administrator has deployed an NSX Edge on a bare-metal server.

Which command registers the NSX Edge with the NSX Manager?

- A. join policy-manager <nsx-manager-ip> username root password <root-password> thumbprint <nsx-manager-thumbprint>
- B. join cluster <nsx-cluster-IP> username root password <root-password> thumbprint <nsx-manager-thumbprint>
- C. join management-cluster <nsx-cluster-IP> username admin password <admin-password> thumbprint <nsx-manager-thumbprint>
- D. join management-plane <nsx-nanager-ip> username admin password <admin-password> thumbprint <nsx-manager-thumbprint>

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which CLI command shows syslog on NSX Manager?

- A. /var/log/syslog/syslog.log
- B. get log-file auth.log
- C. show log manager follow
- D. get log-file syslog

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 31

An NSX administrator wants to create a Tier-0 Gateway to support equal cost multi-path (ECMP) routing.

Which failover detection protocol must be used to meet this requirement?

- A. Host Standby Router Protocol (HSRP)
- B. Virtual Router Redundancy Protocol (VRRP)
- C. Bidirectional Forwarding Detection (BFD)
- D. Beacon Probing (BP)

Answer: ([SHOW ANSWER](#)**)**

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here:
<https://www.braindumpsPass.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hairpinning?

- A. Create a secondary vNIC on each guest VM for SVM communication.
- B. Centralize partner SVMs in a service cluster.
- C. Place a partner SVM on each compute cluster node.
- D. Add partner SVMs to an edge cluster.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which three services are compatible with VRF Lite? (Choose three.)

- A. DHCP
- B. Load Balancer
- C. VPN
- D. NAT
- E. Intrusion Detection

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which CLI command would an administrator use to allow syslog on an ESXi transport node when using the esxcli utility?

- A. esxcli network firewall ruleset -e syslog
- B. esxcli network firewall ruleset set -a -e false
- C. esxcli network firewall ruleset set -r syslog -e true
- D. esxcli network firewall ruleset set -r syslog -e false

Answer: C ([LEAVE A REPLY](#))

Reference: https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.2/nsxt_22_troubleshoot.pdf

NEW QUESTION: 35

Which CLI command is used to start the NSX Manager virtual machine in the KVM environment?

- A. virsh poweron <nsx-manager-ID>
- B. virsh start <NSX-Manager-ID>
- C. virsh start <NSX-Manager-Name>
- D. virsh poweron <nsx-manager-name>

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

An NSX administrator would like to export syslog events that capture messages related to NSX host preparation events.

Which message ID (msgid) should be used in the syslog export configuration command as a filter?

- A. SYSTEM
- B. FABRIC

C. GROUPING

D. MONITORING

Answer: B ([LEAVE A REPLY](#))

Reference:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION: 37

Which step must be performed before deploying an additional NSX Manager from the NSX-T UI?

A. Configure the Virtual IP of the cluster.

B. Prepare the ESXi hosts as Transport Nodes.

C. Register vCenter Server as a Compute Manager.

D. Create an Edge Cluster.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 38

Which two statements are true about the implementation of multicast in NSX-T Data Center?

(Choose two.)

A. Tier-0 gateways can be the Rendezvous Point.

B. An Edge can be the Rendezvous Point.

C. Multicast routing is implemented with PIM Sparse-Mode.

D. IGMP Snooping is used to populate multicast forwarding tables.

E. Multicast is supported in ESXi and KVM transport nodes.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

An NSX administrator noticed that the nsxcli command times out after 600 secs of idle time.

Which CLI command disables the nsxcli time out value on NSX Manager?

A. set cli-timeout 0

B. set cli-timeout enabled

C. set cli-timeout disabled

D. set cli-timeout 1

Answer: A ([LEAVE A REPLY](#))

" <https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html#set%20cli-timeout%20%3Ctimeout%3E>

<https://www.virtten.net/2020/06/quick-tip-remove-nsx-t-ssh-and-http-session-timeout/>

NEW QUESTION: 40

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hair pinning?

A. Create a secondary vNIC on each guest VM for SVM communication.

- B. Place a partner SVM on each compute cluster node.
- C. Centralize partner SVMs in a service cluster.
- D. Add partner SVMs to an edge cluster.

Answer: B ([LEAVE A REPLY](#))

"For SVMs deployed on compute hosts, an SVM does not need to be installed on every host. Some customers prefer to deploy the partner SVM on each host to achieve the least amount of traffic hairpinning. When the partner SVM is deployed in a service cluster, traffic is sent from the compute hosts across the overlay to the hosts in the service cluster."

NEW QUESTION: 41

Which two choices are prerequisites to configure NSX-T on VDS? (Choose two.)

- A. vSphere Distributed Switch 7.0
- B. MTU 1400
- C. MTU 1500
- D. MTU 1600
- E. vSphere Distributed Switch 6.5

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

When running nsxcli on an ESXi host, which command will show the Replication mode?

- A. get logical-switch status
- B. get logical-switch <Local-Switch-UUID> status
- C. get logical-switches
- D. get logical-switch <Logical-Switch-UUID>

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

What are three characteristics of a transport zone? (Choose three.)

- A. defines the potential reach of transport nodes
- B. configured with a Single N-VDS
- C. defines the scope and reachability of a Segment
- D. configured with multiple N-VDS
- E. optional for creating a segment

Answer: A,B,C ([LEAVE A REPLY](#))

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.install.doc/GUID-F47989B2-2B9D-4214-B3BA-5DDF66A1B0E6.html>

NEW QUESTION: 44

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hair pinning?

- A. Place a partner SVM on each compute cluster node.

- B. Create a secondary vNIC on each guest VM for SVM communication.
- C. Centralize partner SVMs in a service cluster.
- D. Add partner SVMs to an edge cluster.

"For SVMs deployed on compute hosts, an SVM does not need to be installed on every host. Some customers prefer to deploy the partner SVM on each host to achieve the least amount of traffic hairpinning. When the partner SVM is deployed in a service cluster, traffic is sent from the compute hosts across the overlay to the hosts in the service cluster."

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hairpinning?

- A. Create a secondary vNIC on each guest VM for SVM communication.
- B. Place a partner SVM on each compute cluster node.
- C. Centralize partner SVMs in a service cluster.
- D. Add partner SVMs to an edge cluster.

Answer: ([SHOW ANSWER](#)**)**

Explanation

"For SVMs deployed on compute hosts, an SVM does not need to be installed on every host. Some customers prefer to deploy the partner SVM on each host to achieve the least amount of traffic hairpinning. When the partner SVM is deployed in a service cluster, traffic is sent from the compute hosts across the overlay to the hosts in the service cluster."

NEW QUESTION: 46

Which network tool could an administrator use on an ESXi 7 host to capture packets when troubleshooting connectivity issues?

- A. Wireshark
- B. net-stats
- C. tcpdump
- D. pktcap-uw

Answer: D ([LEAVE A REPLY](#))

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here:

<https://www.braindumpsPass.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As

Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Which network tool could an administrator use on an ESXi 7 host to capture packets when troubleshooting connectivity issues?

- A. Wireshark
- B. pktcap-uw
- C. net-stats
- D. tcpdump

Answer: ([SHOW ANSWER](#))

If you do when troubleshooting connectivity issues on your Virtualization environment. This post will help you to capture Network traffic on ESXi host using pktcap-uw tool.

NEW QUESTION: 48

Which two tools are used to configure centralized logging in NSX-T Data Center? (Choose two.)

- A. vRealize Automation
- B. vRealize Operations
- C. Syslog Server
- D. vRealize Log Insight
- E. vRealize Network Insight

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

An NSX administrator is troubleshooting a connectivity issue with virtual machines running on an ESXi transport node. Which feature in the NSX UI shows the mapping between the virtual NIC and the host's physical adapter?

- A. Port Mirroring
- B. IPFIX
- C. Switch Visualization
- D. Activity Monitoring

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

An NSX administrator is using ping to check connectivity between VM1 running on ESXi1 to VM2 running on ESXi2. The ping tests fails. The administrator knows the maximum transmission unit size on the physical switch is 1600.

Which command does the administrator use to check the VMware kernel ports for tunnel end point communication?

- A. esxcli network diag ping -H <destination IP address>
- B. vmkping ++netstack=geneve -d -s 1572 <destination IP address>
- C. vmkping ++netstack=vxlan-d -s 1572 <destination IP address>
- D. esxcli network diag ping -l vmk0 -H <destination IP address>

Answer: C ([LEAVE A REPLY](#))

<https://kb.vmware.com/s/article/1003728>

NEW QUESTION: 51

An NSX administrator noticed that the nsxcli command times out after 600 secs of idle time. Which CLI command disables the nsxcli time out value on NSX Manager?

- A. set cli-timeout 0
- B. set cli-timeout enabled
- C. set cli-timeout disabled
- D. set cli-timeout 1

Answer: A ([LEAVE A REPLY](#))

Explanation

"

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/82646>

<https://www.virten.net/2020/06/quick-tip-remove-nsx-t-ssh-and-http-session-timeout/>

NEW QUESTION: 52

Which two statements are true about the implementation of multicast in NSX-T Data Center? (Choose two.)

- A. Multicast routing is implemented with PIM Sparse-Mode.
- B. IGMP Snooping is used to populate multicast forwarding tables.
- C. Tier-0 gateways can be the Rendezvous Point.
- D. Multicast is supported in ESXi and KVM transport nodes.
- E. An Edge can be the Rendezvous Point.

Answer: A,B ([LEAVE A REPLY](#))

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION: 53

Which command is used to set the NSX Manager's logging-level to debug mode for troubleshooting?

- A. set service nsx-manager log-level debug
- B. set service manager log-level debug
- C. set service manager logging-level debug
- D. set service nsx-manager logging-level debug

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

An NSX administrator has configured a load balancer virtual server on a Tier-1 Gateway.

In order to advertise the load balancer virtual IP to the Tier-0 Gateway, which route advertisement configuration has to be done on the Tier-1 Gateway? (Choose two.)

- A. Advertise All LB SNAT IP Routes
- B. All Static Routes

- C. Information
- D. Advertise All LB VIP Routes
- E. Advertise All NAT Routes

Answer: A,D ([LEAVE A REPLY](#))

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EEBA627A-0860-477A-95A7-7645BA562D62.html>

NEW QUESTION: 55

Which two steps must an NSX administrator take to integrate VMware Identity Manager in NSX-T to support role-based access control? (Choose two.)

- A. Add NSX Manager as a Service Provider (SP) in VMware Identity Manager.
- B. Create a SAML authentication in VMware Identity Manager using the NSX Manager FQDN.
- C. Enter the Identity Provider (IdP) metadata URL in NSX Manager.
- D. Create an OAuth 2.0 client in VMware Identity Manager.
- E. Enter the service URL, Client Secret, and SSL thumbprint in NSX Manager.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which three protocols could an NSX administrator use to transfer log messages to a remote log server? (Choose three.)

- A. SSH
- B. SSL
- C. TLS
- D. TCP
- E. HTTPS
- F. UDP

Answer: C,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 57

An NSX Administrator has created a segment named WEB-LS from the NSX UI and noticed the segment is not realized on the KVM Transport node.

What are two possible causes for this issue? (Choose two.)

- A. The virtual machines running on the KVM Transport Node are connected to the WEB-LS segment, but are in Powered Off state.
- B. Since the Compute Manager is disconnected in NSX UI, the WEB-LS segment will not be realized on the KVM Transport Node.
- C. The virtual machines running on the KVM Transport Node are not connected to the VDS.
- D. The KVM Transport node has hardware issues and will not realize the WEB-LS Segment.
- E. The virtual machines running on the KVM Transport Node are not connected to the WEB-LS Segment.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 58

An NSX administrator is creating a NAT rule on a Tier-0 Gateway configured in active-standby high availability mode.

Which two NAT rule types are supported for this configuration? (Choose two.)

- A. Port NAT
- B. Destination NAT
- C. Reflexive NAT
- D. Source NAT
- E. 1:1 NAT

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

Answer: ([SHOW ANSWER](#)**)**

Reference:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

NEW QUESTION: 60

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. Route Aggregation
- B. Route Distribution
- C. Graceful Restart
- D. BGP Neighbors
- E. Local AS

Answer: A,D ([LEAVE A REPLY](#))

Explanation

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:

- * Local AS
- * Graceful restart
- * Graceful restart timer
- * Graceful restart stale timer
- * Multipath relax

Inter-SR iBGP is not supported in VRF gateways.
BGP can be enabled or disabled per VRF gateway.
Route aggregation and BGP neighbors are local configurations per VRF.

NEW QUESTION: 61

Which tool could be used to configure BGP on a Tier-0 Gateway?

- A. NSX CLI
- B. PowerShell
- C. ESX CLI
- D. API

Answer: ([SHOW ANSWER](#))

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here:
<https://www.braindumpsPass.com/VMware/2V0-41.20-practice-exam-dumps.html> (95 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Which statement describes the VMware Virtual Cloud Network Vision?

- A. Virtual Cloud Network connects and protects virtual machines running in vSphere environments.
- B. Virtual Cloud Network connects and protects applications, regardless of their physical locations.
- C. Virtual Cloud Network connects and protects applications and data, regardless of their physical locations.
- D. Virtual Cloud Network connects and protects virtual machines running in KVM environments.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

How does the Traceflow tool identify issues in a network?

- A. Injects ICMP traffic into the data plane and observes the results in the control plane.
- B. Injects synthetic traffic into the data plane and observes the results in the control plane.
- C. Compares intended network state in the control plane with Tunnel End Point (TEP) keepalives in the data plane.
- D. Compares the management plane configuration states containing control plane traffic and error reporting from transport node agents.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- A. get support-bundle file vcpnv.tgz
- B. set support-bundle file vcpnv.tgz
- C. vm-support
- D. esxcli system syslog config logger set --id=nsxmanager

Answer: A ([LEAVE A REPLY](#))

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html>

NEW QUESTION: 65

Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Broadcast
- B. Multicast
- C. Unicast
- D. Anycast

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- A. get support-bundle file vcpnv.tgz
- B. set support-bundle file vcpnv.tgz
- C. vm-support
- D. esxcli system syslog config logger set --id=nsxmanager

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html>

NEW QUESTION: 67

An NSX administrator has configured a KVM hypervisor as a transport node. Which kernel module on KVM implements a N-VDS?

- A. dyswitch
- B. etherswitch
- C. nsx-vswitch
- D. openvswitch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Which discovery protocol is supported for hypervisor transport nodes?

- A. Link Layer Discovery Protocol
- B. Adobe Real-time CDP
- C. Cisco Discovery Protocol
- D. Neighbor Discovery Protocol

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which three steps are required to create an IPsec VPN tunnel? (Choose three.)

- A. Create an IPsec service.
- B. Add a logical switch.
- C. Configure an IPsec session.
- D. Configure a distributed firewall policy.
- E. Add a local endpoint.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 70

When running nsxclon on an ESXi host, which command will show the Replication mode?

- A. get logical-switch <Local-Switch-UUID> status
- B. get logical-switch <Logical-Switch-UUID>
- C. get logical-switches
- D. get logical-switch status

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 71

Which Network and Security virtualization solution provides network hybridity and mobility?

- A. NSX Intelligence
- B. VMware HCX
- C. NSX Advanced Load Balancer
- D. VMware Tanzu Service Mesh

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which two statements describe the characteristics of an Edge Cluster in NSX-T 3.0 Data Center? (Choose two.)

- A. can have a maximum of 8 edge nodes
- B. must have only active-active edge nodes
- C. can have a maximum of 10 edge nodes
- D. can contain multiple types of edge nodes (VM or bare metal)
- E. must contain only one type of edge nodes (VM or bare metal)

Answer: ([SHOW ANSWER](#))

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-14183A62-8E8D-43CC-92E0->

Valid 2V0-41.20 Dumps shared by BraindumpsPass.com for Helping Passing 2V0-41.20 Exam! BraindumpsPass.com now offer the **newest 2V0-41.20 exam dumps**, the BraindumpsPass.com 2V0-41.20 exam **questions have been updated** and **answers have been corrected** get the **newest** BraindumpsPass.com 2V0-41.20 dumps with Test Engine here: <https://www.braindumpspass.com/VMware/2V0-41.20-practice-exam-dumps.html> (**95 Q&As** Dumps, **40%OFF** Special Discount: **Exam-Tests**)